## WEBVTT

 $00:00:00.000 \longrightarrow 00:00:03.186$  Funding for Yale Cancer Answers is

NOTE Confidence: 0.9423118

 $00:00:03.186 \longrightarrow 00:00:06.200$  provided by Smilow Cancer Hospital.

NOTE Confidence: 0.9423118

 $00:00:06.200 \longrightarrow 00:00:08.375$  Welcome to Yale Cancer Answers

NOTE Confidence: 0.9423118

 $00:00:08.375 \longrightarrow 00:00:10.115$  with Doctor Anees Chappar.

NOTE Confidence: 0.9423118

00:00:10.120 --> 00:00:11.600 Yale Cancer Answers features

NOTE Confidence: 0.9423118

 $00:00:11.600 \longrightarrow 00:00:13.450$  the latest information on cancer

NOTE Confidence: 0.9423118

 $00:00:13.450 \longrightarrow 00:00:15.345$  care by welcoming oncologists and

NOTE Confidence: 0.9423118

 $00:00:15.345 \longrightarrow 00:00:17.535$  specialists who are on the forefront

NOTE Confidence: 0.9423118

 $00:00:17.594 \longrightarrow 00:00:19.280$  of the battle to fight cancer.

NOTE Confidence: 0.9423118

 $00{:}00{:}19.280 \dashrightarrow 00{:}00{:}21.150$  This week it's a conversation

NOTE Confidence: 0.9423118

 $00{:}00{:}21.150 \dashrightarrow 00{:}00{:}23.020$  about advanced techniques in breast

NOTE Confidence: 0.9423118

 $00:00:23.080 \dashrightarrow 00:00:24.980$  surgery with Doctor Tristen Park.

NOTE Confidence: 0.9423118

 $00{:}00{:}24.980 \dashrightarrow 00{:}00{:}26.990$  Dr. Park is an assistant professor

NOTE Confidence: 0.9423118

 $00{:}00{:}26.990 \dashrightarrow 00{:}00{:}29.037$  and Doctor Chagpar is a professor

NOTE Confidence: 0.9423118

 $00:00:29.037 \longrightarrow 00:00:30.975$  of surgical oncology at the Yale

 $00:00:30.975 \longrightarrow 00:00:32.220$  School of Medicine.

NOTE Confidence: 0.92850924

00:00:33.460 --> 00:00:35.273 Tristen, maybe we can start off by

NOTE Confidence: 0.92850924

 $00{:}00{:}35.273 \dashrightarrow 00{:}00{:}37.100$  you telling us a little bit more

NOTE Confidence: 0.92850924

 $00:00:37.100 \longrightarrow 00:00:39.019$  about yourself and what it is you do.

NOTE Confidence: 0.92850924

 $00{:}00{:}39.380 \dashrightarrow 00{:}00{:}42.230$  Sure. So I'm an assistant professor

NOTE Confidence: 0.92850924

00:00:42.230 --> 00:00:44.686 of surgical oncology specifically

NOTE Confidence: 0.92850924

 $00:00:44.686 \longrightarrow 00:00:47.764$  taking care of breast cancer patients

NOTE Confidence: 0.92850924

 $00{:}00{:}47.764 \dashrightarrow 00{:}00{:}50.428$  and patients with breast disease.

NOTE Confidence: 0.92850924

 $00{:}00{:}50.430 \dashrightarrow 00{:}00{:}56.110$  I teach and help mentor medical

NOTE Confidence: 0.92850924

00:00:56.110 --> 00:00:58.410 students and residents at the

NOTE Confidence: 0.92850924

 $00{:}00{:}58.410 \dashrightarrow 00{:}01{:}01.494$  Yale School of Medicine as well as

NOTE Confidence: 0.92850924

 $00:01:01.494 \longrightarrow 00:01:03.624$  the Yale General Surgery program.

NOTE Confidence: 0.92850924

 $00:01:03.630 \longrightarrow 00:01:06.546$  We also have a wonderful

NOTE Confidence: 0.92850924

 $00:01:06.550 \longrightarrow 00:01:07.690$  breast cancer fellowship.

NOTE Confidence: 0.92850924

 $00:01:07.690 \longrightarrow 00:01:09.716$  So we also train fellows.

NOTE Confidence: 0.92850924

 $00:01:09.716 \longrightarrow 00:01:13.400$  and I help in their education and

00:01:13.400 --> 00:01:16.810 clinically I take care of locally

NOTE Confidence: 0.92850924

 $00{:}01{:}16.810 \longrightarrow 00{:}01{:}19.870$  advanced and early stage breast cancer

NOTE Confidence: 0.92850924

00:01:19.870 --> 00:01:23.416 patients as a surgeon and my other

NOTE Confidence: 0.92850924

 $00:01:23.416 \longrightarrow 00:01:25.906$  research interests include the use

NOTE Confidence: 0.92850924

 $00:01:25.906 \longrightarrow 00:01:28.550$  of immunotherapy and the treatment

NOTE Confidence: 0.92850924

 $00:01:28.550 \longrightarrow 00:01:31.220$  of triple negative breast cancers.

NOTE Confidence: 0.92850924

00:01:31.220 --> 00:01:35.664 And I'm also involved in some international

NOTE Confidence: 0.92850924

 $00{:}01{:}35.664 \dashrightarrow 00{:}01{:}39.241$  work with collaborations with large

NOTE Confidence: 0.92850924

00:01:39.241 --> 00:01:40.747 cancer centers in the East Asia,

NOTE Confidence: 0.92850924

 $00:01:40.750 \longrightarrow 00:01:41.749$  namely South Korea.

NOTE Confidence: 0.93235546

 $00:01:42.670 \longrightarrow 00:01:46.606$  Great. So let's dive into some

NOTE Confidence: 0.93235546

 $00:01:46.606 \longrightarrow 00:01:48.622$  of the work that you've been doing

NOTE Confidence: 0.93235546

 $00{:}01{:}48.622 \dashrightarrow 00{:}01{:}50.610$  and particularly today we wanted

NOTE Confidence: 0.93235546

 $00:01:50.610 \longrightarrow 00:01:53.458$  to find out a little bit more

NOTE Confidence: 0.93235546

 $00:01:53.458 \longrightarrow 00:01:55.390$  about surgical management of breast

00:01:55.390 --> 00:01:58.510 cancers as well as some of the more

NOTE Confidence: 0.93235546

 $00{:}01{:}58.510 \dashrightarrow 00{:}02{:}00.706$  newer techniques that are being used.

NOTE Confidence: 0.93235546

 $00:02:00.710 \longrightarrow 00:02:03.502$  So maybe you could start off by painting

NOTE Confidence: 0.93235546

 $00:02:03.502 \longrightarrow 00:02:05.916$  a landscape of what surgery really

NOTE Confidence: 0.93235546

00:02:05.916 --> 00:02:08.376 looks like for breast cancer patients,

NOTE Confidence: 0.93235546

 $00:02:08.380 \longrightarrow 00:02:10.144$  when do they need surgery and

NOTE Confidence: 0.93235546

 $00:02:10.144 \longrightarrow 00:02:12.096$  what kind of surgery are we

NOTE Confidence: 0.93235546

 $00:02:12.096 \longrightarrow 00:02:13.806$  talking about when we think about

NOTE Confidence: 0.93235546

 $00{:}02{:}13.860 \dashrightarrow 00{:}02{:}15.340$  surgery for breast cancers?

NOTE Confidence: 0.93046874

 $00:02:16.180 \longrightarrow 00:02:20.191$  So anyone with early or

NOTE Confidence: 0.93046874

 $00{:}02{:}20.191 \dashrightarrow 00{:}02{:}23.288$  locally advanced breast cancer needs

NOTE Confidence: 0.93046874

 $00:02:23.288 \longrightarrow 00:02:27.296$  surgery, that's part and parcel of

NOTE Confidence: 0.93046874

 $00:02:27.300 \longrightarrow 00:02:29.500$  the multidisciplinary approach to

NOTE Confidence: 0.93046874

 $00:02:29.500 \longrightarrow 00:02:32.076$  treating breast cancer in 2023.

NOTE Confidence: 0.93046874

 $00:02:32.076 \longrightarrow 00:02:34.332$  So anyone that has breast disease

NOTE Confidence: 0.93046874

 $00{:}02{:}34.332 \dashrightarrow 00{:}02{:}36.259$  or breast cancer that's localized

 $00:02:36.259 \longrightarrow 00:02:38.814$  to the breast or the lymph nodes

NOTE Confidence: 0.93046874

 $00{:}02{:}38.820 \dashrightarrow 00{:}02{:}41.904$  would need a surgery in conjunction

NOTE Confidence: 0.93046874

 $00:02:41.904 \longrightarrow 00:02:44.725$  with local radiation therapy on some

NOTE Confidence: 0.93046874

 $00:02:44.725 \longrightarrow 00:02:47.617$  sort of systemic therapy that may

NOTE Confidence: 0.93046874

 $00{:}02{:}47.617 \dashrightarrow 00{:}02{:}50.137$  be chemotherapy or endocrine the rapy

NOTE Confidence: 0.93046874

 $00:02:50.140 \longrightarrow 00:02:52.260$  and now immunotherapy as well,

NOTE Confidence: 0.93046874

 $00:02:52.260 \longrightarrow 00:02:54.265$  something that targets the immune

NOTE Confidence: 0.93046874

 $00{:}02{:}54.265 \dashrightarrow 00{:}02{:}56.316$  system to help decrease the size

NOTE Confidence: 0.93046874

 $00:02:56.316 \longrightarrow 00:02:58.575$  of the cancer if not make it go

NOTE Confidence: 0.93046874

 $00{:}02{:}58.575 \dashrightarrow 00{:}02{:}59.696$  away and prevent recurrences.

NOTE Confidence: 0.93046874

 $00{:}02{:}59.696 \dashrightarrow 00{:}03{:}02.459$  So that's kind of thinking of it

NOTE Confidence: 0.93046874

 $00:03:02.459 \longrightarrow 00:03:04.787$  as a three pronged approach.

NOTE Confidence: 0.93046874

 $00:03:04.790 \longrightarrow 00:03:06.260$  The treatment of breast cancer and surgery

NOTE Confidence: 0.93046874

 $00:03:06.260 \longrightarrow 00:03:07.868$  is definitely a very important part of it.

NOTE Confidence: 0.92978376

 $00:03:08.190 \longrightarrow 00:03:11.697$  Yeah. And so when we think about

00:03:11.697 --> 00:03:13.990 surgery for breast cancer,

NOTE Confidence: 0.92978376

 $00:03:13.990 \longrightarrow 00:03:16.396$  I often think about it kind

NOTE Confidence: 0.92978376

 $00:03:16.396 \longrightarrow 00:03:18.790$  of in two separate buckets.

NOTE Confidence: 0.92978376

00:03:18.790 --> 00:03:21.628 So surgery for the breast cancer

NOTE Confidence: 0.92978376

00:03:21.628 --> 00:03:24.034 itself within the breast and then

NOTE Confidence: 0.92978376

 $00:03:24.034 \longrightarrow 00:03:25.319$  surgery for the lymph nodes.

NOTE Confidence: 0.92978376

 $00{:}03{:}25.320 \dashrightarrow 00{:}03{:}27.440$  So may be we could talk a little bit

NOTE Confidence: 0.92978376

 $00:03:27.440 \longrightarrow 00:03:29.237$  about each of those two buckets.

NOTE Confidence: 0.92978376

 $00{:}03{:}29.240 \dashrightarrow 00{:}03{:}31.655$  So when a patient comes to you

NOTE Confidence: 0.92978376

00:03:31.655 --> 00:03:34.617 and has say an early stage breast

NOTE Confidence: 0.92978376

 $00{:}03{:}34.617 \dashrightarrow 00{:}03{:}36.496$  cancer and you're thinking about

NOTE Confidence: 0.92978376

 $00{:}03{:}36.496 \dashrightarrow 00{:}03{:}39.086$  how are you going to remove this

NOTE Confidence: 0.92978376

 $00:03:39.086 \longrightarrow 00:03:41.036$  cancer from the breast itself,

NOTE Confidence: 0.92978376

 $00:03:41.040 \longrightarrow 00:03:42.420$  what are the options that

NOTE Confidence: 0.92978376

00:03:42.420 --> 00:03:43.800 you lay out for patients?

NOTE Confidence: 0.92944986

 $00:03:44.360 \longrightarrow 00:03:46.790$  Well, a lot of it has to do with the

 $00:03:46.860 \longrightarrow 00:03:49.508$  subtype of cancer and the tumor

NOTE Confidence: 0.92944986

 $00:03:49.508 \longrightarrow 00:03:53.170$  to breast ratio for the patient.

00:03:56.122 --> 00:04:01.156 So an easy way to think about it is if it's a

NOTE Confidence: 0.92944986

 $00:04:01.156 \longrightarrow 00:04:03.858$  smaller cancer that takes

NOTE Confidence: 0.92944986

 $00{:}04{:}03.858 \longrightarrow 00{:}04{:}06.370$  up less than 20% of the breast volume

NOTE Confidence: 0.93647426

 $00:04:09.410 \longrightarrow 00:04:10.935$  doing something called a partial

NOTE Confidence: 0.93647426

 $00:04:10.935 \longrightarrow 00:04:12.735$  mastectomy which is just removing the

NOTE Confidence: 0.93647426

 $00:04:12.735 \longrightarrow 00:04:14.317$  tumor with a rim of healthy normal

NOTE Confidence: 0.93647426

 $00{:}04{:}14.317 \dashrightarrow 00{:}04{:}15.996$  tissue and not having to take the

NOTE Confidence: 0.93647426

 $00:04:15.996 \longrightarrow 00:04:18.020$  whole breast or a mastectomy is a

NOTE Confidence: 0.93647426

 $00{:}04{:}18.020 \dashrightarrow 00{:}04{:}20.295$  terrific option in this day and

NOTE Confidence: 0.93647426

00:04:20.295 --> 00:04:22.976 age that would be in conjunction with

NOTE Confidence: 0.93647426

 $00:04:22.980 \longrightarrow 00:04:25.458$  whole breast radiation therapy and

NOTE Confidence: 0.93647426

 $00:04:25.458 \longrightarrow 00:04:28.299$  potentially some sort of systemic therapy.

NOTE Confidence: 0.93647426

 $00:04:28.300 \longrightarrow 00:04:32.017$  If the tumor is much larger than

NOTE Confidence: 0.93647426

 $00:04:32.020 \longrightarrow 00:04:34.001$  than that and takes up a significant

 $00:04:34.001 \longrightarrow 00:04:35.300$  portion of the breast,

NOTE Confidence: 0.93647426

 $00:04:35.300 \longrightarrow 00:04:39.980$  generally 30% or more,

NOTE Confidence: 0.93647426

 $00:04:39.980 \longrightarrow 00:04:43.532$  then removal via mastectomy and with

NOTE Confidence: 0.93647426

 $00:04:43.532 \longrightarrow 00:04:45.900$  some subsequent reconstruction most

NOTE Confidence: 0.93647426

 $00:04:45.985 \longrightarrow 00:04:48.370$  of the time would be

NOTE Confidence: 0.93647426

 $00:04:48.370 \longrightarrow 00:04:49.850$  the recommended course of action.

NOTE Confidence: 0.9314578

 $00:04:50.970 \longrightarrow 00:04:52.710$  And even for those patients

NOTE Confidence: 0.9314578

 $00:04:52.710 \longrightarrow 00:04:54.450$  that do have larger tumors,

NOTE Confidence: 0.9314578

 $00:04:54.450 \longrightarrow 00:04:55.724$  if they came to you and said,

NOTE Confidence: 0.9314578

00:04:55.730 --> 00:04:57.450 but Doctor Park, you know,

NOTE Confidence: 0.9314578

 $00:04:57.450 \longrightarrow 00:04:59.410$  I really want to save my breast.

NOTE Confidence: 0.9314578

 $00:04:59.410 \longrightarrow 00:05:01.144$  Are there tricks that

NOTE Confidence: 0.9314578

 $00:05:01.144 \longrightarrow 00:05:02.997$  you have up your sleeve that

NOTE Confidence: 0.9314578

 $00{:}05{:}02.997 \dashrightarrow 00{:}05{:}04.881$  can help patients who want an

NOTE Confidence: 0.9314578

 $00:05:04.881 \longrightarrow 00:05:06.279$  option for breast conservation

 $00:05:06.279 \longrightarrow 00:05:08.764$  even if they have a larger tumor?

NOTE Confidence: 0.94053245

 $00:05:09.520 \longrightarrow 00:05:10.106$  Well, definitely.

NOTE Confidence: 0.94053245

 $00:05:10.106 \longrightarrow 00:05:12.157$  And now in this day and age,

NOTE Confidence: 0.94053245

 $00:05:12.160 \longrightarrow 00:05:13.785$  with all of our advancements

NOTE Confidence: 0.94053245

 $00:05:13.785 \longrightarrow 00:05:14.760$  in systemic therapy,

NOTE Confidence: 0.94053245

 $00:05:14.760 \longrightarrow 00:05:17.118$  we could do something called neoadjuvant

NOTE Confidence: 0.94053245

00:05:17.118 --> 00:05:18.690 systemic therapy to potentially

NOTE Confidence: 0.94053245

 $00:05:18.752 \longrightarrow 00:05:20.719$  shrink the tumor so that they could

NOTE Confidence: 0.94053245

 $00:05:20.720 \longrightarrow 00:05:22.470$  convert them from

NOTE Confidence: 0.94053245

00:05:22.470 --> 00:05:23.520 mastectomy to lumpectomy.

NOTE Confidence: 0.94053245

 $00:05:23.520 \longrightarrow 00:05:25.095$  So if it's an estrogen

NOTE Confidence: 0.94053245

 $00{:}05{:}25.095 \dashrightarrow 00{:}05{:}26.040$  receptor positive tumor,

NOTE Confidence: 0.94053245

 $00:05:26.040 \longrightarrow 00:05:28.320$  we could use estrogen blocking

NOTE Confidence: 0.94053245

 $00{:}05{:}28.320 \dashrightarrow 00{:}05{:}30.600$  agents to shrink the tumor.

NOTE Confidence: 0.94053245

 $00:05:30.600 \longrightarrow 00:05:32.958$  And then if it's other subtypes,

NOTE Confidence: 0.94053245

 $00:05:32.960 \longrightarrow 00:05:35.225$  there's other targeted therapies which

 $00:05:35.225 \longrightarrow 00:05:39.201$  include drugs that target the HER2-Neu

NOTE Confidence: 0.94053245

 $00{:}05{:}39.201 \dashrightarrow 00{:}05{:}42.281$  receptor or if it's a breast subtype,

NOTE Confidence: 0.94053245

 $00:05:42.281 \longrightarrow 00:05:43.669$  breast tumor subtype that

NOTE Confidence: 0.94053245

 $00:05:43.669 \longrightarrow 00:05:45.320$  doesn't express any receptors,

NOTE Confidence: 0.94053245

 $00:05:45.320 \longrightarrow 00:05:45.748$  immunotherapy,

NOTE Confidence: 0.94053245

00:05:45.748 --> 00:05:47.888 which targets the immune system

NOTE Confidence: 0.94053245

00:05:47.888 --> 00:05:49.600 in conjunction with chemotherapy,

NOTE Confidence: 0.94053245

 $00:05:49.600 \longrightarrow 00:05:53.542$  has had some very clinically

NOTE Confidence: 0.94053245

00:05:53.542 --> 00:05:54.546 meaningful shrinkages,

NOTE Confidence: 0.94053245

 $00:05:54.546 \longrightarrow 00:05:56.554$  if not complete responses,

NOTE Confidence: 0.94053245

00:05:56.560 --> 00:06:00.958 meaning the tumor shrinks almost completely,

NOTE Confidence: 0.94053245

 $00{:}06{:}00{.}960 \dashrightarrow 00{:}06{:}04{.}986$  allowing for the tumor to shrink

NOTE Confidence: 0.94053245

 $00:06:04.986 \longrightarrow 00:06:06.840$  and therefore to fit that criteria

NOTE Confidence: 0.94053245

 $00:06:06.903 \longrightarrow 00:06:08.390$  to do breast conservation therapy.

 $00:06:10.590 \longrightarrow 00:06:13.062$  A lot of patients when they're faced with

NOTE Confidence: 0.93556964

 $00:06:13.062 \longrightarrow 00:06:15.105$  a cancer diagnosis may understandably

 $00:06:15.105 \longrightarrow 00:06:17.823$  be very anxious about that diagnosis.

NOTE Confidence: 0.93556964

 $00:06:17.830 \longrightarrow 00:06:20.428$  And may say things like,

NOTE Confidence: 0.93556964

00:06:20.430 --> 00:06:22.470 but you know, Doc,

NOTE Confidence: 0.93556964

00:06:22.470 --> 00:06:24.114 I'm not married to my breast

NOTE Confidence: 0.93556964

 $00:06:24.114 \longrightarrow 00:06:25.710$  and I just want it out.

NOTE Confidence: 0.93556964

 $00:06:25.710 \longrightarrow 00:06:27.460$  I don't want to have to think

NOTE Confidence: 0.93556964

 $00:06:27.460 \longrightarrow 00:06:29.070$  about this breast cancer anymore.

NOTE Confidence: 0.93556964

 $00:06:29.070 \longrightarrow 00:06:31.390$  I don't want to worry about it anymore.

NOTE Confidence: 0.93556964

 $00:06:31.390 \longrightarrow 00:06:32.902$  What kind of conversation do you

NOTE Confidence: 0.93556964

 $00:06:32.902 \longrightarrow 00:06:34.190$  have with patients like that?

NOTE Confidence: 0.92841864

 $00:06:35.030 \longrightarrow 00:06:38.082$  Well, in in the case where breast

NOTE Confidence: 0.92841864

 $00{:}06{:}38.082 \dashrightarrow 00{:}06{:}40.314$  conservation is a very viable

NOTE Confidence: 0.92841864

 $00{:}06{:}40.314 \dashrightarrow 00{:}06{:}42.470$  option for them and I feel like

NOTE Confidence: 0.92841864

00:06:42.538 --> 00:06:45.070 they're speaking more out of anxiety,

NOTE Confidence: 0.92841864

 $00:06:45.070 \longrightarrow 00:06:48.790$  I go over the pros and cons of

 $00:06:48.790 \longrightarrow 00:06:51.508$  a mastectomy including

NOTE Confidence: 0.92841864

 $00:06:51.510 \longrightarrow 00:06:53.346$  even with the mastectomy

NOTE Confidence: 0.92841864

 $00:06:53.346 \longrightarrow 00:06:54.264$  going absolutely perfectly

NOTE Confidence: 0.92841864

 $00:06:54.270 \longrightarrow 00:06:57.861$  there are long term kind of sequelae

NOTE Confidence: 0.92841864

 $00:06:57.861 \longrightarrow 00:06:59.787$  or ramifications that one would have

NOTE Confidence: 0.92841864

 $00:06:59.787 \longrightarrow 00:07:01.876$  to deal with which includes

NOTE Confidence: 0.92841864

 $00:07:01.876 \longrightarrow 00:07:04.012$  even if it goes absolutely perfectly,

NOTE Confidence: 0.92841864

 $00:07:04.020 \longrightarrow 00:07:06.526$  like the nerve supply to the breast

NOTE Confidence: 0.92841864

00:07:06.526 --> 00:07:08.780 skin is is removed NOTE Confidence: 0.92841864

 $00:07:08.780 \longrightarrow 00:07:09.980$  as part of the mastectomy.

NOTE Confidence: 0.92841864

 $00:07:09.980 \longrightarrow 00:07:11.980$  So the chest wall will be numb.

NOTE Confidence: 0.92841864

 $00:07:11.980 \longrightarrow 00:07:13.968$  Meaning that you won't be able to

NOTE Confidence: 0.92841864

 $00:07:13.968 \longrightarrow 00:07:16.140$  feel people when they hug you or just

NOTE Confidence: 0.92841864

 $00{:}07{:}16.140 \dashrightarrow 00{:}07{:}18.540$ even kind of practical things like you may

NOTE Confidence: 0.92841864

 $00{:}07{:}19.900 \dashrightarrow 00{:}07{:}21.632$  accidentally burn yourself or

NOTE Confidence: 0.92841864

 $00:07:21.632 \longrightarrow 00:07:24.030$  if you leave a cold pack

 $00:07:24.030 \longrightarrow 00:07:26.268$  on that part of the body too long.

NOTE Confidence: 0.92841864

 $00:07:26.270 \longrightarrow 00:07:27.838$  It's like things like that

NOTE Confidence: 0.92841864

 $00:07:27.838 \longrightarrow 00:07:29.470$  to be concerned about in addition to,

NOTE Confidence: 0.92841864

 $00:07:29.470 \longrightarrow 00:07:29.852$  you know,

NOTE Confidence: 0.92841864

 $00:07:29.852 \longrightarrow 00:07:31.189$  smaller things like when

NOTE Confidence: 0.92841864

 $00:07:31.189 \longrightarrow 00:07:32.746$  you greet someone and hug them,

NOTE Confidence: 0.92841864

 $00:07:32.750 \longrightarrow 00:07:34.227$  you won't be able to feel that.

NOTE Confidence: 0.92841864

 $00:07:34.230 \longrightarrow 00:07:35.950$  So I talk about that.

NOTE Confidence: 0.92841864

 $00{:}07{:}36.790 \dashrightarrow 00{:}07{:}39.430$  Even if everything went smoothly,

NOTE Confidence: 0.92841864

 $00:07:39.430 \longrightarrow 00:07:41.110$  there's always the risk of complications,

NOTE Confidence: 0.92841864

 $00:07:41.110 \longrightarrow 00:07:42.688$  which include infections

NOTE Confidence: 0.92841864

 $00:07:42.688 \longrightarrow 00:07:44.266$  and wound complications,

NOTE Confidence: 0.92841864

 $00{:}07{:}44.270 \dashrightarrow 00{:}07{:}47.310$  chronic pain and therefore some

 $00:07:47.970 \longrightarrow 00:07:49.290$  further treatment and potentially

NOTE Confidence: 0.92841864

 $00:07:49.290 \longrightarrow 00:07:49.950$  further operations.

NOTE Confidence: 0.92841864

 $00:07:49.950 \longrightarrow 00:07:55.202$  So it's one thing to take that as

 $00:07:55.202 \longrightarrow 00:07:58.349$  a necessary cost

NOTE Confidence: 0.92841864

 $00:07:58.349 \longrightarrow 00:08:00.050$  if you have no other choice than

NOTE Confidence: 0.92841864

 $00{:}08{:}00.105 \dashrightarrow 00{:}08{:}01.749$  to do a mastectomy because your

NOTE Confidence: 0.92841864

00:08:01.749 --> 00:08:03.285 tumors large and not responding

NOTE Confidence: 0.92841864

 $00:08:03.285 \longrightarrow 00:08:05.175$  to the rapy and etcetera.

NOTE Confidence: 0.92841864

 $00:08:05.180 \longrightarrow 00:08:06.260$  But it's another thing to

 $00:08:07.484 \longrightarrow 00:08:11.156$  have these two perfectly viable options

NOTE Confidence: 0.92841864

00:08:11.156 --> 00:08:14.220 and kind of subject yourself to

 $00{:}08{:}14.814 \dashrightarrow 00{:}08{:}16.299$  something that may have more

NOTE Confidence: 0.9394707

 $00{:}08{:}18.580 {\:{\circ}{\circ}{\circ}}>00{:}08{:}20.660$  serious sequelae without you

NOTE Confidence: 0.9394707

 $00:08:20.660 \longrightarrow 00:08:23.260$  thinking through it very carefully.

NOTE Confidence: 0.9394707

 $00:08:23.260 \longrightarrow 00:08:24.540$  So I always

NOTE Confidence: 0.9394707

00:08:24.540 --> 00:08:25.860 bring that up. And NOTE Confidence: 0.9394707

 $00:08:25.860 \longrightarrow 00:08:27.500$  sometimes that really gives patients

NOTE Confidence: 0.9394707

 $00:08:27.500 \longrightarrow 00:08:29.300$  pause and helps them

 $00:08:31.620 \longrightarrow 00:08:33.444$  make a decision not

NOTE Confidence: 0.9394707

 $00:08:33.444 \longrightarrow 00:08:34.660$  completely based on anxiety.

NOTE Confidence: 0.9394707

 $00:08:35.500 \longrightarrow 00:08:38.924$  What about patients who may

 $00:08:38.924 \longrightarrow 00:08:41.044$  have a genetic mutation and

NOTE Confidence: 0.9394707

 $00:08:41.044 \longrightarrow 00:08:42.740$  they're thinking about people

NOTE Confidence: 0.9394707

 $00{:}08{:}42.816 \rightarrow 00{:}08{:}45.612$ like Angelina Jolie who had both

NOTE Confidence: 0.9394707

 $00{:}08{:}45.612 \dashrightarrow 00{:}08{:}47.476$  breasts removed and reconstructed?

NOTE Confidence: 0.9394707

 $00:08:47.480 \longrightarrow 00:08:48.760$  How do you advise them?

NOTE Confidence: 0.9394707

 $00:08:48.760 \longrightarrow 00:08:51.304$  I mean, is that an irrational

NOTE Confidence: 0.9394707

 $00:08:51.304 \longrightarrow 00:08:53.000$  decision that they're making?

NOTE Confidence: 0.9394707

 $00:08:53.000 \longrightarrow 00:08:54.760$  How do you talk to them about that?

NOTE Confidence: 0.9292855

00:08:55.280 --> 00:08:58.240 Well, in the setting of a genetic mutation,

NOTE Confidence: 0.9292855

 $00:08:58.240 \longrightarrow 00:09:02.460$  since they do have a higher

NOTE Confidence: 0.9292855

 $00{:}09{:}02.460 \dashrightarrow 00{:}09{:}05.086$  predisposition for 2nd cancers and

NOTE Confidence: 0.9292855

 $00:09:05.086 \longrightarrow 00:09:07.716$  other sporadic cancers,

NOTE Confidence: 0.9292855

 $00:09:07.720 \longrightarrow 00:09:09.532$  that's kind of a different

NOTE Confidence: 0.9292855

00:09:09.532 --> 00:09:11.185 population than someone that

NOTE Confidence: 0.9292855

 $00:09:11.185 \longrightarrow 00:09:13.397$  just has an isolated breast cancer.

 $00:09:13.397 \longrightarrow 00:09:16.750$  So that that definitely is not unreasonable

NOTE Confidence: 0.9292855

 $00:09:16.830 \longrightarrow 00:09:19.500$  and that that is a decent portion of

NOTE Confidence: 0.9292855

 $00:09:19.500 \longrightarrow 00:09:22.428$  the population that requests, you know,

NOTE Confidence: 0.9292855

 $00:09:22.428 \longrightarrow 00:09:25.644$  mastectomy for or even bilateral

NOTE Confidence: 0.9292855

 $00:09:25.644 \longrightarrow 00:09:28.458$  mastectomy for maximal risk reduction.

NOTE Confidence: 0.9292855

 $00:09:28.460 \longrightarrow 00:09:29.860$  But I kind of consider that as

NOTE Confidence: 0.9292855

 $00:09:29.860 \longrightarrow 00:09:30.780$  as a separate group.

NOTE Confidence: 0.9396412

 $00:09:32.060 \longrightarrow 00:09:34.820$  So for the patients who

NOTE Confidence: 0.9396412

 $00:09:34.820 \longrightarrow 00:09:37.580$  either opt for a mastectomy,

NOTE Confidence: 0.9396412

 $00:09:37.580 \longrightarrow 00:09:40.045$  either because they have cancer

NOTE Confidence: 0.9396412

 $00{:}09{:}40.045 \dashrightarrow 00{:}09{:}42.755$  or because they may have a

NOTE Confidence: 0.9396412

 $00{:}09{:}42.755 \dashrightarrow 00{:}09{:}44.527$  genetic predisposition or they

NOTE Confidence: 0.9396412

00:09:44.527 --> 00:09:46.650 may be at increased risk.

NOTE Confidence: 0.9396412

 $00:09:46.650 \longrightarrow 00:09:49.070$  Are there newer techniques that

NOTE Confidence: 0.9396412

00:09:49.070 --> 00:09:51.610 you're now using that allow

NOTE Confidence: 0.9396412

 $00{:}09{:}51.610 \dashrightarrow 00{:}09{:}55.210$  patients to have a better cosmetic

 $00:09:55.210 \longrightarrow 00:09:57.674$  result than what historically was

NOTE Confidence: 0.9396412

 $00{:}09{:}57.674 \dashrightarrow 00{:}10{:}00.415$  done in the past where patients

NOTE Confidence: 0.9396412

 $00:10:00.415 \longrightarrow 00:10:03.250$  were left with a flat chest wall?

NOTE Confidence: 0.9375404

 $00:10:04.130 \longrightarrow 00:10:06.730$  Well, now we have things,

NOTE Confidence: 0.9375404

00:10:06.730 --> 00:10:08.440 I mean we definitely have

NOTE Confidence: 0.9375404

 $00:10:08.440 \longrightarrow 00:10:09.808$  reconstruction which is a

NOTE Confidence: 0.9375404

 $00:10:09.808 \longrightarrow 00:10:11.458$  partnership with a plastic surgeon.

NOTE Confidence: 0.9375404

00:10:11.460 --> 00:10:14.340 So the plastic surgeon would offer

NOTE Confidence: 0.9375404

 $00{:}10{:}14.340 \dashrightarrow 00{:}10{:}16.716$  some sort of reconstruction that might

NOTE Confidence: 0.9375404

 $00:10:16.716 \longrightarrow 00:10:19.262$  that either may be in the form of

NOTE Confidence: 0.9375404

 $00{:}10{:}19.262 \rightarrow 00{:}10{:}21.068$  implant or using their own natural

NOTE Confidence: 0.9375404

 $00:10:21.068 \longrightarrow 00:10:23.180$  tissue like from their belly that's

NOTE Confidence: 0.9375404

 $00:10:23.180 \longrightarrow 00:10:25.095$  called the DIEP flat reconstruction.

NOTE Confidence: 0.9375404

 $00:10:25.100 \longrightarrow 00:10:27.830$  So that that's always definitely

NOTE Confidence: 0.9375404

 $00:10:27.830 \longrightarrow 00:10:30.014$  part of the conversation.

 $00:10:30.020 \longrightarrow 00:10:31.790$  But from the purely the

NOTE Confidence: 0.9375404

00:10:31.790 --> 00:10:32.498 mastectomy standpoint,

NOTE Confidence: 0.9375404

00:10:32.500 --> 00:10:36.180 there's the use of something called \*\*\*\*\*\*

NOTE Confidence: 0.9375404

 $00:10:36.180 \longrightarrow 00:10:38.205$  sparing mastectomy where the incision

NOTE Confidence: 0.9375404

00:10:38.205 --> 00:10:40.643 is hidden in the infra mammary fold,

NOTE Confidence: 0.9375404

 $00:10:40.643 \longrightarrow 00:10:42.540$  kind of like where you would think

NOTE Confidence: 0.9375404

00:10:42.592 --> 00:10:44.349 the underwire of your bra would be.

NOTE Confidence: 0.9375404

 $00:10:44.350 \longrightarrow 00:10:45.114$  So it's very hidden.

NOTE Confidence: 0.9375404

00:10:45.114 --> 00:10:46.069 So when you're sitting up,

NOTE Confidence: 0.9375404

00:10:46.070 --> 00:10:47.742 you can't see it and then all of

NOTE Confidence: 0.9375404

00:10:47.742 --> 00:10:49.355 the breast tissue and the surgery

NOTE Confidence: 0.9375404

 $00:10:49.355 \longrightarrow 00:10:50.785$  is done through that incision.

NOTE Confidence: 0.9375404

 $00:10:50.790 \longrightarrow 00:10:52.990$  It's basically like a hidden

NOTE Confidence: 0.9375404

 $00:10:52.990 \longrightarrow 00:10:55.682$  scar and the the entire skin

NOTE Confidence: 0.9375404

 $00:10:55.682 \longrightarrow 00:10:58.552$  and \*\*\*\*\* shell is preserved.

NOTE Confidence: 0.9375404

 $00:10:58.552 \longrightarrow 00:11:02.476$  And when the reconstruction is completed,

 $00:11:02.480 \longrightarrow 00:11:03.492$  you know the outside

NOTE Confidence: 0.9375404

00:11:03.492 --> 00:11:04.757 portion of the body looks,

NOTE Confidence: 0.9375404

 $00:11:04.760 \longrightarrow 00:11:06.230$  you know pretty much the same as

NOTE Confidence: 0.9375404

 $00:11:06.230 \longrightarrow 00:11:07.769$  it did before because all of the

NOTE Confidence: 0.9375404

00:11:07.769 --> 00:11:09.717 skin and the \*\*\*\*\*\* is intact and

NOTE Confidence: 0.9375404

00:11:09.717 --> 00:11:11.871 the the breast tissues removed and

NOTE Confidence: 0.9375404

00:11:11.871 --> 00:11:14.098 it has been replaced with either

NOTE Confidence: 0.9375404

 $00:11:14.098 \longrightarrow 00:11:16.364$  on the space has been replaced

NOTE Confidence: 0.9375404

 $00:11:16.364 \longrightarrow 00:11:18.653$  with either an implant or or

NOTE Confidence: 0.9375404

 $00{:}11{:}18.653 \dashrightarrow 00{:}11{:}20.118$  the tissue from your abdomen.

NOTE Confidence: 0.9386749

 $00:11:21.520 \longrightarrow 00:11:23.860$  Are there risks associated with

NOTE Confidence: 0.9386749

 $00:11:23.860 \longrightarrow 00:11:26.051$  a \*\*\*\*\* sparing mastectomy that

NOTE Confidence: 0.9386749

00:11:26.051 --> 00:11:27.719 you counsel patients about?

NOTE Confidence: 0.9386749

 $00:11:28.480 \longrightarrow 00:11:31.948$  Well, there's definitely risk of practical

NOTE Confidence: 0.9386749

00:11:31.948 --> 00:11:34.605 risks that include like skin \*\*\*\*\* necrosis,

00:11:34.605 --> 00:11:36.880 meaning the blood supply to the \*\*\*\*\*\*

NOTE Confidence: 0.9386749

00:11:36.880 --> 00:11:39.248 is compromised due to the to the surgery

NOTE Confidence: 0.9386749

 $00:11:39.248 \longrightarrow 00:11:41.717$  and then over some time then the \*\*\*\*\*\*

NOTE Confidence: 0.9386749

00:11:41.720 --> 00:11:44.560 may actually die and need to be removed,

NOTE Confidence: 0.9386749

 $00:11:44.560 \longrightarrow 00:11:46.560$  which is definitely not a,

NOTE Confidence: 0.9386749

00:11:46.560 --> 00:11:48.720 you know, a pleasant experience.

NOTE Confidence: 0.9386749

 $00:11:48.720 \longrightarrow 00:11:51.750$  So we definitely counsel the patient

NOTE Confidence: 0.9386749

00:11:51.750 --> 00:11:54.830 on the you know the potential of that

NOTE Confidence: 0.9386749

 $00{:}11{:}54.830 \to 00{:}11{:}57.079$  happening folks for folks that you know

NOTE Confidence: 0.9386749

 $00:11:57.080 \longrightarrow 00:11:59.915$  are at the most risk of that would be

NOTE Confidence: 0.9386749

 $00{:}11{:}59.920 \to 00{:}12{:}02.280$  generally people with certain anatomy,

NOTE Confidence: 0.9386749

00:12:02.280 --> 00:12:06.276 larger breast size, mortosis or droopiness,

NOTE Confidence: 0.9386749

00:12:06.280 --> 00:12:07.669 smoking history, diabetes,

NOTE Confidence: 0.9386749

 $00:12:07.669 \longrightarrow 00:12:10.447$  anything that could kind of compromise

NOTE Confidence: 0.9386749

 $00:12:10.447 \longrightarrow 00:12:12.797$  the blood flow to to that area.

NOTE Confidence: 0.9386749

 $00:12:12.800 \longrightarrow 00:12:15.908$  So generally we cut take that into

 $00:12:15.908 \longrightarrow 00:12:18.087$  consideration when offering that type

NOTE Confidence: 0.9386749

00:12:18.087 --> 00:12:20.397 of procedure to patients as well.

NOTE Confidence: 0.9386749

 $00:12:20.400 \longrightarrow 00:12:23.410$  And if the patients are very enthusiastic

NOTE Confidence: 0.9386749

00:12:23.410 --> 00:12:25.410 about it despite having some,

NOTE Confidence: 0.9386749

00:12:25.410 --> 00:12:27.769 perhaps some some of these risk factors,

NOTE Confidence: 0.9386749

00:12:27.770 --> 00:12:28.130 you know,

NOTE Confidence: 0.9386749

 $00:12:28.130 \longrightarrow 00:12:29.030$  we definitely counsel them that

NOTE Confidence: 0.9386749

 $00{:}12{:}29.030 \dashrightarrow 00{:}12{:}30.138$ you know they're at a higher risk

NOTE Confidence: 0.9386749

00:12:30.138 --> 00:12:31.622 of \*\*\*\*\* necrosis and potentially

NOTE Confidence: 0.9386749

 $00{:}12{:}31.622 \dashrightarrow 00{:}12{:}34.450$  additional surgery to have to remove it.

NOTE Confidence: 0.94355243

 $00:12:35.170 \longrightarrow 00:12:36.610$  Are there other options for

NOTE Confidence: 0.94355243

 $00:12:36.610 \longrightarrow 00:12:37.762$  those kinds of patients?

NOTE Confidence: 0.94355243

 $00{:}12{:}40.570 \dashrightarrow 00{:}12{:}42.310$  Well, there's definitely options

NOTE Confidence: 0.94355243

 $00:12:42.310 \longrightarrow 00:12:44.485$  that include a skin spraying

NOTE Confidence: 0.94355243

 $00:12:44.485 \longrightarrow 00:12:48.210$  mastectomy with \*\*\*\*\* reconstruction.

00:12:48.210 --> 00:12:50.498 In this day and age it could look

NOTE Confidence: 0.94355243

 $00:12:50.498 \longrightarrow 00:12:51.812$  extremely realistic with with

NOTE Confidence: 0.94355243

 $00{:}12{:}51.812 \dashrightarrow 00{:}12{:}53.852$  arial or tattooing and a plastic

NOTE Confidence: 0.94355243

00:12:53.852 --> 00:12:55.189 surgeon reconstructs the \*\*\*\*\*.

NOTE Confidence: 0.94355243

 $00:12:55.190 \longrightarrow 00:12:57.170$  And you know, sometimes I can't

NOTE Confidence: 0.94355243

 $00:12:57.170 \longrightarrow 00:12:58.892$  even tell the difference between

NOTE Confidence: 0.94355243

00:12:58.892 --> 00:13:00.878 a native \*\*\*\*\* area or complex on

NOTE Confidence: 0.94355243

 $00{:}13{:}00.878 \dashrightarrow 00{:}13{:}02.330$  the left side versus a reconstructed

NOTE Confidence: 0.94355243

 $00:13:02.380 \longrightarrow 00:13:03.350$  one on the right side.

NOTE Confidence: 0.94355243

 $00:13:03.350 \longrightarrow 00:13:04.827$  And I always do a double take.

NOTE Confidence: 0.94355243

 $00{:}13{:}04.830 \dashrightarrow 00{:}13{:}07.188$  So it's it's quite realistic and

NOTE Confidence: 0.94355243

 $00:13:07.188 \longrightarrow 00:13:09.430$  advanced in this day and age.

NOTE Confidence: 0.94355243

 $00:13:09.430 \longrightarrow 00:13:11.806$  The other option if for instance

NOTE Confidence: 0.94355243

 $00:13:11.806 \longrightarrow 00:13:14.278$  if the issue is too large of a

NOTE Confidence: 0.94355243

 $00{:}13{:}14.278 \dashrightarrow 00{:}13{:}15.941$  breast size entosis is we could do

NOTE Confidence: 0.94355243

00:13:15.941 --> 00:13:17.346 something called a staged \*\*\*\*\*\*

 $00:13:17.350 \longrightarrow 00:13:19.118$  Spearing mastectomy where in

NOTE Confidence: 0.94355243

 $00{:}13{:}19.118 \dashrightarrow 00{:}13{:}21.328$  partnership with a plastic surgeon,

NOTE Confidence: 0.94355243

00:13:21.330 --> 00:13:22.329 a \*\*\*\*\* reduction,

NOTE Confidence: 0.94355243

 $00:13:22.329 \longrightarrow 00:13:24.660$  a breast reduction is done so that

NOTE Confidence: 0.94355243

 $00:13:24.730 \longrightarrow 00:13:26.770$  their anatomy is more amenable to

NOTE Confidence: 0.9405284

00:13:28.850 --> 00:13:29.850 more amenable to a \*\*\*\*\*\*

NOTE Confidence: 0.9405284

 $00:13:29.850 \longrightarrow 00:13:31.110$  spraying mastectomy.

NOTE Confidence: 0.9405284

00:13:31.110 --> 00:13:33.826 So usually decreasing the amount of

NOTE Confidence: 0.9405284

 $00:13:33.826 \longrightarrow 00:13:36.010$  tosis and decreasing the breast volume.

NOTE Confidence: 0.9405284

 $00:13:36.010 \longrightarrow 00:13:37.130$  And then after that's all

NOTE Confidence: 0.9405284

 $00:13:37.130 \longrightarrow 00:13:38.853$  healed up then we do the actual

NOTE Confidence: 0.9405284

00:13:38.853 --> 00:13:39.842 \*\*\*\*\* spraying mastectomy.

NOTE Confidence: 0.9405284

 $00{:}13{:}39.842 \dashrightarrow 00{:}13{:}42.334$  So in particularly in the case of

NOTE Confidence: 0.9405284

00:13:42.334 --> 00:13:43.956 gene mutation positive patients

NOTE Confidence: 0.9405284

00:13:43.956 --> 00:13:46.368 that don't have an active cancer,

 $00:13:46.370 \longrightarrow 00:13:50.002$  that could be a that could be a

NOTE Confidence: 0.9405284

 $00{:}13{:}50.002 \dashrightarrow 00{:}13{:}51.960$ nice kind of compromise like a nice

NOTE Confidence: 0.9405284

 $00:13:51.960 \longrightarrow 00:13:53.818$  stepwise way to get to the goal,

NOTE Confidence: 0.93756

 $00:13:54.540 \longrightarrow 00:13:57.130$  terrific. So we have to take a

NOTE Confidence: 0.93756

 $00:13:57.130 \longrightarrow 00:13:59.700$  quick break for a medical minute.

NOTE Confidence: 0.93756

00:13:59.700 --> 00:14:01.947 Please stay tuned to learn more about

NOTE Confidence: 0.93756

 $00:14:01.947 \longrightarrow 00:14:03.533$  advanced techniques and breast surgery

NOTE Confidence: 0.93756

 $00:14:03.533 \longrightarrow 00:14:05.540$  with my guest Dr. Tristen Park.

NOTE Confidence: 0.93756

 $00{:}14{:}06.220 \dashrightarrow 00{:}14{:}08.185$  Funding for Yale Cancer Answers

NOTE Confidence: 0.93756

00:14:08.185 --> 00:14:10.150 comes from Smilow Cancer Hospital

NOTE Confidence: 0.93756

00:14:10.218 --> 00:14:12.906 where 16 locations across the region

NOTE Confidence: 0.93756

00:14:12.906 --> 00:14:14.698 provide patients with individualized,

NOTE Confidence: 0.93756

00:14:14.700 --> 00:14:16.052 innovative, convenient,

NOTE Confidence: 0.93756

 $00:14:16.052 \longrightarrow 00:14:18.080$  and comprehensive care.

NOTE Confidence: 0.93756

 $00:14:18.080 \longrightarrow 00:14:21.230$  Find a Smilow location near you

NOTE Confidence: 0.93756

00:14:21.230 --> 00:14:23.920 at smilowcancerhospital.org.

 $00:14:23.920 \longrightarrow 00:14:26.370$  There are over 16.9 million

NOTE Confidence: 0.93756

 $00:14:26.370 \longrightarrow 00:14:29.277$  cancer survivors in the US and

NOTE Confidence: 0.93756

 $00:14:29.277 \longrightarrow 00:14:31.200$  over 240,000 here in Connecticut.

NOTE Confidence: 0.93756

00:14:31.200 --> 00:14:32.760 Completing treatment for cancer

NOTE Confidence: 0.93756

 $00:14:32.760 \longrightarrow 00:14:35.040$  is a very exciting milestone,

NOTE Confidence: 0.93756

 $00:14:35.040 \longrightarrow 00:14:37.020$  but cancer and its treatment can

NOTE Confidence: 0.93756

 $00:14:37.020 \longrightarrow 00:14:39.120$  be a life changing experience.

NOTE Confidence: 0.93756

 $00:14:39.120 \longrightarrow 00:14:41.352$  The return to normal activities and

NOTE Confidence: 0.93756

 $00:14:41.352 \longrightarrow 00:14:42.840$  relationships may be difficult,

NOTE Confidence: 0.93756

 $00:14:42.840 \longrightarrow 00:14:45.276$  and cancer survivors may face other

NOTE Confidence: 0.93756

00:14:45.276 --> 00:14:47.450 longterm side effects of cancer,

NOTE Confidence: 0.93756

 $00:14:47.450 \longrightarrow 00:14:49.628$  including heart problems,

NOTE Confidence: 0.93756

00:14:49.628 --> 00:14:51.806 osteoporosis, fertility issues,

NOTE Confidence: 0.93756

 $00:14:51.810 \longrightarrow 00:14:54.645$  and an increased risk of second cancers.

NOTE Confidence: 0.93756

 $00:14:54.650 \longrightarrow 00:14:57.235$  Resources for cancer survivors are

00:14:57.235 --> 00:14:59.303 available at federally designated

NOTE Confidence: 0.93756

 $00{:}14{:}59.303 \dashrightarrow 00{:}15{:}00.573$  comprehensive Cancer centers

NOTE Confidence: 0.93756

00:15:00.573 --> 00:15:02.619 such as Yale Cancer Center

NOTE Confidence: 0.93756

00:15:02.619 --> 00:15:04.690 and Smilow Cancer Hospital.

NOTE Confidence: 0.93756

 $00:15:04.690 \longrightarrow 00:15:06.670$  To keep cancer survivors well

NOTE Confidence: 0.93756

 $00:15:06.670 \longrightarrow 00:15:08.650$  and focused on healthy living.

NOTE Confidence: 0.93756

 $00{:}15{:}08.650 \dashrightarrow 00{:}15{:}10.930$  The Smilow Cancer Hospital Survivorship

NOTE Confidence: 0.93756

00:15:10.930 --> 00:15:13.210 Clinic focuses on providing guidance

NOTE Confidence: 0.93756

 $00{:}15{:}13.271 \dashrightarrow 00{:}15{:}15.455$  and direction to empower survivors to

NOTE Confidence: 0.93756

 $00{:}15{:}15.455 \dashrightarrow 00{:}15{:}17.770$  take steps to maximize their health,

NOTE Confidence: 0.93756

00:15:17.770 --> 00:15:19.234 quality of life,

NOTE Confidence: 0.93756

 $00:15:19.234 \longrightarrow 00:15:20.210$  and longevity.

NOTE Confidence: 0.93756

 $00{:}15{:}20.210 \dashrightarrow 00{:}15{:}22.514$  More information is available

NOTE Confidence: 0.93756

 $00:15:22.514 \longrightarrow 00:15:23.667$  at yalecancercenter.org.

NOTE Confidence: 0.93756

 $00:15:23.667 \longrightarrow 00:15:27.129$  You're listening to Connecticut Public Radio.

NOTE Confidence: 0.93756

 $00:15:27.130 \longrightarrow 00:15:27.490$  Welcome

 $00{:}15{:}27.490 \dashrightarrow 00{:}15{:}29.010$  back to Yale Cancer Answers.

NOTE Confidence: 0.93069446

 $00{:}15{:}29.010 \dashrightarrow 00{:}15{:}30.610$  This is Doctor Anees Chagpar,

NOTE Confidence: 0.93069446

00:15:30.610 --> 00:15:32.766 and I'm joined tonight by my guest,

NOTE Confidence: 0.93069446

 $00:15:32.770 \longrightarrow 00:15:34.144$  Doctor Tristen Park.

NOTE Confidence: 0.93069446

00:15:34.144 --> 00:15:35.980 We're talking about advanced

NOTE Confidence: 0.93069446

 $00:15:35.980 \longrightarrow 00:15:38.280$  techniques in breast cancer surgery.

NOTE Confidence: 0.93069446

 $00:15:38.280 \longrightarrow 00:15:39.880$  And right before the break,

NOTE Confidence: 0.93069446

 $00:15:39.880 \longrightarrow 00:15:41.880$  we were talking about different

NOTE Confidence: 0.93069446

00:15:41.880 --> 00:15:43.080 techniques for mastectomy,

NOTE Confidence: 0.93069446

 $00:15:43.080 \longrightarrow 00:15:45.168$  so skin sparing,

NOTE Confidence: 0.93069446

 $00:15:45.168 \longrightarrow 00:15:47.613$  mastectomies, nipple sparing,

NOTE Confidence: 0.93069446

00:15:47.613 --> 00:15:49.719 mastectomies, etcetera.

NOTE Confidence: 0.93069446

 $00{:}15{:}49.720 \dashrightarrow 00{:}15{:}52.720$  So before we leave the topic of mast ectomies,

NOTE Confidence: 0.93069446

 $00:15:52.720 \longrightarrow 00:15:54.638$  Tristen, I was wondering if you could

NOTE Confidence: 0.93069446

 $00:15:54.640 \longrightarrow 00:15:56.957$  tell us a little bit more about

 $00:15:56.957 \longrightarrow 00:15:58.920$  different techniques of reconstruction.

NOTE Confidence: 0.93069446

 $00{:}15{:}58.920 {\:{\circ}{\circ}{\circ}}>00{:}16{:}01.080$  You had mentioned that, you know,

NOTE Confidence: 0.93069446

 $00:16:01.080 \longrightarrow 00:16:04.320$  in this day and age a lot of

NOTE Confidence: 0.93069446

 $00:16:04.320 \longrightarrow 00:16:06.781$  women can have reconstruction as

NOTE Confidence: 0.93069446

00:16:06.781 --> 00:16:09.448 opposed to being flat as was the

NOTE Confidence: 0.93069446

 $00:16:09.448 \longrightarrow 00:16:11.105$  case historically when people

NOTE Confidence: 0.93069446

00:16:11.105 --> 00:16:13.160 didn't really have a choice.

NOTE Confidence: 0.93069446

 $00:16:13.160 \longrightarrow 00:16:15.524$  So what are the options for

NOTE Confidence: 0.93069446

00:16:15.524 --> 00:16:17.480 reconstruction and how do you,

NOTE Confidence: 0.93069446

 $00:16:17.480 \longrightarrow 00:16:19.550$  how do patients make a decision

NOTE Confidence: 0.93069446

 $00{:}16{:}19.550 \dashrightarrow 00{:}16{:}21.320$  about what's right for them?

NOTE Confidence: 0.932896002222222

00:16:23.040 --> 00:16:27.657 Sure. So I always tell my patients there are,

NOTE Confidence: 0.932896002222222

 $00:16:27.660 \longrightarrow 00:16:31.755$  you know, definitely 2 viable options for

NOTE Confidence: 0.932896002222222

 $00:16:31.755 \longrightarrow 00:16:35.248$  for reconstruction after after mastectomy.

NOTE Confidence: 0.932896002222222

 $00:16:35.248 \longrightarrow 00:16:39.610$  One is no reconstruction And then

NOTE Confidence: 0.932896002222222

 $00:16:39.717 \longrightarrow 00:16:41.970$  and then we discussed the use of

 $00:16:41.970 \longrightarrow 00:16:44.020$  prosthesis and the pros and cons of

NOTE Confidence: 0.932896002222222

 $00:16:44.020 \longrightarrow 00:16:45.980$  not have needing additional surgery.

00:16:47.148 --> 00:16:49.816 Then I say the other arm of that branch

NOTE Confidence: 0.932896002222222

 $00:16:49.816 \longrightarrow 00:16:51.500$  is doing some sort of reconstruction.

NOTE Confidence: 0.9328960022222222

 $00:16:51.500 \longrightarrow 00:16:54.065$  And within reconstruction,

NOTE Confidence: 0.932896002222222

 $00:16:54.065 \longrightarrow 00:16:56.450$  there's implant based reconstruction

NOTE Confidence: 0.932896002222222

 $00:16:56.450 \longrightarrow 00:16:59.000$  versus like tissue based reconstruction.

NOTE Confidence: 0.932896002222222

00:16:59.000 --> 00:17:01.520 So I counsel patients that implant based

NOTE Confidence: 0.9328960022222222

 $00:17:01.520 \longrightarrow 00:17:03.370$  reconstruction is like the classical

NOTE Confidence: 0.932896002222222

 $00:17:03.370 \longrightarrow 00:17:05.826$  thought of the classical implant

NOTE Confidence: 0.932896002222222

 $00:17:05.826 \longrightarrow 00:17:11.240$  where a implant is used to

NOTE Confidence: 0.932896002222222

 $00{:}17{:}11.240 \dashrightarrow 00{:}17{:}15.110$  reconstruct and take up the volume of the

NOTE Confidence: 0.932896002222222

 $00{:}17{:}15.110 \dashrightarrow 00{:}17{:}17.279$  breast tissue that's been removed.

NOTE Confidence: 0.932896002222222

 $00{:}17{:}17.280 \dashrightarrow 00{:}17{:}19.912$  Generally it's a two staged operation in

NOTE Confidence: 0.932896002222222

 $00:17:19.912 \longrightarrow 00:17:22.400$  partnership with a plastic surgeon where

NOTE Confidence: 0.932896002222222

 $00:17:22.400 \longrightarrow 00:17:24.974$  they put something called an expander in

 $00:17:24.974 \longrightarrow 00:17:27.644$  first which kind of is like a placeholder

NOTE Confidence: 0.932896002222222

 $00{:}17{:}27.644 \dashrightarrow 00{:}17{:}29.720$  and then as the expander is expanded

NOTE Confidence: 0.932896002222222

 $00:17:29.720 \longrightarrow 00:17:32.443$  over a period of a few months to the

NOTE Confidence: 0.932896002222222

 $00:17:32.443 \longrightarrow 00:17:34.333$  ideal size and then that's switched

NOTE Confidence: 0.932896002222222

 $00:17:34.333 \longrightarrow 00:17:36.619$  out for the final permanent implant.

NOTE Confidence: 0.932896002222222

 $00:17:36.620 \longrightarrow 00:17:39.338$  So at that point you could get to the

NOTE Confidence: 0.932896002222222

 $00:17:39.340 \longrightarrow 00:17:41.684$  goal breast size and then the

NOTE Confidence: 0.932896002222222

 $00{:}17{:}41.684 \dashrightarrow 00{:}17{:}43.714$  final implant is placed afte

NOTE Confidence: 0.932896002222222

 $00:17:43.714 \longrightarrow 00:17:46.122$  the rest of the tissues have healed

NOTE Confidence: 0.932896002222222

 $00:17:46.122 \longrightarrow 00:17:48.376$  up well after the index mastectomy.

NOTE Confidence: 0.932896002222222

 $00:17:48.380 \longrightarrow 00:17:50.534$  The other option is using something

NOTE Confidence: 0.932896002222222

 $00{:}17{:}50.534 \dashrightarrow 00{:}17{:}51.970$  called tissue based reconstruction

NOTE Confidence: 0.932896002222222

 $00{:}17{:}52.023 \dashrightarrow 00{:}17{:}54.360$  where, in partnership with a plastic

NOTE Confidence: 0.932896002222222

00:17:54.360 --> 00:17:56.680 surgeon, tissue from the abdomen or

NOTE Confidence: 0.932896002222222

 $00:17:56.680 \longrightarrow 00:17:58.600$  other parts of the body could be used.

00:17:58.600 --> 00:18:00.640 Although abdomen is the most common.

NOTE Confidence: 0.932896002222222

 $00:18:00.640 \dashrightarrow 00:18:03.076$  That's called the DIEP flap reconstruction.

NOTE Confidence: 0.932896002222222

 $00:18:03.080 \longrightarrow 00:18:05.404$  Basically in layman's terms we

NOTE Confidence: 0.932896002222222

 $00:18:05.404 \longrightarrow 00:18:08.164$  describe it as like a tummy tuck

NOTE Confidence: 0.932896002222222

 $00:18:08.164 \longrightarrow 00:18:10.639$  and the tissues then placed into the

NOTE Confidence: 0.932896002222222

 $00:18:10.639 \longrightarrow 00:18:14.558$  breast skin capsule to replace the volume.

NOTE Confidence: 0.932896002222222

 $00:18:14.560 \longrightarrow 00:18:17.722$  So the pluses and minuses is that

NOTE Confidence: 0.932896002222222

 $00{:}18{:}17.722 \dashrightarrow 00{:}18{:}20.026$  the implant based reconstruction is a

NOTE Confidence: 0.932896002222222

 $00:18:20.026 \longrightarrow 00:18:24.366$  little bit easier to do regarding time.

NOTE Confidence: 0.932896002222222

 $00:18:24.366 \longrightarrow 00:18:26.994$  It adds maybe another

NOTE Confidence: 0.932896002222222

 $00:18:26.994 \longrightarrow 00:18:28.930$  hour to the surgery.

NOTE Confidence: 0.932896002222222

 $00:18:28.930 \longrightarrow 00:18:29.926$  So that's the pluses of that.

NOTE Confidence: 0.932896002222222 00:18:29.930 --> 00:18:30.290 However,

 $00:18:31.730 \longrightarrow 00:18:33.641$  some people think it doesn't

NOTE Confidence: 0.932896002222222

00:18:33.641 --> 00:18:35.446 feel very natural and it does have

NOTE Confidence: 0.932896002222222

 $00:18:35.446 \longrightarrow 00:18:36.844$  to be replaced every 10 years.

 $00:18:36.850 \longrightarrow 00:18:38.738$  The tissue based reconstruction,

NOTE Confidence: 0.932896002222222

 $00:18:38.738 \longrightarrow 00:18:41.570$  it definitely feels more natural as

NOTE Confidence: 0.932896002222222

 $00:18:41.639 \longrightarrow 00:18:43.928$  it is your normal tissue

NOTE Confidence: 0.932896002222222

 $00:18:43.930 \longrightarrow 00:18:46.310$  but it is a large operation

NOTE Confidence: 0.932896002222222

 $00:18:46.310 \longrightarrow 00:18:48.809$  that takes an additional,

NOTE Confidence: 0.932896002222222

 $00:18:48.810 \longrightarrow 00:18:50.910$  sometimes four to six hours

NOTE Confidence: 0.932896002222222

 $00:18:50.910 \longrightarrow 00:18:53.230$  where in a separate part of your

NOTE Confidence: 0.932896002222222

 $00:18:53.230 \longrightarrow 00:18:55.866$  body is being operated on and that

NOTE Confidence: 0.932896002222222

 $00:18:55.866 \longrightarrow 00:18:58.006$  technically doesn't need an operation.

NOTE Confidence: 0.932896002222222

 $00:18:58.010 \longrightarrow 00:19:00.775$  So there's always complications

NOTE Confidence: 0.932896002222222

 $00:19:00.775 \longrightarrow 00:19:02.775$  that are associated with that

NOTE Confidence: 0.932896002222222

 $00:19:02.775 \longrightarrow 00:19:05.043$  as well as kind of more intense

NOTE Confidence: 0.9328960022222222

 $00:19:05.043 \longrightarrow 00:19:07.317$  wound healing and just the recovery

NOTE Confidence: 0.932896002222222

 $00{:}19{:}07.317 \dashrightarrow 00{:}19{:}09.408$  period because in addition to having

NOTE Confidence: 0.932896002222222

00:19:09.410 --> 00:19:11.796 your breasts operated on,

NOTE Confidence: 0.932896002222222

 $00{:}19{:}11.796 \dashrightarrow 00{:}19{:}13.434$ you're also having your entire

 $00:19:13.434 \longrightarrow 00:19:14.489$  abdomen operated on as well.

NOTE Confidence: 0.93289600222222200:19:14.490 --> 00:19:16.298 So that adds

NOTE Confidence: 0.932896002222222

 $00:19:16.298 \longrightarrow 00:19:18.159$  to the recovery period and the

NOTE Confidence: 0.932896002222222

 $00{:}19{:}18.159 \dashrightarrow 00{:}19{:}19.844$  arduousness of the recovery.

NOTE Confidence: 0.93289600222222200:19:19.850 --> 00:19:20.198 However, NOTE Confidence: 0.932896002222222

 $00{:}19{:}20.198 {\:{\mbox{--}}\!>\:} 00{:}19{:}22.982$ a lot of people like it

NOTE Confidence: 0.932896002222222

 $00:19:22.982 \longrightarrow 00:19:25.007$  because it feels very natural.

NOTE Confidence: 0.932896002222222

00:19:25.010 --> 00:19:26.690 It feels like it's part of them,

NOTE Confidence: 0.932896002222222

 $00:19:26.690 \longrightarrow 00:19:29.210$  there's no foreign body

NOTE Confidence: 0.932896002222222

 $00{:}19{:}29.210 \dashrightarrow 00{:}19{:}31.730$  in themselves and there is no need for

NOTE Confidence: 0.92964697

00:19:31.730 --> 00:19:33.180 switching out an implant every

NOTE Confidence: 0.92964697

 $00:19:33.180 \longrightarrow 00:19:34.630$  10 years.

NOTE Confidence: 0.92964697

 $00{:}19{:}34.630 {\:{\circ}{\circ}{\circ}}>00{:}19{:}35.815$  Generally patients that

NOTE Confidence: 0.92964697

 $00:19:35.815 \longrightarrow 00:19:37.790$  are on the younger side,

NOTE Confidence: 0.92964697

00:19:37.790 --> 00:19:40.100 healthier and could tolerate a much

00:19:40.100 --> 00:19:42.302 longer operation and have this type

NOTE Confidence: 0.92964697

 $00{:}19{:}42.302 \dashrightarrow 00{:}19{:}43.734$  of more complex reconstruction

NOTE Confidence: 0.92964697

 $00:19:43.734 \longrightarrow 00:19:45.629$  would be better candidates,

NOTE Confidence: 0.92964697

 $00:19:45.630 \longrightarrow 00:19:47.710$  although there are plenty of

NOTE Confidence: 0.92964697

 $00:19:47.710 \longrightarrow 00:19:49.130$  more elderly patients that

NOTE Confidence: 0.92964697

00:19:49.130 --> 00:19:50.905 could tolerate it just fine.

NOTE Confidence: 0.92964697

 $00:19:50.910 \longrightarrow 00:19:52.030$  As long as they're in

NOTE Confidence: 0.92964697

 $00:19:52.030 \longrightarrow 00:19:52.830$  good health.

NOTE Confidence: 0.9410838

 $00{:}19{:}52.870 \dashrightarrow 00{:}19{:}55.310$  So I can imagine that you know,

NOTE Confidence: 0.9410838

 $00:19:55.310 \longrightarrow 00:19:56.990$  patients may have a number of questions.

NOTE Confidence: 0.9410838

 $00:19:56.990 \longrightarrow 00:19:59.138$  So one of the questions

NOTE Confidence: 0.9410838

 $00:19:59.138 \longrightarrow 00:20:01.493$  that often comes up is,

NOTE Confidence: 0.9410838

 $00{:}20{:}01.493 \dashrightarrow 00{:}20{:}04.608$  are implants safe? There's been

NOTE Confidence: 0.9410838

 $00:20:04.610 \longrightarrow 00:20:06.665$  some horror stories in the

NOTE Confidence: 0.9410838

00:20:06.665 --> 00:20:08.722 past of implants rupturing,

NOTE Confidence: 0.9410838

 $00{:}20{:}08.722 \dashrightarrow 00{:}20{:}12.418$  of leakage, even of some cancers

 $00:20:12.418 \longrightarrow 00:20:15.010$  developing from implants.

NOTE Confidence: 0.9410838

 $00:20:15.010 \longrightarrow 00:20:17.152$  So how do you counsel patients when

NOTE Confidence: 0.9410838

00:20:17.152 --> 00:20:19.450 they ask you are implants safe?

NOTE Confidence: 0.9357954

 $00:20:19.450 \longrightarrow 00:20:21.470$  Implants are very safe.

NOTE Confidence: 0.9357954

 $00:20:21.470 \longrightarrow 00:20:23.995$  Regarding the kind of concern

NOTE Confidence: 0.9357954

 $00:20:23.995 \longrightarrow 00:20:26.729$  about the the cancer formation,

NOTE Confidence: 0.9357954

00:20:26.730 --> 00:20:29.340 it was a very rare type of lymphoma with

NOTE Confidence: 0.9357954

 $00:20:29.340 \longrightarrow 00:20:32.336$  a very specific type of textured implant

NOTE Confidence: 0.9357954

 $00:20:32.340 \longrightarrow 00:20:34.384$  that had been that particular type of

NOTE Confidence: 0.9357954

 $00:20:34.384 \longrightarrow 00:20:36.620$  implant has been removed from the market.

NOTE Confidence: 0.9357954

 $00:20:36.620 \longrightarrow 00:20:38.138$  So you can't get that anymore.

NOTE Confidence: 0.9357954

 $00:20:38.140 \longrightarrow 00:20:40.204$  And even with that incidence

NOTE Confidence: 0.9357954

 $00:20:40.204 \longrightarrow 00:20:41.580$  was extremely low.

NOTE Confidence: 0.9357954

 $00:20:41.580 \longrightarrow 00:20:42.800$  But that being said,

NOTE Confidence: 0.9357954

 $00:20:42.800 \longrightarrow 00:20:44.020$  it's off the market,

 $00:20:44.020 \longrightarrow 00:20:46.156$  you can't physically obtain that type

NOTE Confidence: 0.9357954

00:20:46.156 --> 00:20:48.540 of implant even if you wanted to.

NOTE Confidence: 0.9357954

 $00:20:48.540 \longrightarrow 00:20:51.825$  So that has definitely been

NOTE Confidence: 0.9357954

00:20:51.825 --> 00:20:55.400 addressed quite thoroughly and

NOTE Confidence: 0.9357954

 $00:20:55.400 \longrightarrow 00:20:57.240$  patients have also been recalled,

NOTE Confidence: 0.9357954

 $00:20:57.240 \longrightarrow 00:20:59.319$  the ones that have gotten it

NOTE Confidence: 0.9357954

 $00:20:59.319 \longrightarrow 00:21:01.680$  had them removed and

NOTE Confidence: 0.9357954

 $00:21:01.680 \longrightarrow 00:21:04.164$  replaced with a non textured implant.

NOTE Confidence: 0.9357954

 $00:21:04.164 \longrightarrow 00:21:06.570$  So there's that and then there's

NOTE Confidence: 0.9357954

 $00:21:06.650 \longrightarrow 00:21:09.272$  the more kind of common potential

NOTE Confidence: 0.9357954

00:21:09.272 --> 00:21:11.020 complications that may

NOTE Confidence: 0.9357954

 $00:21:11.098 \longrightarrow 00:21:12.971$  include rupture or infection.

NOTE Confidence: 0.9357954

00:21:12.971 --> 00:21:15.713 The risks of that are present,

NOTE Confidence: 0.9357954

 $00:21:15.720 \longrightarrow 00:21:18.373$  but overall it's very well

NOTE Confidence: 0.9357954

00:21:18.373 --> 00:21:21.258 tolerated and if it does happen,

NOTE Confidence: 0.9357954

 $00:21:21.260 \longrightarrow 00:21:22.940$  it would have to result

 $00:21:22.940 \longrightarrow 00:21:24.695$  in a surgery to remove it and

NOTE Confidence: 0.9357954

 $00:21:24.695 \longrightarrow 00:21:26.659$  then replace it at a later time.

NOTE Confidence: 0.9357954

00:21:26.660 --> 00:21:29.912 But overall it's considered quite

NOTE Confidence: 0.9357954

 $00:21:29.912 \longrightarrow 00:21:32.020$  safe and well tolerated procedure.

NOTE Confidence: 0.9409453

 $00:21:32.340 \longrightarrow 00:21:34.025$  Is everyone a candidate for

NOTE Confidence: 0.9409453

00:21:34.025 --> 00:21:35.373 the tummy tuck procedure?

NOTE Confidence: 0.9409453

 $00:21:35.380 \longrightarrow 00:21:37.860$  I can imagine that a lot of patients

NOTE Confidence: 0.9409453

00:21:37.860 --> 00:21:39.855 kind of get really excited about that,

NOTE Confidence: 0.9409453

 $00:21:39.860 \longrightarrow 00:21:44.428$  but some might not have enough belly tissue.

NOTE Confidence: 0.9409453

 $00:21:44.430 \longrightarrow 00:21:46.968$  So how do you kind of get around that

NOTE Confidence: 0.9409453

 $00:21:46.968 \longrightarrow 00:21:48.948$  and are there other contraindications

NOTE Confidence: 0.9409453

 $00:21:48.948 \longrightarrow 00:21:51.384$  to having a diep flap?

NOTE Confidence: 0.9319089

 $00{:}21{:}51.990 \dashrightarrow 00{:}21{:}59.067$  Yeah. So for the flap it requires

NOTE Confidence: 0.9319089

00:21:59.067 --> 00:22:02.169 a kind of reconnecting these very

NOTE Confidence: 0.9319089

 $00{:}22{:}02.169 \dashrightarrow 00{:}22{:}04.964$  small blood vessels together from

 $00:22:07.434 \longrightarrow 00:22:10.010$  abdominal tissue to the chest.

 $00:22:10.010 \longrightarrow 00:22:12.008$  So if there's any compromise to

NOTE Confidence: 0.9319089

00:22:12.008 --> 00:22:13.890 those little tiny blood vessels,

NOTE Confidence: 0.9319089

 $00:22:13.890 \longrightarrow 00:22:17.226$  like if you're a smoker or

NOTE Confidence: 0.9319089

00:22:17.226 --> 00:22:19.450 have other vascular problems,

NOTE Confidence: 0.9319089

 $00:22:19.450 \longrightarrow 00:22:21.378$  you know you would not be a good

NOTE Confidence: 0.9319089

 $00:22:21.378 \longrightarrow 00:22:23.025$  candidate for that because that

NOTE Confidence: 0.9319089

 $00:22:23.025 \longrightarrow 00:22:25.930$  would mean that the graft would not work.

NOTE Confidence: 0.9319089

 $00:22:25.930 \longrightarrow 00:22:29.415$  And so that's definitely

NOTE Confidence: 0.9319089

 $00:22:29.415 \longrightarrow 00:22:31.236$  a contraindication.

NOTE Confidence: 0.9319089

 $00:22:31.236 \longrightarrow 00:22:32.727$  Morbid obesity would be a contra indication.

NOTE Confidence: 0.9319089

00:22:32.730 --> 00:22:34.236 So most of our plastic surgeons

NOTE Confidence: 0.9319089

 $00:22:34.236 \longrightarrow 00:22:36.311$  want the patients to be in a kind of

NOTE Confidence: 0.9319089

00:22:36.311 --> 00:22:37.738 more healthy BMI range to

NOTE Confidence: 0.9319089

00:22:37.738 --> 00:22:38.962 tolerate that type of surgery and

NOTE Confidence: 0.9319089

 $00:22:38.962 \longrightarrow 00:22:40.570$  the surgery itself is quite long.

 $00:22:40.570 \longrightarrow 00:22:43.288$  So it's a good extra

NOTE Confidence: 0.9319089

00:22:43.290 --> 00:22:46.050 6 plus hours of surgery.

NOTE Confidence: 0.9319089

 $00:22:46.050 \longrightarrow 00:22:48.696$  So to just be in good physical

NOTE Confidence: 0.9319089

 $00:22:48.696 \longrightarrow 00:22:51.262$  shape to tolerate that length of

NOTE Confidence: 0.9319089

 $00:22:51.262 \longrightarrow 00:22:53.956$  anesthesia and being in the operating

NOTE Confidence: 0.9319089

 $00:22:53.956 \longrightarrow 00:22:55.523$  room is necessary.

NOTE Confidence: 0.9319089

00:22:55.523 --> 00:22:58.120 If you're too thin and do not

NOTE Confidence: 0.9319089

00:22:58.209 --> 00:23:00.309 have enough abdominal fat,

NOTE Confidence: 0.9319089

 $00:23:00.310 \longrightarrow 00:23:01.862$  abdominal tissue for this

NOTE Confidence: 0.9319089

 $00:23:01.862 \longrightarrow 00:23:03.026$  type of reconstruction

NOTE Confidence: 0.94059384

 $00:23:05.270 \longrightarrow 00:23:09.938$  we can do some kind of a hybrid approach.

NOTE Confidence: 0.94059384

 $00{:}23{:}09.938 \longrightarrow 00{:}23{:}12.432$  I've seen that spearheaded bioplastic

NOTE Confidence: 0.94059384

 $00:23:12.432 \longrightarrow 00:23:14.718$  surgeons where they combine both an

NOTE Confidence: 0.94059384

 $00:23:14.718 \longrightarrow 00:23:16.830$  implant with a diep flap or

NOTE Confidence: 0.94059384

 $00:23:16.830 \longrightarrow 00:23:18.377$  tissue from a different area where you

NOTE Confidence: 0.94059384

 $00:23:18.377 \longrightarrow 00:23:20.122$  still have that extra

 $00:23:20.122 \longrightarrow 00:23:21.750$  tissue coverage to make it feel natural.

NOTE Confidence: 0.94059384

00:23:21.750 --> 00:23:24.900 But you have the implant to give it

 $00:23:25.636 \longrightarrow 00:23:26.980$  some more volume as well.

NOTE Confidence: 0.94059384

 $00:23:26.980 \longrightarrow 00:23:29.422$  So there's some

NOTE Confidence: 0.94059384

 $00:23:29.422 \longrightarrow 00:23:32.517$  tips and tricks that our plastic

NOTE Confidence: 0.94059384

00:23:32.517 --> 00:23:34.860 surgeons make use of in patients

NOTE Confidence: 0.94059384

 $00:23:34.860 \longrightarrow 00:23:36.740$  that don't have enough tissue.

NOTE Confidence: 0.9280752

 $00:23:37.660 \longrightarrow 00:23:41.017$  So the other question that can come up is

NOTE Confidence: 0.9280752

 $00{:}23{:}41.020 \to 00{:}23{:}43.696$  after a mastectomy and reconstruction.

NOTE Confidence: 0.9280752

 $00:23:43.700 \longrightarrow 00:23:46.148$  So now people look like they

NOTE Confidence: 0.9280752

00:23:46.148 --> 00:23:48.408 have a breast, although their

NOTE Confidence: 0.9280752

 $00:23:48.408 \longrightarrow 00:23:50.978$  breast tissue has been removed.

NOTE Confidence: 0.9280752

 $00:23:50.980 \longrightarrow 00:23:53.060$  Do they still need a mammogram every year?

NOTE Confidence: 0.93551993

 $00{:}23{:}53.800 \dashrightarrow 00{:}23{:}56.816$  They do not need a mammogram every year

NOTE Confidence: 0.93551993

 $00:23:56.816 \longrightarrow 00:23:58.195$  because the definition of a mastectomy

NOTE Confidence: 0.93551993

 $00{:}23{:}58.195 \dashrightarrow 00{:}23{:}59.759$  is removing all of the breast tissue.

 $00:23:59.760 \longrightarrow 00:24:02.278$  I usually quote like 98-99% of the

NOTE Confidence: 0.93551993

00:24:02.278 --> 00:24:04.072 breast tissue is removed by the

NOTE Confidence: 0.93551993

 $00:24:04.072 \longrightarrow 00:24:05.684$  surgeon because we can't remove

NOTE Confidence: 0.93551993

 $00:24:05.684 \longrightarrow 00:24:07.274$  every single last breast cell,

NOTE Confidence: 0.93551993

 $00{:}24{:}07.280 \dashrightarrow 00{:}24{:}09.290$  but everything that's visible by

NOTE Confidence: 0.93551993

 $00:24:09.290 \longrightarrow 00:24:12.040$  the human eye of the surgeon is removed.

NOTE Confidence: 0.93551993

 $00:24:12.040 \longrightarrow 00:24:15.851$  So with 98-99% of the

NOTE Confidence: 0.93551993

 $00:24:15.851 \longrightarrow 00:24:17.891$  breast tissue being removed there

NOTE Confidence: 0.93551993

00:24:17.891 --> 00:24:21.642 is no role for mammograms as there

NOTE Confidence: 0.93551993

 $00:24:21.642 \longrightarrow 00:24:23.609$  is no breast tissue left to detect.

NOTE Confidence: 0.93551993

 $00:24:23.610 \longrightarrow 00:24:25.610$  So the main way that one would

NOTE Confidence: 0.93551993

 $00:24:25.610 \longrightarrow 00:24:27.838$  at that point you have maximally

NOTE Confidence: 0.93551993

 $00:24:27.838 \longrightarrow 00:24:30.225$  risk reduced the patient so that their

NOTE Confidence: 0.93551993

 $00:24:30.225 \longrightarrow 00:24:32.187$  future risk of developing any cancer

NOTE Confidence: 0.93551993

 $00:24:32.187 \longrightarrow 00:24:35.470$  is down to you know 1 to 2% maybe.

 $00:24:35.470 \longrightarrow 00:24:37.570$  And if it does happen,

NOTE Confidence: 0.93551993

 $00:24:37.570 \longrightarrow 00:24:41.450$  it would kind of be discovered on the

NOTE Confidence: 0.93551993

 $00:24:41.450 \longrightarrow 00:24:44.530$  physical exam usually as some sort of

NOTE Confidence: 0.93551993

 $00:24:44.530 \longrightarrow 00:24:47.530$  pea round kind of finding

NOTE Confidence: 0.93551993

00:24:47.530 --> 00:24:50.966 usually under the skin somewhere

NOTE Confidence: 0.93551993

 $00:24:50.970 \longrightarrow 00:24:52.830$  and that's how it would manifest.

NOTE Confidence: 0.93551993

 $00:24:52.830 \longrightarrow 00:24:53.362$  If that does happen,

 $00:24:53.630 \longrightarrow 00:24:55.429$  sometimes we ultrasound that to kind of

NOTE Confidence: 0.93551993

 $00:24:55.429 \longrightarrow 00:24:57.388$  confirm it and then biopsy it.

NOTE Confidence: 0.93551993

 $00:24:57.390 \longrightarrow 00:24:59.693$  But in general the role of screening

NOTE Confidence: 0.93551993

 $00:24:59.693 \longrightarrow 00:25:01.469$  mammograms is obsolete once all or

NOTE Confidence: 0.93551993

 $00:25:01.470 \longrightarrow 00:25:03.241$  most of the breast

NOTE Confidence: 0.93551993

 $00:25:03.241 \longrightarrow 00:25:04.870$  tissue is removed after mastectomy.

NOTE Confidence: 0.9411596

 $00:25:05.830 \longrightarrow 00:25:08.710$  So we've kind of talked about

NOTE Confidence: 0.9411596

 $00{:}25{:}08.710 \longrightarrow 00{:}25{:}10.630$  the techniques for mast ectomy.

NOTE Confidence: 0.9411596

00:25:10.630 --> 00:25:12.190 You had mentioned before the

 $00:25:12.190 \longrightarrow 00:25:13.750$  other option

NOTE Confidence: 0.9411596

 $00:25:13.811 \longrightarrow 00:25:15.427$  is breast conserving surgery,

NOTE Confidence: 0.9411596

00:25:15.430 --> 00:25:16.184 partial mastectomies.

NOTE Confidence: 0.9411596

 $00:25:16.184 \longrightarrow 00:25:18.823$  But one of the things that you

NOTE Confidence: 0.9411596

 $00:25:18.823 \longrightarrow 00:25:21.159$  had mentioned in terms of the

NOTE Confidence: 0.9411596

 $00:25:21.159 \longrightarrow 00:25:22.984$  mastectomy side was that for

NOTE Confidence: 0.9411596

 $00:25:22.984 \longrightarrow 00:25:24.694$  patients who have larger breasts,

NOTE Confidence: 0.9411596

 $00:25:24.700 \longrightarrow 00:25:29.100$  this can often be combined with a reduction.

NOTE Confidence: 0.9411596

 $00{:}25{:}29.100 \dashrightarrow 00{:}25{:}30.934$  So if people have larger breasts but

NOTE Confidence: 0.9411596

 $00:25:30.934 \longrightarrow 00:25:32.898$  they want to preserve the breasts,

NOTE Confidence: 0.9411596

00:25:32.900 --> 00:25:35.140 they want to have a partial mastectomy,

NOTE Confidence: 0.9411596

 $00:25:35.140 \longrightarrow 00:25:36.939$  can they have a reduction as well?

NOTE Confidence: 0.9301793

 $00:25:37.620 \longrightarrow 00:25:39.895$  Yes. That is a definitely a great

NOTE Confidence: 0.9301793

 $00:25:42.060 \longrightarrow 00:25:44.720$  kind of tool in our pocket

NOTE Confidence: 0.9301793

 $00:25:44.720 \longrightarrow 00:25:47.724$  for both treating the cancer

NOTE Confidence: 0.9301793

 $00:25:47.724 \longrightarrow 00:25:49.540$  and sometimes having

00:25:52.280 --> 00:25:54.524 very large breast size could be

NOTE Confidence: 0.92814785

 $00:25:54.524 \longrightarrow 00:25:56.643$  a detriment to quality of life

NOTE Confidence: 0.92814785

00:25:56.643 --> 00:25:58.224 like inability to exercise well,

NOTE Confidence: 0.92814785

 $00:25:58.224 \longrightarrow 00:26:01.004$  back pain, neck pain etcetera.

NOTE Confidence: 0.92814785

 $00:26:01.004 \longrightarrow 00:26:04.208$  So in patients where breast

NOTE Confidence: 0.92814785

 $00:26:04.208 \longrightarrow 00:26:06.048$  reduction could even improve their

NOTE Confidence: 0.92814785

00:26:06.048 --> 00:26:08.279 their quality of life at baseline,

NOTE Confidence: 0.92814785

 $00:26:08.280 \longrightarrow 00:26:09.660$  it's definitely a

NOTE Confidence: 0.92814785

00:26:09.660 --> 00:26:11.040 wonderful option for patients.

NOTE Confidence: 0.92814785

 $00:26:11.040 \longrightarrow 00:26:13.495$  So in that setting usually it's

NOTE Confidence: 0.92814785

 $00:26:13.495 \longrightarrow 00:26:15.560$  done in partnership with a plastic surgeon.

NOTE Confidence: 0.92814785

 $00{:}26{:}15.560 \dashrightarrow 00{:}26{:}17.600$  The breast tumor is removed.

NOTE Confidence: 0.92814785

 $00:26:17.600 \longrightarrow 00:26:21.366$  The lymph nodes are tested and then

NOTE Confidence: 0.92814785

 $00:26:21.370 \longrightarrow 00:26:23.274$  concomitantly the plastic surgeon

NOTE Confidence: 0.92814785

 $00:26:23.274 \longrightarrow 00:26:26.130$  then with the leftover breast tissue

00:26:26.203 --> 00:26:28.393 does the breast reduction on both

NOTE Confidence: 0.92814785

 $00:26:28.393 \longrightarrow 00:26:30.318$  sides and and then you're

NOTE Confidence: 0.92814785

00:26:30.318 --> 00:26:32.488 left with a smaller breast

NOTE Confidence: 0.92814785

 $00:26:32.488 \longrightarrow 00:26:35.043$  size on both sides and

NOTE Confidence: 0.92814785

00:26:35.043 --> 00:26:37.186 your breast cancer is removed

NOTE Confidence: 0.92814785

 $00:26:37.186 \longrightarrow 00:26:39.406$  and the lymph nodes are staged.

NOTE Confidence: 0.92814785

00:26:39.410 --> 00:26:43.130 And patients generally really,

NOTE Confidence: 0.92814785

 $00:26:43.130 \longrightarrow 00:26:44.330$  really appreciate that because

NOTE Confidence: 0.92814785

00:26:44.330 --> 00:26:46.110 not only are you treating

NOTE Confidence: 0.92814785

 $00:26:46.110 \longrightarrow 00:26:47.450$  their breast cancer but

NOTE Confidence: 0.92814785

 $00:26:47.450 \longrightarrow 00:26:49.616$  their quality of life is definitely

NOTE Confidence: 0.92814785

 $00:26:49.616 \longrightarrow 00:26:51.657$  better due to decrease pain and

NOTE Confidence: 0.92814785

 $00:26:51.657 \longrightarrow 00:26:53.252$  you know improved mobility and

NOTE Confidence: 0.92814785

 $00:26:53.252 \longrightarrow 00:26:54.778$  ability to be more active.

NOTE Confidence: 0.933475

 $00:26:55.580 \longrightarrow 00:26:57.560$  So then the other question

NOTE Confidence: 0.933475

 $00:26:57.560 \longrightarrow 00:26:59.339$  that might come up is,

 $00{:}26{:}59.340 \dashrightarrow 00{:}27{:}00.972$  it's really great that

NOTE Confidence: 0.933475

00:27:00.972 --> 00:27:02.660 patients can get a reduction,

NOTE Confidence: 0.933475

 $00:27:02.660 \longrightarrow 00:27:05.593$  they can get a lift potentially they

NOTE Confidence: 0.933475

00:27:05.593 --> 00:27:09.352 can get maybe even a tummy tuck if they

NOTE Confidence: 0.933475

 $00:27:09.352 \longrightarrow 00:27:12.058$  have a mastectomy with a diep flap.

NOTE Confidence: 0.933475

 $00:27:12.060 \longrightarrow 00:27:13.640$  And many of them may say, well,

NOTE Confidence: 0.933475

 $00:27:13.640 \longrightarrow 00:27:15.540$  geez, that all sounds very

NOTE Confidence: 0.933475

00:27:15.540 --> 00:27:17.600 much like cosmetic surgery.

NOTE Confidence: 0.933475

00:27:17.600 --> 00:27:20.175 Will my insurance cover this?

NOTE Confidence: 0.9344435

 $00:27:21.380 \longrightarrow 00:27:22.555$  So that's definitely a

NOTE Confidence: 0.9344435

 $00{:}27{:}22.555 \dashrightarrow 00{:}27{:}23.980$  question that I get a lot.

NOTE Confidence: 0.9344435

 $00:27:23.980 \longrightarrow 00:27:26.332$  And as long as you have a cancer

NOTE Confidence: 0.9344435

 $00{:}27{:}26.332 \to 00{:}27{:}28.339$  diagnosis and this is done in

NOTE Confidence: 0.9344435

 $00:27:28.340 \longrightarrow 00:27:29.695$  part and parcel with the

NOTE Confidence: 0.9344435

 $00:27:29.695 \longrightarrow 00:27:30.779$  removal of the tumor,

 $00:27:30.780 \longrightarrow 00:27:32.820$  it will be covered by insurance.

NOTE Confidence: 0.9344435

 $00:27:32.820 \longrightarrow 00:27:35.940$  And actually in the late 90s,

NOTE Confidence: 0.9344435

 $00:27:35.940 \longrightarrow 00:27:41.295$  the US government mandated that all breast

NOTE Confidence: 0.9344435

 $00:27:41.295 \longrightarrow 00:27:43.458$  reconstruction associated with breast

NOTE Confidence: 0.9344435

 $00:27:43.458 \longrightarrow 00:27:46.720$  cancer must be covered by all insurances.

NOTE Confidence: 0.9344435

 $00:27:46.720 \longrightarrow 00:27:48.870$  So that's definitely a

NOTE Confidence: 0.9344435

 $00:27:48.870 \longrightarrow 00:27:50.512$  great thing about

NOTE Confidence: 0.9344435

 $00:27:50.512 \longrightarrow 00:27:51.568$  the system that we have in

NOTE Confidence: 0.9344435

00:27:51.568 --> 00:27:52.479 place in this country.

NOTE Confidence: 0.9387142

00:27:52.800 --> 00:27:54.720 Including doing the symmetry

NOTE Confidence: 0.9387142

 $00:27:54.720 \longrightarrow 00:27:56.900$  operation on the other side, right.

NOTE Confidence: 0.9387142

 $00:27:56.900 \longrightarrow 00:27:58.200$  If they have a reduction.

NOTE Confidence: 0.9387142

 $00:27:58.986 \longrightarrow 00:28:01.268$  Most of the time, the symmetry

NOTE Confidence: 0.9387142

00:28:01.268 --> 00:28:03.438 operations can be done concurrently,

NOTE Confidence: 0.9387142

 $00:28:03.440 \longrightarrow 00:28:08.124$  but sometimes patients opt to wait

NOTE Confidence: 0.9387142

 $00:28:08.124 \longrightarrow 00:28:10.064$  until their complete cancer treatment

 $00:28:10.064 \longrightarrow 00:28:12.118$  is finished on the cancer side.

NOTE Confidence: 0.9387142

 $00{:}28{:}12.120 \dashrightarrow 00{:}28{:}13.920$  And then after everything's healed

NOTE Confidence: 0.9387142

 $00:28:13.920 \longrightarrow 00:28:15.720$  up and radiation is finished,

NOTE Confidence: 0.9387142

 $00:28:15.720 \longrightarrow 00:28:17.800$  which may alter the size of the

NOTE Confidence: 0.9387142

 $00:28:17.800 \longrightarrow 00:28:20.516$  breast bearing the cancer.

NOTE Confidence: 0.9387142

 $00:28:20.520 \longrightarrow 00:28:22.458$  Then we know what we're dealing

NOTE Confidence: 0.9387142

 $00:28:22.458 \longrightarrow 00:28:24.209$  with in the symmetry procedure

NOTE Confidence: 0.9387142

 $00{:}28{:}24.209 \dashrightarrow 00{:}28{:}26.174$  could kind of replicate exactly

NOTE Confidence: 0.9387142

 $00:28:26.174 \longrightarrow 00:28:28.576$  the end product of the other side.

NOTE Confidence: 0.9387142

 $00:28:28.576 \longrightarrow 00:28:30.032$  And that's called a

NOTE Confidence: 0.9387142

 $00{:}28{:}30.032 \dashrightarrow 00{:}28{:}31.184$  symmetrizing procedure and that's

NOTE Confidence: 0.9387142

 $00:28:31.184 \longrightarrow 00:28:32.120$  definitely covered as well.

NOTE Confidence: 0.9397054

00:28:32.840 --> 00:28:35.216 Doctor Tristan Park is an assistant

NOTE Confidence: 0.9397054

 $00:28:35.216 \longrightarrow 00:28:36.800$  professor of surgical oncology

NOTE Confidence: 0.9397054

 $00:28:36.860 \longrightarrow 00:28:38.720$  at the Yale School of Medicine.

 $00{:}28{:}38.720 \dashrightarrow 00{:}28{:}40.802$  If you have questions, the address

NOTE Confidence: 0.9397054

 $00{:}28{:}40.802 \to 00{:}28{:}43.078$  is Cancer Answers at Yale dot Edu,

NOTE Confidence: 0.9397054

 $00{:}28{:}43.080 \dashrightarrow 00{:}28{:}45.438$  and past editions of the program

NOTE Confidence: 0.9397054

 $00:28:45.438 \longrightarrow 00:28:47.760$  are available in audio and written

NOTE Confidence: 0.9397054

 $00{:}28{:}47.760 \dashrightarrow 00{:}28{:}48.745$  form at yale cancercenter.org.

NOTE Confidence: 0.9397054

 $00{:}28{:}48.745 \dashrightarrow 00{:}28{:}51.185$  We hope you'll join us next week to

NOTE Confidence: 0.9397054

 $00{:}28{:}51.185 \dashrightarrow 00{:}28{:}53.039$  learn more about the fight against

NOTE Confidence: 0.9397054

 $00:28:53.039 \longrightarrow 00:28:54.880$  cancer here on Connecticut Public Radio.

NOTE Confidence: 0.9397054

 $00:28:54.880 \longrightarrow 00:28:57.502$  Funding for Yale Cancer Answers is

NOTE Confidence: 0.9397054

 $00:28:57.502 \longrightarrow 00:29:00.000$  provided by Smilow Cancer Hospital.