## WEBVTT

 $00:00:00.000 \longrightarrow 00:00:02.196$  Funding for Yale Cancer Answers is

NOTE Confidence: 0.932001961818182

 $00{:}02.196 --> 00{:}00{:}04.280$  provided by Smilow Cancer Hospital.

NOTE Confidence: 0.81541128777778

 $00:00:06.320 \longrightarrow 00:00:08.540$  Welcome to Yale Cancer Answers

NOTE Confidence: 0.815411287777778

 $00:00:08.540 \longrightarrow 00:00:10.316$  with Doctor Anees Chappar.

NOTE Confidence: 0.815411287777778

 $00{:}00{:}10.320 \dashrightarrow 00{:}00{:}12.150$  Yale Cancer Answers features the

NOTE Confidence: 0.81541128777778

 $00:00:12.150 \longrightarrow 00:00:13.614$  latest information on cancer

NOTE Confidence: 0.815411287777778

00:00:13.614 --> 00:00:15.476 care by welcoming oncologists and

NOTE Confidence: 0.815411287777778

 $00{:}00{:}15.476 \longrightarrow 00{:}00{:}17.636$  specialists who are on the forefront

NOTE Confidence: 0.81541128777778

00:00:17.696 --> 00:00:19.358 of the battle to fight cancer.

NOTE Confidence: 0.81541128777778

 $00:00:19.360 \longrightarrow 00:00:21.340$  This week, it's a conversation about

NOTE Confidence: 0.815411287777778

 $00:00:21.340 \longrightarrow 00:00:23.608$  the benefits of exercise in the care

NOTE Confidence: 0.815411287777778

 $00:00:23.608 \longrightarrow 00:00:25.390$  of patients with breast cancer with

NOTE Confidence: 0.815411287777778

 $00:00:25.390 \longrightarrow 00:00:27.320$  doctors Tara Sanft and Melinda Irwin.

NOTE Confidence: 0.81541128777778

 $00:00:27.320 \longrightarrow 00:00:29.432$  Doctor Sanft is an associate professor

NOTE Confidence: 0.815411287777778

 $00:00:29.432 \longrightarrow 00:00:31.400$  of medicine and medical oncology

 $00:00:31.400 \longrightarrow 00:00:32.008$  and Dr. Irwin

NOTE Confidence: 0.815411287777778

 $00{:}00{:}32.008 \dashrightarrow 00{:}00{:}33.832$  is the Susan Dwight Bliss

NOTE Confidence: 0.81541128777778

00:00:33.832 --> 00:00:35.608 Professor of Epidemiology at the

NOTE Confidence: 0.81541128777778

00:00:35.608 --> 00:00:37.080 Yale School of Medicine,

NOTE Confidence: 0.81541128777778

 $00:00:37.080 \longrightarrow 00:00:39.000$  where Doctor Chagpar is a

NOTE Confidence: 0.81541128777778

 $00:00:39.000 \longrightarrow 00:00:40.280$  professor of surgical oncology.

NOTE Confidence: 0.964395423913043

 $00:00:41.480 \longrightarrow 00:00:43.370$  So maybe we'll start off with each

NOTE Confidence: 0.964395423913043

 $00:00:43.370 \longrightarrow 00:00:45.594$  of you telling us a little bit more

NOTE Confidence: 0.964395423913043

 $00:00:45.594 \longrightarrow 00:00:47.559$  about yourselves and what it is you do.

NOTE Confidence: 0.964395423913043

 $00:00:47.560 \longrightarrow 00:00:49.000$  Tara, can we start with you?

NOTE Confidence: 0.920321518333333

 $00{:}00{:}49.360 \dashrightarrow 00{:}00{:}51.916$  So I'm a breast medical oncologist.

NOTE Confidence: 0.920321518333333

 $00:00:51.920 \longrightarrow 00:00:55.154$  I've been practicing for about 14 years.

NOTE Confidence: 0.920321518333333

 $00:00:55.160 \longrightarrow 00:00:57.512$  I see patients who are recently

NOTE Confidence: 0.920321518333333

 $00:00:57.512 \longrightarrow 00:00:59.080$  diagnosed with breast cancer,

NOTE Confidence: 0.920321518333333

 $00:00:59.080 \longrightarrow 00:01:03.245$  and I also run a survivorship program

NOTE Confidence: 0.920321518333333

 $00:01:03.245 \longrightarrow 00:01:06.325$  here where we have a multidisciplinary

00:01:06.325 --> 00:01:08.313 approach to cancer survivorship

NOTE Confidence: 0.920321518333333

 $00:01:08.320 \longrightarrow 00:01:11.008$  in a clinic that includes a

NOTE Confidence: 0.920321518333333

00:01:11.008 --> 00:01:12.410 physical therapist, a dietitian,

NOTE Confidence: 0.920321518333333

00:01:12.410 --> 00:01:15.078 a social worker, and a physician's assistant.

NOTE Confidence: 0.920321518333333

 $00:01:15.078 \longrightarrow 00:01:17.592$  There we see patients of all

NOTE Confidence: 0.920321518333333

 $00:01:17.592 \longrightarrow 00:01:19.120$  diagnoses after treatment.

NOTE Confidence: 0.966329936875

00:01:19.280 --> 00:01:21.016 And Melinda, can you tell us a little

NOTE Confidence: 0.966329936875

00:01:21.016 --> 00:01:22.955 bit more about yourself and what you do?

NOTE Confidence: 0.912014503846154

 $00{:}01{:}23.680 \to 00{:}01{:}27.883$  Sure, happy to. So I am trained in both

NOTE Confidence: 0.912014503846154

 $00:01:27.883 \longrightarrow 00:01:30.600$  epidemiology and exercise Physiology.

NOTE Confidence: 0.912014503846154

 $00:01:30.600 \longrightarrow 00:01:33.631$  And for about the past 20 years I've

NOTE Confidence: 0.912014503846154

 $00:01:33.631 \longrightarrow 00:01:35.977$  been leading, along with colleagues such

NOTE Confidence: 0.912014503846154

 $00{:}01{:}35.977 \dashrightarrow 00{:}01{:}38.620$  as Tara, clinical trials where we look

NOTE Confidence: 0.912014503846154

 $00:01:38.620 \longrightarrow 00:01:41.690$  at the effect of exercise and also

NOTE Confidence: 0.912014503846154

 $00:01:41.690 \longrightarrow 00:01:43.964$  sometimes the role of weight management

 $00:01:43.964 \longrightarrow 00:01:46.919$  and nutrition on various cancer outcomes.

NOTE Confidence: 0.912014503846154

 $00:01:46.920 \longrightarrow 00:01:49.433$  We've looked at this in breast cancer

NOTE Confidence: 0.912014503846154

 $00{:}01{:}49.433 \dashrightarrow 00{:}01{:}51.583$  and other cancers really trying to

NOTE Confidence: 0.912014503846154

 $00{:}01{:}51.583 \dashrightarrow 00{:}01{:}53.914$  figure out the role of exercise in

NOTE Confidence: 0.912014503846154

00:01:53.920 --> 00:01:55.880 mechanisms for improving prognosis,

NOTE Confidence: 0.912014503846154

00:01:55.880 --> 00:01:59.395 but also its role in patient reported

NOTE Confidence: 0.912014503846154

 $00:01:59.395 \longrightarrow 00:02:02.874$  outcomes and how exercise can improve that.

NOTE Confidence: 0.912014503846154

 $00:02:02.880 \longrightarrow 00:02:05.190$  And much of the research that we

NOTE Confidence: 0.912014503846154

 $00:02:05.190 \longrightarrow 00:02:07.612$  and others have done has informed

NOTE Confidence: 0.912014503846154

00:02:07.612 --> 00:02:09.690 guidelines that are now making its way

NOTE Confidence: 0.912014503846154

 $00{:}02{:}09.690 \dashrightarrow 00{:}02{:}11.400$  into standard of care for treatment.

NOTE Confidence: 0.89124369

 $00{:}02{:}12.720 --> 00{:}02{:}14.680$  And so to that point, Tara,

NOTE Confidence: 0.89124369

 $00:02:14.680 \longrightarrow 00:02:17.174$  can you talk a little bit about the

NOTE Confidence: 0.89124369

 $00:02:17.174 \longrightarrow 00:02:18.952$  role that exercise plays in the

NOTE Confidence: 0.89124369

00:02:18.952 --> 00:02:20.992 treatment and management

NOTE Confidence: 0.89124369

 $00:02:20.992 \longrightarrow 00:02:22.832$  of patients with breast cancer?

 $00:02:24.160 \longrightarrow 00:02:29.075$  Sure. You know exercise has been

NOTE Confidence: 0.6537211

00:02:29.075 --> 00:02:32.550 shown to improve many outcomes in

NOTE Confidence: 0.6537211

 $00:02:32.550 \longrightarrow 00:02:35.655$  survivorship and even during

NOTE Confidence: 0.6537211

 $00:02:35.655 \longrightarrow 00:02:37.651$  treatment there's very strong

NOTE Confidence: 0.6537211

 $00:02:37.651 \longrightarrow 00:02:39.936$  data that suggests that exercise

NOTE Confidence: 0.6537211

00:02:39.936 --> 00:02:41.999 improves cancer related fatigue,

NOTE Confidence: 0.6537211

00:02:42.000 --> 00:02:44.276 reduces anxiety and depression,

NOTE Confidence: 0.6537211

00:02:44.276 --> 00:02:47.121 improves sleep quality and helps

NOTE Confidence: 0.6537211

00:02:47.121 --> 00:02:48.868 patients maintain function

NOTE Confidence: 0.6537211

 $00:02:48.868 \dashrightarrow 00:02:51.598$  both during and after treatment.

NOTE Confidence: 0.6537211

 $00{:}02{:}51.600 \dashrightarrow 00{:}02{:}54.342$  There's also data that's emerged that

NOTE Confidence: 0.6537211

 $00:02:54.342 \longrightarrow 00:02:57.125$  shows that patients who have more

NOTE Confidence: 0.6537211

00:02:57.125 --> 00:02:59.647 physical activity in their life may

NOTE Confidence: 0.6537211

 $00:02:59.647 \longrightarrow 00:03:01.936$  have better long term outcomes in terms

NOTE Confidence: 0.6537211

 $00:03:01.936 \longrightarrow 00:03:03.955$  of reduced breast cancer recurrence

 $00:03:03.955 \longrightarrow 00:03:06.115$  and better overall survival.

NOTE Confidence: 0.8615079975

 $00{:}03{:}07.520 \dashrightarrow 00{:}03{:}09.080$  And I might just add to that,

NOTE Confidence: 0.8615079975

 $00:03:09.080 \longrightarrow 00:03:11.330$  what's really exciting is the

NOTE Confidence: 0.8615079975

 $00:03:11.330 \longrightarrow 00:03:13.962$  research that we and many others

NOTE Confidence: 0.8615079975

 $00:03:13.962 \longrightarrow 00:03:16.086$  have done has really shown that

NOTE Confidence: 0.8615079975

 $00:03:16.086 \longrightarrow 00:03:18.451$  even little bits of exercise or

NOTE Confidence: 0.8615079975

 $00:03:18.451 \longrightarrow 00:03:21.100$  physical activity can have an impact.

NOTE Confidence: 0.8615079975

00:03:21.100 --> 00:03:25.210 So it's not necessarily you know,

NOTE Confidence: 0.8615079975

 $00{:}03{:}25.210 {\:{\circ}{\circ}{\circ}}>00{:}03{:}27.345$  high levels or high intensities or high

NOTE Confidence: 0.8615079975

00:03:27.345 --> 00:03:29.316 amounts of exercise that are required,

NOTE Confidence: 0.8615079975

 $00:03:29.320 \longrightarrow 00:03:31.612$  but it's pretty compelling evidence that

NOTE Confidence: 0.8615079975

 $00:03:31.612 \longrightarrow 00:03:33.960$  doing something is better than nothing.

NOTE Confidence: 0.8615079975

 $00:03:33.960 \longrightarrow 00:03:36.865$  So even if it's

NOTE Confidence: 0.8615079975

 $00:03:36.865 \longrightarrow 00:03:38.790$  the recommended amount of physical

NOTE Confidence: 0.8615079975

 $00:03:38.790 \longrightarrow 00:03:40.600$  activity, 2 1/2 hours per week,

NOTE Confidence: 0.8615079975

 $00:03:40.600 \longrightarrow 00:03:41.960$  but there's evidence showing

 $00{:}03{:}41.960 \dashrightarrow 00{:}03{:}44.000$  that even less than that amount

NOTE Confidence: 0.8615079975

 $00:03:44.066 \longrightarrow 00:03:45.598$  is beneficial for outcomes.

NOTE Confidence: 0.694683715

 $00:03:47.000 \longrightarrow 00:03:50.360$  And so when should

NOTE Confidence: 0.694683715

00:03:50.360 --> 00:03:52.212 patients really start exercising?

NOTE Confidence: 0.694683715

 $00:03:54.000 \longrightarrow 00:03:57.115$  I think that when people are initially

NOTE Confidence: 0.694683715

 $00:03:57.115 \longrightarrow 00:03:59.240$  diagnosed with breast cancer,

NOTE Confidence: 0.694683715

 $00:03:59.240 \longrightarrow 00:04:00.748$  their first concept is,

NOTE Confidence: 0.694683715

00:04:00.748 --> 00:04:04.600 oh my God, I've got breast cancer,

NOTE Confidence: 0.694683715

 $00:04:04.600 \longrightarrow 00:04:06.516$  not let me see what I can

NOTE Confidence: 0.694683715

 $00:04:06.516 \longrightarrow 00:04:07.880$  do to increase my exercise.

NOTE Confidence: 0.694683715

00:04:07.880 --> 00:04:10.960 So can you talk a little bit about

NOTE Confidence: 0.694683715

 $00:04:10.960 \longrightarrow 00:04:14.135$  when people should start integrating

NOTE Confidence: 0.694683715

 $00{:}04{:}14.135 \dashrightarrow 00{:}04{:}17.024$  more exercise into their lives?

NOTE Confidence: 0.694683715

 $00:04:17.024 \longrightarrow 00:04:18.664$  Ideally it should be before

NOTE Confidence: 0.694683715

 $00:04:18.664 \longrightarrow 00:04:20.440$  they ever get breast cancer.

 $00:04:20.440 \longrightarrow 00:04:23.450$  But how do you have that conversation

NOTE Confidence: 0.694683715

 $00{:}04{:}23.450 \dashrightarrow 00{:}04{:}26.108$  with people and start getting

NOTE Confidence: 0.694683715

 $00:04:26.108 \longrightarrow 00:04:29.396$  exercise into the

NOTE Confidence: 0.694683715

 $00:04:29.396 \longrightarrow 00:04:31.959$  treatment algorithm if you would

NOTE Confidence: 0.694683715

 $00:04:31.960 \longrightarrow 00:04:33.916$  for people with breast cancer?

NOTE Confidence: 0.95443668

 $00:04:34.800 \longrightarrow 00:04:36.160$  Yeah, thanks for asking that.

NOTE Confidence: 0.95443668

 $00:04:36.160 \longrightarrow 00:04:39.340$  I find this to be one of the

NOTE Confidence: 0.95443668

 $00:04:39.432 \longrightarrow 00:04:42.348$  most compelling times in medical care

NOTE Confidence: 0.95443668

 $00{:}04{:}42.348 \dashrightarrow 00{:}04{:}46.240$  which is soon after diagnosis.

NOTE Confidence: 0.95443668

 $00:04:46.240 \longrightarrow 00:04:49.392$  It's unusual for us as adults to

NOTE Confidence: 0.95443668

 $00:04:49.392 \longrightarrow 00:04:52.518$  really make major life changes sometimes

NOTE Confidence: 0.95443668

 $00:04:52.520 \longrightarrow 00:04:55.600$  until we have a teachable moment.

NOTE Confidence: 0.95443668

 $00:04:55.600 \longrightarrow 00:04:57.988$  An example is maybe becoming pregnant for

NOTE Confidence: 0.95443668

00:04:57.988 --> 00:05:01.109 the first time or having a heart attack

NOTE Confidence: 0.95443668

 $00:05:01.109 \longrightarrow 00:05:03.920$  for instance and cancer is one of

NOTE Confidence: 0.95443668

 $00:05:03.920 \longrightarrow 00:05:06.996$  those times when as a dults we tend to be

 $00:05:06.996 \longrightarrow 00:05:09.919$  open and motivated to make major changes.

NOTE Confidence: 0.95443668

 $00:05:09.920 \longrightarrow 00:05:11.705$  So first of all we should

NOTE Confidence: 0.95443668

 $00:05:11.705 \longrightarrow 00:05:13.078$  all be exercising, all of us.

NOTE Confidence: 0.95443668

 $00:05:13.080 \longrightarrow 00:05:14.767$  But we know that the vast majority

NOTE Confidence: 0.95443668

 $00{:}05{:}14.767 \dashrightarrow 00{:}05{:}16.763$  of us do not meet the recommended

NOTE Confidence: 0.95443668

00:05:16.763 --> 00:05:18.920 guidelines of 2 1/2 hours per week.

NOTE Confidence: 0.95443668

 $00:05:18.920 \longrightarrow 00:05:19.948$  And as Melinda said,

NOTE Confidence: 0.95443668

00:05:19.948 --> 00:05:21.233 something is better than nothing.

NOTE Confidence: 0.95443668

00:05:21.240 --> 00:05:23.515 But a lot of people are not

NOTE Confidence: 0.95443668

 $00:05:23.520 \longrightarrow 00:05:25.280$  meeting even close to that.

NOTE Confidence: 0.95443668

 $00{:}05{:}25.280 {\: -->\:} 00{:}05{:}28.283$  So soon after diagnosis is this teachable

NOTE Confidence: 0.95443668

 $00{:}05{:}28.283 \dashrightarrow 00{:}05{:}31.168$  moment where we can start to help our

NOTE Confidence: 0.95443668

 $00:05:31.168 \longrightarrow 00:05:33.296$  patients become a part of their care

NOTE Confidence: 0.95443668

 $00:05:33.296 \longrightarrow 00:05:36.095$  by giving them more control over what

NOTE Confidence: 0.95443668

00:05:36.095 --> 00:05:38.424 they're doing between visits,

 $00:05:38.424 \longrightarrow 00:05:41.640$  at home, by moving a little bit more.

NOTE Confidence: 0.95443668

 $00:05:41.640 \longrightarrow 00:05:42.720$  That being said,

NOTE Confidence: 0.95443668

 $00:05:42.720 \longrightarrow 00:05:44.958$  there are a significant number

NOTE Confidence: 0.95443668

 $00:05:44.958 \longrightarrow 00:05:47.274$  of patients who are overwhelmed with

NOTE Confidence: 0.95443668

 $00:05:47.274 \longrightarrow 00:05:48.799$  the diagnosis process,

NOTE Confidence: 0.95443668

 $00:05:48.800 \longrightarrow 00:05:49.191$  understandably.

NOTE Confidence: 0.95443668

 $00{:}05{:}49.191 \dashrightarrow 00{:}05{:}51.928$  And certainly we don't want to shame

NOTE Confidence: 0.95443668

00:05:51.928 --> 00:05:54.360 people for not being able to adopt

NOTE Confidence: 0.95443668

 $00{:}05{:}54.360 \dashrightarrow 00{:}05{:}56.080$  these healthy behaviors right away.

NOTE Confidence: 0.95443668

 $00:05:57.544 \longrightarrow 00:05:59.374$  That's where survivorship comes in after

NOTE Confidence: 0.95443668

 $00{:}05{:}59.374 \dashrightarrow 00{:}06{:}00.717$  treatment to really encourage

NOTE Confidence: 0.95443668

00:06:00.717 --> 00:06:02.845 patients at that point to start to

NOTE Confidence: 0.95443668

00:06:02.910 --> 00:06:04.575 rethink their approach and maybe

NOTE Confidence: 0.95443668

 $00:06:04.575 \longrightarrow 00:06:06.718$  tweak what they're doing a little

NOTE Confidence: 0.95443668

 $00:06:06.718 \longrightarrow 00:06:09.586$  bit to optimize their health after

NOTE Confidence: 0.95443668

 $00:06:09.586 \longrightarrow 00:06:12.039$  treatment anywhere along the spectrum.

 $00:06:12.040 \longrightarrow 00:06:14.038$  We want to encourage patients

NOTE Confidence: 0.95443668

 $00:06:14.040 \longrightarrow 00:06:16.432$  do this because it has so many

NOTE Confidence: 0.95443668

00:06:16.432 --> 00:06:18.360 upsides and very few downsides.

NOTE Confidence: 0.931663694230769

 $00:06:18.840 \longrightarrow 00:06:20.646$  And Melinda, maybe you can

NOTE Confidence: 0.931663694230769

 $00:06:20.646 \longrightarrow 00:06:22.801$  talk a little bit about some of

NOTE Confidence: 0.931663694230769

 $00:06:22.801 \longrightarrow 00:06:24.571$  the trials that you've done

NOTE Confidence: 0.931663694230769

 $00:06:24.571 \longrightarrow 00:06:26.438$  and shed a bit of light into the research.

NOTE Confidence: 0.931663694230769

 $00:06:26.440 \longrightarrow 00:06:28.438$  Has the research been done more in the

NOTE Confidence: 0.931663694230769

 $00{:}06{:}32.893 \dashrightarrow 00{:}06{:}35.026$  survivorship period when people are

NOTE Confidence: 0.931663694230769

 $00:06:35.026 \longrightarrow 00:06:37.118$  going through chemotherapy afterwards?

NOTE Confidence: 0.931663694230769

 $00:06:37.120 \longrightarrow 00:06:39.810$  And talk a little bit about

NOTE Confidence: 0.931663694230769

 $00:06:39.810 \longrightarrow 00:06:43.400$  kind of where this little bit is better,

NOTE Confidence: 0.931663694230769

 $00{:}06{:}43.400 \dashrightarrow 00{:}06{:}45.360$  something is better than nothing

NOTE Confidence: 0.931663694230769

 $00:06:45.360 \longrightarrow 00:06:47.320$  comes in and whether there's

NOTE Confidence: 0.931663694230769 00:06:47.320 --> 00:06:49.304 a minimum.

00:06:49.304 --> 00:06:52.400 If I exercise only 10 minutes,

NOTE Confidence: 0.931663694230769

 $00:06:52.400 \longrightarrow 00:06:53.464$  is that good enough?

NOTE Confidence: 0.931663694230769

00:06:53.464 --> 00:06:55.752 Can you talk a little bit about the

NOTE Confidence: 0.931663694230769

 $00:06:55.752 \longrightarrow 00:06:57.957$  research that's been done in this area?

NOTE Confidence: 0.768410402

 $00:06:58.720 \longrightarrow 00:07:01.280$  Sure, yes. So for probably

NOTE Confidence: 0.768410402

 $00:07:01.280 \longrightarrow 00:07:03.296$  a good 10 or so years,

NOTE Confidence: 0.768410402

 $00:07:03.296 \longrightarrow 00:07:05.120$  most of the research looking at

NOTE Confidence: 0.768410402

 $00:07:05.194 \longrightarrow 00:07:07.204$  exercise after cancer diagnosis has

NOTE Confidence: 0.768410402

 $00{:}07{:}07.204 \dashrightarrow 00{:}07{:}09.800$  been in the post treatment setting.

NOTE Confidence: 0.768410402

 $00:07:09.800 \longrightarrow 00:07:13.076$  So after chemotherapy and radiation

NOTE Confidence: 0.768410402

 $00:07:13.080 \longrightarrow 00:07:17.160$  treatment looking at how exercise might

NOTE Confidence: 0.768410402

00:07:17.160 --> 00:07:19.880 improve patient reported outcomes,

NOTE Confidence: 0.768410402

 $00:07:19.880 \longrightarrow 00:07:23.080$  sleep, quality of life, fatigue.

NOTE Confidence: 0.768410402

 $00:07:23.080 \longrightarrow 00:07:24.694$  And from the research that Tara

NOTE Confidence: 0.768410402

 $00:07:24.694 \longrightarrow 00:07:26.896$  and I have done as well as many

NOTE Confidence: 0.768410402

 $00:07:26.896 \longrightarrow 00:07:28.676$  others, has shown that some patients,

 $00:07:28.676 \longrightarrow 00:07:31.182$  not all but some patients, when they

NOTE Confidence: 0.768410402

 $00:07:31.182 \longrightarrow 00:07:33.760$  hear of the benefits of exercise in

NOTE Confidence: 0.768410402

 $00:07:33.760 \longrightarrow 00:07:36.001$  that post treatment time setting and

NOTE Confidence: 0.768410402

00:07:36.001 --> 00:07:37.968 they hear of potential benefits that

NOTE Confidence: 0.768410402

00:07:37.968 --> 00:07:39.999 it could have had during treatment,

NOTE Confidence: 0.768410402

00:07:40.000 --> 00:07:42.429 they ask, why didn't I receive this

NOTE Confidence: 0.768410402

00:07:42.429 --> 00:07:44.160 information sooner at diagnosis?

NOTE Confidence: 0.768410402

 $00:07:44.160 \longrightarrow 00:07:45.720$  And so as Tara suggested,

NOTE Confidence: 0.768410402

 $00{:}07{:}45.720 \dashrightarrow 00{:}07{:}48.392$  some people do want that information

NOTE Confidence: 0.768410402

 $00:07:48.392 \longrightarrow 00:07:51.464$  earlier and assistance in adding

NOTE Confidence: 0.768410402

 $00:07:51.464 \longrightarrow 00:07:54.958$  exercise into their routine during treatment.

NOTE Confidence: 0.768410402

 $00{:}07{:}54.960 \dashrightarrow 00{:}07{:}57.512$  And so Tara and I actually led a

NOTE Confidence: 0.768410402

 $00{:}07{:}57.512 \dashrightarrow 00{:}07{:}59.884$  trial together that just completed and

NOTE Confidence: 0.768410402

 $00:07:59.884 \longrightarrow 00:08:02.068$  was recently published that was an

NOTE Confidence: 0.768410402

 $00:08:02.068 \longrightarrow 00:08:03.737$  exercise and nutrition intervention

 $00:08:03.737 \longrightarrow 00:08:06.277$  during chemotherapy for breast cancer.

NOTE Confidence: 0.768410402

 $00:08:06.280 \longrightarrow 00:08:08.040$  And when we say exercise,

NOTE Confidence: 0.768410402

 $00:08:08.040 \longrightarrow 00:08:10.168$  what we mean is we prescribe

NOTE Confidence: 0.768410402

00:08:10.168 --> 00:08:12.531 for these women primarily a brisk

NOTE Confidence: 0.768410402

00:08:12.531 --> 00:08:14.613 walking program that could be done

NOTE Confidence: 0.768410402

00:08:14.679 --> 00:08:16.503 at their home, in their neighborhood,

NOTE Confidence: 0.768410402

 $00:08:16.503 \longrightarrow 00:08:20.084$  as well as we developed a home based

NOTE Confidence: 0.768410402

00:08:20.084 --> 00:08:22.448 resistance strength training

NOTE Confidence: 0.768410402

 $00:08:22.448 \longrightarrow 00:08:24.200$  program in their home, and

NOTE Confidence: 0.768410402

 $00:08:24.200 \longrightarrow 00:08:26.474$  we create creative material to help

NOTE Confidence: 0.768410402

 $00:08:26.474 \longrightarrow 00:08:29.118$  them figure out which exercises to do.

NOTE Confidence: 0.768410402

 $00:08:29.120 \longrightarrow 00:08:31.484$  And the importance of initiating this

NOTE Confidence: 0.768410402

 $00:08:31.484 \longrightarrow 00:08:33.842$  during treatment is to maintain or

NOTE Confidence: 0.768410402

 $00:08:33.842 \longrightarrow 00:08:36.327$  even maybe increase a bit your muscle

NOTE Confidence: 0.768410402

 $00{:}08{:}36.327 \dashrightarrow 00{:}08{:}38.753$  mass because we know that muscle

NOTE Confidence: 0.768410402

 $00:08:38.753 \longrightarrow 00:08:40.758$  is important for various outcomes

 $00{:}08{:}40.760 \dashrightarrow 00{:}08{:}42.944$  and there could be adverse effects

NOTE Confidence: 0.768410402

 $00:08:42.944 \longrightarrow 00:08:44.400$  of chemotherapy on muscle.

NOTE Confidence: 0.768410402

 $00:08:44.400 \longrightarrow 00:08:46.486$  So the idea of exercising either

NOTE Confidence: 0.768410402

 $00:08:46.486 \longrightarrow 00:08:48.530$  with just brisk walking which is

NOTE Confidence: 0.768410402

 $00:08:48.530 \longrightarrow 00:08:50.340$  a weight bearing activity during

NOTE Confidence: 0.768410402

 $00:08:50.340 \longrightarrow 00:08:52.358$  treatment to maintain muscle mass,

NOTE Confidence: 0.768410402

 $00:08:52.360 \longrightarrow 00:08:55.208$  but if not then in the post treatment

NOTE Confidence: 0.768410402

 $00{:}08{:}55.208 \dashrightarrow 00{:}08{:}57.680$  setting helping to improve other outcomes

NOTE Confidence: 0.768410402

 $00{:}08{:}57.680 \dashrightarrow 00{:}08{:}59.078$  is really important to think about.

NOTE Confidence: 0.768410402

 $00:08:59.080 \longrightarrow 00:09:01.592$  And one of the approaches we had

NOTE Confidence: 0.768410402

 $00{:}09{:}01.592 \dashrightarrow 00{:}09{:}03.784$  our study participants consider is

NOTE Confidence: 0.768410402

 $00{:}09{:}03.784 \dashrightarrow 00{:}09{:}06.175$  that shortly after diagnosis

NOTE Confidence: 0.768410402

 $00{:}09{:}06.175 \dashrightarrow 00{:}09{:}08.070$  friends and family and neighbors

NOTE Confidence: 0.768410402

 $00{:}09{:}08.133 \dashrightarrow 00{:}09{:}10.706$  want to help out and often

NOTE Confidence: 0.768410402

 $00:09:10.706 \longrightarrow 00:09:12.760$  bringing over meals or whatnot.

 $00:09:12.760 \longrightarrow 00:09:15.161$  And so we recommended that if there

NOTE Confidence: 0.768410402

 $00{:}09{:}15.161 \dashrightarrow 00{:}09{:}17.396$  was an opportunity for them to set up

NOTE Confidence: 0.768410402

 $00:09:17.400 \longrightarrow 00:09:19.400$  a time each week to walk with someone,

NOTE Confidence: 0.768410402

 $00:09:19.400 \longrightarrow 00:09:20.760$  a neighbor or a friend,

NOTE Confidence: 0.768410402

 $00:09:20.760 \longrightarrow 00:09:22.440$  that might be helpful as well.

NOTE Confidence: 0.768410402

00:09:22.440 --> 00:09:23.367 And you know,

NOTE Confidence: 0.768410402

 $00:09:23.367 \longrightarrow 00:09:25.530$  these walks could be for 10

NOTE Confidence: 0.768410402

00:09:25.606 --> 00:09:28.280 minutes or 30 minutes depending on the

NOTE Confidence: 0.768410402

 $00:09:28.280 \longrightarrow 00:09:30.200$  individual's ability and how they feel,

NOTE Confidence: 0.768410402

00:09:30.200 --> 00:09:32.480 how many days post chemotherapy it might be.

NOTE Confidence: 0.768410402

 $00{:}09{:}32.480 \dashrightarrow 00{:}09{:}34.076$  We know that those couple

NOTE Confidence: 0.768410402

00:09:34.076 --> 00:09:35.998 days post chemo are a little bit

NOTE Confidence: 0.768410402

 $00:09:35.998 \longrightarrow 00:09:37.594$  more challenging than say the week

NOTE Confidence: 0.768410402

 $00:09:37.594 \longrightarrow 00:09:38.720$  or two thereafter.

NOTE Confidence: 0.889933158571429

 $00:09:39.960 \longrightarrow 00:09:43.430$  I love the idea of

NOTE Confidence: 0.889933158571429

 $00{:}09{:}43.430 \dashrightarrow 00{:}09{:}46.280$  instead of bringing over a cake

 $00:09:46.280 \longrightarrow 00:09:49.556$  to offer to walk with somebody,

NOTE Confidence: 0.889933158571429

 $00:09:49.560 \longrightarrow 00:09:52.668$  it might actually be just as good

NOTE Confidence: 0.889933158571429

 $00:09:52.668 \longrightarrow 00:09:56.092$  for their heart and soul and

NOTE Confidence: 0.889933158571429

 $00:09:56.092 \longrightarrow 00:09:58.600$  might actually be helpful in their

NOTE Confidence: 0.889933158571429

 $00:09:58.600 \longrightarrow 00:10:00.744$  survivorship journey.

00:10:03.120 --> 00:10:05.285 Tara, Melinda had mentioned resistance training

NOTE Confidence: 0.889933158571429

 $00:10:05.285 \longrightarrow 00:10:08.519$  and walking. Is one better than the other?

NOTE Confidence: 0.889933158571429

00:10:08.520 --> 00:10:10.914 Do you prescribe both to your patients?

NOTE Confidence: 0.889933158571429

00:10:10.920 --> 00:10:12.376 How much of each?

NOTE Confidence: 0.889933158571429

 $00:10:12.376 \longrightarrow 00:10:14.560$  What should patients be aware of?

NOTE Confidence: 0.8208614425

00:10:15.840 --> 00:10:17.340 Yeah, and I'll welcome

NOTE Confidence: 0.8208614425

 $00:10:17.340 \longrightarrow 00:10:19.188$  Melinda to chime in, too.

NOTE Confidence: 0.8208614425

00:10:19.188 --> 00:10:22.320 But you know, I have to say for a

NOTE Confidence: 0.8208614425

00:10:22.415 --> 00:10:24.848 long time the only thing I was really

NOTE Confidence: 0.8208614425

 $00:10:24.848 \longrightarrow 00:10:26.560$  recommending to my patients was walking.

NOTE Confidence: 0.8208614425

 $00:10:26.560 \longrightarrow 00:10:29.278$  And that's a lot because of the

00:10:29.278 --> 00:10:31.617 trials leading into our most recent

NOTE Confidence: 0.8208614425

00:10:31.617 --> 00:10:34.200 study showed the benefits of walking.

NOTE Confidence: 0.8208614425

 $00:10:34.200 \longrightarrow 00:10:36.040$  It's free for most people.

NOTE Confidence: 0.8208614425

 $00:10:36.040 \longrightarrow 00:10:37.360$  If you have a safe place,

NOTE Confidence: 0.8208614425

 $00:10:37.360 \longrightarrow 00:10:39.952$  you can do it right out of your home.

NOTE Confidence: 0.8208614425

 $00:10:39.960 \longrightarrow 00:10:42.456$  I have to say that the evidence is

NOTE Confidence: 0.8208614425

 $00:10:42.456 \longrightarrow 00:10:44.696$  emerging that also strength training

NOTE Confidence: 0.8208614425

00:10:44.696 --> 00:10:47.376 is extremely beneficial and I

NOTE Confidence: 0.8208614425

00:10:47.376 --> 00:10:49.476 feel like it's been undervalued

NOTE Confidence: 0.8208614425

 $00{:}10{:}49.480 \dashrightarrow 00{:}10{:}53.200$  socially because at least in the

NOTE Confidence: 0.8208614425

 $00{:}10{:}53.200 \dashrightarrow 00{:}10{:}54.880$  female population that I take care of,

NOTE Confidence: 0.8208614425

 $00:10:54.880 \longrightarrow 00:10:56.880$  very few women are strength

NOTE Confidence: 0.8208614425

 $00:10:56.880 \longrightarrow 00:10:58.880$  training on a routine basis.

 $00:11:00.424 \longrightarrow 00:11:01.968$  I think it points towards

NOTE Confidence: 0.8208614425

00:11:01.968 --> 00:11:03.560 easier treatment completion.

NOTE Confidence: 0.8208614425

 $00:11:03.560 \longrightarrow 00:11:05.780$  There's some data that suggests

00:11:05.780 --> 00:11:07.839 that when strength training is added,

NOTE Confidence: 0.8208614425

 $00:11:07.840 \longrightarrow 00:11:09.812$  so cardiovascular and strength

NOTE Confidence: 0.8208614425

00:11:09.812 --> 00:11:11.744 training are both two parts

NOTE Confidence: 0.8208614425

00:11:11.744 --> 00:11:14.074 of a Ying and a Yang to

NOTE Confidence: 0.8208614425

 $00{:}11{:}14.074 \dashrightarrow 00{:}11{:}16.048$  exercise that I think we need to

NOTE Confidence: 0.8208614425

00:11:16.115 --> 00:11:18.275 really be enforcing both of them.

NOTE Confidence: 0.8208614425

00:11:18.280 --> 00:11:18.930 And Melinda,

NOTE Confidence: 0.8208614425

 $00:11:18.930 \longrightarrow 00:11:21.240$  I'd love to hear your opinion on that.

NOTE Confidence: 0.830953926666667

 $00:11:21.440 \longrightarrow 00:11:22.880$  Yeah, I agree with that.

NOTE Confidence: 0.830953926666667

 $00:11:22.880 \longrightarrow 00:11:24.875$  I mean first and foremost if we

NOTE Confidence: 0.830953926666667

 $00{:}11{:}24.875 \dashrightarrow 00{:}11{:}27.053$  just get people going from not

NOTE Confidence: 0.830953926666667

 $00:11:27.053 \longrightarrow 00:11:29.288$  very much to doing something and

NOTE Confidence: 0.830953926666667

 $00{:}11{:}29.288 \dashrightarrow 00{:}11{:}31.241$  if they choose walking and are

NOTE Confidence: 0.830953926666667

 $00:11:31.241 \longrightarrow 00:11:33.110$  not able to or they're not really

NOTE Confidence: 0.830953926666667

00:11:33.110 --> 00:11:34.158 enjoying the strength training,

 $00:11:34.160 \longrightarrow 00:11:35.600$  then that's better than not

NOTE Confidence: 0.830953926666667

00:11:35.600 --> 00:11:37.040 doing either or vice versa.

NOTE Confidence: 0.830953926666667

 $00:11:37.040 \longrightarrow 00:11:39.440$  We have found that some of our

NOTE Confidence: 0.830953926666667

 $00:11:39.440 \longrightarrow 00:11:40.870$  participants have really appreciated

NOTE Confidence: 0.830953926666667

 $00:11:40.870 \longrightarrow 00:11:43.180$  the home based strength training program

NOTE Confidence: 0.830953926666667

 $00{:}11{:}43.180 \dashrightarrow 00{:}11{:}45.540$  and that was easier for them to do

NOTE Confidence: 0.830953926666667

 $00:11:45.540 \longrightarrow 00:11:47.592$  than to get outside and go walking.

NOTE Confidence: 0.830953926666667

 $00:11:47.592 \longrightarrow 00:11:50.411$  And the nice thing is nowadays if

NOTE Confidence: 0.830953926666667

00:11:50.411 --> 00:11:52.756 someone has an iPhone or an iPad,

NOTE Confidence: 0.830953926666667

 $00:11:52.756 \longrightarrow 00:11:54.748$  there's so many apps that they

NOTE Confidence: 0.830953926666667

 $00{:}11{:}54.748 \mathrel{--}{>} 00{:}11{:}57.244$  can download for free that do

NOTE Confidence: 0.830953926666667

 $00:11:57.244 \longrightarrow 00:11:58.912$  a different daily workout.

 $00:11:59.440 \longrightarrow 00:12:01.260$  Whether it be a Pilates or a

NOTE Confidence: 0.830953926666667

 $00:12:01.260 \longrightarrow 00:12:02.958$  resistance strength training program,

NOTE Confidence: 0.830953926666667

 $00:12:02.960 \longrightarrow 00:12:05.956$  we've developed one as well for participants.

00:12:07.860 --> 00:12:10.235 But I encourage walking and or strength

NOTE Confidence: 0.830953926666667

00:12:10.235 --> 00:12:12.758 training and while both are fantastic,

00:12:12.760 --> 00:12:15.720 just doing something that really

NOTE Confidence: 0.830953926666667

 $00:12:15.720 \longrightarrow 00:12:17.244$  makes them feel good and it's

NOTE Confidence: 0.830953926666667

 $00:12:17.244 \longrightarrow 00:12:18.889$  easier for them to initiate is

NOTE Confidence: 0.830953926666667

 $00:12:18.889 \longrightarrow 00:12:20.599$  probably a good place to start.

NOTE Confidence: 0.906636834166667

 $00:12:21.240 \longrightarrow 00:12:24.957$  And one of the things that you

NOTE Confidence: 0.906636834166667

00:12:24.957 --> 00:12:27.548 mentioned was that it's free and

NOTE Confidence: 0.906636834166667

00:12:27.548 --> 00:12:30.480 doesn't really require a lot of equipment.

NOTE Confidence: 0.906636834166667

00:12:30.480 --> 00:12:32.736 So even the strength training, Tara,

NOTE Confidence: 0.906636834166667

 $00:12:32.736 \longrightarrow 00:12:35.795$  can you talk a little

NOTE Confidence: 0.906636834166667

00:12:35.795 --> 00:12:38.200 bit about what you are advocating?

NOTE Confidence: 0.906636834166667

 $00:12:38.200 \longrightarrow 00:12:40.720$  I mean some people when they hear

NOTE Confidence: 0.906636834166667

00:12:40.720 --> 00:12:42.055 strength training, they think, jeez,

NOTE Confidence: 0.906636834166667

 $00{:}12{:}42.055 \dashrightarrow 00{:}12{:}43.920$  I'm going to need to go to the gym.

NOTE Confidence: 0.906636834166667

 $00{:}12{:}43.920 --> 00{:}12{:}45.480$  I'm going to need to

NOTE Confidence: 0.906636834166667

00:12:45.480 --> 00:12:47.060 pick up heavy weights,

 $00:12:47.060 \longrightarrow 00:12:49.035$  but other people might say,

NOTE Confidence: 0.906636834166667

 $00:12:49.040 \longrightarrow 00:12:51.120$  you know, what if I have a couple

NOTE Confidence: 0.906636834166667

00:12:51.120 --> 00:12:53.039 of jugs of laundry detergent,

NOTE Confidence: 0.906636834166667

 $00:12:53.040 \longrightarrow 00:12:55.119$  I can do a bit of strength

NOTE Confidence: 0.906636834166667

 $00:12:55.120 \longrightarrow 00:12:56.760$  training in my own home.

NOTE Confidence: 0.906636834166667

00:12:56.760 --> 00:12:58.920 Can you talk a little bit about that?

NOTE Confidence: 0.940980443125

 $00:12:59.640 \longrightarrow 00:13:01.552$  Yeah, you're reminding me that I used to

NOTE Confidence: 0.940980443125

00:13:01.552 --> 00:13:03.680 tell my 80 year old grandmother to just

NOTE Confidence: 0.940980443125

 $00{:}13{:}03.680 \dashrightarrow 00{:}13{:}07.880$ you know, bicep curl a soup can

NOTE Confidence: 0.940980443125

 $00:13:07.880 \longrightarrow 00:13:09.902$  because she wasn't doing

NOTE Confidence: 0.940980443125

 $00{:}13{:}09.902 \dashrightarrow 00{:}13{:}12.561$  anything and she would do this in

NOTE Confidence: 0.940980443125

 $00{:}13{:}12.561 \dashrightarrow 00{:}13{:}14.433$  her kitchen while she was cooking.

NOTE Confidence: 0.940980443125

 $00:13:14.440 \longrightarrow 00:13:16.732$  I think we overlook

NOTE Confidence: 0.940980443125

00:13:16.732 --> 00:13:19.815 body weight strength training, right?

NOTE Confidence: 0.940980443125

 $00:13:19.815 \longrightarrow 00:13:23.280$  So there are simple moves that can

NOTE Confidence: 0.940980443125

 $00:13:23.280 \longrightarrow 00:13:26.800$  place a load on certain parts of your

 $00:13:26.800 \longrightarrow 00:13:30.334$  body like a plank or a squat that

NOTE Confidence: 0.940980443125

 $00{:}13{:}30.334 \dashrightarrow 00{:}13{:}33.399$  again requires no equipment at all.

NOTE Confidence: 0.940980443125

 $00:13:33.400 \longrightarrow 00:13:35.485$  And there's also resistance bands

NOTE Confidence: 0.940980443125

 $00:13:35.485 \longrightarrow 00:13:38.632$  that you can buy on the Internet or

NOTE Confidence: 0.940980443125

 $00:13:38.632 \longrightarrow 00:13:40.840$  or at your local department stores.

NOTE Confidence: 0.940980443125

 $00:13:40.840 \longrightarrow 00:13:43.528$  And those also provide

NOTE Confidence: 0.940980443125

00:13:43.528 --> 00:13:45.726 some just natural resistance that

NOTE Confidence: 0.940980443125

 $00{:}13{:}45.726 \dashrightarrow 00{:}13{:}48.156$ don't require massive number of

NOTE Confidence: 0.940980443125

 $00:13:48.160 \longrightarrow 00:13:49.495$  weights and dumbbells.

NOTE Confidence: 0.940980443125

 $00{:}13{:}49.495 \dashrightarrow 00{:}13{:}52.070$  I think we're really evolving with

NOTE Confidence: 0.940980443125

 $00:13:52.070 \longrightarrow 00:13:54.440$  how we talk about strength training.

NOTE Confidence: 0.940980443125

00:13:54.440 --> 00:13:56.072 It's no longer just beefing up

NOTE Confidence: 0.940980443125

00:13:56.072 --> 00:13:57.160 to get big muscles.

NOTE Confidence: 0.96432969625

00:13:57.600 --> 00:13:58.904 Well, that's great information.

NOTE Confidence: 0.96432969625

 $00:13:58.904 \longrightarrow 00:14:01.257$  We are going to take a short

 $00:14:01.257 \longrightarrow 00:14:02.917$  break for a medical minute.

NOTE Confidence: 0.96432969625

 $00{:}14{:}02.920 --> 00{:}14{:}04.040$  Please stay tuned to learn

NOTE Confidence: 0.96432969625

 $00:14:04.040 \longrightarrow 00:14:05.960$  more about exercise and breast

NOTE Confidence: 0.96432969625

 $00:14:05.960 \longrightarrow 00:14:07.880$  cancer with my guests Dr.

NOTE Confidence: 0.96432969625

00:14:07.880 --> 00:14:09.920 Tara Sanft and Melinda Irwin.

NOTE Confidence: 0.890991611

00:14:10.560 --> 00:14:12.540 Funding for Yale Cancer Answers

NOTE Confidence: 0.890991611

00:14:12.540 --> 00:14:14.520 comes from Smilow Cancer Hospital,

NOTE Confidence: 0.890991611

 $00:14:14.520 \longrightarrow 00:14:16.265$  where spiritual care offers support

NOTE Confidence: 0.890991611

00:14:16.265 --> 00:14:18.374 to patients seeking peace in the

NOTE Confidence: 0.890991611

00:14:18.374 --> 00:14:19.919 midst of their cancer journey,

NOTE Confidence: 0.890991611

 $00:14:19.920 \longrightarrow 00:14:21.744$  while respecting the unique

NOTE Confidence: 0.890991611

00:14:21.744 --> 00:14:22.737 philosophies, spiritualities,

NOTE Confidence: 0.890991611

 $00:14:22.737 \longrightarrow 00:14:25.959$  and religions of patients and caregivers.

NOTE Confidence: 0.890991611

 $00{:}14{:}25.960 \dashrightarrow 00{:}14{:}28.080$  Smilow cancerhospital.org.

NOTE Confidence: 0.9580957875

00:14:30.320 --> 00:14:32.140 The American Cancer Society

NOTE Confidence: 0.9580957875

 $00:14:32.140 \longrightarrow 00:14:34.348$  estimates that more than 65,000

 $00:14:34.348 \longrightarrow 00:14:36.288$  Americans will be diagnosed with

NOTE Confidence: 0.9580957875

00:14:36.288 --> 00:14:38.560 head and neck cancer this year,

NOTE Confidence: 0.9580957875

 $00:14:38.560 \longrightarrow 00:14:41.675$  making up about 4% of all cancers

NOTE Confidence: 0.9580957875

 $00:14:41.675 \longrightarrow 00:14:43.317$  diagnosed. When detected early,

NOTE Confidence: 0.9580957875

00:14:43.317 --> 00:14:45.711 however, head and neck cancers are

NOTE Confidence: 0.9580957875

 $00:14:45.711 \longrightarrow 00:14:47.920$  easily treated and highly curable.

NOTE Confidence: 0.9580957875

00:14:47.920 --> 00:14:49.912 Clinical trials are currently

NOTE Confidence: 0.9580957875

00:14:49.912 --> 00:14:51.904 underway at federally designated

NOTE Confidence: 0.9580957875

00:14:51.904 --> 00:14:53.440 Comprehensive Cancer Centers,

NOTE Confidence: 0.9580957875

 $00{:}14{:}53.440 \dashrightarrow 00{:}14{:}56.352$  such as Yale Cancer Center and Smilow

NOTE Confidence: 0.9580957875

 $00:14:56.352 \longrightarrow 00:14:58.736$  Cancer Hospital to test innovative new

NOTE Confidence: 0.9580957875

 $00{:}14{:}58.736 \dashrightarrow 00{:}15{:}01.118$  treatments for head and neck cancers.

NOTE Confidence: 0.9580957875

 $00{:}15{:}01.120 \dashrightarrow 00{:}15{:}03.015$  Yale Cancer Center was recently

NOTE Confidence: 0.9580957875

 $00:15:03.015 \longrightarrow 00:15:04.910$  awarded grants from the National

NOTE Confidence: 0.9580957875

 $00:15:04.974 \longrightarrow 00:15:07.273$  Institutes of Health to fund the

 $00:15:07.273 \longrightarrow 00:15:09.499$  Yale Head and Neck Cancer Specialized

NOTE Confidence: 0.9580957875

 $00:15:09.499 \longrightarrow 00:15:11.438$  Program of Research Excellence,

NOTE Confidence: 0.9580957875

00:15:11.440 --> 00:15:12.258 or SPORE,

NOTE Confidence: 0.9580957875

 $00:15:12.258 \longrightarrow 00:15:14.303$  to address critical barriers to

NOTE Confidence: 0.9580957875

 $00:15:14.303 \longrightarrow 00:15:17.269$  treatment of head and neck squamous cell

NOTE Confidence: 0.9580957875

 $00{:}15{:}17.269 \dashrightarrow 00{:}15{:}19.765$  carcinoma due to resistance to immune

NOTE Confidence: 0.9580957875

 $00:15:19.840 \longrightarrow 00:15:22.200$  DNA damaging and targeted therapy.

NOTE Confidence: 0.9580957875

 $00:15:22.200 \longrightarrow 00:15:24.600$  More information is available

NOTE Confidence: 0.9580957875

 $00{:}15{:}24.600 \dashrightarrow 00{:}15{:}25.645$  at yale cancercenter.org.

NOTE Confidence: 0.9580957875

00:15:25.645 --> 00:15:28.315 You're listening to Connecticut Public Radio.

NOTE Confidence: 0.941582711666667

 $00:15:29.160 \longrightarrow 00:15:31.236$  Welcome back to Yale Cancer Answers.

NOTE Confidence: 0.941582711666667

 $00:15:31.240 \longrightarrow 00:15:33.617$  This is Doctor Anees Chagpar and

NOTE Confidence: 0.941582711666667

00:15:33.617 --> 00:15:35.626 I'm joined tonight by my guests, Dr.

NOTE Confidence: 0.941582711666667

00:15:35.626 --> 00:15:37.956 Tara Sanft and Melinda Irwin.

NOTE Confidence: 0.941582711666667

00:15:37.960 --> 00:15:40.053 We're talking about exercise as a standard

NOTE Confidence: 0.941582711666667

 $00:15:40.053 \longrightarrow 00:15:42.397$  of care for women with breast cancer.

 $00:15:42.400 \longrightarrow 00:15:43.740$  Now before the break,

NOTE Confidence: 0.941582711666667

 $00:15:43.740 \longrightarrow 00:15:46.117$  we were talking about the value of

NOTE Confidence: 0.941582711666667

 $00{:}15{:}46.117 \dashrightarrow 00{:}15{:}48.196$  exercise and how there have been a

NOTE Confidence: 0.941582711666667

 $00:15:48.196 \longrightarrow 00:15:50.760$  number of studies that have demonstrated

NOTE Confidence: 0.941582711666667

00:15:50.760 --> 00:15:53.532 that it improves quality of life,

NOTE Confidence: 0.941582711666667

00:15:53.532 --> 00:15:57.396 it can improve chemotherapy completion rates.

NOTE Confidence: 0.941582711666667

 $00:15:57.400 \longrightarrow 00:15:59.357$  Overall, it's just good for us.

NOTE Confidence: 0.941582711666667

 $00{:}15{:}59.357 \dashrightarrow 00{:}16{:}01.856$  And so Tara, maybe you can talk

NOTE Confidence: 0.941582711666667

00:16:01.856 --> 00:16:04.894 a little bit about how it is now

NOTE Confidence: 0.941582711666667

 $00:16:04.894 \longrightarrow 00:16:06.880$  becoming a standard of care.

NOTE Confidence: 0.946958188

 $00:16:07.560 \longrightarrow 00:16:11.390$  I'm so excited to see exercise

NOTE Confidence: 0.946958188

 $00:16:11.390 \longrightarrow 00:16:15.520$  become a part of the treatment plan.

NOTE Confidence: 0.946958188

00:16:15.520 --> 00:16:17.932 And you know, one way that we see this

NOTE Confidence: 0.946958188

 $00:16:17.932 \longrightarrow 00:16:20.755$  is in program standards as you mentioned.

NOTE Confidence: 0.946958188

 $00:16:20.760 \longrightarrow 00:16:23.782$  And the national accreditation

 $00:16:23.782 \longrightarrow 00:16:26.728$  program for breast centers is one

NOTE Confidence: 0.946958188

 $00{:}16{:}26.728 {\:\dashrightarrow\:} 00{:}16{:}29.135$  of those programs that's been in

NOTE Confidence: 0.946958188

 $00{:}16{:}29.135 \dashrightarrow 00{:}16{:}30.360$  existence for quite some time.

NOTE Confidence: 0.946958188

 $00:16:30.360 \longrightarrow 00:16:33.420$  And their goal is really

NOTE Confidence: 0.946958188

 $00:16:33.420 \longrightarrow 00:16:36.531$  to make sure that NAPBC accredited

NOTE Confidence: 0.946958188

 $00:16:36.531 \longrightarrow 00:16:39.237$  programs are offering all the components

NOTE Confidence: 0.946958188

 $00:16:39.237 \longrightarrow 00:16:42.078$  of care that make care excellent.

NOTE Confidence: 0.946958188

00:16:42.080 --> 00:16:45.190 And recently they've just revamped

NOTE Confidence: 0.946958188

 $00:16:45.190 \longrightarrow 00:16:46.434$  their standards.

NOTE Confidence: 0.946958188

00:16:46.440 --> 00:16:48.720 And I'm just going to read one of

NOTE Confidence: 0.946958188

 $00:16:48.720 \longrightarrow 00:16:50.858$  the lines from the standard and to

NOTE Confidence: 0.946958188

 $00{:}16{:}50.858 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}} 00{:}16{:}52.972$  me this as a patient experience

NOTE Confidence: 0.946958188

00:16:52.972 --> 00:16:54.565 officer speaks volumes.

NOTE Confidence: 0.946958188

00:16:54.565 --> 00:16:57.960 They say that patients must be viewed

NOTE Confidence: 0.946958188

 $00:16:57.960 \longrightarrow 00:17:02.236$  in the context of their entire personhood.

NOTE Confidence: 0.946958188

 $00:17:02.240 \longrightarrow 00:17:05.184$  And I just think that is what we

 $00:17:05.184 \longrightarrow 00:17:06.912$  should all be doing across medicine.

NOTE Confidence: 0.946958188

 $00{:}17{:}06.920 \dashrightarrow 00{:}17{:}09.269$  And I love to see that in writing

NOTE Confidence: 0.946958188

 $00{:}17{:}09.269 \dashrightarrow 00{:}17{:}11.737$  and part of that personhood

NOTE Confidence: 0.946958188

00:17:11.737 --> 00:17:13.877 includes how someone is functioning.

NOTE Confidence: 0.946958188

 $00:17:13.880 \longrightarrow 00:17:16.244$  So really starting at diagnosis and

NOTE Confidence: 0.946958188

 $00:17:16.244 \longrightarrow 00:17:17.820$  spanning throughout the treatment

NOTE Confidence: 0.946958188

 $00:17:17.885 \longrightarrow 00:17:19.797$  trajectory and into survivorship.

NOTE Confidence: 0.946958188

 $00:17:19.800 \longrightarrow 00:17:22.450$  All patients must be considered

NOTE Confidence: 0.946958188

 $00:17:22.450 \longrightarrow 00:17:24.826$  for functional assessment and

NOTE Confidence: 0.946958188

 $00:17:24.826 \longrightarrow 00:17:27.184$  the program standards want to see

NOTE Confidence: 0.946958188

 $00{:}17{:}27.184 \dashrightarrow 00{:}17{:}29.506$  documentation of exercise the rapy

NOTE Confidence: 0.946958188

 $00:17:29.506 \longrightarrow 00:17:30.239$  recommendations.

NOTE Confidence: 0.883575486666667

 $00{:}17{:}31.120 \dashrightarrow 00{:}17{:}33.392$  Melinda, I want to go back to you.

NOTE Confidence: 0.883575486666667

 $00:17:33.392 \longrightarrow 00:17:35.378$  What are the recommendations

NOTE Confidence: 0.883575486666667

 $00:17:35.378 \longrightarrow 00:17:38.160$  that based on the evidence

00:17:38.160 --> 00:17:39.280 doctors should be suggesting?

NOTE Confidence: 0.883575486666667

00:17:39.280 --> 00:17:41.712 I mean, we talked about the 2 1/2

NOTE Confidence: 0.883575486666667

 $00:17:41.712 \longrightarrow 00:17:43.956$  hours being the current guidelines but

NOTE Confidence: 0.883575486666667

 $00:17:43.956 \longrightarrow 00:17:46.276$  something being better than nothing.

NOTE Confidence: 0.883575486666667

00:17:46.280 --> 00:17:48.275 Can you talk a little bit about,

NOTE Confidence: 0.883575486666667

 $00:17:48.280 \longrightarrow 00:17:52.116$  you know what you would suggest as

NOTE Confidence: 0.883575486666667

 $00:17:52.120 \longrightarrow 00:17:54.088$  an initial recommendation both from

NOTE Confidence: 0.883575486666667

 $00:17:54.088 \longrightarrow 00:17:56.824$  the walking standpoint as well as

NOTE Confidence: 0.883575486666667

00:17:56.824 --> 00:17:59.599 from a strength training standpoint,

NOTE Confidence: 0.883575486666667

 $00:17:59.600 \longrightarrow 00:18:01.288$  where should patients

NOTE Confidence: 0.883575486666667

 $00:18:01.288 \longrightarrow 00:18:03.000$  and doctors start?

NOTE Confidence: 0.950747568888889

00:18:03.440 --> 00:18:04.880 I'd like to just first

NOTE Confidence: 0.950747568888889

 $00:18:04.880 \longrightarrow 00:18:06.032$  make two quick comments.

NOTE Confidence: 0.950747568888889

00:18:06.040 --> 00:18:08.210 I really appreciate what Tara just

NOTE Confidence: 0.950747568888889

 $00:18:08.210 \longrightarrow 00:18:10.400$  read and the importance of

NOTE Confidence: 0.950747568888889

 $00:18:10.400 \longrightarrow 00:18:13.280$  focusing on the whole person.

 $00:18:13.280 \longrightarrow 00:18:14.810$  And I'm reminded of one

NOTE Confidence: 0.950747568888889

00:18:14.810 --> 00:18:16.034 of our study participants.

NOTE Confidence: 0.950747568888889

 $00:18:16.040 \longrightarrow 00:18:18.278$  In fact, there were many study

NOTE Confidence: 0.950747568888889

00:18:18.278 --> 00:18:20.739 participants in our trial that was

NOTE Confidence: 0.950747568888889

 $00:18:20.739 \longrightarrow 00:18:22.974$  of exercise during chemotherapy where

NOTE Confidence: 0.950747568888889

 $00:18:22.974 \longrightarrow 00:18:25.293$  these women reported at the end of

NOTE Confidence: 0.950747568888889

 $00:18:25.293 \longrightarrow 00:18:27.030$  the intervention which was at the

NOTE Confidence: 0.950747568888889

 $00:18:27.030 \longrightarrow 00:18:28.800$  end of their chemotherapy that they

NOTE Confidence: 0.950747568888889

00:18:28.800 --> 00:18:32.520 felt stronger and physically more fit

NOTE Confidence: 0.950747568888889

 $00:18:32.520 \longrightarrow 00:18:36.480$  at the end of chemotherapy than before.

NOTE Confidence: 0.950747568888889

 $00:18:36.480 \longrightarrow 00:18:38.979$  And the program we offered them was

NOTE Confidence: 0.950747568888889

 $00:18:38.979 \longrightarrow 00:18:40.781$  a primarily brisk walking upwards

NOTE Confidence: 0.950747568888889

 $00:18:40.781 \longrightarrow 00:18:43.862$  of 2 1/2 hours per week and twice a

NOTE Confidence: 0.950747568888889

 $00:18:43.862 \longrightarrow 00:18:46.452$  week the at home resistance

NOTE Confidence: 0.950747568888889

00:18:46.452 --> 00:18:47.992 strength training program with

 $00{:}18{:}47.992 \dashrightarrow 00{:}18{:}50.764$  dumbbells that were 2 lbs and 5

NOTE Confidence: 0.950747568888889

 $00:18:50.764 \longrightarrow 00:18:53.399$  lbs and also resistance bands.

NOTE Confidence: 0.950747568888889

 $00:18:53.400 \longrightarrow 00:18:56.288$  The other thing to note is that exercise

NOTE Confidence: 0.950747568888889

 $00:18:56.288 \longrightarrow 00:18:59.187$  has benefits also for other outcomes

NOTE Confidence: 0.950747568888889

 $00:18:59.187 \longrightarrow 00:19:01.287$  including cardiovascular disease and

NOTE Confidence: 0.950747568888889

 $00:19:01.287 \longrightarrow 00:19:04.120$  hypertension and cholesterol and diabetes.

NOTE Confidence: 0.950747568888889

00:19:04.120 --> 00:19:06.598 So while it's improving cancer outcomes,

NOTE Confidence: 0.950747568888889

00:19:06.600 --> 00:19:08.380 it's also improving other outcomes

NOTE Confidence: 0.950747568888889

 $00:19:08.380 \longrightarrow 00:19:10.600$  we know that are important

NOTE Confidence: 0.950747568888889

 $00:19:10.600 \longrightarrow 00:19:12.800$  to patients with breast cancer.

NOTE Confidence: 0.950747568888889

 $00{:}19{:}12.800 \dashrightarrow 00{:}19{:}14.690$  I also think it's important that

NOTE Confidence: 0.950747568888889

 $00:19:14.690 \longrightarrow 00:19:17.488$  the research and the focus shift

NOTE Confidence: 0.950747568888889

00:19:17.488 --> 00:19:21.120 on helping providers be able

NOTE Confidence: 0.950747568888889

00:19:21.120 --> 00:19:24.360 to not just recommend exercise,

NOTE Confidence: 0.950747568888889

 $00:19:24.360 \longrightarrow 00:19:26.160$  but who to refer them to.

NOTE Confidence: 0.950747568888889

00:19:26.160 --> 00:19:27.750 There's survivorship clinics

 $00{:}19{:}27.750 \dashrightarrow 00{:}19{:}30.400$  and programs at cancer centers,

NOTE Confidence: 0.950747568888889

 $00:19:30.400 \longrightarrow 00:19:32.532$  cancer hospitals and community

NOTE Confidence: 0.950747568888889

 $00:19:32.532 \longrightarrow 00:19:33.598$  based organizations.

NOTE Confidence: 0.950747568888889

 $00:19:33.600 \longrightarrow 00:19:35.485$  So it's important that we

NOTE Confidence: 0.950747568888889

00:19:35.485 --> 00:19:36.993 just don't recommend it,

NOTE Confidence: 0.950747568888889

 $00:19:37.000 \longrightarrow 00:19:39.968$  but we follow up with who to refer

NOTE Confidence: 0.950747568888889

 $00:19:39.968 \longrightarrow 00:19:43.352$  them to and are writing them a

NOTE Confidence: 0.950747568888889

 $00{:}19{:}43.352 \dashrightarrow 00{:}19{:}45.760$  prescription that meets

NOTE Confidence: 0.950747568888889

 $00:19:46.586 \longrightarrow 00:19:48.590$  what they're able to do in their

NOTE Confidence: 0.950747568888889

 $00:19:48.590 \longrightarrow 00:19:49.960$  neighborhood or in their home.

NOTE Confidence: 0.950747568888889

 $00:19:49.960 \longrightarrow 00:19:52.208$  If they just leave being told to walk

NOTE Confidence: 0.950747568888889

 $00:19:52.208 \longrightarrow 00:19:54.918$  more and maybe do some resistance training,

NOTE Confidence: 0.950747568888889

 $00{:}19{:}54.920 \dashrightarrow 00{:}19{:}57.098$  that's probably a little bit more

NOTE Confidence: 0.950747568888889

00:19:57.098 --> 00:19:58.929 challenging for the patient to

NOTE Confidence: 0.950747568888889

 $00:19:58.929 \longrightarrow 00:20:01.120$  understand how much when and where.

00:20:01.120 --> 00:20:03.424 So if we can get even more specific

NOTE Confidence: 0.950747568888889

 $00{:}20{:}03.424 \dashrightarrow 00{:}20{:}05.644$  with the referral process and or

NOTE Confidence: 0.950747568888889

 $00:20:05.644 \longrightarrow 00:20:08.002$  writing a prescription that would be

NOTE Confidence: 0.950747568888889

 $00:20:08.074 \longrightarrow 00:20:10.958$  really important to take these standards of

NOTE Confidence: 0.950747568888889

00:20:10.960 --> 00:20:12.004 incorporating physical

NOTE Confidence: 0.950747568888889

 $00:20:12.004 \longrightarrow 00:20:13.396$  activity into clinical care.

NOTE Confidence: 0.78699886

00:20:13.800 --> 00:20:16.998 And one of the things,

NOTE Confidence: 0.78699886

 $00:20:17.000 \longrightarrow 00:20:19.292$  Tara, in the studies,

NOTE Confidence: 0.78699886

 $00{:}20{:}19.292 --> 00{:}20{:}22.090$  there was somebody kind of

NOTE Confidence: 0.78699886

 $00:20:22.090 \longrightarrow 00:20:24.320$  presumably checking in on these patients.

NOTE Confidence: 0.78699886

 $00:20:24.320 \longrightarrow 00:20:25.576$  How are you doing?

NOTE Confidence: 0.78699886

00:20:25.576 --> 00:20:28.598 Did you do your walking?

NOTE Confidence: 0.78699886

 $00{:}20{:}28.600 \dashrightarrow 00{:}20{:}32.032$  What are the resources available to

NOTE Confidence: 0.78699886

 $00{:}20{:}32.032 \dashrightarrow 00{:}20{:}35.084$  patients in the community in terms

NOTE Confidence: 0.78699886

00:20:35.084 --> 00:20:38.012 of having someone check in on them

NOTE Confidence: 0.78699886

00:20:38.012 --> 00:20:40.425 and provide this kind of ongoing

 $00:20:40.425 \longrightarrow 00:20:43.040$  support in terms of their exercise?

NOTE Confidence: 0.8745577744444444

 $00:20:43.760 \longrightarrow 00:20:45.992$  I'm glad you asked this.

NOTE Confidence: 0.874557774444444

 $00:20:46.000 \longrightarrow 00:20:49.180$  I do want to mention that

NOTE Confidence: 0.874557774444444

00:20:49.180 --> 00:20:51.850 in addition to prescribing let's say

NOTE Confidence: 0.874557774444444

00:20:51.929 --> 00:20:54.753 a walking program or again if

NOTE Confidence: 0.874557774444444

00:20:54.753 --> 00:20:57.648 there's something you like to do

NOTE Confidence: 0.874557774444444

 $00:20:57.648 \longrightarrow 00:21:00.800$  because that's the best form of exercise.

NOTE Confidence: 0.874557774444444

 $00:21:00.800 \longrightarrow 00:21:04.664$  There is also a movement towards more

NOTE Confidence: 0.874557774444444

 $00{:}21{:}04.664 \dashrightarrow 00{:}21{:}07.640$  formal assessments and prescriptions

NOTE Confidence: 0.874557774444444

 $00:21:07.640 \longrightarrow 00:21:08.771$  through professionally trained

NOTE Confidence: 0.8745577744444444

00:21:08.771 --> 00:21:10.279 physical therapists for instance.

NOTE Confidence: 0.874557774444444

 $00:21:10.280 \longrightarrow 00:21:13.496$  And many places label this

NOTE Confidence: 0.874557774444444

 $00{:}21{:}13.496 {\:{\mbox{--}}\!>}\ 00{:}21{:}15.640$  an oncology rehab program.

NOTE Confidence: 0.874557774444444

 $00:21:15.640 \longrightarrow 00:21:18.560$  And often if it's instilled sort of at

NOTE Confidence: 0.874557774444444

 $00:21:18.560 \longrightarrow 00:21:20.628$  diagnosis before all your treatments

 $00:21:20.628 \longrightarrow 00:21:23.780$  get started, we call it prehab.

NOTE Confidence: 0.874557774444444

 $00{:}21{:}23.780 \dashrightarrow 00{:}21{:}27.691$  So rehab and prehab and for extensive

NOTE Confidence: 0.874557774444444

 $00:21:27.691 \longrightarrow 00:21:30.376$  surgeries or extensive treatments or

NOTE Confidence: 0.874557774444444

 $00:21:30.376 \longrightarrow 00:21:34.243$  an individual who has a lot of

NOTE Confidence: 0.874557774444444

00:21:34.243 --> 00:21:36.770 issues going on that may impact their

NOTE Confidence: 0.874557774444444

 $00:21:36.850 \longrightarrow 00:21:39.436$  safety as it relates to exercise,

NOTE Confidence: 0.874557774444444

 $00{:}21{:}39.440 \to 00{:}21{:}42.135$  a physical therapist or an ANC rehab

NOTE Confidence: 0.874557774444444

 $00:21:42.135 \longrightarrow 00:21:45.236$  program is definitely the way to go.

NOTE Confidence: 0.874557774444444

 $00:21:45.240 \longrightarrow 00:21:47.557$  And again not every place is fortunate

NOTE Confidence: 0.874557774444444

 $00:21:47.557 \longrightarrow 00:21:49.680$  to enjoy these resources,

NOTE Confidence: 0.8745577744444444

 $00{:}21{:}49.680 \dashrightarrow 00{:}21{:}51.920$  but I think putting them into the

NOTE Confidence: 0.874557774444444

 $00:21:51.920 \longrightarrow 00:21:54.000$  standards will ensure that institutions

NOTE Confidence: 0.874557774444444

 $00:21:54.000 \longrightarrow 00:21:57.360$  who want to be accredited will spend

NOTE Confidence: 0.8745577744444444

 $00:21:57.445 \longrightarrow 00:21:59.448$  more investment in getting

NOTE Confidence: 0.874557774444444

 $00:21:59.448 \longrightarrow 00:22:01.558$  these programs up and running.

NOTE Confidence: 0.874557774444444

 $00:22:01.560 \longrightarrow 00:22:03.762$  In terms of the coaching

 $00:22:03.762 \longrightarrow 00:22:05.520$  or having someone check in,

NOTE Confidence: 0.8745577744444444

 $00:22:05.520 \longrightarrow 00:22:07.550$  we had our trained interventionist

NOTE Confidence: 0.874557774444444

 $00:22:07.550 \longrightarrow 00:22:09.961$  check in with the patients 11

NOTE Confidence: 0.874557774444444

 $00:22:09.961 \longrightarrow 00:22:12.117$  times over the course of the year.

NOTE Confidence: 0.874557774444444

 $00:22:12.120 \longrightarrow 00:22:15.234$  So again it wasn't a daily check in process.

NOTE Confidence: 0.874557774444444

 $00:22:15.240 \longrightarrow 00:22:17.226$  It was more intense at

NOTE Confidence: 0.874557774444444

 $00:22:17.226 \longrightarrow 00:22:19.369$  the beginning and then spaced out

NOTE Confidence: 0.8745577744444444

00:22:19.369 --> 00:22:21.234 over the following months.

NOTE Confidence: 0.874557774444444

 $00:22:21.240 \longrightarrow 00:22:24.558$  There are other wonderful community programs.

NOTE Confidence: 0.874557774444444

 $00:22:24.560 \longrightarrow 00:22:26.968$  One that comes to mind that my patients

NOTE Confidence: 0.8745577744444444

00:22:26.968 --> 00:22:29.119 love is the LIVESTRONG program,

NOTE Confidence: 0.874557774444444

 $00:22:29.120 \longrightarrow 00:22:31.460$  which is a national program offered

NOTE Confidence: 0.874557774444444

 $00{:}22{:}31.460 \dashrightarrow 00{:}22{:}35.120$  at many YMCAS that is specific to

NOTE Confidence: 0.874557774444444

 $00:22:35.120 \longrightarrow 00:22:38.040$  cancer patients and the programming

NOTE Confidence: 0.874557774444444

 $00:22:38.040 \longrightarrow 00:22:39.916$  allows for more of a community feel.

 $00:22:39.920 \longrightarrow 00:22:41.593$  So if you like to exercise with

NOTE Confidence: 0.874557774444444

00:22:41.593 --> 00:22:43.622 a group of people who have been

NOTE Confidence: 0.874557774444444

 $00:22:43.622 \longrightarrow 00:22:45.500$  through something that is

NOTE Confidence: 0.874557774444444

00:22:45.560 --> 00:22:47.440 not exactly your experience,

NOTE Confidence: 0.874557774444444

 $00:22:47.440 \longrightarrow 00:22:49.785$  but maybe close to it because of

NOTE Confidence: 0.874557774444444

 $00:22:49.785 \longrightarrow 00:22:51.554$  the common thread of being a

NOTE Confidence: 0.874557774444444

00:22:51.554 --> 00:22:53.360 cancer patient or a cancer survivor,

NOTE Confidence: 0.874557774444444

00:22:53.360 --> 00:22:55.376 this is really something that I

NOTE Confidence: 0.874557774444444

 $00:22:55.376 \longrightarrow 00:22:57.560$  encourage people to take advantage of.

NOTE Confidence: 0.874557774444444

00:22:57.560 --> 00:22:59.248 And then of course,

NOTE Confidence: 0.874557774444444

00:22:59.248 --> 00:23:01.358 there's other supervised programs at,

NOTE Confidence: 0.87455777444444400:23:01.360 --> 00:23:02.206 you know, NOTE Confidence: 0.874557774444444

00:23:02.206 --> 00:23:04.744 community centers and things where

NOTE Confidence: 0.8745577744444444

00:23:04.744 --> 00:23:07.780 you can do not as intense exercise maybe,

NOTE Confidence: 0.874557774444444

 $00:23:07.780 \longrightarrow 00:23:10.577$  but also build a community and whatever

NOTE Confidence: 0.874557774444444

00:23:10.577 --> 00:23:12.599 exercise that feels right for you.

00:23:13.280 --> 00:23:15.455 Yeah, Melinda, I'm just thinking

NOTE Confidence: 0.902592867333334

 $00:23:15.455 \longrightarrow 00:23:18.192$  about people who may be listening

NOTE Confidence: 0.902592867333334

00:23:18.192 --> 00:23:20.880 to this and thinking, you know,

NOTE Confidence: 0.902592867333334

00:23:20.880 --> 00:23:23.160 I was diagnosed whatever last year,

NOTE Confidence: 0.902592867333334

00:23:23.160 --> 00:23:27.560 last month, a decade ago, and wasn't

NOTE Confidence: 0.902592867333334

 $00:23:27.560 \longrightarrow 00:23:29.880$  really provided this recommendation.

NOTE Confidence: 0.902592867333334

 $00:23:29.880 \longrightarrow 00:23:33.730$  But in hearing about the benefits of

NOTE Confidence: 0.902592867333334

 $00:23:33.730 \longrightarrow 00:23:36.280$  exercise, it may be helpful for me to start,

NOTE Confidence: 0.902592867333334

 $00:23:36.280 \longrightarrow 00:23:39.220$  even though I didn't start at the

NOTE Confidence: 0.902592867333334

 $00{:}23{:}39.220 \dashrightarrow 00{:}23{:}41.824$  time of diagnosis. Two questions, first,

NOTE Confidence: 0.902592867333334

 $00:23:41.824 \longrightarrow 00:23:45.640$  is it still valuable to start a week,

NOTE Confidence: 0.902592867333334

00:23:45.640 --> 00:23:48.118 a month, a decade after diagnosis?

NOTE Confidence: 0.902592867333334

 $00{:}23{:}48.120 \dashrightarrow 00{:}23{:}51.879$  And 2nd, where can people get resources

NOTE Confidence: 0.902592867333334

 $00{:}23{:}51.880 \dashrightarrow 00{:}23{:}54.264$  if they're finished their cancer journey,

NOTE Confidence: 0.902592867333334

00:23:54.264 --> 00:23:56.952 at least their acute cancer journey?

 $00:23:56.960 \longrightarrow 00:24:00.008$  Are the recommendations that you had

NOTE Confidence: 0.902592867333334

 $00{:}24{:}00.008 \dashrightarrow 00{:}24{:}03.495$  provided to patients available in

NOTE Confidence: 0.902592867333334

 $00:24:03.495 \longrightarrow 00:24:07.642$  an online accessible kind of

NOTE Confidence: 0.902592867333334

00:24:07.642 --> 00:24:10.680 platform where survivors can access that?

NOTE Confidence: 0.93676279

00:24:11.240 --> 00:24:12.428 Yeah, really important questions.

NOTE Confidence: 0.93676279

00:24:12.428 --> 00:24:13.913 And I would say yes,

NOTE Confidence: 0.93676279

 $00:24:13.920 \longrightarrow 00:24:16.503$  it's never too late to start a

NOTE Confidence: 0.93676279

 $00:24:16.503 \longrightarrow 00:24:18.661$  program whether they were diagnosed

NOTE Confidence: 0.93676279

 $00{:}24{:}18.661 \dashrightarrow 00{:}24{:}21.164$  yesterday or 10-20 years ago.

NOTE Confidence: 0.93676279

00:24:21.164 --> 00:24:25.278 I would say the first stop could

NOTE Confidence: 0.93676279

00:24:25.278 --> 00:24:28.280 be outreach to if they're still

NOTE Confidence: 0.93676279

 $00:24:28.280 \longrightarrow 00:24:29.956$  regularly seeing their oncologist

NOTE Confidence: 0.93676279

 $00:24:29.956 \longrightarrow 00:24:32.980$  reaching out to them or to their

NOTE Confidence: 0.93676279

 $00{:}24{:}32.980 \to 00{:}24{:}35.578$  primary care doctor and asking them

NOTE Confidence: 0.93676279

 $00:24:35.578 \longrightarrow 00:24:38.105$  about resources that might be available

NOTE Confidence: 0.93676279

 $00:24:38.105 \longrightarrow 00:24:40.793$  at the hospital or in the community.

 $00:24:40.800 \longrightarrow 00:24:43.638$  They might have documents available that

NOTE Confidence: 0.93676279

 $00{:}24{:}43.638 {\:\dashrightarrow\:} 00{:}24{:}46.686$  list resources if they're just diagnosed

NOTE Confidence: 0.93676279

 $00:24:46.686 \longrightarrow 00:24:49.396$  or just recently completing treatment.

NOTE Confidence: 0.93676279

 $00:24:49.400 \longrightarrow 00:24:53.674$  I would like to see hospitals think about

NOTE Confidence: 0.93676279

 $00:24:53.674 \longrightarrow 00:24:55.959$  their cardiovascular rehab programs,

NOTE Confidence: 0.93676279

 $00:24:55.960 \longrightarrow 00:24:58.000$  cardiac rehab programs that are

NOTE Confidence: 0.93676279

 $00:24:58.000 \longrightarrow 00:25:00.240$  available and thinking about how to

NOTE Confidence: 0.93676279

 $00:25:00.240 \longrightarrow 00:25:02.280$  share resources either to broaden it

NOTE Confidence: 0.93676279

 $00{:}25{:}02.280 \to 00{:}25{:}06.152$  to include a cancer rehab program.

NOTE Confidence: 0.93676279

 $00{:}25{:}06.152 \longrightarrow 00{:}25{:}08.214$  And many times those are offered

NOTE Confidence: 0.93676279

 $00:25:08.214 \longrightarrow 00:25:10.296$  at least cardiac rehab is offered

NOTE Confidence: 0.93676279

 $00:25:10.296 \longrightarrow 00:25:12.173$  right after a cardiovascular event

NOTE Confidence: 0.93676279

 $00{:}25{:}12.173 \dashrightarrow 00{:}25{:}14.038$  and maybe not years later.

NOTE Confidence: 0.93676279

00:25:14.040 --> 00:25:18.037 But I know for example survivorship programs,

NOTE Confidence: 0.93676279

00:25:18.040 --> 00:25:20.110 they might see patients anytime

 $00:25:20.110 \longrightarrow 00:25:22.180$  after diagnosis upward to 10-20

NOTE Confidence: 0.93676279

00:25:22.250 --> 00:25:23.720 years after diagnosis.

NOTE Confidence: 0.93676279

 $00:25:23.720 \longrightarrow 00:25:26.992$  And so that's a really good first

NOTE Confidence: 0.93676279

00:25:26.992 --> 00:25:29.372 stop as well to to reach out

NOTE Confidence: 0.93676279

00:25:29.372 --> 00:25:30.756 to those survivorship programs.

NOTE Confidence: 0.93676279

 $00{:}25{:}30.760 \dashrightarrow 00{:}25{:}33.154$  Also Tara mentioned the YMCA and

NOTE Confidence: 0.93676279

00:25:33.154 --> 00:25:35.160 the Livestrong program.

NOTE Confidence: 0.93676279

00:25:35.160 --> 00:25:38.676 Many YMCA's also offer related programs,

NOTE Confidence: 0.93676279

 $00{:}25{:}38.680 \dashrightarrow 00{:}25{:}40.800$  not necessarily specific to cancer,

NOTE Confidence: 0.93676279

 $00:25:40.800 \longrightarrow 00:25:42.531$  but for example,

NOTE Confidence: 0.93676279

 $00:25:42.531 \longrightarrow 00:25:45.514$  the Diabetes Prevention program is

NOTE Confidence: 0.93676279

 $00:25:45.514 \longrightarrow 00:25:47.873$  open that focuses on exercise and nutrition.

NOTE Confidence: 0.93676279

 $00{:}25{:}47.880 \dashrightarrow 00{:}25{:}49.705$  Those are at YMCA's there's

NOTE Confidence: 0.93676279

 $00:25:49.705 \longrightarrow 00:25:51.530$  programs called the Silver Sneakers

NOTE Confidence: 0.93676279

00:25:51.593 --> 00:25:53.158 Exercise programs at the Y.

NOTE Confidence: 0.93676279

 $00:25:53.160 \longrightarrow 00:25:56.160$  For people of a certain age,

 $00:25:56.160 \longrightarrow 00:25:58.444$  Medicare reimburses programs that

NOTE Confidence: 0.93676279

 $00{:}25{:}58.444 {\:\raisebox{--}{--}}{>}\ 00{:}26{:}01.299$  are more weight management focused

NOTE Confidence: 0.93676279

 $00:26:01.299 \longrightarrow 00:26:03.359$  that includes exercise.

NOTE Confidence: 0.93676279

 $00:26:03.360 \longrightarrow 00:26:05.440$  So definitely talking to the primary

NOTE Confidence: 0.93676279

 $00:26:05.440 \longrightarrow 00:26:07.840$  care physician and the oncologist

NOTE Confidence: 0.93676279

 $00:26:07.840 \longrightarrow 00:26:09.826$  can provide some information

NOTE Confidence: 0.93676279

 $00:26:09.826 \longrightarrow 00:26:11.878$  and is a good starting point.

NOTE Confidence: 0.870195651666667

 $00:26:14.000 \longrightarrow 00:26:15.320$  If I could add into that,

NOTE Confidence: 0.870195651666667

 $00{:}26{:}15.320 \dashrightarrow 00{:}26{:}18.387$ you know we do see patients long

NOTE Confidence: 0.870195651666667

 $00{:}26{:}18.387 \dashrightarrow 00{:}26{:}21.429$  after treatment has ended in our

NOTE Confidence: 0.870195651666667

 $00{:}26{:}21.429 \dashrightarrow 00{:}26{:}23.401$  multidisciplinary clinic and

NOTE Confidence: 0.870195651666667

 $00{:}26{:}23.401 \dashrightarrow 00{:}26{:}25.639$  we always reminisce or say that

NOTE Confidence: 0.870195651666667

 $00{:}26{:}25.640 \dashrightarrow 00{:}26{:}27.579$  patients find us when they need us

NOTE Confidence: 0.870195651666667

 $00:26:27.579 \longrightarrow 00:26:29.677$  and then our other mantra is

NOTE Confidence: 0.870195651666667

 $00:26:29.677 \longrightarrow 00:26:31.720$  that we meet them where they're at.

 $00:26:31.720 \longrightarrow 00:26:33.488$  So you know there are people who used

NOTE Confidence: 0.870195651666667

 $00:26:33.488 \longrightarrow 00:26:35.673$  to run marathons and then maybe had

NOTE Confidence: 0.870195651666667

00:26:35.673 --> 00:26:37.358 extensive cancer treatment and thought,

NOTE Confidence: 0.870195651666667

 $00:26:37.414 \longrightarrow 00:26:39.475$  I don't think I could ever do that again.

NOTE Confidence: 0.870195651666667

 $00:26:39.480 \longrightarrow 00:26:41.316$  But eventually they want to

NOTE Confidence: 0.870195651666667

00:26:41.316 --> 00:26:43.744 know if they could and so you know

NOTE Confidence: 0.870195651666667

 $00:26:43.744 \longrightarrow 00:26:46.590$  I think it's never too late to

NOTE Confidence: 0.870195651666667

 $00:26:46.590 \longrightarrow 00:26:48.707$  reevaluate goals and hopes

NOTE Confidence: 0.870195651666667

00:26:48.707 --> 00:26:51.304 and dreams and that can come

NOTE Confidence: 0.870195651666667

 $00:26:51.304 \longrightarrow 00:26:52.919$  anytime after cancer treatment.

NOTE Confidence: 0.9709192

 $00{:}26{:}54.080 \dashrightarrow 00{:}26{:}58.035$  Yeah. One of the questions

NOTE Confidence: 0.9709192

 $00{:}26{:}58.035 \to 00{:}27{:}01.119$  that I'm thinking about is that

NOTE Confidence: 0.9709192

 $00:27:01.120 \longrightarrow 00:27:03.340$  there must be some barriers right

NOTE Confidence: 0.9709192

 $00{:}27{:}03.340 \dashrightarrow 00{:}27{:}05.679$  to getting patients to exercise.

NOTE Confidence: 0.9709192

 $00:27:05.680 \longrightarrow 00:27:08.236$  One might be I'm too tired.

NOTE Confidence: 0.9709192

 $00:27:08.240 \longrightarrow 00:27:11.080$  One might be I don't have enough time.

 $00:27:11.080 \longrightarrow 00:27:13.920$  One might be I'm too stressed out.

NOTE Confidence: 0.9709192

00:27:13.920 --> 00:27:17.864 How do you counsel patients

NOTE Confidence: 0.9709192

00:27:17.864 --> 00:27:22.560 about getting over those barriers, Tara?

NOTE Confidence: 0.897627135833333

 $00:27:23.360 \longrightarrow 00:27:25.936$  Yeah, I think these are

NOTE Confidence: 0.897627135833333

 $00:27:25.936 \longrightarrow 00:27:28.199$  really good points and so true.

NOTE Confidence: 0.95529997

 $00:27:30.440 \longrightarrow 00:27:33.317$  Our culture, our work culture in this

NOTE Confidence: 0.95529997

00:27:33.317 --> 00:27:36.434 country is one of exhaustion, time limited

NOTE Confidence: 0.95529997

 $00:27:36.434 \longrightarrow 00:27:39.073$  resources and a lot of stress.

NOTE Confidence: 0.95529997

 $00:27:39.080 \longrightarrow 00:27:41.796$  So I think validating that is

NOTE Confidence: 0.95529997

 $00:27:41.800 \longrightarrow 00:27:43.624$  really important.

NOTE Confidence: 0.95529997

 $00:27:43.624 \longrightarrow 00:27:47.820$  And then we try to encourage

NOTE Confidence: 0.95529997

00:27:47.820 --> 00:27:50.520 patients that whatever they're doing,

NOTE Confidence: 0.95529997

 $00{:}27{:}50.520 \dashrightarrow 00{:}27{:}53.610$  is there a way to do a little bit

NOTE Confidence: 0.95529997

 $00:27:53.697 \longrightarrow 00:27:56.344$  more or to make certain trade-offs so

NOTE Confidence: 0.95529997

00:27:56.344 --> 00:27:58.679 that you're still meeting your goals?

00:27:58.680 --> 00:28:02.225 You know, and I've had the privilege of

NOTE Confidence: 0.95529997

 $00{:}28{:}02.225 \dashrightarrow 00{:}28{:}04.304$  working with the physical therapist who does

NOTE Confidence: 0.95529997

00:28:04.304 --> 00:28:06.392 all of our exercise counseling and you know,

NOTE Confidence: 0.95529997

 $00:28:06.400 \longrightarrow 00:28:09.120$  he has a little tip sheet on ways

NOTE Confidence: 0.95529997

 $00:28:09.120 \longrightarrow 00:28:11.840$  to get in a little bit more movement.

NOTE Confidence: 0.95529997

00:28:11.840 --> 00:28:13.862 And I think everyone

NOTE Confidence: 0.95529997

 $00:28:13.862 \longrightarrow 00:28:15.629$  understands the concept of parking

NOTE Confidence: 0.95529997

00:28:15.629 --> 00:28:17.759 in the furthest away parking spot.

NOTE Confidence: 0.95529997

 $00:28:17.760 \longrightarrow 00:28:19.278$  But that counts and

NOTE Confidence: 0.95529997

 $00:28:19.280 \longrightarrow 00:28:20.240$  are we doing that?

00:28:20.968 --> 00:28:22.676 I would love to see the stairways,

NOTE Confidence: 0.95529997

 $00:28:22.680 \longrightarrow 00:28:23.776$  even in our hospitals,

NOTE Confidence: 0.95529997

 $00:28:23.776 \longrightarrow 00:28:25.420$  be the central focus

NOTE Confidence: 0.95529997

 $00{:}28{:}25.481 \dashrightarrow 00{:}28{:}27.116$  rather than the elevator banks.

NOTE Confidence: 0.844914788333333

 $00{:}28{:}27.800 \dashrightarrow 00{:}28{:}30.278$  Doctor Tara Sanft is an associate professor

NOTE Confidence: 0.844914788333333

 $00:28:30.278 \longrightarrow 00:28:33.120$  of Medicine and Medical oncology, and Dr.

 $00{:}28{:}33.120 \dashrightarrow 00{:}28{:}35.160$  Melinda Irwin is the Susan Dwight

NOTE Confidence: 0.844914788333333

 $00:28:35.160 \longrightarrow 00:28:36.611$  Bliss Professor of Epidemiology

NOTE Confidence: 0.844914788333333

00:28:36.611 --> 00:28:38.717 at the Yale School of Medicine.

NOTE Confidence: 0.844914788333333

00:28:38.720 --> 00:28:40.708 If you have questions,

NOTE Confidence: 0.844914788333333

 $00:28:40.708 \longrightarrow 00:28:42.658$  the address is canceranswers@yale.edu,

NOTE Confidence: 0.844914788333333

 $00{:}28{:}42.658 {\:\dashrightarrow\:} 00{:}28{:}45.406$  and past additions of the program

NOTE Confidence: 0.844914788333333

00:28:45.406 --> 00:28:47.780 are available in audio and written

NOTE Confidence: 0.844914788333333

00:28:47.780 --> 00:28:48.708 form at yalecancercenter.org.

NOTE Confidence: 0.844914788333333

00:28:48.708 --> 00:28:51.172 We hope you'll join us next week to

NOTE Confidence: 0.844914788333333

00:28:51.172 --> 00:28:53.057 learn more about the fight against

NOTE Confidence: 0.844914788333333

 $00{:}28{:}53.057 \dashrightarrow 00{:}28{:}54.920$  cancer here on Connecticut Public Radio.

NOTE Confidence: 0.844914788333333

 $00:28:54.920 \longrightarrow 00:28:57.524$  Funding for Yale Cancer Answers is

NOTE Confidence: 0.844914788333333

00:28:57.524 --> 00:29:00.000 provided by Smilow Cancer Hospital.