## WEBVTT

00:00:00.160 --> 00:00:01.920 Funding for Yale Cancer Answers NOTE Confidence: 0.9486805  $00:00:01.920 \longrightarrow 00:00:03.679$  is provided by Smilow Cancer NOTE Confidence: 0.9486805 00:00:03.679 --> 00:00:04.180 Hospital. NOTE Confidence: 0.9401133 00:00:06.240 --> 00:00:08.160 Welcome to Yale Cancer Answers NOTE Confidence: 0.9401133  $00:00:08.160 \longrightarrow 00:00:09.200$  with the director of the NOTE Confidence: 0.9401133 00:00:09.200 --> 00:00:10.880 Yale Cancer Center, doctor Eric NOTE Confidence: 0.9401133 00:00:10.880 --> 00:00:11.380 Winer. NOTE Confidence: 0.9664466 00:00:11.920 --> 00:00:13.705 Yale Cancer Answers features NOTE Confidence: 0.9664466  $00:00:13.705 \rightarrow 00:00:16.025$  conversations with oncologists and specialists NOTE Confidence: 0.9664466 00:00:16.025 - 00:00:16.985 who are on the forefront NOTE Confidence: 0.9664466  $00:00:16.985 \longrightarrow 00:00:18.025$  of the battle to fight NOTE Confidence: 0.9664466 00:00:18.025 --> 00:00:18.525 cancer. NOTE Confidence: 0.9509943 00:00:19.065 --> 00:00:20.364 This week, it's a conversation NOTE Confidence: 0.9509943 00:00:20.505 --> 00:00:21.864 about head and neck cancers NOTE Confidence: 0.9509943  $00:00:21.864 \rightarrow 00:00:23.864$  with doctor Saral Mehra. Doctor NOTE Confidence: 0.9509943

 $00{:}00{:}23.864 \dashrightarrow 00{:}00{:}25.465$  Mehra is an associate professor

NOTE Confidence: 0.9509943

00:00:25.465 --> 00:00:26.765 of surgery and otolaryngology

NOTE Confidence: 0.9939377

00:00:27.305 --> 00:00:28.345 at the Yale School of

NOTE Confidence: 0.9939377

 $00{:}00{:}28.345 \dashrightarrow 00{:}00{:}28.845$  Medicine.

NOTE Confidence: 0.9245674

 $00:00:29.340 \longrightarrow 00:00:30.400$  Here's doctor Winer.

 $00{:}00{:}32.540 \dashrightarrow 00{:}00{:}34.060$  How is it that

NOTE Confidence: 0.9997911

 $00{:}00{:}34.460 \dashrightarrow 00{:}00{:}36.000$  someone becomes interested

NOTE Confidence: 0.9876538

 $00:00:37.739 \longrightarrow 00:00:39.340$  in the field of ear,

NOTE Confidence: 0.9876538

 $00:00:39.340 \longrightarrow 00:00:40.479$  nose, and throat?

NOTE Confidence: 0.9633597

00:00:41.580 --> 00:00:43.200 And then more specifically,

NOTE Confidence: 0.9137215

 $00:00:44.635 \rightarrow 00:00:45.675$  how is it that you

NOTE Confidence: 0.9137215

 $00:00:45.675 \longrightarrow 00:00:46.414$  got interested

NOTE Confidence: 0.9982383

 $00{:}00{:}47.354 \dashrightarrow 00{:}00{:}49.754$  in cancers that arise in

NOTE Confidence: 0.9982383

 $00:00:49.754 \longrightarrow 00:00:51.594$  this region that is the

NOTE Confidence: 0.9982383

 $00:00:51.594 \longrightarrow 00:00:52.495$  head and neck?

NOTE Confidence: 0.99091524

00:00:53.434 --> 00:00:54.315 So when I was

- $00{:}00{:}54.315 \dashrightarrow 00{:}00{:}55.835$  in medical school in New
- NOTE Confidence: 0.99091524
- 00:00:55.835 --> 00:00:56.495 York City,
- NOTE Confidence: 0.96900785
- 00:00:57.370 --> 00:00:58.410 I didn't know what
- NOTE Confidence: 0.96900785
- 00:00:58.410 --> 00:00:59.770 ENT was barely. I thought
- NOTE Confidence: 0.96900785
- $00{:}00{:}59{.}770 \dashrightarrow 00{:}01{:}01{.}370$  maybe they'd take some tonsils
- NOTE Confidence: 0.96900785
- 00:01:01.370 --> 00:01:02.489 out, put some ear tubes
- NOTE Confidence: 0.96900785
- 00:01:02.489 --> 00:01:03.610 in, but it had a
- NOTE Confidence: 0.96900785
- $00:01:03.610 \longrightarrow 00:01:04.670$  mandatory rotation.
- NOTE Confidence: 0.9979562
- 00:01:05.209 --> 00:01:06.409 And what I loved about
- NOTE Confidence: 0.9979562
- 00:01:06.409 --> 00:01:06.909 ENT,
- NOTE Confidence: 0.93418276
- $00:01:08.090 \longrightarrow 00:01:09.150$  right off the bat, was
- $00:01:10.490 \longrightarrow 00:01:11.610$  I realized that they did
- NOTE Confidence: 0.919356
- 00:01:11.610 --> 00:01:12.750 surgeries that
- NOTE Confidence: 0.9601511
- 00:01:13.225 --> 00:01:14.744 I did not imagine an
- NOTE Confidence: 0.9601511
- 00:01:14.744 --> 00:01:17.145 ENT surgeon, in my idea
- NOTE Confidence: 0.9601511
- $00{:}01{:}17{.}145 \dashrightarrow 00{:}01{:}18{.}584$  of one, would do, but
- NOTE Confidence: 0.9601511

- $00:01:18.584 \rightarrow 00:01:20.284$  more importantly, the culture
- NOTE Confidence: 0.8916619
- $00:01:20.825 \rightarrow 00:01:22.604$  of ENT surgeons and otolaryngologist
- NOTE Confidence: 0.8916619
- $00:01:22.664 \rightarrow 00:01:24.344$  just fit with me.
- NOTE Confidence: 0.8916619
- $00:01:24.344 \longrightarrow 00:01:25.725$  They worked hard,
- NOTE Confidence: 0.961935
- 00:01:26.584 --> 00:01:28.185 did some really delicate fine
- NOTE Confidence: 0.961935
- 00:01:28.185 --> 00:01:29.760 work, and had a
- NOTE Confidence: 0.961935
- $00:01:29.760 \longrightarrow 00:01:30.960$  good time doing it. And
- NOTE Confidence: 0.961935
- $00:01:30.960 \longrightarrow 00:01:32.080$  I thought this is the
- NOTE Confidence: 0.961935
- $00{:}01{:}32.080 \dashrightarrow 00{:}01{:}33.600$  type of culture and specialty
- NOTE Confidence: 0.961935
- 00:01:33.600 --> 00:01:34.580 I wanna be in.
- $00:01:36.160 \longrightarrow 00:01:37.520$  That's great.
- NOTE Confidence: 0.93285793
- $00{:}01{:}37{.}520 \dashrightarrow 00{:}01{:}38{.}480$  And it's
- NOTE Confidence: 0.93285793
- $00{:}01{:}38{.}480 \dashrightarrow 00{:}01{:}39{.}620$  an area where
- NOTE Confidence: 0.99524
- $00:01:40.080 \rightarrow 00:01:42.020$  the anatomy is really complicated.
- NOTE Confidence: 0.99524
- $00{:}01{:}42.240 \dashrightarrow 00{:}01{:}43.040$  I mean, there are all
- NOTE Confidence: 0.99524
- $00:01:43.040 \longrightarrow 00:01:43.860$  these structures in
- 00:01:45.125 --> 00:01:47.704 our nose, mouth, throat,

- NOTE Confidence: 0.99488103
- $00:01:48.884 \rightarrow 00:01:50.664$  that just are all
- NOTE Confidence: 0.96189
- $00:01:51.125 \longrightarrow 00:01:52.744$  very close to one another
- NOTE Confidence: 0.96189
- $00:01:52.804 \longrightarrow 00:01:54.405$  and yet serve very different
- NOTE Confidence: 0.96189
- $00{:}01{:}54{.}405 \dashrightarrow 00{:}01{:}54{.}905$  functions.
- NOTE Confidence: 0.98857456
- $00:01:55.685 \dashrightarrow 00:01:57.204$  Totally agree. And that's really
- NOTE Confidence: 0.98857456
- $00:01:57.204 \longrightarrow 00:01:58.320$  what I enjoyed about it too.
- NOTE Confidence: 0.98857456
- 00:01:58.320 --> 00:01:59.760 Working in the nose,
- NOTE Confidence: 0.98857456
- $00{:}01{:}59{.}760 \dashrightarrow 00{:}02{:}00{.}960$  you're right next to the
- NOTE Confidence: 0.98857456
- $00:02:00.960 \longrightarrow 00:02:02.400$  eye and the brain.
- NOTE Confidence: 0.98857456
- 00:02:02.400 --> 00:02:03.440 You're working in the neck,
- NOTE Confidence: 0.98857456
- $00{:}02{:}03{.}440 \dashrightarrow 00{:}02{:}05{.}120$ you're near important cranial nerves
- NOTE Confidence: 0.98857456
- $00{:}02{:}05{.}120 \dashrightarrow 00{:}02{:}06{.}260$  that move the tongue
- NOTE Confidence: 0.8081523
- $00{:}02{:}06.720 \dashrightarrow 00{:}02{:}07.200$  that
- NOTE Confidence: 0.99526197
- $00:02:07.600 \rightarrow 00:02:09.780$  help with speech and breathing.
- NOTE Confidence: 0.9878623
- $00:02:10.480 \longrightarrow 00:02:12.614$  It's just really intricate fine
- NOTE Confidence: 0.9878623

 $00:02:12.614 \rightarrow 00:02:14.215$  anatomy and requires a lot

NOTE Confidence: 0.9878623

00:02:14.215 --> 00:02:15.974 of attention to detail, which,

NOTE Confidence: 0.9878623

 $00:02:15.974 \longrightarrow 00:02:17.334$  again, I thought really fit

NOTE Confidence: 0.9878623

 $00:02:17.334 \longrightarrow 00:02:18.555$  well with my personality.

NOTE Confidence: 0.9791594

 $00{:}02{:}19{.}415 \dashrightarrow 00{:}02{:}21{.}174$  And when you made the

NOTE Confidence: 0.9791594

 $00{:}02{:}21{.}174 \dashrightarrow 00{:}02{:}21{.}674$  decision to

 $00:02:23.014 \rightarrow 00:02:25.254$  apply to residency programs in ENT

 $00:02:27.080 \longrightarrow 00:02:28.220$  ear, nose, and throat,

NOTE Confidence: 0.98038644

 $00:02:28.680 \longrightarrow 00:02:29.720$  did you know at that

NOTE Confidence: 0.98038644

 $00{:}02{:}29{.}720 \dashrightarrow 00{:}02{:}30{.}760$  time that you were interested

NOTE Confidence: 0.98038644

 $00:02:30.760 \longrightarrow 00:02:31.500$  in cancer?

NOTE Confidence: 0.99986696

 $00:02:32.840 \longrightarrow 00:02:33.340$  Definitely not.

00:02:34.440 --> 00:02:36.380 In fact, it was almost

NOTE Confidence: 0.9420255

 $00:02:36.440 \longrightarrow 00:02:37.639$  on my short list of

NOTE Confidence: 0.9420255

 $00:02:37.639 \rightarrow 00:02:40.200$  subspecialties within ENT I would

NOTE Confidence: 0.9420255

 $00{:}02{:}40{.}200 \dashrightarrow 00{:}02{:}41{.}175$  probably not do.

NOTE Confidence: 0.8833324

00:02:41.655 --> 00:02:43.595 There were long, complicated

- $00:02:43.895 \rightarrow 00:02:44.395$  surgeries,
- NOTE Confidence: 0.95580864
- $00{:}02{:}44.775 \dashrightarrow 00{:}02{:}46.475$  difficult patients, challenging,
- NOTE Confidence: 0.99506974
- $00:02:48.455 \longrightarrow 00:02:49.355$  social issues,
- NOTE Confidence: 0.9832573
- 00:02:50.375 --> 00:02:52.395 in addition to a disease
- NOTE Confidence: 0.9832573
- $00{:}02{:}52{.}535 \dashrightarrow 00{:}02{:}53{.}355$  that
- NOTE Confidence: 0.95733213
- $00:02:54.730 \longrightarrow 00:02:56.090$  can be devastating to many
- NOTE Confidence: 0.95733213
- $00:02:56.090 \longrightarrow 00:02:56.590$  patients.
- 00:02:58.250 --> 00:03:00.030 But during my journey in residency I
- $00:03:01.930 \longrightarrow 00:03:03.550$  saw head and neck cancer
- NOTE Confidence: 0.971135
- $00{:}03{:}04.490 \dashrightarrow 00{:}03{:}06.090$  done as a team and
- NOTE Confidence: 0.971135
- $00:03:06.090 \longrightarrow 00:03:06.910$  done right.
- NOTE Confidence: 0.957902
- 00:03:07.575 --> 00:03:09.575 And once I saw
- NOTE Confidence: 0.957902
- $00:03:09.575 \longrightarrow 00:03:10.775$  the team approach to head
- NOTE Confidence: 0.957902
- 00:03:10.775 00:03:11.995 and neck cancer care,
- NOTE Confidence: 0.9977046
- $00:03:12.455 \longrightarrow 00:03:13.815$  that's when I realized this
- NOTE Confidence: 0.9977046
- 00:03:13.815 --> 00:03:15.195 was definitely the specialty
- NOTE Confidence: 0.98031443
- $00{:}03{:}15.655 \dashrightarrow 00{:}03{:}17.035$  for me.

- NOTE Confidence: 0.93927765
- 00:03:19.980 --> 00:03:20.940 I played a
- NOTE Confidence: 0.93927765
- $00:03:20.940 \longrightarrow 00:03:22.400$  lot of sports growing up,
- NOTE Confidence: 0.93927765
- 00:03:22.460 --> 00:03:23.760 and I was
- NOTE Confidence: 0.93927765
- $00{:}03{:}23{.}900 \dashrightarrow 00{:}03{:}24{.}780$  a key member of
- NOTE Confidence: 0.93927765
- $00{:}03{:}24.780 \dashrightarrow 00{:}03{:}25.820$  a lot of different teams.
- NOTE Confidence: 0.93927765
- 00:03:25.820 --> 00:03:26.780 I was a range guy,
- NOTE Confidence: 0.93927765
- $00{:}03{:}26.780 \dashrightarrow 00{:}03{:}27.740$  and that's what head neck
- NOTE Confidence: 0.93927765
- $00{:}03{:}27.740 \dashrightarrow 00{:}03{:}28.860$  cancer is. It's a
- NOTE Confidence: 0.93927765
- $00:03:28.860 \longrightarrow 00:03:29.680$  team sport.
- 00:03:32.715 -> 00:03:34.655 People are very familiar with
- NOTE Confidence: 0.98342407
- $00{:}03{:}34.875 \dashrightarrow 00{:}03{:}36.955$  breast cancer and colon cancer
- NOTE Confidence: 0.98342407
- 00:03:36.955 00:03:39.135 and even pancreatic cancer and,
- NOTE Confidence: 0.98438454
- $00:03:39.675 \rightarrow 00:03:41.694$  you know, tumors like glioblastomas
- NOTE Confidence: 0.959845
- 00:03:42.395 --> 00:03:43.915 because some very famous people
- NOTE Confidence: 0.959845
- $00{:}03{:}43{.}915 \dashrightarrow 00{:}03{:}44{.}815$  have had them and
- NOTE Confidence: 0.9988508
- $00:03:45.675 \longrightarrow 00:03:46.735$  are in the news.

- NOTE Confidence: 0.99979764
- 00:03:47.460 --> 00:03:48.740 People know a little bit
- NOTE Confidence: 0.99979764
- 00:03:48.740 --> 00:03:49.240 less
- NOTE Confidence: 0.9913555
- $00{:}03{:}49{.}860 \dashrightarrow 00{:}03{:}51{.}240$  about head and neck cancers.
- NOTE Confidence: 0.9913555
- 00:03:51.460 --> 00:03:52.280 I think that's
- NOTE Confidence: 0.9606114
- $00{:}03{:}53{.}060 \dashrightarrow 00{:}03{:}53{.}560$  partially
- NOTE Confidence: 0.9929387
- $00:03:54.260 \longrightarrow 00:03:55.160$  in the past,
- NOTE Confidence: 0.96779394
- 00:03:56.580 00:03:58.100 because maybe there were fewer
- NOTE Confidence: 0.96779394
- $00:03:58.100 \longrightarrow 00:03:59.800$  famous people who had them.
- NOTE Confidence: 0.9186099
- $00{:}04{:}00{.}740 \dashrightarrow 00{:}04{:}02{.}040$  And, also, because
- NOTE Confidence: 0.998008
- 00:04:02.525 --> 00:04:03.425 it's an area
- NOTE Confidence: 0.9990509
- $00{:}04{:}03.725 \dashrightarrow 00{:}04{:}04.225$  where
- NOTE Confidence: 0.99757385
- $00:04:04.685 \dashrightarrow 00:04:06.285$  there are many different types
- NOTE Confidence: 0.99757385
- $00:04:06.285 \longrightarrow 00:04:07.025$  of cancers.
- NOTE Confidence: 0.99523276
- 00:04:08.365 --> 00:04:09.485 Can you just talk a
- NOTE Confidence: 0.99523276
- 00:04:09.485 --> 00:04:11.565 little bit about about, you
- NOTE Confidence: 0.99523276

- 00:04:11.565 --> 00:04:13.105 know, all the different cancers
- NOTE Confidence: 0.99523276
- $00:04:13.165 \longrightarrow 00:04:13.905$  that exist?
- NOTE Confidence: 0.9887468
- 00:04:14.445 --> 00:04:15.905 Yeah. It's strange,
- NOTE Confidence: 0.9473613
- $00:04:16.445 \longrightarrow 00:04:17.745$  in a number of ways,
- NOTE Confidence: 0.96512693
- $00{:}04{:}19.550 \dashrightarrow 00{:}04{:}20.910$  as related to other cancers.
- NOTE Confidence: 0.96512693
- 00:04:20.910 --> 00:04:22.029 It's definitely not one of
- NOTE Confidence: 0.96512693
- $00:04:22.029 \longrightarrow 00:04:23.389$  the big four,
- NOTE Confidence: 0.96512693
- 00:04:23.389 --> 00:04:24.750 however you
- NOTE Confidence: 0.96512693
- $00{:}04{:}24.750 \dashrightarrow 00{:}04{:}26.110$  wanna classify them. Head and
- NOTE Confidence: 0.96512693
- 00:04:26.110 --> 00:04:27.470 neck cancers make up about
- NOTE Confidence: 0.96512693
- 00:04:27.470 --> 00:04:29.089 four percent of all cancers,
- $00:04:30.990 \longrightarrow 00:04:31.875$  in the United States.
- NOTE Confidence: 0.96664643
- $00{:}04{:}32{.}515 \dashrightarrow 00{:}04{:}34{.}675$  There's about sixty six thousand
- NOTE Confidence: 0.96664643
- 00:04:34.675 --> 00:04:36.275 new cases diagnosed each year.
- NOTE Confidence: 0.96664643
- $00{:}04{:}36{.}275 \dashrightarrow 00{:}04{:}36{.}995$  And you think about it,
- NOTE Confidence: 0.96664643
- $00:04:36.995 \longrightarrow 00:04:38.435$  that's actually a pretty small
- NOTE Confidence: 0.96664643

 $00:04:38.435 \longrightarrow 00:04:39.975$  number when you compare it

NOTE Confidence: 0.96664643

 $00{:}04{:}40{.}195 \dashrightarrow 00{:}04{:}41{.}395$  to breast and prostate,

NOTE Confidence: 0.96664643

00:04:41.395 --> 00:04:42.355 the colon, the big ones

NOTE Confidence: 0.96664643

 $00{:}04{:}42.355 \dashrightarrow 00{:}04{:}43.795$  that you mentioned. So it's

NOTE Confidence: 0.96664643

 $00:04:43.795 \longrightarrow 00:04:45.154$  relatively rare, and those are

NOTE Confidence: 0.96664643

 $00:04:45.154 \longrightarrow 00:04:46.710$  the numbers. And not only

NOTE Confidence: 0.96664643

00:04:46.710 --> 00:04:47.850 that, it's sort of,

NOTE Confidence: 0.98966986

00:04:48.310 --> 00:04:49.430 as you pointed out, it's

NOTE Confidence: 0.98966986

 $00{:}04{:}49{.}430 \dashrightarrow 00{:}04{:}50{.}630$  a weird term, head and

NOTE Confidence: 0.98966986

 $00{:}04{:}50{.}630 \dashrightarrow 00{:}04{:}51{.}770$  neck cancers.

NOTE Confidence: 0.9671785

 $00{:}04{:}52.150 \dashrightarrow 00{:}04{:}54.470$  Really it comprises cancers

NOTE Confidence: 0.9671785

 $00:04:54.470 \longrightarrow 00:04:55.370$  in the mouth,

NOTE Confidence: 0.984751

 $00:04:56.390 \longrightarrow 00:04:57.210$  the throat,

NOTE Confidence: 0.92577124

 $00:04:59.795 \rightarrow 00:05:00.455$  the nose,

NOTE Confidence: 0.9959766

 $00{:}05{:}00{.}995 \dashrightarrow 00{:}05{:}02{.}375$  the salivary glands,

NOTE Confidence: 0.97219616

 $00{:}05{:}02{.}915 \dashrightarrow 00{:}05{:}04{.}355$  and then in the neck,

- NOTE Confidence: 0.97219616
- $00:05:04.355 \longrightarrow 00:05:05.495$  like thyroid
- NOTE Confidence: 0.99190074
- $00{:}05{:}05{.}795 \dashrightarrow 00{:}05{:}07{.}475$  or skin cancer. So it's
- NOTE Confidence: 0.99190074
- $00{:}05{:}07{.}475 \dashrightarrow 00{:}05{:}08{.}214$  this whole
- NOTE Confidence: 0.995126
- 00:05:08.835 --> 00:05:10.515 milieu of different types of
- NOTE Confidence: 0.995126
- 00:05:10.515 --> 00:05:12.195 cancers. We'll have carcinomas. We'll
- NOTE Confidence: 0.995126
- $00{:}05{:}12.195 \dashrightarrow 00{:}05{:}14.270$  have sarcomas. We have even
- NOTE Confidence: 0.995126
- $00:05:14.270 \rightarrow 00:05:16.029$  diagnosed lymphomas in the head
- NOTE Confidence: 0.995126
- $00{:}05{:}16{.}029 \dashrightarrow 00{:}05{:}17{.}150$  and neck. So it is
- NOTE Confidence: 0.995126
- $00{:}05{:}17.150 \dashrightarrow 00{:}05{:}18.750$  a huge variety of cancers
- NOTE Confidence: 0.995126
- $00:05:18.750 \longrightarrow 00:05:20.430$  that show up in this
- NOTE Confidence: 0.995126
- $00:05:20.430 \longrightarrow 00:05:21.490$  part of the body.
- $00{:}05{:}25.789 \dashrightarrow 00{:}05{:}26.529$  And of the
- NOTE Confidence: 0.96767056
- $00:05:27.605 \rightarrow 00:05:29.525$  sixty plus thousand people who
- NOTE Confidence: 0.96767056
- $00{:}05{:}29{.}525 \dashrightarrow 00{:}05{:}31{.}065$  develop head and neck cancers,
- NOTE Confidence: 0.96556383
- $00:05:32.485 \longrightarrow 00:05:34.165$  we've made progress, but how
- NOTE Confidence: 0.96556383
- $00:05:34.165 \rightarrow 00:05:35.445$  many people are still dying

- NOTE Confidence: 0.96556383
- $00:05:35.445 \longrightarrow 00:05:36.425$  from these cancers?
- NOTE Confidence: 0.9705638
- 00:05:36.885 --> 00:05:37.785 Yeah. Unfortunately,
- NOTE Confidence: 0.7859603
- 00:05:38.165 --> 00:05:38.745 it depends,
- NOTE Confidence: 0.73557043
- $00:05:40.229 \longrightarrow 00:05:40.889$  or fortunately,
- NOTE Confidence: 0.9721965
- $00:05:41.349 \longrightarrow 00:05:42.650$  when you catch the cancer.
- NOTE Confidence: 0.9721965
- $00:05:42.870 \longrightarrow 00:05:44.069$  For advanced stage head and
- NOTE Confidence: 0.9721965
- $00:05:44.069 \dashrightarrow 00:05:45.509$  neck cancers, meaning cancers that
- NOTE Confidence: 0.9721965
- 00:05:45.509 00:05:47.190 have spread beyond just the
- NOTE Confidence: 0.9721965
- 00:05:47.190 --> 00:05:48.250 primary site,
- NOTE Confidence: 0.98350126
- $00:05:49.110 \longrightarrow 00:05:50.970$  survival rates are still, unfortunately,
- NOTE Confidence: 0.98350126
- $00:05:51.110 \longrightarrow 00:05:52.949$  around fifty percent at five
- NOTE Confidence: 0.98350126
- $00:05:52.949 \longrightarrow 00:05:53.449$  years.
- NOTE Confidence: 0.99182194
- 00:05:55.294 --> 00:05:56.094 You can look at it
- NOTE Confidence: 0.99182194
- 00:05:56.094 --> 00:05:57.474 two ways. We can cure
- NOTE Confidence: 0.9625
- $00:05:57.775 \longrightarrow 00:05:58.974$  for long term half of
- NOTE Confidence: 0.9625

 $00:05:58.974 \rightarrow 00:06:00.814$  the patients with stage three NOTE Confidence: 0.9625 00:06:00.814 --> 00:06:02.495 and stage four cancer, which NOTE Confidence: 0.9625  $00:06:02.495 \longrightarrow 00:06:04.354$  is great, but it's also NOTE Confidence: 0.9339876  $00:06:05.534 \rightarrow 00:06:06.974$  we can't cure about NOTE Confidence: 0.9339876  $00:06:06.974 \longrightarrow 00:06:08.110$  half of them. Now early NOTE Confidence: 0.9339876  $00:06:08.110 \longrightarrow 00:06:09.070$  stage cancer is one that NOTE Confidence: 0.9339876 00:06:09.070 -> 00:06:10.270 when caught caught early, we NOTE Confidence: 0.9339876 00:06:10.270 --> 00:06:10.930 can cure NOTE Confidence: 0.9420682  $00{:}06{:}12.029 \dashrightarrow 00{:}06{:}14.270$  eighty, ninety percent plus of NOTE Confidence: 0.9420682  $00:06:14.270 \rightarrow 00:06:15.630$  those patients. So it really NOTE Confidence: 0.9420682  $00:06:15.630 \rightarrow 00:06:17.550$  counts. Cancers that haven't spread NOTE Confidence: 0.9420682 00:06:17.550 --> 00:06:19.810 to lymph nodes, they're localized NOTE Confidence: 0.96601087 00:06:20.190 --> 00:06:21.550 in a given organ, NOTE Confidence: 0.96601087 00:06:21.550 --> 00:06:22.050 like NOTE Confidence: 0.9476683  $00:06:22.350 \longrightarrow 00:06:24.464$  in the tonsil or on NOTE Confidence: 0.9476683  $00:06:24.464 \longrightarrow 00:06:26.324$  the tongue.

- NOTE Confidence: 0.9843348
- $00:06:27.665 \longrightarrow 00:06:28.165$  Yeah.
- NOTE Confidence: 0.9823805
- $00:06:28.785 \longrightarrow 00:06:29.285$  And,
- NOTE Confidence: 0.9752845
- 00:06:30.384 --> 00:06:31.425 talk a little bit about
- NOTE Confidence: 0.9752845
- $00{:}06{:}31.425 \dashrightarrow 00{:}06{:}32.785$  the risk factors for head
- NOTE Confidence: 0.9752845
- $00{:}06{:}32.785 \dashrightarrow 00{:}06{:}34.164$  and neck cancers because
- NOTE Confidence: 0.99377537
- $00{:}06{:}34.705 \dashrightarrow 00{:}06{:}35.764$  there is
- NOTE Confidence: 0.98274624
- $00:06:36.380 \longrightarrow 00:06:38.000$  quite a spectrum there,
- NOTE Confidence: 0.966165
- $00{:}06{:}38{.}460 \dashrightarrow 00{:}06{:}40{.}300$  and not every one is at
- NOTE Confidence: 0.966165
- $00{:}06{:}40{.}300 \dashrightarrow 00{:}06{:}41{.}419$  equal risk. There are some
- NOTE Confidence: 0.966165
- $00:06:41.419 \longrightarrow 00:06:43.180$  people who are dramatically higher
- NOTE Confidence: 0.966165
- $00{:}06{:}43.180 \dashrightarrow 00{:}06{:}43.680$ risk.
- NOTE Confidence: 0.99952364
- $00{:}06{:}44{.}540 \dashrightarrow 00{:}06{:}45{.}839$  Absolutely. The
- NOTE Confidence: 0.95953447
- $00:06:46.460 \longrightarrow 00:06:47.820$  big three risk factors that
- NOTE Confidence: 0.95953447
- $00{:}06{:}47.820 \dashrightarrow 00{:}06{:}48.620$  we talk about in head
- NOTE Confidence: 0.95953447
- $00{:}06{:}48.620 \dashrightarrow 00{:}06{:}50.060$  and neck cancer are the
- NOTE Confidence: 0.95953447

00:06:50.060 --> 00:06:51.805 ones that your listeners might

NOTE Confidence: 0.95953447

00:06:51.805 --> 00:06:53.004 be well aware of, to bacco

NOTE Confidence: 0.95953447

 $00{:}06{:}53.004 \dashrightarrow 00{:}06{:}54.365$  and alcohol. That's all

NOTE Confidence: 0.95953447

 $00{:}06{:}54{.}365 \dashrightarrow 00{:}06{:}55{.}964$  the cancers, you know, not

NOTE Confidence: 0.95953447

 $00:06:55.964 \rightarrow 00:06:57.104$  all, but many cancers.

 $00:06:58.685 \dashrightarrow 00:07:00.845$  And they synergize, correct?

NOTE Confidence: 0.9615835

 $00:07:00.845 \longrightarrow 00:07:03.120$  Yeah. Totally. Tobacco is a

NOTE Confidence: 0.9615835

 $00:07:03.199 \longrightarrow 00:07:04.720$  biggest risk factor. Alcohol is

NOTE Confidence: 0.9615835

 $00{:}07{:}04.720 \dashrightarrow 00{:}07{:}05.760$  a risk factor. But as

NOTE Confidence: 0.9615835

 $00:07:05.760 \dashrightarrow 00:07:06.880$  you point out, they synergize.

NOTE Confidence: 0.9615835

 $00:07:06.880 \longrightarrow 00:07:08.240$  When you combine the two,

NOTE Confidence: 0.9615835

00:07:08.240 --> 00:07:09.520 the risk factor doesn't just

NOTE Confidence: 0.9615835

00:07:09.520 --> 00:07:11.220 double. It goes up

NOTE Confidence: 0.9808924

 $00:07:11.760 \rightarrow 00:07:13.280$  significantly more than just double,

NOTE Confidence: 0.9808924

 $00{:}07{:}13.280 \dashrightarrow 00{:}07{:}14.419$  probably ten times.

NOTE Confidence: 0.9933108

00:07:15.120 --> 00:07:15.919 So those are the two

 $00:07:15.919 \longrightarrow 00:07:16.800$  big ones that we talk

NOTE Confidence: 0.9933108

 $00:07:16.800 \longrightarrow 00:07:18.075$  about. But the third big

NOTE Confidence: 0.9933108

00:07:18.235 --> 00:07:19.355 one that we don't talk

NOTE Confidence: 0.9933108

00:07:19.355 --> 00:07:20.795 about as much is the

NOTE Confidence: 0.9933108

00:07:20.795 --> 00:07:21.935 HPV virus.

NOTE Confidence: 0.98871756

 $00{:}07{:}23.355 \dashrightarrow 00{:}07{:}24.635$  And how long have we

NOTE Confidence: 0.98871756

 $00:07:24.635 \longrightarrow 00:07:26.555$  appreciated that?

NOTE Confidence: 0.98871756

00:07:26.555 --> 00:07:27.595 When I was a

NOTE Confidence: 0.98871756

00:07:27.595 --> 00:07:28.495 medical student

NOTE Confidence: 0.97661775

 $00:07:28.955 \longrightarrow 00:07:30.075$  quite a number of years

NOTE Confidence: 0.97661775

 $00:07:30.075 \longrightarrow 00:07:30.575$  ago,

NOTE Confidence: 0.9982243

 $00{:}07{:}30{.}940 \dashrightarrow 00{:}07{:}32{.}400$  we didn't really know about

NOTE Confidence: 0.9982243

 $00{:}07{:}32.460 \dashrightarrow 00{:}07{:}32.960 \ {\rm HPV}$ 

NOTE Confidence: 0.98550516

 $00{:}07{:}33{.}820 \dashrightarrow 00{:}07{:}34{.}780$  and head and neck

NOTE Confidence: 0.98550516

00:07:34.780 --> 00:07:35.280 cancers.

00:07:37.580 --> 00:07:38.160 I mean,

- $00:07:38.540 \longrightarrow 00:07:39.360$  in our field,
- NOTE Confidence: 0.95359975
- $00{:}07{:}39{.}980 \dashrightarrow 00{:}07{:}42{.}300$  the HPV associated neck cancers
- NOTE Confidence: 0.95359975
- $00:07:42.300 \longrightarrow 00:07:43.580$  is almost a new disease.
- NOTE Confidence: 0.95359975
- 00:07:43.580 --> 00:07:44.320 We're talking
- NOTE Confidence: 0.99046904
- $00:07:44.965 \rightarrow 00:07:46.725$  really identifying it and thinking
- NOTE Confidence: 0.99046904
- $00{:}07{:}46.725 \dashrightarrow 00{:}07{:}47.765$  about it may be only in
- NOTE Confidence: 0.99046904
- $00{:}07{:}47.765 \dashrightarrow 00{:}07{:}48.425$  the last
- NOTE Confidence: 0.9918569
- 00:07:48.805 00:07:50.485 twenty to thirty years.
- NOTE Confidence: 0.9918569
- $00{:}07{:}50.485 \dashrightarrow 00{:}07{:}52.345$  And for a new disease,
- NOTE Confidence: 0.9918569
- $00{:}07{:}52.485 \dashrightarrow 00{:}07{:}53.765$  that is a very short
- NOTE Confidence: 0.9918569
- $00{:}07{:}53.765 \dashrightarrow 00{:}07{:}54.645$  amount of time in the
- NOTE Confidence: 0.9918569
- $00:07:54.645 \longrightarrow 00:07:55.785$  grand scheme of things.
- NOTE Confidence: 0.972709
- $00{:}07{:}56.165 \dashrightarrow 00{:}07{:}57.205$  And this is the one
- NOTE Confidence: 0.972709
- $00{:}07{:}57{.}205 \dashrightarrow 00{:}07{:}58{.}645$  head neck cancer that is
- NOTE Confidence: 0.972709
- 00:07:58.645 --> 00:08:00.100 on the rise. All of
- NOTE Confidence: 0.972709
- $00:08:00.100 \rightarrow 00:08:02.020$  our smoking, drinking related cancers,

- NOTE Confidence: 0.972709
- $00:08:02.020 \rightarrow 00:08:03.480$  the mouth cancers are

NOTE Confidence: 0.9993018

 $00:08:04.420 \longrightarrow 00:08:04.920$  decreasing

NOTE Confidence: 0.9833182

 $00{:}08{:}05{.}460 \dashrightarrow 00{:}08{:}07{.}780$  but HPV associated head

NOTE Confidence: 0.9833182

 $00{:}08{:}07{.}780 \dashrightarrow 00{:}08{:}08{.}980$  and neck cancers are really

NOTE Confidence: 0.9833182

 $00{:}08{:}08{.}980 \dashrightarrow 00{:}08{:}09{.}940$  on the rise. We're talking

NOTE Confidence: 0.9833182

 $00:08:09.940 \longrightarrow 00:08:10.900$  probably more than a two

NOTE Confidence: 0.9833182

 $00:08:10.900 \dashrightarrow 00:08:12.260$  hundred percent increase in the

NOTE Confidence: 0.9833182

 $00:08:12.260 \rightarrow 00:08:13.395$  last twenty years.

NOTE Confidence: 0.99953663

 $00:08:13.935 \longrightarrow 00:08:15.615$  And is that because

NOTE Confidence: 0.99953663

 $00{:}08{:}15.615 \dashrightarrow 00{:}08{:}16.435$  there's more

NOTE Confidence: 0.98544055

 $00:08:17.134 \longrightarrow 00:08:17.634$  HPV?

NOTE Confidence: 0.9880727

 $00{:}08{:}19{.}134 \dashrightarrow 00{:}08{:}20{.}895$  That's a great question.

NOTE Confidence: 0.9880727

00:08:20.895 --> 00:08:21.775 I wish I had a great

NOTE Confidence: 0.9880727

 $00{:}08{:}21.775 \dashrightarrow 00{:}08{:}22.974$  answer for you of exactly

NOTE Confidence: 0.9880727

 $00:08:22.974 \longrightarrow 00:08:24.094$  why it's on the rise.

- 00:08:24.094 --> 00:08:24.895 You know, it may be
- NOTE Confidence: 0.9880727
- $00{:}08{:}24.895 \dashrightarrow 00{:}08{:}25.395$  related
- NOTE Confidence: 0.95169735
- $00{:}08{:}25{.}870 \dashrightarrow 00{:}08{:}28{.}190$  to certain behaviors, or it
- NOTE Confidence: 0.95169735
- $00:08:28.190 \longrightarrow 00:08:28.930$  may be,
- NOTE Confidence: 0.9698656
- $00{:}08{:}29{.}550 \dashrightarrow 00{:}08{:}30{.}930$  just related to
- NOTE Confidence: 0.99472445
- $00{:}08{:}32{.}030 \dashrightarrow 00{:}08{:}33{.}710$  something in the environment that's
- NOTE Confidence: 0.99472445
- $00:08:33.710 \longrightarrow 00:08:35.309$  impacting the ability to
- NOTE Confidence: 0.99472445
- 00:08:35.309 --> 00:08:36.590 clear the HPV. The HPV
- NOTE Confidence: 0.99472445
- $00{:}08{:}36{.}590 \dashrightarrow 00{:}08{:}37{.}809$  virus has been here
- NOTE Confidence: 0.99697995
- $00{:}08{:}38{.}355 \dashrightarrow 00{:}08{:}40{.}035$  for ever. Most people are exposed
- NOTE Confidence: 0.99697995
- $00:08:40.035 \longrightarrow 00:08:41.075$  to it at some point
- NOTE Confidence: 0.99697995
- $00:08:41.075 \longrightarrow 00:08:41.815$  in their life.
- NOTE Confidence: 0.9816692
- 00:08:42.355 --> 00:08:43.975 The vast majority of people
- NOTE Confidence: 0.9816692
- $00:08:44.115 \longrightarrow 00:08:45.075$  may be exposed to it,
- NOTE Confidence: 0.9816692
- 00:08:45.075 --> 00:08:46.675 but clear it. It's this
- NOTE Confidence: 0.9816692
- 00:08:46.675 --> 00:08:48.274 small percentage of maybe two

- NOTE Confidence: 0.9816692
- $00:08:48.274 \longrightarrow 00:08:49.575$  to five percent of people
- NOTE Confidence: 0.99599105
- 00:08:50.035 --> 00:08:51.829 who don't clear the HPV
- NOTE Confidence: 0.99599105
- $00:08:51.889 \rightarrow 00:08:53.170$  virus. And within that, there's
- NOTE Confidence: 0.99599105
- $00{:}08{:}53.170 \dashrightarrow 00{:}08{:}54.290$  a very small percentage of
- NOTE Confidence: 0.99599105
- $00:08:54.290 \longrightarrow 00:08:55.170$  people who go on and
- NOTE Confidence: 0.99599105
- $00:08:55.170 \longrightarrow 00:08:56.850$  develop a cancer in the
- NOTE Confidence: 0.99599105
- $00:08:56.850 \longrightarrow 00:08:58.790$  throat from the HPV virus.
- NOTE Confidence: 0.99599105
- $00:08:58.850 \longrightarrow 00:09:00.850$  And this is, in
- NOTE Confidence: 0.99599105
- $00:09:00.850 \longrightarrow 00:09:01.350$  theory,
- NOTE Confidence: 0.9817215
- $00:09:02.449 \longrightarrow 00:09:03.809$  a set of cancers that
- NOTE Confidence: 0.9817215
- $00:09:03.809 \rightarrow 00:09:05.509$  could be prevented with vaccination.
- NOTE Confidence: 0.9981164
- $00:09:06.325 \longrightarrow 00:09:08.345$  Absolutely. We have the HPV
- NOTE Confidence: 0.8308927
- $00:09:08.804 \rightarrow 00:09:09.304$  vaccine, it's been around
- NOTE Confidence: 0.93604225
- $00{:}09{:}11.925 \dashrightarrow 00{:}09{:}13.765$  and been used for girls
- NOTE Confidence: 0.93604225
- $00:09:13.765 \longrightarrow 00:09:15.125$  and women for years, but
- NOTE Confidence: 0.93604225

- $00:09:15.125 \longrightarrow 00:09:16.084$  now we think of
- NOTE Confidence: 0.93604225
- 00:09:16.084 --> 00:09:17.765 it as prevention for cervical
- NOTE Confidence: 0.93604225
- $00:09:17.765 \longrightarrow 00:09:19.809$  cancer predominantly, but it
- NOTE Confidence: 0.93604225
- $00{:}09{:}19{.}809 \dashrightarrow 00{:}09{:}21{.}090$  also prevents these head and
- NOTE Confidence: 0.93604225
- $00{:}09{:}21.090 \dashrightarrow 00{:}09{:}21.750$  neck cancers.
- NOTE Confidence: 0.96851
- $00{:}09{:}22{.}210 \dashrightarrow 00{:}09{:}23{.}490$  Absolutely. And in fact, head
- NOTE Confidence: 0.96851
- 00:09:23.490 --> 00:09:24.690 and neck cancers have now,
- NOTE Confidence: 0.96851
- $00:09:24.690 \longrightarrow 00:09:25.570$  as of about two years
- NOTE Confidence: 0.96851
- 00:09:25.570 --> 00:09:27.730 ago, surpassed cervical cancer as
- NOTE Confidence: 0.96851
- 00:09:27.730 --> 00:09:29.570 the most common HPV associated
- NOTE Confidence: 0.96851
- $00:09:29.570 \longrightarrow 00:09:31.135$  cancer in this country. And
- NOTE Confidence: 0.96851
- $00:09:31.135 \longrightarrow 00:09:32.735$  we think that's probably due
- NOTE Confidence: 0.96851
- $00:09:32.735 \longrightarrow 00:09:34.575$  to screening for cervical cancer
- NOTE Confidence: 0.96851
- $00:09:34.575 \longrightarrow 00:09:36.015$  and probably related in some
- NOTE Confidence: 0.96851
- 00:09:36.015 --> 00:09:37.135 ways to the vaccine as
- NOTE Confidence: 0.96851
- $00:09:37.135 \longrightarrow 00:09:37.635$  well.

- NOTE Confidence: 0.9963057
- $00:09:38.175 \rightarrow 00:09:38.675$  Wow.
- NOTE Confidence: 0.9906616
- $00:09:39.375 \rightarrow 00:09:41.635$  And these HPV cancers,
- NOTE Confidence: 0.9938235
- 00:09:42.095 --> 00:09:44.195 or HPV associated cancers,
- NOTE Confidence: 0.99949867
- $00:09:45.149 \longrightarrow 00:09:46.990$  do they typically arise in
- NOTE Confidence: 0.99949867
- 00:09:46.990 --> 00:09:48.210 any particular
- NOTE Confidence: 0.91341007
- $00{:}09{:}48.750 \dashrightarrow 00{:}09{:}50.110$  part of the head and
- NOTE Confidence: 0.91341007
- $00:09:50.110 \longrightarrow 00:09:50.850$  neck anatomy?
- NOTE Confidence: 0.97020006
- $00:09:51.550 \longrightarrow 00:09:53.230$  Definitely. Almost all of them
- NOTE Confidence: 0.97020006
- 00:09:53.230 --> 00:09:54.350 I say almost all, not
- NOTE Confidence: 0.97020006
- $00:09:54.350 \longrightarrow 00:09:55.309$  all, but almost all of
- NOTE Confidence: 0.97020006
- $00:09:55.309 \rightarrow 00:09:57.089$  them are what we call
- NOTE Confidence: 0.97020006
- $00:09:57.149 \longrightarrow 00:09:58.945$  back of throat cancer to the layman
- 00:10:00.385 --> 00:10:02.225 and laywoman. But it's basically
- NOTE Confidence: 0.95466745
- $00:10:02.225 \longrightarrow 00:10:02.964$  the tonsils
- NOTE Confidence: 0.9609789
- $00{:}10{:}03.425 \dashrightarrow 00{:}10{:}04.225$  and the base of the
- NOTE Confidence: 0.9609789
- $00:10:04.225 \rightarrow 00:10:04.725$  tongue,

- NOTE Confidence: 0.95386386
- $00{:}10{:}05{.}264 \dashrightarrow 00{:}10{:}06{.}545$  sometimes a soft palate and
- NOTE Confidence: 0.95386386
- $00:10:06.545 \longrightarrow 00:10:07.345$  the back of the throat.
- NOTE Confidence: 0.95386386
- 00:10:07.345 --> 00:10:08.865 But back of throat cancer, it's
- $00:10:10.225 \longrightarrow 00:10:11.505$  not mouth cancer per se.
- NOTE Confidence: 0.95386386
- $00{:}10{:}11{.}505 \dashrightarrow 00{:}10{:}12{.}964$  It's back of throat cancer.
- NOTE Confidence: 0.9939299
- $00:10:13.850 \longrightarrow 00:10:15.210$  And so if you see
- NOTE Confidence: 0.9939299
- $00:10:15.210 \longrightarrow 00:10:16.350$  someone who,
- NOTE Confidence: 0.99928844
- $00:10:16.970 \longrightarrow 00:10:17.710$  for example,
- NOTE Confidence: 0.96597314
- 00:10:18.250 --> 00:10:20.350 doesn't have a significant smoking
- NOTE Confidence: 0.96597314
- 00:10:20.410 --> 00:10:22.890 and drinking history, they're fifty
- NOTE Confidence: 0.96597314
- $00:10:22.890 \longrightarrow 00:10:24.750$  years old and they have
- NOTE Confidence: 0.99964094
- $00:10:25.130 \longrightarrow 00:10:25.790$  a cancer
- NOTE Confidence: 0.9829831
- $00:10:26.170 \longrightarrow 00:10:27.610$  that is in the back
- NOTE Confidence: 0.9829831
- $00:10:27.610 \longrightarrow 00:10:28.510$  of the throat,
- NOTE Confidence: 0.9915207
- $00{:}10{:}28{.}904 \dashrightarrow 00{:}10{:}30{.}024$  how likely is it that
- NOTE Confidence: 0.9915207
- $00{:}10{:}30.024 \dashrightarrow 00{:}10{:}32.045$  that's an HPV associated cancer?

- NOTE Confidence: 0.9973261
- $00{:}10{:}32{.}985 \dashrightarrow 00{:}10{:}34{.}425$  The short answer is very
- NOTE Confidence: 0.9973261
- $00:10:34.425 \rightarrow 00:10:34.925$  likely.
- NOTE Confidence: 0.9945978
- $00:10:35.464 \longrightarrow 00:10:36.745$  Back of throat cancers now
- NOTE Confidence: 0.9945978
- $00:10:36.745 \longrightarrow 00:10:38.605$  make up about seventy percent
- NOTE Confidence: 0.9945978
- $00{:}10{:}38{.}904 \dashrightarrow 00{:}10{:}41{.}144$  of all tons il and base
- NOTE Confidence: 0.9945978
- $00:10:41.144 \rightarrow 00:10:42.985$  of tongue cancers, and that's
- NOTE Confidence: 0.9945978
- $00:10:42.985 \longrightarrow 00:10:43.884$  on the rise.
- $00:10:47.210 \longrightarrow 00:10:48.570$  And my understanding is the
- NOTE Confidence: 0.9952157
- $00{:}10{:}48.570 \dashrightarrow 00{:}10{:}50.010$  treatment differs a little bit
- NOTE Confidence: 0.9952157
- $00{:}10{:}50{.}010$  -->  $00{:}10{:}50{.}990$  too for these cancers.
- NOTE Confidence: 0.96868825
- $00:10:51.450 \longrightarrow 00:10:53.290$  We're still fleshing that out
- NOTE Confidence: 0.96868825
- $00:10:53.290 \rightarrow 00:10:55.210$  exactly, but, yes, the short
- NOTE Confidence: 0.96868825
- $00:10:55.210 \longrightarrow 00:10:56.809$  answer is they do
- NOTE Confidence: 0.96868825
- $00:10:56.809 \longrightarrow 00:10:57.929$  differ. And the reason is
- NOTE Confidence: 0.96868825
- $00:10:57.929 \longrightarrow 00:10:59.684$  because the prognosis of these
- NOTE Confidence: 0.96868825
- $00:10:59.684 \rightarrow 00:11:01.865$  cancers is so much better

- NOTE Confidence: 0.96868825
- 00:11:02.005 00:11:03.705 than the non-HPV associated
- NOTE Confidence: 0.96868825
- $00:11:03.765 \longrightarrow 00:11:05.045$  cancers in the exact same
- NOTE Confidence: 0.96868825
- 00:11:05.045 --> 00:11:05.545 area.
- NOTE Confidence: 0.99428236
- 00:11:06.165 --> 00:11:07.365 And so what we're working
- NOTE Confidence: 0.99428236
- 00:11:07.365 --> 00:11:09.065 on now throughout the country
- NOTE Confidence: 0.9477776
- $00{:}11{:}09{.}525 \dashrightarrow 00{:}11{:}11{.}465$  is on the de intensification of
- $00{:}11{:}13{.}020 \dashrightarrow 00{:}11{:}14{.}300$  treatment. If we have a
- NOTE Confidence: 0.9991315
- $00{:}11{:}14.300 \dashrightarrow 00{:}11{:}15.200$  cancer with
- NOTE Confidence: 0.9906473
- 00:11:15.660 --> 00:11:17.340 a eighty, ninety percent cure
- NOTE Confidence: 0.9906473
- 00:11:17.340 --> 00:11:17.840 rate,
- NOTE Confidence: 0.99982464
- $00:11:18.220 \longrightarrow 00:11:19.360$  do we need to
- NOTE Confidence: 0.9583337
- $00:11:20.300 \longrightarrow 00:11:21.580$  operate on them plus give
- NOTE Confidence: 0.9583337
- $00:11:21.580 \longrightarrow 00:11:23.100$  them radiation, plus give them
- NOTE Confidence: 0.9583337
- $00:11:23.100 \rightarrow 00:11:24.780$  chemotherapy? And the answer to
- NOTE Confidence: 0.9583337
- $00{:}11{:}24.780 \dashrightarrow 00{:}11{:}26.195$  that is no.
- NOTE Confidence: 0.9926723
- $00:11:26.495 \rightarrow 00:11:27.455$  And that's what we're trying

- NOTE Confidence: 0.9926723
- $00{:}11{:}27{.}455 \dashrightarrow 00{:}11{:}28{.}495$  to figure out. How can
- NOTE Confidence: 0.9926723
- $00{:}11{:}28.495 \dashrightarrow 00{:}11{:}29.795$  we give less treatment
- NOTE Confidence: 0.9995455
- $00:11:30.255 \longrightarrow 00:11:30.755$  without
- NOTE Confidence: 0.99128366
- $00:11:32.095 \rightarrow 00:11:33.715$  compromising cure rates?
- NOTE Confidence: 0.98249745
- 00:11:34.335 --> 00:11:35.615 And, you know, we'll
- NOTE Confidence: 0.98249745
- $00{:}11{:}35{.}615 \dashrightarrow 00{:}11{:}36{.}815$  talk more about this in
- NOTE Confidence: 0.98249745
- $00{:}11{:}36{.}815 \dashrightarrow 00{:}11{:}38{.}575$  in the second half of
- NOTE Confidence: 0.98249745
- 00:11:38.575 --> 00:11:40.195 our interview. But,
- NOTE Confidence: 0.99911594
- $00:11:40.690 \longrightarrow 00:11:41.430$  of course,
- NOTE Confidence: 0.975941
- 00:11:41.890 --> 00:11:43.970 oftentimes, people are afraid of
- NOTE Confidence: 0.975941
- 00:11:43.970 --> 00:11:45.350 backing off on treatment.
- NOTE Confidence: 0.97673273
- $00:11:46.450 \longrightarrow 00:11:48.610$  But here, the consequences of
- NOTE Confidence: 0.97673273
- 00:11:48.610 --> 00:11:49.990 treatment are often
- NOTE Confidence: 0.9989964
- $00{:}11{:}50{.}930 \dashrightarrow 00{:}11{:}53{.}110$  significant enough and severe enough
- NOTE Confidence: 0.97606987
- $00{:}11{:}53.490 \dashrightarrow 00{:}11{:}53.990$  that
- NOTE Confidence: 0.99204075

- $00:11:54.434 \longrightarrow 00:11:55.715$  the whole reason to do
- NOTE Confidence: 0.99204075
- $00:11:55.715 \longrightarrow 00:11:57.475$  this is, of course,
- NOTE Confidence: 0.99204075
- 00:11:57.475 --> 00:11:58.375 to give people
- NOTE Confidence: 0.997097
- $00:11:59.155 \longrightarrow 00:12:00.675$  an equally long life and
- NOTE Confidence: 0.997097
- $00{:}12{:}00{.}675 \dashrightarrow 00{:}12{:}02{.}215$  a better quality of life.
- NOTE Confidence: 0.9761827
- $00{:}12{:}02{.}595 \dashrightarrow 00{:}12{:}04{.}035$  Absolutely. And this comes back
- NOTE Confidence: 0.9761827
- $00:12:04.035 \longrightarrow 00:12:05.315$  to one of my reasons
- NOTE Confidence: 0.9761827
- 00:12:05.315 --> 00:12:06.755 for going into ENT. It's
- NOTE Confidence: 0.9761827
- 00:12:06.755 --> 00:12:07.795 a lot of this
- NOTE Confidence: 0.9761827
- $00{:}12{:}07.795 \dashrightarrow 00{:}12{:}09.630$  is about quality of life,
- NOTE Confidence: 0.95251596
- $00{:}12{:}10{.}110 \dashrightarrow 00{:}12{:}11{.}010$  and treatment
- NOTE Confidence: 0.9736471
- $00{:}12{:}11.470 \dashrightarrow 00{:}12{:}12.850$  for back of throat cancers
- NOTE Confidence: 0.9736471
- $00{:}12{:}12{.}910 \dashrightarrow 00{:}12{:}14{.}590$  can impact a lot of
- NOTE Confidence: 0.9736471
- 00:12:14.590 --> 00:12:16.030 aspects of quality of life,
- NOTE Confidence: 0.9736471
- 00:12:16.030 --> 00:12:17.570 most importantly, swallowing,
- NOTE Confidence: 0.96813726
- $00:12:18.350 \longrightarrow 00:12:19.730$  but also speech,

- NOTE Confidence: 0.99742895
- $00:12:21.309 \rightarrow 00:12:21.809$  breathing,
- NOTE Confidence: 0.926666
- 00:12:22.350 --> 00:12:22.850 appearance,
- NOTE Confidence: 0.98965716
- $00:12:23.905 \longrightarrow 00:12:25.265$  a lot of consequences to
- NOTE Confidence: 0.98965716
- $00:12:25.265 \longrightarrow 00:12:25.765$  treatment.
- 00:12:29.345 --> 00:12:30.085 Years ago,
- NOTE Confidence: 0.96809703
- $00{:}12{:}31{.}345 \dashrightarrow 00{:}12{:}32{.}545$  one would see people who
- NOTE Confidence: 0.96809703
- $00:12:32.545 \longrightarrow 00:12:33.905$  had been treated for head
- NOTE Confidence: 0.96809703
- 00:12:33.905 --> 00:12:35.845 and neck cancers, and oftentimes,
- NOTE Confidence: 0.96243024
- $00:12:36.225 \longrightarrow 00:12:38.005$  they really couldn't speak.
- NOTE Confidence: 0.9225609
- 00:12:39.059 --> 00:12:39.540 And,
- NOTE Confidence: 0.9784772
- $00:12:40.020 \rightarrow 00:12:41.620$  of course, difficulty with swallowing
- NOTE Confidence: 0.9784772
- $00:12:41.620 \longrightarrow 00:12:42.900$  is still something
- NOTE Confidence: 0.9784772
- $00:12:42.900 \longrightarrow 00:12:43.960$  that people have.
- NOTE Confidence: 0.97781605
- $00:12:44.420 \longrightarrow 00:12:45.960$  But the treatment
- NOTE Confidence: 0.94327736
- $00{:}12{:}46{.}340 \dashrightarrow 00{:}12{:}47{.}400$  for this particular
- NOTE Confidence: 0.9506946
- $00:12:48.660 \rightarrow 00:12:49.640$  type of cancer,

- NOTE Confidence: 0.99689275
- $00:12:50.340 \longrightarrow 00:12:51.160$  at times,
- $00:12:54.045 \longrightarrow 00:12:55.165$  is maybe not worse than
- NOTE Confidence: 0.94883937
- $00:12:55.165 \rightarrow 00:12:56.285$  the cancer, but it's pretty bad.
- NOTE Confidence: 0.94883937
- 00:12:56.285 --> 00:12:58.205 Yeah. At times, definitely,
- NOTE Confidence: 0.94883937
- $00:12:58.205 \rightarrow 00:12:59.565$  patients are probably saying that
- NOTE Confidence: 0.94883937
- $00{:}12{:}59{.}565 \dashrightarrow 00{:}13{:}00{.}765$  in the middle or towards
- NOTE Confidence: 0.94883937
- 00:13:00.765 --> 00:13:01.965 the end of radiation, if
- NOTE Confidence: 0.94883937
- 00:13:01.965 00:13:02.925 they're getting chemo,
- NOTE Confidence: 0.9671839
- $00{:}13{:}03{.}405 \dashrightarrow 00{:}13{:}05{.}085$  you're absolutely right. They're definitely
- NOTE Confidence: 0.9671839
- $00:13:05.085 \longrightarrow 00:13:06.360$  saying that.
- NOTE Confidence: 0.9671839
- $00:13:06.440 \longrightarrow 00:13:07.559$  And we'll talk more
- NOTE Confidence: 0.9671839
- $00:13:07.559 \longrightarrow 00:13:08.600$  about that when
- NOTE Confidence: 0.9671839
- $00:13:08.600 \longrightarrow 00:13:09.480$  we talk about,
- NOTE Confidence: 0.988716
- 00:13:09.880 --> 00:13:11.579 sort of the multidisciplinary
- NOTE Confidence: 0.99820083
- $00{:}13{:}12{.}040 \dashrightarrow 00{:}13{:}13{.}160$  nature of the work.
- NOTE Confidence: 0.9772632
- $00:13:17.160 \longrightarrow 00:13:18.839$  So I think that at

- NOTE Confidence: 0.9772632
- $00:13:18.839 \longrightarrow 00:13:20.040$  this point, maybe we should
- NOTE Confidence: 0.9772632
- $00:13:20.040 \longrightarrow 00:13:21.615$  take a little break, and
- NOTE Confidence: 0.9772632
- $00{:}13{:}21.615 \dashrightarrow 00{:}13{:}22.635$  we'll be back.
- NOTE Confidence: 0.96896785
- $00:13:23.095 \longrightarrow 00:13:25.015$  We'll pick up with our
- NOTE Confidence: 0.96896785
- 00:13:25.015 --> 00:13:27.675 guest, doctor Saral Mehra, associate
- NOTE Confidence: 0.96896785
- 00:13:27.735 --> 00:13:29.755 professor of surgery at
- NOTE Confidence: 0.9895835
- 00:13:30.455 --> 00:13:31.755 Yale School of Medicine,
- NOTE Confidence: 0.9621561
- $00{:}13{:}33{.}015 \dashrightarrow 00{:}13{:}34{.}375$  and chief of head and
- NOTE Confidence: 0.9621561
- 00:13:34.375 --> 00:13:35.035 neck surgery.
- NOTE Confidence: 0.99856395
- $00:13:35.470 \longrightarrow 00:13:36.830$  And we'll be talking more
- NOTE Confidence: 0.99856395
- $00:13:36.830 \longrightarrow 00:13:37.309$  about this, I think, very
- $00:13:39.470 \longrightarrow 00:13:39.970$  interesting
- NOTE Confidence: 0.96700096
- $00:13:40.750 \longrightarrow 00:13:41.790$  topic of head and neck
- NOTE Confidence: 0.96700096
- $00:13:41.790 \longrightarrow 00:13:43.070$  cancers and all the progress
- NOTE Confidence: 0.96700096
- $00{:}13{:}43.070 \dashrightarrow 00{:}13{:}43.970$  that's been made.
- NOTE Confidence: 0.95812416
- 00:13:44.510 --> 00:13:46.270 Funding for Yale Cancer Answers

- NOTE Confidence: 0.95812416
- 00:13:46.270 --> 00:13:48.210 comes from Smilow Cancer Hospital,
- NOTE Confidence: 0.99283344
- $00{:}13{:}48.625 \dashrightarrow 00{:}13{:}50.885$  where their hematology program offers
- NOTE Confidence: 0.99283344
- $00:13:50.945 \longrightarrow 00:13:51.445$  comprehensive
- NOTE Confidence: 0.9684399
- $00:13:51.745 \rightarrow 00:13:53.425$  diagnosis and treatment of blood
- NOTE Confidence: 0.9684399
- 00:13:53.425 --> 00:13:55.985 cancers, including lymphoma, leukemia, and
- NOTE Confidence: 0.9684399
- $00:13:55.985 \rightarrow 00:13:56.485$  myeloma.
- NOTE Confidence: 0.7369361
- 00:13:57.184 --> 00:13:57.684 Smilow<br/>cancer
- NOTE Confidence: 0.93036485
- $00:13:58.065 \longrightarrow 00:13:59.445$  hospital dot org.
- NOTE Confidence: 0.9807237
- $00:14:01.360 \longrightarrow 00:14:03.600$  The American Cancer Society estimates
- NOTE Confidence: 0.9807237
- $00{:}14{:}03.600 \dashrightarrow 00{:}14{:}05.040$  that over two hundred thousand
- NOTE Confidence: 0.9807237
- $00:14:05.040 \longrightarrow 00:14:06.639$  cases of melanoma will be
- NOTE Confidence: 0.9807237
- $00{:}14{:}06{.}639 \dashrightarrow 00{:}14{:}08{.}240$  diagnosed in the United States
- NOTE Confidence: 0.9807237
- $00{:}14{:}08{.}240 \dashrightarrow 00{:}14{:}09{.}679$  this year, with over a
- NOTE Confidence: 0.9807237
- $00{:}14{:}09{.}679 \dashrightarrow 00{:}14{:}11{.}779$  thousand patients in Connecticut alone.
- NOTE Confidence: 0.9976018
- $00{:}14{:}12{.}160 \dashrightarrow 00{:}14{:}14{.}320$  While melanoma accounts for only
- NOTE Confidence: 0.9976018

- $00:14:14.320 \longrightarrow 00:14:15.985$  about one percent of skin
- NOTE Confidence: 0.9976018
- 00:14:15.985 --> 00:14:16.965 cancer cases,
- NOTE Confidence: 0.9854373
- 00:14:17.345 --> 00:14:18.785 it causes the most skin
- NOTE Confidence: 0.9854373
- $00{:}14{:}18.785 \dashrightarrow 00{:}14{:}20.885$  cancer deaths, but when detected
- NOTE Confidence: 0.9854373
- $00:14:20.945 \longrightarrow 00:14:22.465$  early, it is easily treated
- NOTE Confidence: 0.9854373
- $00{:}14{:}22{.}465 \dashrightarrow 00{:}14{:}23{.}525$  and highly curable.
- NOTE Confidence: 0.96959066
- $00:14:24.145 \rightarrow 00:14:25.985$  Clinical trials are currently underway
- NOTE Confidence: 0.96959066
- $00:14:25.985 \rightarrow 00:14:28.545$  at federally designated comprehensive cancer
- NOTE Confidence: 0.96959066
- 00:14:28.545 --> 00:14:30.320 centers such as Yale Cancer
- NOTE Confidence: 0.96959066
- $00{:}14{:}30{.}320 \dashrightarrow 00{:}14{:}32{.}000$  Center and at Smilow Cancer
- NOTE Confidence: 0.96959066
- $00:14:32.000 \longrightarrow 00:14:32.500$  Hospital
- NOTE Confidence: 0.98362666
- $00{:}14{:}32{.}959 \dashrightarrow 00{:}14{:}34{.}639$  to test innovative new treatments
- NOTE Confidence: 0.98362666
- $00:14:34.639 \longrightarrow 00:14:35.380$  for melanoma.
- NOTE Confidence: 0.97666425
- 00:14:36.000 --> 00:14:37.300 The goal of the Specialized
- NOTE Confidence: 0.97666425
- $00{:}14{:}37{.}519 \dashrightarrow 00{:}14{:}39{.}519$  Programs of Research Excellence in
- NOTE Confidence: 0.97666425
- $00:14:39.519 \longrightarrow 00:14:41.199$  Skin Cancer grant is to

- NOTE Confidence: 0.97666425
- $00:14:41.199 \longrightarrow 00:14:43.040$  better understand the biology of
- NOTE Confidence: 0.97666425
- $00{:}14{:}43.040 \dashrightarrow 00{:}14{:}44.464$  skin cancer with a focus
- NOTE Confidence: 0.97666425
- $00:14:44.464 \rightarrow 00:14:46.464$  on discovering targets that will
- NOTE Confidence: 0.97666425
- $00:14:46.464 \longrightarrow 00:14:48.225$  lead to improved diagnosis and
- NOTE Confidence: 0.97666425
- 00:14:48.225 --> 00:14:48.725 treatment.
- NOTE Confidence: 0.9839054
- $00{:}14{:}49{.}345 \dashrightarrow 00{:}14{:}51{.}024$  More information is available at
- NOTE Confidence: 0.9839054
- $00:14:51.024 \rightarrow 00:14:52.805$  yale cancer center dot org.
- NOTE Confidence: 0.9839054
- 00:14:53.024 --> 00:14:54.704 You're listening to Connecticut Public
- NOTE Confidence: 0.9839054
- $00{:}14{:}54{.}704 \dashrightarrow 00{:}14{:}55{.}204$  Radio.
- NOTE Confidence: 0.93218803
- $00:14:57.120 \longrightarrow 00:14:58.720$  This is Eric Winer again
- NOTE Confidence: 0.93218803
- $00{:}14{:}58{.}720 \dashrightarrow 00{:}15{:}00{.}740$  here with Yale Cancer Answers.
- NOTE Confidence: 0.98266417
- $00{:}15{:}01.680 \dashrightarrow 00{:}15{:}03.120$  And I'm speaking with my
- NOTE Confidence: 0.98266417
- 00:15:03.120 --> 00:15:05.280 guest, doctor Saral Mehra, who
- NOTE Confidence: 0.98266417
- $00{:}15{:}05{.}280 \dashrightarrow 00{:}15{:}06{.}820$  is an expert in
- NOTE Confidence: 0.9941446
- $00{:}15{:}07{.}200 \dashrightarrow 00{:}15{:}08{.}960$  the treatment of head and
- NOTE Confidence: 0.9941446

- 00:15:08.960 --> 00:15:09.780 neck cancers,
- NOTE Confidence: 0.9684202
- $00{:}15{:}10.495 \dashrightarrow 00{:}15{:}12.254$  and specifically in the surgical
- NOTE Confidence: 0.9684202
- $00:15:12.254 \longrightarrow 00:15:14.035$  aspects of that treatment. But
- NOTE Confidence: 0.9947214
- $00{:}15{:}14.574 \dashrightarrow 00{:}15{:}16.095$  as a surgeon, you have
- NOTE Confidence: 0.9947214
- 00:15:16.095 --> 00:15:17.235 to know a lot more
- NOTE Confidence: 0.9947214
- $00:15:17.375 \longrightarrow 00:15:18.995$  than just the surgery
- NOTE Confidence: 0.9394956
- $00:15:19.535 \longrightarrow 00:15:21.055$  because this is a type
- NOTE Confidence: 0.9394956
- $00:15:21.055 \longrightarrow 00:15:21.714$  of cancer
- NOTE Confidence: 0.97560424
- $00:15:22.430 \longrightarrow 00:15:24.670$  where you are dependent upon
- NOTE Confidence: 0.97560424
- $00:15:24.670 \rightarrow 00:15:26.529$  your colleagues in other disciplines.
- NOTE Confidence: 0.9985286
- $00:15:27.470 \longrightarrow 00:15:29.070$  And maybe we can start
- NOTE Confidence: 0.9985286
- $00:15:29.070 \longrightarrow 00:15:30.529$  off talking about that.
- NOTE Confidence: 0.9812189
- $00:15:31.149 \longrightarrow 00:15:32.510$  Who else do you interact
- NOTE Confidence: 0.9812189
- $00:15:32.510 \longrightarrow 00:15:33.870$  with? When a patient comes
- NOTE Confidence: 0.9812189
- 00:15:33.870 --> 00:15:34.690 to see you
- NOTE Confidence: 0.9948845
- 00:15:35.070 --> 00:15:36.529 and says, you know,

- NOTE Confidence: 0.9822229
- 00:15:37.465 --> 00:15:38.905 doctor Mehra, can
- NOTE Confidence: 0.9822229
- 00:15:38.905 --> 00:15:40.125 you take care of me?
- NOTE Confidence: 0.9822229
- 00:15:40.265 --> 00:15:42.105 Your first answer is
- NOTE Confidence: 0.9822229
- $00:15:42.105 \longrightarrow 00:15:43.065$  probably, well, I can take
- NOTE Confidence: 0.9822229
- 00:15:43.065 --> 00:15:43.865 care of you, but I
- NOTE Confidence: 0.9822229
- $00:15:43.865 \longrightarrow 00:15:44.665$  need the rest of my
- NOTE Confidence: 0.9822229
- $00:15:44.665 \rightarrow 00:15:45.165$  team.
- NOTE Confidence: 0.99075055
- 00:15:46.345 --> 00:15:48.105 Absolutely. And this comes back
- NOTE Confidence: 0.99075055
- $00{:}15{:}48.105 \dashrightarrow 00{:}15{:}48.985$  to what we were talking
- NOTE Confidence: 0.99075055
- 00:15:48.985 --> 00:15:50.025 about earlier. The reason I
- NOTE Confidence: 0.99075055
- $00:15:50.025 \longrightarrow 00:15:51.180$  got in to head and
- NOTE Confidence: 0.99075055
- $00:15:51.180 \longrightarrow 00:15:52.700$  neck cancer is it really
- NOTE Confidence: 0.99075055
- $00:15:52.700 \rightarrow 00:15:54.080$  is a team sport.
- NOTE Confidence: 0.99783987
- 00:15:55.020 --> 00:15:56.140 I think the team I
- NOTE Confidence: 0.99783987
- 00:15:56.140 --> 00:15:56.940 like to break it down
- NOTE Confidence: 0.99783987

- $00{:}15{:}56{.}940 \dashrightarrow 00{:}15{:}58{.}080$  into a few different
- NOTE Confidence: 0.75827813
- $00:15:58.940 \longrightarrow 00:15:59.440$  groups.
- NOTE Confidence: 0.98948836
- 00:15:59.900 --> 00:16:01.820 Basically, you have your doctors,
- NOTE Confidence: 0.98948836
- $00:16:01.820 \longrightarrow 00:16:03.020$  which are one part of
- NOTE Confidence: 0.98948836
- $00{:}16{:}03.020 \dashrightarrow 00{:}16{:}04.655$  your team, and that's a
- NOTE Confidence: 0.98948836
- $00{:}16{:}04.655 \dashrightarrow 00{:}16{:}06.255$  surgical on cologist, which is what
- NOTE Confidence: 0.98948836
- 00:16:06.255 --> 00:16:07.875 I do. But you absolutely
- NOTE Confidence: 0.98948836
- 00:16:07.935 --> 00:16:09.635 need a medical oncologist
- NOTE Confidence: 0.9994438
- 00:16:10.255 --> 00:16:11.395 and a radiation
- NOTE Confidence: 0.99971884
- $00:16:11.855 \longrightarrow 00:16:12.355$  on cologist.
- NOTE Confidence: 0.99496055
- 00:16:12.735 --> 00:16:14.595 Now medical oncologists are responsible
- NOTE Confidence: 0.99496055
- $00:16:14.735 \longrightarrow 00:16:16.575$  for talking with patients about
- NOTE Confidence: 0.99496055
- $00:16:16.575 \longrightarrow 00:16:17.875$  the disease, the
- NOTE Confidence: 0.6819842
- $00:16:18.255 \longrightarrow 00:16:18.995$  the process,
- NOTE Confidence: 0.99843293
- $00:16:19.350 \rightarrow 00:16:21.670$  and they administer chemotherapy and
- NOTE Confidence: 0.99843293
- $00:16:21.670 \longrightarrow 00:16:22.170$  immunotherapy

- NOTE Confidence: 0.9896716
- $00:16:22.550 \longrightarrow 00:16:23.910$  when it's given and help
- NOTE Confidence: 0.9896716
- $00:16:23.910 \longrightarrow 00:16:24.630$  manage a lot of the
- NOTE Confidence: 0.9896716
- $00:16:24.630 \longrightarrow 00:16:27.029$  medical aspects of care. They
- NOTE Confidence: 0.9896716
- 00:16:27.029 --> 00:16:27.930 also get
- NOTE Confidence: 0.999856
- $00:16:28.310 \longrightarrow 00:16:29.529$  extremely involved
- NOTE Confidence: 0.9901624
- $00{:}16{:}29{.}910 \dashrightarrow 00{:}16{:}32{.}470$  when the cancer may spread
- NOTE Confidence: 0.9901624
- $00:16:32.470 \longrightarrow 00:16:33.845$  beyond the head and neck
- NOTE Confidence: 0.9901624
- $00{:}16{:}33.845 \dashrightarrow 00{:}16{:}34.885$  and into other parts of
- NOTE Confidence: 0.9901624
- $00:16:34.885 \rightarrow 00:16:36.964$  the body. That's when surgeons
- NOTE Confidence: 0.9901624
- $00{:}16{:}36{.}964 \dashrightarrow 00{:}16{:}38{.}964$  and radiation on cologists are not
- NOTE Confidence: 0.9901624
- $00{:}16{:}38{.}964 \dashrightarrow 00{:}16{:}40{.}565$  the answer. And our colleagues
- NOTE Confidence: 0.9901624
- $00{:}16{:}40.565 \dashrightarrow 00{:}16{:}42.325$  in medical on cology, that's when
- NOTE Confidence: 0.9901624
- $00{:}16{:}42{.}325 \dashrightarrow 00{:}16{:}43{.}704$  they really step up.
- NOTE Confidence: 0.9925236
- $00{:}16{:}44.005 \dashrightarrow 00{:}16{:}45.925$  And then radiation on cologists, we
- NOTE Confidence: 0.9925236
- $00{:}16{:}45{.}925 \dashrightarrow 00{:}16{:}47{.}204$  work hand in hand with
- NOTE Confidence: 0.9925236

- $00:16:47.204 \rightarrow 00:16:48.345$  radiation doctors
- NOTE Confidence: 0.98630637
- 00:16:49.610 --> 00:16:51.690 to identify and personalize the
- NOTE Confidence: 0.98630637
- $00{:}16{:}51.690 \dashrightarrow 00{:}16{:}53.370$  treatment for patients. Like I
- NOTE Confidence: 0.98630637
- $00:16:53.370 \rightarrow 00:16:54.570$  was saying before, we wanna
- NOTE Confidence: 0.98630637
- $00{:}16{:}54{.}570 \dashrightarrow 00{:}16{:}56{.}090$  minimize the amount of treatment
- NOTE Confidence: 0.98630637
- $00{:}16{:}56{.}090 \dashrightarrow 00{:}16{:}57{.}550$  we give these patients, specifically
- NOTE Confidence: 0.98630637
- $00{:}16{:}57{.}690 \dashrightarrow 00{:}17{:}00{.}010$  HPV associated cancers, and that's
- NOTE Confidence: 0.98630637
- $00{:}17{:}00{.}010 \dashrightarrow 00{:}17{:}01{.}305$  where we'd all three of
- NOTE Confidence: 0.98630637
- 00:17:01.305 --> 00:17:02.425 us have to talk about
- NOTE Confidence: 0.98630637
- $00{:}17{:}02.425 \dashrightarrow 00{:}17{:}04.185$  the optimal treatment for the
- NOTE Confidence: 0.98630637
- $00:17:04.185 \longrightarrow 00:17:05.484$  patient in front of us.
- NOTE Confidence: 0.98630637
- $00:17:05.705 \rightarrow 00:17:06.925$  And sometimes,
- NOTE Confidence: 0.9874022
- $00:17:07.385 \longrightarrow 00:17:09.725$  particularly with surgery and radiation
- NOTE Confidence: 0.9874022
- $00:17:09.785 \longrightarrow 00:17:11.565$  oncology, there's a trade off
- NOTE Confidence: 0.9874022
- 00:17:11.785 --> 00:17:13.859 in terms of more surgery,
- NOTE Confidence: 0.9874022
- 00:17:13.859 --> 00:17:16.100 less radiation, more radiation, less

- NOTE Confidence: 0.9874022
- 00:17:16.100 -> 00:17:17.240 surgery.
- NOTE Confidence: 0.9835519
- $00:17:17.940 \longrightarrow 00:17:19.940$  Absolutely.
- NOTE Confidence: 0.9835519
- $00{:}17{:}19{.}940 \dashrightarrow 00{:}17{:}21{.}380$  We have shifting
- NOTE Confidence: 0.9835519
- $00{:}17{:}21.380 \dashrightarrow 00{:}17{:}21.880$  paradigms
- NOTE Confidence: 0.95292735

 $00{:}17{:}22.260 \dashrightarrow 00{:}17{:}23.640$  in this, and new information's

- NOTE Confidence: 0.95292735
- $00:17:23.700 \longrightarrow 00:17:24.900$  coming out all the time.

 $00{:}17{:}26.585 \dashrightarrow 00{:}17{:}28.025$  But there's a recent trial that

- NOTE Confidence: 0.93508977
- $00:17:28.025 \longrightarrow 00:17:29.225$  showed that if we can
- NOTE Confidence: 0.93508977
- $00:17:29.225 \longrightarrow 00:17:31.005$  operate, remove all the cancer
- NOTE Confidence: 0.93508977
- $00:17:31.145 \longrightarrow 00:17:33.385$  for a oropharynx or tonsillar
- NOTE Confidence: 0.93508977
- 00:17:33.385 --> 00:17:34.525 based at tongue cancer,
- NOTE Confidence: 0.99876994
- $00:17:34.825 \longrightarrow 00:17:36.345$  we can actually lower the
- NOTE Confidence: 0.99876994
- $00:17:36.345 \longrightarrow 00:17:38.265$  dose of radiation by more
- NOTE Confidence: 0.99876994
- $00{:}17{:}38.265 \dashrightarrow 00{:}17{:}39.005$  than ten
- NOTE Confidence: 0.9884996
- $00{:}17{:}39{.}570 \dashrightarrow 00{:}17{:}41{.}250$  percent, almost twenty percent, and
- NOTE Confidence: 0.9884996
- $00:17:41.250 \longrightarrow 00:17:43.350$  get the exact same cancer

- NOTE Confidence: 0.9884996
- 00:17:43.409 --> 00:17:43.909 outcomes
- NOTE Confidence: 0.9986456
- $00{:}17{:}44{.}210 \dashrightarrow 00{:}17{:}45{.}730$  with a better quality of
- NOTE Confidence: 0.9986456
- 00:17:45.730 --> 00:17:46.690 life. So these are the
- NOTE Confidence: 0.9986456
- 00:17:46.690 --> 00:17:47.190 boundaries
- NOTE Confidence: 0.99952394
- $00:17:47.490 \longrightarrow 00:17:48.789$  we're pushing in the field.
- NOTE Confidence: 0.99003303
- 00:17:49.169 --> 00:17:50.130 And, you know, ten or
- NOTE Confidence: 0.99003303
- $00:17:50.130 \longrightarrow 00:17:51.650$  twenty percent may not sound
- NOTE Confidence: 0.99003303
- $00:17:51.650 \longrightarrow 00:17:53.250$  like that much to people
- NOTE Confidence: 0.99003303
- 00:17:53.250 --> 00:17:53.750 listening,
- NOTE Confidence: 0.9991968
- $00:17:54.405 \rightarrow 00:17:54.905$  but
- NOTE Confidence: 0.99961334
- $00:17:55.205 \longrightarrow 00:17:56.345$  the side effects
- NOTE Confidence: 0.9746749
- $00{:}17{:}56.885 \dashrightarrow 00{:}17{:}57.385$  increase,
- NOTE Confidence: 0.9812731
- 00:17:58.805 --> 00:18:00.645 not in a linear
- NOTE Confidence: 0.9812731
- 00:18:00.645 --> 00:18:01.925 fashion as you increase the
- NOTE Confidence: 0.9812731
- $00{:}18{:}01{.}925 \dashrightarrow 00{:}18{:}02{.}905$  dose of radiation.
- NOTE Confidence: 0.9991955

- 00:18:03.605 --> 00:18:04.105 So
- NOTE Confidence: 0.97302294
- $00:18:04.405 \longrightarrow 00:18:06.105$  that by eliminating
- NOTE Confidence: 0.9992681
- 00:18:06.405 --> 00:18:07.685 twenty percent of the dose,
- NOTE Confidence: 0.9992681
- 00:18:07.685 --> 00:18:08.585 you may eliminate
- NOTE Confidence: 0.9962124
- $00{:}18{:}09{.}190 \dashrightarrow 00{:}18{:}10{.}869$  fifty percent or eighty percent
- NOTE Confidence: 0.9962124
- $00{:}18{:}10.869 \dashrightarrow 00{:}18{:}11.850$  of the side effects.
- NOTE Confidence: 0.98013264
- $00{:}18{:}12{.}710 \dashrightarrow 00{:}18{:}13{.}830$  That's what we're
- NOTE Confidence: 0.98013264
- 00:18:13.830 --> 00:18:15.190 trying trying to do. Any
- NOTE Confidence: 0.98013264
- $00{:}18{:}15{.}190 \dashrightarrow 00{:}18{:}16{.}390$  major cancer center in the
- NOTE Confidence: 0.98013264
- $00:18:16.390 \longrightarrow 00:18:17.350$  country who sees a lot
- NOTE Confidence: 0.98013264
- $00:18:17.350 \longrightarrow 00:18:17.930$  of this
- NOTE Confidence: 0.98519063
- $00:18:18.390 \longrightarrow 00:18:19.050$  is exactly
- NOTE Confidence: 0.94303167
- $00:18:19.910 \longrightarrow 00:18:20.869$  doing that. So you have
- NOTE Confidence: 0.94303167
- $00:18:20.869 \longrightarrow 00:18:22.634$  the doctors and probably
- NOTE Confidence: 0.94303167
- $00:18:22.634 \longrightarrow 00:18:24.075$  worth mentioning that in addition
- NOTE Confidence: 0.94303167
- $00:18:24.075 \longrightarrow 00:18:25.434$  to the surgical oncologist and

- NOTE Confidence: 0.94303167
- 00:18:25.434 --> 00:18:27.215 radiation oncologist and medical oncologist,
- NOTE Confidence: 0.9935735
- 00:18:27.674 --> 00:18:29.434 you know, supporting all of
- NOTE Confidence: 0.9935735
- $00{:}18{:}29{.}434 \dashrightarrow 00{:}18{:}30{.}815$  us are the pathologists
- NOTE Confidence: 0.97342426
- $00{:}18{:}31{.}195 \dashrightarrow 00{:}18{:}31{.}934$  and the
- NOTE Confidence: 0.99473876
- 00:18:32.234 --> 00:18:32.734 radiologists
- NOTE Confidence: 0.98098177
- $00:18:33.115 \longrightarrow 00:18:34.715$  who we can't really live
- NOTE Confidence: 0.98098177
- $00:18:34.715 \longrightarrow 00:18:35.215$  without.
- NOTE Confidence: 0.98799324
- $00{:}18{:}35{.}570 \dashrightarrow 00{:}18{:}37{.}510$  But then you have
- NOTE Confidence: 0.98799324
- $00:18:37.650 \longrightarrow 00:18:38.790$  all the other people.
- NOTE Confidence: 0.9790254
- $00:18:39.730 \longrightarrow 00:18:41.250$  And who else do you
- NOTE Confidence: 0.9790254
- 00:18:41.250 --> 00:18:42.470 rely on? Because,
- NOTE Confidence: 0.9703642
- $00{:}18{:}42.770 \dashrightarrow 00{:}18{:}43.429$  you know,
- NOTE Confidence: 0.99945736
- $00:18:44.050 \longrightarrow 00:18:45.109$  patients may
- NOTE Confidence: 0.9783403
- 00:18:45.410 --> 00:18:47.010 come to a center because
- NOTE Confidence: 0.9783403
- $00:18:47.010 \longrightarrow 00:18:48.630$  they have a doctor's name.
- NOTE Confidence: 0.98700356

- $00:18:49.015 \longrightarrow 00:18:49.835$  But in the
- NOTE Confidence: 0.9986534
- $00{:}18{:}50{.}215 \dashrightarrow 00{:}18{:}51{.}515$  end, a lot of the
- NOTE Confidence: 0.9951479
- $00:18:52.215 \longrightarrow 00:18:53.355$  care they receive is
- $00{:}18{:}56{.}375 \dashrightarrow 00{:}18{:}57{.}815$  as a result of all
- NOTE Confidence: 0.97524947
- $00{:}18{:}57{.}815 \dashrightarrow 00{:}18{:}59{.}895$  the efforts that non
- NOTE Confidence: 0.97524947
- 00:18:59.895 --> 00:19:01.415 doctors put into the care
- NOTE Confidence: 0.97524947
- $00:19:01.415 \longrightarrow 00:19:02.075$  of patients.
- NOTE Confidence: 0.95772386
- 00:19:03.310 --> 00:19:05.090 Definitely. I think this cancer
- NOTE Confidence: 0.95772386
- $00:19:05.230 \longrightarrow 00:19:06.450$  may be more than others.
- NOTE Confidence: 0.95772386
- 00:19:06.590 --> 00:19:07.710 I'm a little biased. It
- NOTE Confidence: 0.95772386
- $00:19:07.710 \longrightarrow 00:19:09.490$  requires a lot of therapists.
- NOTE Confidence: 0.95772386
- 00:19:09.710 --> 00:19:11.869 We're talking
- NOTE Confidence: 0.95772386
- 00:19:11.869 --> 00:19:12.369 speech,
- NOTE Confidence: 0.98832047
- $00{:}19{:}12.670 \dashrightarrow 00{:}19{:}14.590$  language, and swallow the rapists. We're
- NOTE Confidence: 0.98832047
- 00:19:14.590 --> 00:19:15.810 talking lymphedema
- NOTE Confidence: 0.8822577
- $00:19:16.350 \longrightarrow 00:19:17.330$  physical therapists.
- NOTE Confidence: 0.9989656

- $00:19:18.345 \longrightarrow 00:19:19.085$  We're talking
- NOTE Confidence: 0.75712395
- 00:19:19.385 --> 00:19:19.885 about
- NOTE Confidence: 0.97628385
- $00{:}19{:}21.065 \dashrightarrow 00{:}19{:}23.244$  social workers and mental the rapists.
- NOTE Confidence: 0.98360276
- 00:19:23.785 --> 00:19:24.285 Some
- NOTE Confidence: 0.90302
- $00{:}19{:}24.665 \dashrightarrow 00{:}19{:}26.425$  not talked about often, but
- NOTE Confidence: 0.90302
- $00{:}19{:}26.425 \dashrightarrow 00{:}19{:}27.484$  head and neck cancer
- NOTE Confidence: 0.98800266
- $00{:}19{:}28.105 \dashrightarrow 00{:}19{:}29.545$  patients who've recovered from that
- NOTE Confidence: 0.98800266
- $00:19:29.545 \longrightarrow 00:19:30.665$  actually have some of the
- NOTE Confidence: 0.98800266
- $00:19:30.665 \longrightarrow 00:19:32.125$  highest rates of depression
- NOTE Confidence: 0.90052617
- $00:19:32.840 \longrightarrow 00:19:33.900$  following treatment.
- NOTE Confidence: 0.9972984
- $00{:}19{:}34.680 \dashrightarrow 00{:}19{:}35.180$  And
- NOTE Confidence: 0.9933402
- $00:19:35.720 \rightarrow 00:19:37.660$  we need psychiatrists, psychologists
- NOTE Confidence: 0.9076976
- $00:19:38.040 \longrightarrow 00:19:39.720$  in the survivorship aspect of
- NOTE Confidence: 0.9076976
- $00:19:39.720 \longrightarrow 00:19:41.400$  this. So really a lot
- NOTE Confidence: 0.9076976
- 00:19:41.400 --> 00:19:42.220 of key
- NOTE Confidence: 0.93482345
- $00:19:42.600 \longrightarrow 00:19:44.440$  we call them ancillary, but

- NOTE Confidence: 0.93482345
- $00:19:44.440 \rightarrow 00:19:46.280$  really they're absolutely critical to
- NOTE Confidence: 0.93482345
- $00{:}19{:}46{.}280 \dashrightarrow 00{:}19{:}47{.}395$  the quality of life and
- NOTE Confidence: 0.93482345
- 00:19:47.395 --> 00:19:47.895 rehabilitation
- NOTE Confidence: 0.9984206
- $00{:}19{:}48.355 \dashrightarrow 00{:}19{:}49.015$  of patients.
- NOTE Confidence: 0.97880363
- $00{:}19{:}49.635 \dashrightarrow 00{:}19{:}50.775$  And then there are the
- NOTE Confidence: 0.97880363
- 00:19:50.835 00:19:52.434 nurses, of course, who are,
- NOTE Confidence: 0.97880363
- $00:19:52.434 \rightarrow 00:19:53.715$  you know, front and center
- NOTE Confidence: 0.97880363
- $00:19:53.715 \longrightarrow 00:19:54.615$  in that group.
- NOTE Confidence: 0.9995316
- 00:19:54.994 --> 00:19:56.775 Absolutely. We're dealing with tracheotomy
- NOTE Confidence: 0.97587264
- $00{:}19{:}57{.}155 \dashrightarrow 00{:}19{:}59{.}554$  tubes sometimes, feeding tubes. And
- NOTE Confidence: 0.97587264
- $00:19:59.554 \rightarrow 00:20:00.835$  when there's a problem, who
- NOTE Confidence: 0.97587264
- 00:20:00.835 --> 00:20:01.734 do I call?
- NOTE Confidence: 0.99366474
- $00{:}20{:}02{.}109 \dashrightarrow 00{:}20{:}04{.}029$  The nurses to help manage
- NOTE Confidence: 0.99366474
- $00:20:04.029 \longrightarrow 00:20:04.529$  them,
- NOTE Confidence: 0.97282946
- $00{:}20{:}04.830 \dashrightarrow 00{:}20{:}06.609$  counsel patients, teach patients.
- $00:20:08.830 \longrightarrow 00:20:10.029$  And

- NOTE Confidence: 0.9824079
- $00:20:10.590 \longrightarrow 00:20:12.109$  it's oftentimes a hard course
- NOTE Confidence: 0.9824079
- $00{:}20{:}12.109 \dashrightarrow 00{:}20{:}13.389$  of treatment to go through
- NOTE Confidence: 0.9824079
- $00:20:13.389 \longrightarrow 00:20:13.889$  getting
- NOTE Confidence: 0.9982765
- 00:20:14.804 --> 00:20:15.304 chemotherapy
- NOTE Confidence: 0.96687335
- $00{:}20{:}16{.}404 \dashrightarrow 00{:}20{:}17{.}784$  and maybe radiation
- NOTE Confidence: 0.9929906
- $00:20:18.325 \longrightarrow 00:20:19.144$  and surgery in
- 00:20:20.565 --> 00:20:21.705 varying orders.
- 00:20:25.365 -> 00:20:26.910 And oftentimes, you have to take
- NOTE Confidence: 0.988325
- $00{:}20{:}26{.}990 \dashrightarrow 00{:}20{:}28{.}109$  special steps to make sure
- NOTE Confidence: 0.988325
- $00:20:28.109 \longrightarrow 00:20:28.990$  that people are gonna get
- NOTE Confidence: 0.988325
- $00:20:28.990 \longrightarrow 00:20:29.950$  through this. So you have
- NOTE Confidence: 0.988325
- $00:20:29.950 \longrightarrow 00:20:31.310$  to worry about how people
- NOTE Confidence: 0.988325
- 00:20:31.310 --> 00:20:32.609 are gonna nourish themselves,
- NOTE Confidence: 0.9982345
- $00{:}20{:}34{.}030 \dashrightarrow 00{:}20{:}34{.}530$  and
- NOTE Confidence: 0.9928957
- 00:20:34.830 --> 00:20:36.750 how they're gonna remain hydrated
- NOTE Confidence: 0.9928957
- $00:20:36.750 \rightarrow 00:20:38.530$  if they're having trouble swallowing.
- NOTE Confidence: 0.9928957

 $00:20:38.750 \longrightarrow 00:20:40.109$  So these are the things

NOTE Confidence: 0.9928957

00:20:40.109 --> 00:20:41.630 you consider as well, I'd assume.

 $00:20:43.445 \longrightarrow 00:20:44.885$  Absolutely. And I think not

NOTE Confidence: 0.99294174

 $00:20:44.885 \longrightarrow 00:20:46.085$  only are they getting through

NOTE Confidence: 0.99294174

 $00:20:46.085 \longrightarrow 00:20:47.125$  a lot of different types

NOTE Confidence: 0.99294174

 $00:20:47.125 \longrightarrow 00:20:48.565$  of treatment, it's in a

NOTE Confidence: 0.99294174

00:20:48.565 --> 00:20:50.825 relatively short amount of time.

NOTE Confidence: 0.9970013

00:20:51.445 --> 00:20:53.285 Ideally, in an ideal world,

NOTE Confidence: 0.9970013

 $00:20:53.285 \longrightarrow 00:20:54.805$  if we're gonna operate and

NOTE Confidence: 0.9970013

 $00:20:54.805 \longrightarrow 00:20:56.505$  give radiation or chemo,

NOTE Confidence: 0.9913909

 $00:20:57.400 \longrightarrow 00:20:58.520$  we like to get that

NOTE Confidence: 0.9913909

 $00:20:58.520 \longrightarrow 00:21:00.600$  radiation chemo started within about

NOTE Confidence: 0.9913909

00:21:00.600 --> 00:21:01.420 six weeks

NOTE Confidence: 0.9995995

 $00:21:01.800 \longrightarrow 00:21:03.480$  of recovering from what's often

NOTE Confidence: 0.9995995

00:21:03.480 --> 00:21:04.140 a major

NOTE Confidence: 0.9795819

 $00{:}21{:}04.600 \dashrightarrow 00{:}21{:}06.440$  surgery. And that's different than

NOTE Confidence: 0.9795819

 $00:21:06.440 \longrightarrow 00:21:07.800$  other cancers where you can

NOTE Confidence: 0.9795819

 $00{:}21{:}07{.}880 \dashrightarrow 00{:}21{:}08{.}680$  you have a little bit

NOTE Confidence: 0.9795819

 $00{:}21{:}08.680 \dashrightarrow 00{:}21{:}09.960$  more time to start the

NOTE Confidence: 0.9795819

 $00{:}21{:}09{.}960 \dashrightarrow 00{:}21{:}11{.}744$  chemo or the immunotherapy or

NOTE Confidence: 0.9795819

 $00:21:11.744 \longrightarrow 00:21:13.185$  the systemic therapy or the

NOTE Confidence: 0.9795819

 $00:21:13.185 \longrightarrow 00:21:13.685$  radiation.

NOTE Confidence: 0.99363106

 $00{:}21{:}15{.}105 \dashrightarrow 00{:}21{:}16{.}145$  And so a big part

NOTE Confidence: 0.99363106

 $00:21:16.145 \longrightarrow 00:21:17.345$  of that is getting them

NOTE Confidence: 0.99363106

 $00:21:17.345 \longrightarrow 00:21:17.925$  through it,

NOTE Confidence: 0.9974287

 $00:21:18.465 \rightarrow 00:21:19.925$  having them not give up,

NOTE Confidence: 0.9991353

00:21:20.625 --> 00:21:21.685 making sure they're

NOTE Confidence: 0.93627435

00:21:23.920 --> 00:21:25.060 taking enough nutrition,

NOTE Confidence: 0.9908637

 $00:21:26.000 \rightarrow 00:21:28.080$  and optimizing their swallowing function

NOTE Confidence: 0.9908637

 $00:21:28.080 \longrightarrow 00:21:29.359$  in the end.

NOTE Confidence: 0.9908637

 $00{:}21{:}29{.}359 \dashrightarrow 00{:}21{:}30{.}240$  A lot of things to think about

NOTE Confidence: 0.9908637

 $00:21:30.240 \rightarrow 00:21:31.060$  during treatment.

- NOTE Confidence: 0.98996305
- $00:21:31.680 \longrightarrow 00:21:32.880$  So how do you talk
- NOTE Confidence: 0.98996305
- $00:21:32.880 \longrightarrow 00:21:35.220$  to patients about doing less?
- NOTE Confidence: 0.967685
- 00:21:36.585 --> 00:21:37.625 You know, there are a
- NOTE Confidence: 0.967685
- 00:21:37.625 --> 00:21:39.065 lot of people who will
- NOTE Confidence: 0.967685
- $00:21:39.065 \longrightarrow 00:21:40.605$  come in and will say,
- NOTE Confidence: 0.99318284
- $00:21:42.025 \rightarrow 00:21:44.425$  doctor, I want everything that
- NOTE Confidence: 0.99318284
- $00:21:44.425 \rightarrow 00:21:45.465$  I can get to make
- NOTE Confidence: 0.99318284
- $00:21:45.465 \longrightarrow 00:21:46.744$  sure that this cancer is
- NOTE Confidence: 0.99318284
- $00{:}21{:}46.744 \dashrightarrow 00{:}21{:}48.285$  never gonna show up again.
- NOTE Confidence: 0.9668064
- $00:21:49.020 \longrightarrow 00:21:50.540$  And you may have a
- NOTE Confidence: 0.9668064
- 00:21:50.540 --> 00:21:52.800 clinical trial or you may
- NOTE Confidence: 0.9668064
- $00:21:52.859 \longrightarrow 00:21:53.359$  actually,
- NOTE Confidence: 0.99000967
- 00:21:54.780 --> 00:21:55.680 just know,
- NOTE Confidence: 0.97484803
- $00{:}21{:}56{.}540 \dashrightarrow 00{:}21{:}57{.}740$  based on trials that have
- NOTE Confidence: 0.97484803
- $00{:}21{:}57{.}740 \dashrightarrow 00{:}21{:}59{.}500$  been done, that sometimes a
- NOTE Confidence: 0.97484803

- $00:21:59.500 \longrightarrow 00:22:00.720$  little less is
- NOTE Confidence: 0.91084945
- $00:22:01.045 \longrightarrow 00:22:02.905$  every bit as good, or
- NOTE Confidence: 0.95575696
- $00:22:03.525 \longrightarrow 00:22:04.645$  if not every bit as
- NOTE Confidence: 0.95575696
- $00:22:04.645 \longrightarrow 00:22:05.145 \text{ good},$
- NOTE Confidence: 0.9770994
- $00{:}22{:}05{.}525 \dashrightarrow 00{:}22{:}07{.}445$  very close and maybe worth
- NOTE Confidence: 0.9770994
- $00{:}22{:}07{.}445 \dashrightarrow 00{:}22{:}09{.}045$  the trade off. So what
- NOTE Confidence: 0.9770994
- $00:22:09.045 \rightarrow 00:22:10.645$  what are those conversations like?
- NOTE Confidence: 0.9770994
- $00:22:10.645 \longrightarrow 00:22:11.365$  And do people
- NOTE Confidence: 0.9975983
- 00:22:12.165 --> 00:22:13.205 can you tell when you
- NOTE Confidence: 0.9975983
- 00:22:13.205 00:22:14.244 see somebody if they're gonna
- NOTE Confidence: 0.9975983
- $00:22:14.244 \longrightarrow 00:22:15.445$  be comfortable doing a little
- NOTE Confidence: 0.9975983
- $00:22:15.445 \longrightarrow 00:22:16.185$  bit less?
- NOTE Confidence: 0.98350173
- 00:22:16.930 --> 00:22:17.970 Totally. When I see a
- NOTE Confidence: 0.98350173
- $00:22:17.970 \longrightarrow 00:22:18.850$  new patient with head and
- NOTE Confidence: 0.98350173
- 00:22:18.850 --> 00:22:19.890 neck cancer, I kinda talk
- NOTE Confidence: 0.98350173
- $00:22:19.890 \longrightarrow 00:22:21.650$  to them about the journey

- NOTE Confidence: 0.98350173
- $00{:}22{:}21.650 \dashrightarrow 00{:}22{:}22.930$  of cancer. And during that

NOTE Confidence: 0.98350173

 $00:22:22.930 \longrightarrow 00:22:23.890$  time, you kinda get to

NOTE Confidence: 0.98350173

 $00:22:23.890 \rightarrow 00:22:25.190$  know them and their personality.

NOTE Confidence: 0.98350173

 $00{:}22{:}25{.}490 \dashrightarrow 00{:}22{:}26{.}210$  And I tell them the

NOTE Confidence: 0.98350173

 $00:22:26.210 \longrightarrow 00:22:27.090$  journey for head and neck

NOTE Confidence: 0.98350173

 $00:22:27.090 \longrightarrow 00:22:28.869$  cancer is threefold. One,

NOTE Confidence: 0.99618816

 $00:22:29.515 \longrightarrow 00:22:30.575$  get all the information.

NOTE Confidence: 0.96249366

00:22:30.955 --> 00:22:32.554 That's getting the scans, getting

NOTE Confidence: 0.96249366

 $00{:}22{:}32{.}554 \dashrightarrow 00{:}22{:}34{.}155$  the consultations done with the

NOTE Confidence: 0.96249366

00:22:34.155 --> 00:22:36.315 multidisciplinary team, getting everything ready

NOTE Confidence: 0.96249366

 $00:22:36.315 \longrightarrow 00:22:37.355$  to go. I tell them

NOTE Confidence: 0.96249366

 $00{:}22{:}37{.}355 \dashrightarrow 00{:}22{:}38{.}475$  this is probably the most

NOTE Confidence: 0.96249366

00:22:38.475 --> 00:22:39.755 frustrating part of your journey

NOTE Confidence: 0.96249366

00:22:39.755 --> 00:22:40.715 because you have

NOTE Confidence: 0.96249366

00:22:40.715 --> 00:22:41.215 cancer.

NOTE Confidence: 0.9978786

00:22:41.595 --> 00:22:43.340 You think we're not doing

NOTE Confidence: 0.9978786

 $00:22:43.340 \longrightarrow 00:22:44.860$  anything, but you're actually in

NOTE Confidence: 0.9978786

 $00:22:44.860 \longrightarrow 00:22:45.920$  the most important

NOTE Confidence: 0.9888848

00:22:46.220 --> 00:22:47.600 part of your journey.

NOTE Confidence: 0.98142236

 $00{:}22{:}47.980 \dashrightarrow 00{:}22{:}49.660$  And this, I tell them,

NOTE Confidence: 0.98142236

 $00{:}22{:}49.660 \dashrightarrow 00{:}22{:}51.180$  is really important. I could

NOTE Confidence: 0.98142236

 $00:22:51.180 \longrightarrow 00:22:52.320$  operate on you tomorrow,

NOTE Confidence: 0.998719

 $00{:}22{:}52{.}700 \dashrightarrow 00{:}22{:}53{.}200$  but

NOTE Confidence: 0.9686571

00:22:54.415 --> 00:22:55.295 what if I do an

NOTE Confidence: 0.9686571

00:22:55.295 --> 00:22:57.695 unnecessary operation, impacts your swallowing,

NOTE Confidence: 0.9686571

 $00:22:57.695 \longrightarrow 00:22:58.734$  and you could just gone

NOTE Confidence: 0.9686571

 $00:22:58.734 \longrightarrow 00:22:59.935$  straight to radiation in a

NOTE Confidence: 0.9686571

 $00{:}22{:}59{.}935 \dashrightarrow 00{:}23{:}01{.}135$  few weeks and had the

NOTE Confidence: 0.9686571

 $00:23:01.135 \longrightarrow 00:23:02.494$  exact same outcome with less

NOTE Confidence: 0.9686571

00:23:02.494 --> 00:23:04.015 side effects? Once I start

NOTE Confidence: 0.9686571

 $00:23:04.015 \rightarrow 00:23:05.455$  telling talking to them about

- NOTE Confidence: 0.9686571
- 00:23:05.455 --> 00:23:06.734 that, I think they realize
- NOTE Confidence: 0.9686571
- $00:23:06.734 \longrightarrow 00:23:07.475$  it's worth
- NOTE Confidence: 0.9734453
- 00:23:07.789 --> 00:23:09.070 the trade off to do
- NOTE Confidence: 0.9734453
- $00:23:09.070 \longrightarrow 00:23:10.429$  the right work up, to
- NOTE Confidence: 0.9734453
- $00{:}23{:}10{.}429 \dashrightarrow 00{:}23{:}11{.}649$  see all the multidisciplinary
- NOTE Confidence: 0.85879564
- 00:23:12.109 --> 00:23:12.609 team,
- NOTE Confidence: 0.98739946
- $00:23:13.230 \longrightarrow 00:23:15.649$  and get less treatment if
- NOTE Confidence: 0.98739946
- $00:23:15.869 \longrightarrow 00:23:17.070$  it's the right thing for
- NOTE Confidence: 0.98739946
- 00:23:17.070 --> 00:23:18.750 you. Interestingly, I think I
- NOTE Confidence: 0.98739946
- $00:23:18.750 \longrightarrow 00:23:19.950$  have less of that problem
- NOTE Confidence: 0.98739946
- $00:23:19.950 \longrightarrow 00:23:21.649$  than maybe other cancers because
- NOTE Confidence: 0.99960655
- 00:23:21.950 --> 00:23:22.450 people
- NOTE Confidence: 0.9723092
- 00:23:23.804 --> 00:23:25.804 read, I guess, on Google,
- NOTE Confidence: 0.9723092
- $00{:}23{:}25{.}804 \dashrightarrow 00{:}23{:}27{.}404$  the Internet, whatever, about the
- NOTE Confidence: 0.9723092
- $00:23:27.404 \longrightarrow 00:23:28.284$  side effects of head and
- NOTE Confidence: 0.9723092

00:23:28.284 --> 00:23:29.804 neck cancer treatment, and most

NOTE Confidence: 0.9723092

 $00:23:29.804 \longrightarrow 00:23:31.024$  of them are happy

NOTE Confidence: 0.999843

00:23:31.325 --> 00:23:32.544 to take less treatment

NOTE Confidence: 0.99261445

 $00:23:32.845 \longrightarrow 00:23:33.644$  as long as they have

NOTE Confidence: 0.99261445

 $00{:}23{:}33{.}644 \dashrightarrow 00{:}23{:}35{.}164$  the confidence it's not gonna

NOTE Confidence: 0.99261445

 $00:23:35.164 \longrightarrow 00:23:37.264$  impact their cure rates.

NOTE Confidence: 0.9997678

 $00{:}23{:}37{.}950 \dashrightarrow 00{:}23{:}38{.}450$  Sure.

 $00:23:40.669 \longrightarrow 00:23:42.190$  These are often

NOTE Confidence: 0.9302582

 $00:23:42.190 \longrightarrow 00:23:43.090$  hard discussions.

NOTE Confidence: 0.99583113

00:23:43.470 --> 00:23:43.970 And,

NOTE Confidence: 0.88800764

00:23:44.350 --> 00:23:45.730 you know, it's interesting.

NOTE Confidence: 0.9961088

 $00{:}23{:}47{.}230 \dashrightarrow 00{:}23{:}49{.}090$  When some one's first diagnosed,

NOTE Confidence: 0.9955124

 $00:23:50.669 \longrightarrow 00:23:51.890$  they're often willing to

 $00:23:53.595 \longrightarrow 00:23:54.795$  or say they will go

NOTE Confidence: 0.99532324

 $00:23:54.795 \rightarrow 00:23:55.615$  through anything

NOTE Confidence: 0.9910839

 $00{:}23{:}56{.}395 \dashrightarrow 00{:}23{:}58{.}715$  to absolutely minimize the chance

NOTE Confidence: 0.9910839

 $00:23:58.715 \longrightarrow 00:23:59.994$  of a recurrence of the

- NOTE Confidence: 0.9910839
- $00:23:59.994 \rightarrow 00:24:00.494$  cancer.
- $00:24:02.395 \longrightarrow 00:24:03.135$  But what sometimes
- NOTE Confidence: 0.9994225
- $00:24:04.075 \longrightarrow 00:24:05.934$  is less apparent
- NOTE Confidence: 0.9829023
- $00{:}24{:}06{.}400 \dashrightarrow 00{:}24{:}08{.}000$  is that dealing with side
- NOTE Confidence: 0.9829023
- $00{:}24{:}08{.}000 \dashrightarrow 00{:}24{:}09{.}859$  effects that extend for
- NOTE Confidence: 0.9813135
- $00:24:10.320 \longrightarrow 00:24:11.920$  a year, two years, five
- NOTE Confidence: 0.9813135
- $00:24:11.920 \longrightarrow 00:24:13.440$  years, or in some cases,
- NOTE Confidence: 0.9813135
- 00:24:13.440 --> 00:24:14.100 a lifetime
- NOTE Confidence: 0.9581662
- 00:24:14.880 --> 00:24:16.480 can be pretty devastating. And
- NOTE Confidence: 0.9581662
- 00:24:16.480 --> 00:24:17.619 I suspect that's
- NOTE Confidence: 0.9919966
- $00:24:18.494 \longrightarrow 00:24:20.015$  partially related to the high
- NOTE Confidence: 0.9919966
- $00:24:20.015 \longrightarrow 00:24:21.615$  rate of depression in many
- NOTE Confidence: 0.9919966
- $00:24:21.615 \rightarrow 00:24:23.375$  patients after treatment for head
- NOTE Confidence: 0.9919966
- $00:24:23.375 \rightarrow 00:24:24.575$  and neck cancers. It's just
- NOTE Confidence: 0.9919966
- $00:24:24.575 \rightarrow 00:24:26.415$  dealing with the chronic problems
- NOTE Confidence: 0.9919966
- $00:24:26.415 \longrightarrow 00:24:28.095$  that just never seem to

- NOTE Confidence: 0.9919966
- $00:24:28.095 \longrightarrow 00:24:29.215$  go away, which is what
- NOTE Confidence: 0.9919966
- $00{:}24{:}29{.}215 \dashrightarrow 00{:}24{:}30{.}300$  you're trying to avoid.
- NOTE Confidence: 0.9863848
- 00:24:30.700 --> 00:24:31.740 I think you're right. If
- NOTE Confidence: 0.9863848
- $00{:}24{:}31.740 \dashrightarrow 00{:}24{:}32.700$  you have a patient with
- NOTE Confidence: 0.9863848
- 00:24:32.700 --> 00:24:33.900 a cancer of the voice
- NOTE Confidence: 0.9863848
- 00:24:33.900 --> 00:24:34.940 box sitting in front of
- NOTE Confidence: 0.9863848
- $00:24:34.940 \longrightarrow 00:24:36.220$  you and you tell them,
- NOTE Confidence: 0.9863848
- 00:24:36.220 --> 00:24:37.420 I could remove your voice
- NOTE Confidence: 0.9863848
- $00:24:37.420 \longrightarrow 00:24:37.920$  box, but
- $00{:}24{:}40{.}380 \dashrightarrow 00{:}24{:}41{.}420$  I could try and save
- NOTE Confidence: 0.96593434
- 00:24:41.420 --> 00:24:43.555 your voice box, not operate,
- NOTE Confidence: 0.96593434
- 00:24:43.695 --> 00:24:44.835 give you other treatments
- NOTE Confidence: 0.9610121
- $00:24:45.295 \longrightarrow 00:24:46.655$  with the exact same cure
- NOTE Confidence: 0.9610121
- $00{:}24{:}46.655 \dashrightarrow 00{:}24{:}47.155$  rate.
- NOTE Confidence: 0.99980605
- 00:24:47.775 --> 00:24:49.955 It's not a tough decision
- NOTE Confidence: 0.99980605
- $00{:}24{:}50{.}175 \dashrightarrow 00{:}24{:}51{.}635$  for a lot of them.

- NOTE Confidence: 0.997748
- $00:24:52.335 \longrightarrow 00:24:52.835$  Yeah.
- NOTE Confidence: 0.99872595
- 00:24:53.934 --> 00:24:55.215 So tell us a little
- NOTE Confidence: 0.99872595
- 00:24:55.215 --> 00:24:56.115 bit about
- NOTE Confidence: 0.9973375
- $00:24:56.539 \longrightarrow 00:24:58.140$  the research that you've been
- NOTE Confidence: 0.9973375
- $00{:}24{:}58{.}140 \dashrightarrow 00{:}25{:}00{.}559$  involved in over these past
- NOTE Confidence: 0.996802
- $00:25:00.940 \longrightarrow 00:25:02.240$  five to ten years.
- NOTE Confidence: 0.9963946
- 00:25:03.740 --> 00:25:06.299 My research is really
- NOTE Confidence: 0.9963946
- $00{:}25{:}06{.}299 \dashrightarrow 00{:}25{:}07{.}760$  focused on the process
- NOTE Confidence: 0.9994488
- $00:25:08.140 \longrightarrow 00:25:09.919$  of cancer care delivery.
- NOTE Confidence: 0.9981657
- 00:25:10.780 --> 00:25:12.044 It's a field of
- NOTE Confidence: 0.9981657
- $00:25:12.044 \rightarrow 00:25:13.904$  research called health services research.
- NOTE Confidence: 0.9848539
- 00:25:14.524 --> 00:25:16.044 It doesn't get all the
- NOTE Confidence: 0.9848539
- $00:25:16.044 \rightarrow 00:25:17.725$  fame and glory of fancy
- NOTE Confidence: 0.9848539
- $00{:}25{:}17.725 \dashrightarrow 00{:}25{:}19.024$  new drugs and medications,
- NOTE Confidence: 0.9638689
- $00{:}25{:}19{.}325 \dashrightarrow 00{:}25{:}21{.}325$  but in my hypothesis and
- NOTE Confidence: 0.9638689

- $00:25:21.325 \longrightarrow 00:25:22.365$  theory and why I'm so
- NOTE Confidence: 0.9638689
- $00{:}25{:}22{.}365 \dashrightarrow 00{:}25{:}23{.}725$  interested in it is I
- NOTE Confidence: 0.9638689
- $00:25:23.725 \longrightarrow 00:25:25.500$  think, as a health services
- NOTE Confidence: 0.9638689
- $00{:}25{:}25{.}559 \dashrightarrow 00{:}25{:}27{.}420$  researcher, we can make just
- NOTE Confidence: 0.9638689
- 00:25:27.559 --> 00:25:29.480 a big an impact on
- NOTE Confidence: 0.9638689
- 00:25:29.480 --> 00:25:29.980 outcomes
- NOTE Confidence: 0.9989835
- $00{:}25{:}30{.}280 \dashrightarrow 00{:}25{:}31{.}500$  and care of patients
- NOTE Confidence: 0.9922748
- $00:25:32.280 \longrightarrow 00:25:34.119$  throughout the world as the
- NOTE Confidence: 0.9922748
- $00{:}25{:}34{.}119 \dashrightarrow 00{:}25{:}35{.}820$  next fancy blue pill.
- NOTE Confidence: 0.94487214
- $00:25:36.600 \longrightarrow 00:25:37.960$  And that's where if you
- NOTE Confidence: 0.94487214
- $00:25:37.960 \longrightarrow 00:25:39.895$  can't deliver that blue pill
- NOTE Confidence: 0.94487214
- $00:25:39.895 \longrightarrow 00:25:40.555$  to everybody,
- NOTE Confidence: 0.99404836
- 00:25:42.055 --> 00:25:43.835 and if people have trouble
- NOTE Confidence: 0.99404836
- $00{:}25{:}43{.}895 \dashrightarrow 00{:}25{:}45{.}175$  taking it or people have
- NOTE Confidence: 0.99404836
- $00:25:45.175 \longrightarrow 00:25:46.715$  trouble accessing it,
- NOTE Confidence: 0.9515458
- 00:25:47.255 --> 00:25:48.535 it's not gonna do anyone

- NOTE Confidence: 0.9515458
- 00:25:48.535 --> 00:25:49.734 much good. So we
- NOTE Confidence: 0.9515458
- $00:25:49.734 \rightarrow 00:25:50.775$  have to figure these things out.
- NOTE Confidence: 0.9515458
- $00{:}25{:}50.775 \dashrightarrow 00{:}25{:}51.655$  Exactly. So I think
- NOTE Confidence: 0.9515458
- 00:25:51.655 --> 00:25:52.830 it tell us more about
- NOTE Confidence: 0.9557588
- $00{:}25{:}53{.}230 \dashrightarrow 00{:}25{:}54{.}429$  what you do. Exactly. So
- NOTE Confidence: 0.9557588
- $00{:}25{:}54{.}429 \dashrightarrow 00{:}25{:}55{.}630$  I think we need to
- NOTE Confidence: 0.9557588
- $00:25:55.630 \longrightarrow 00:25:56.789$  work hand in hand with
- NOTE Confidence: 0.9557588
- $00{:}25{:}56{.}789 \dashrightarrow 00{:}25{:}58{.}190$  the researchers who
- NOTE Confidence: 0.9557588
- $00:25:58.190 \longrightarrow 00:25:59.390$  are making the fancy blue
- NOTE Confidence: 0.9557588
- 00:25:59.390 --> 00:26:00.510 pills because as you pointed
- NOTE Confidence: 0.9557588
- $00{:}26{:}00{.}510 \dashrightarrow 00{:}26{:}01{.}390$ out, how do you get
- NOTE Confidence: 0.9557588
- $00{:}26{:}01{.}390 \dashrightarrow 00{:}26{:}02{.}750$  it to people? How do
- NOTE Confidence: 0.9557588
- 00:26:02.750 --> 00:26:03.250 you
- NOTE Confidence: 0.9537112
- 00:26:03.630 --> 00:26:05.789 decrease variation in cancer care
- NOTE Confidence: 0.9537112
- $00:26:05.789 \longrightarrow 00:26:07.665$  delivery across the country?
- NOTE Confidence: 0.9537112

 $00:26:07.744 \longrightarrow 00:26:08.785$  Somebody in one part

NOTE Confidence: 0.9537112

00:26:08.785 --> 00:26:10.165 of the country should have

NOTE Confidence: 0.99759656

 $00:26:10.865 \longrightarrow 00:26:12.065$  the ability to get the

NOTE Confidence: 0.99759656

 $00:26:12.065 \longrightarrow 00:26:13.984$  same quality of care with

NOTE Confidence: 0.99759656

 $00:26:13.984 \rightarrow 00:26:15.765$  the latest and greatest information

NOTE Confidence: 0.99759656

 $00{:}26{:}15.825 \dashrightarrow 00{:}26{:}17.025$  that some body in another part

NOTE Confidence: 0.99759656

 $00:26:17.025 \rightarrow 00:26:17.765$  of the country

NOTE Confidence: 0.9825008

 $00{:}26{:}18.225 \dashrightarrow 00{:}26{:}19.980$  has access to. And that's

NOTE Confidence: 0.9825008

 $00{:}26{:}20{.}220 \dashrightarrow 00{:}26{:}21{.}740$  basically my research. We look

NOTE Confidence: 0.9825008

 $00{:}26{:}21.740 \dashrightarrow 00{:}26{:}23.260$  at national trends. We look

NOTE Confidence: 0.9825008

 $00:26:23.260 \longrightarrow 00:26:24.700$  at regional trends, and we

NOTE Confidence: 0.9825008

 $00:26:24.700 \longrightarrow 00:26:26.480$  look at barriers to accessing

NOTE Confidence: 0.9799092

 $00{:}26{:}27.100 \dashrightarrow 00{:}26{:}28.619$  that care and delivering that

NOTE Confidence: 0.9799092

 $00{:}26{:}28{.}619 \dashrightarrow 00{:}26{:}29{.}820$  care. And we've found some

NOTE Confidence: 0.9799092

00:26:29.820 --> 00:26:30.320 really

NOTE Confidence: 0.9232217

 $00:26:30.700 \rightarrow 00:26:32.380$  interesting and drawn some interesting

- NOTE Confidence: 0.9232217
- $00{:}26{:}32{.}380 \dashrightarrow 00{:}26{:}33{.}740$  conclusions about this. And most
- NOTE Confidence: 0.9232217
- 00:26:33.740 --> 00:26:34.940 importantly, I think, it's just
- NOTE Confidence: 0.9232217
- $00{:}26{:}34{.}940 \dashrightarrow 00{:}26{:}35{.}679$  raised awareness
- NOTE Confidence: 0.9997657
- $00:26:36.605 \rightarrow 00:26:37.585$  of the variability
- NOTE Confidence: 0.9841175
- $00{:}26{:}38{.}205 \dashrightarrow 00{:}26{:}39{.}805$  and differences in care.
- NOTE Confidence: 0.9841175
- 00:26:39.805 --> 00:26:41.585 Finally, in our last minute,
- NOTE Confidence: 0.96650666
- $00:26:41.965 \longrightarrow 00:26:43.165$  and maybe this is sort
- NOTE Confidence: 0.96650666
- $00{:}26{:}43.165 \dashrightarrow 00{:}26{:}44.365$  of backwards, and I should
- NOTE Confidence: 0.96650666
- $00{:}26{:}44{.}365 \dashrightarrow 00{:}26{:}45{.}325$  have asked you this to
- NOTE Confidence: 0.96650666
- $00:26:45.325 \longrightarrow 00:26:46.785$  begin with. But
- NOTE Confidence: 0.9991106
- 00:26:47.085 --> 00:26:48.445 can you just leave our
- NOTE Confidence: 0.9991106
- $00{:}26{:}48{.}445 \dashrightarrow 00{:}26{:}49{.}665$  list eners with
- NOTE Confidence: 0.9918745
- 00:26:50.850 --> 00:26:52.550 a few comments about
- NOTE Confidence: 0.9967063
- $00{:}26{:}52{.}930 \dashrightarrow 00{:}26{:}54{.}609$  the kinds of symptoms that
- NOTE Confidence: 0.9967063
- $00:26:54.609 \rightarrow 00:26:56.630$  they may have that
- NOTE Confidence: 0.9920685

 $00:26:57.410 \longrightarrow 00:26:58.930$  should lead them to seek

NOTE Confidence: 0.9920685

 $00{:}26{:}58{.}930 \dashrightarrow 00{:}27{:}00{.}450$  attention for a possible head

NOTE Confidence: 0.9920685

 $00:27:00.450 \longrightarrow 00:27:01.270$  and neck cancer?

NOTE Confidence: 0.9856186

 $00:27:01.730 \longrightarrow 00:27:02.850$  Absolutely. And I think it's

NOTE Confidence: 0.9856186

 $00{:}27{:}02.850 \dashrightarrow 00{:}27{:}04.244$  a great way to end

NOTE Confidence: 0.9856186

 $00{:}27{:}04{.}244 \dashrightarrow 00{:}27{:}06{.}005$  because we are all about

NOTE Confidence: 0.9856186

 $00{:}27{:}06.005 \dashrightarrow 00{:}27{:}07.365$  awareness in head and neck

NOTE Confidence: 0.9856186

00:27:07.365 - 00:27:09.145 cancers. We don't have fancy

NOTE Confidence: 0.9856186

00:27:09.205 --> 00:27:11.285 screening guidelines like lung cancer

NOTE Confidence: 0.9856186

 $00{:}27{:}11{.}285 \dashrightarrow 00{:}27{:}12{.}805$  and breast cancer and colon

NOTE Confidence: 0.9856186

 $00:27:12.805 \longrightarrow 00:27:14.265$  cancer and prostate cancer.

NOTE Confidence: 0.99810946

 $00{:}27{:}14.645 \dashrightarrow 00{:}27{:}16.345$  We are all about awareness.

NOTE Confidence: 0.99321103

 $00:27:16.960 \longrightarrow 00:27:19.200$  So symptoms that patients need

NOTE Confidence: 0.99321103

 $00:27:19.200 \longrightarrow 00:27:20.260$  to be aware of,

NOTE Confidence: 0.96492344

 $00:27:20.800 \longrightarrow 00:27:22.080$  when thinking about head and

NOTE Confidence: 0.96492344

 $00{:}27{:}22.080 \dashrightarrow 00{:}27{:}23.680$  neck cancers would be a

- NOTE Confidence: 0.96492344
- $00:27:23.680 \longrightarrow 00:27:24.960$  sore in the mouth that
- NOTE Confidence: 0.96492344
- 00:27:24.960 --> 00:27:26.720 doesn't heal after a few
- NOTE Confidence: 0.96492344
- 00:27:26.720 --> 00:27:28.240 weeks, maybe four to six
- NOTE Confidence: 0.96492344
- $00:27:28.240 \longrightarrow 00:27:29.440$  weeks. Everyone gets a sore
- NOTE Confidence: 0.96492344
- $00{:}27{:}29{.}440 \dashrightarrow 00{:}27{:}30{.}160$  once in a while, a
- NOTE Confidence: 0.96492344
- $00:27:30.160 \longrightarrow 00:27:31.725$  canker sore, but they heal.
- NOTE Confidence: 0.96492344
- $00:27:31.804 \rightarrow 00:27:33.905$  Something that doesn't heal, seek attention.
- NOTE Confidence: 0.91164166
- $00{:}27{:}34.684 \dashrightarrow 00{:}27{:}36.525$  If you have a throat
- NOTE Confidence: 0.91164166
- 00:27:36.525 --> 00:27:37.025 pain,
- NOTE Confidence: 0.99281174
- $00:27:37.484 \longrightarrow 00:27:37.984$  one-sided,
- NOTE Confidence: 0.9912346
- 00:27:38.365 --> 00:27:39.905 not getting better after
- NOTE Confidence: 0.99929476
- 00:27:40.525 --> 00:27:42.605 four weeks, six weeks, seek
- NOTE Confidence: 0.99929476
- 00:27:42.605 --> 00:27:43.744 attention immediately.
- NOTE Confidence: 0.99219936
- $00{:}27{:}44.539 \dashrightarrow 00{:}27{:}45.900$  Referred pain to the ear
- NOTE Confidence: 0.99219936
- $00{:}27{:}45{.}900 \dashrightarrow 00{:}27{:}47{.}820$  can sometimes be associated with
- NOTE Confidence: 0.99219936

- $00:27:47.820 \longrightarrow 00:27:49.020$  deeper cancers in the throat
- NOTE Confidence: 0.99219936
- 00:27:49.020 --> 00:27:50.700 that you can't see, voice
- NOTE Confidence: 0.99219936
- 00:27:50.700 --> 00:27:53.280 changes, raspiness of voice, difficulty
- NOTE Confidence: 0.99219936
- $00:27:53.419 \longrightarrow 00:27:53.919$  swallowing.
- NOTE Confidence: 0.99765325
- $00{:}27{:}54{.}220 \dashrightarrow 00{:}27{:}55{.}900$  And then for HPV cancers,
- NOTE Confidence: 0.99765325
- 00:27:55.900 --> 00:27:57.020 one of the most common
- NOTE Confidence: 0.99765325
- $00:27:57.020 \longrightarrow 00:27:57.520$  presentations
- NOTE Confidence: 0.99385804
- $00:27:57.900 \longrightarrow 00:27:59.895$  is actually a neck mass.
- NOTE Confidence: 0.99385804
- 00:28:00.135 --> 00:28:01.895 Before you even find anything
- NOTE Confidence: 0.99385804
- $00{:}28{:}01{.}895 \dashrightarrow 00{:}28{:}02{.}855$  in your throat or have
- NOTE Confidence: 0.99385804
- 00:28:02.855 --> 00:28:03.994 a symptom in your throat,
- NOTE Confidence: 0.99385804
- $00:28:04.215 \longrightarrow 00:28:05.515$  a lump in the neck.
- NOTE Confidence: 0.99385804
- $00:28:05.734 \rightarrow 00:28:07.575$  If you're above thirty five
- NOTE Confidence: 0.99385804
- $00:28:07.575 \longrightarrow 00:28:08.535$  and have a lump in
- NOTE Confidence: 0.99385804
- 00:28:08.535 --> 00:28:09.595 your neck develop,
- NOTE Confidence: 0.9725637
- $00:28:10.135 \longrightarrow 00:28:11.255$  go get that checked out

- NOTE Confidence: 0.9725637
- 00:28:11.255 --> 00:28:13.840 immediately and ask about the
- NOTE Confidence: 0.9725637
- $00{:}28{:}13.840 \dashrightarrow 00{:}28{:}16.080$  possibility of an HPV associated
- NOTE Confidence: 0.9725637
- $00{:}28{:}16.080 \dashrightarrow 00{:}28{:}16.580$  cancer.
- NOTE Confidence: 0.8946608
- 00:28:17.200 --> 00:28:18.720 Doctor Saral Mehra is an
- NOTE Confidence: 0.8946608
- $00{:}28{:}18.720 \dashrightarrow 00{:}28{:}20.559$  associate professor of surgery and
- NOTE Confidence: 0.8946608
- 00:28:20.559 --> 00:28:21.059 otolaryngology
- NOTE Confidence: 0.99549073
- $00{:}28{:}21.679 \dashrightarrow 00{:}28{:}22.720$  at the Yale School of
- NOTE Confidence: 0.99549073
- $00{:}28{:}22.720 \dashrightarrow 00{:}28{:}23.220$  Medicine.
- NOTE Confidence: 0.9865537
- $00:28:23.759 \longrightarrow 00:28:24.960$  If you have questions, the
- NOTE Confidence: 0.9865537
- $00:28:24.960 \longrightarrow 00:28:26.559$  address is cancer answers at
- NOTE Confidence: 0.9865537
- $00:28:26.559 \rightarrow 00:28:27.915$  yale dot e d u,
- NOTE Confidence: 0.9865537
- $00:28:27.994 \longrightarrow 00:28:29.275$  and past editions of the
- NOTE Confidence: 0.9865537
- 00:28:29.275 --> 00:28:30.955 program are available in audio
- NOTE Confidence: 0.9865537
- $00{:}28{:}30{.}955 \dashrightarrow 00{:}28{:}32{.}315$  and written form at yale
- NOTE Confidence: 0.9865537
- $00{:}28{:}32{.}315 \dashrightarrow 00{:}28{:}34{.}155$  cancer center dot org. We
- NOTE Confidence: 0.9865537

00:28:34.155 --> 00:28:35.195 hope you'll join us next

NOTE Confidence: 0.9865537

00:28:35.195 --> 00:28:36.155 time to learn more about

NOTE Confidence: 0.9865537

 $00{:}28{:}36{.}155 \dashrightarrow 00{:}28{:}38{.}075$  the fight against cancer. Funding

NOTE Confidence: 0.9865537

00:28:38.075 --> 00:28:39.595 for Yale Cancer Answers is

NOTE Confidence: 0.9865537

 $00{:}28{:}39{.}595 \dashrightarrow 00{:}28{:}41.615$  provided by Smilow Cancer Hospital.