WEBVTT

00:00:00.160 --> 00:00:01.920 Funding for Yale Cancer Answers

NOTE Confidence: 0.9782213

 $00:00:01.920 \longrightarrow 00:00:03.679$ is provided by Smilow Cancer

NOTE Confidence: 0.9782213

 $00:00:03.679 \longrightarrow 00:00:04.180$ Hospital.

NOTE Confidence: 0.96100855

00:00:06.000 --> 00:00:08.000 Welcome to Yale Cancer Answers

NOTE Confidence: 0.96100855

 $00:00:08.000 \longrightarrow 00:00:08.960$ with the director of

NOTE Confidence: 0.96100855

00:00:08.960 --> 00:00:10.719 Yale Cancer Center, doctor Eric

NOTE Confidence: 0.96100855

 $00:00:10.719 \longrightarrow 00:00:11.219$ Winer.

NOTE Confidence: 0.99334383

 $00:00:11.759 \longrightarrow 00:00:14.145$ Yale Cancer Answers features conversations

NOTE Confidence: 0.99334383

 $00:00:14.145 \longrightarrow 00:00:16.225$ with oncologists and specialists who

NOTE Confidence: 0.99334383

 $00:00:16.225 \longrightarrow 00:00:17.105$ are on the forefront of

NOTE Confidence: 0.99334383

 $00:00:17.105 \longrightarrow 00:00:18.565$ the battle to fight cancer.

NOTE Confidence: 0.98652625

00:00:19.105 --> 00:00:20.405 This week, it's a conversation

NOTE Confidence: 0.98652625

 $00{:}00{:}20.465 \dashrightarrow 00{:}00{:}21.905$ about the surgical treatment of

NOTE Confidence: 0.98652625

 $00:00:21.905 \longrightarrow 00:00:23.825$ thoracic cancers with doctor Dan

NOTE Confidence: 0.98652625

 $00:00:23.825 \longrightarrow 00:00:24.325$ Boffa.

 $00:00:24.704 \longrightarrow 00:00:26.145$ Doctor Boffa is a professor

NOTE Confidence: 0.9876756

 $00:00:26.145 \longrightarrow 00:00:27.665$ of thoracic surgery at the

NOTE Confidence: 0.9876756

00:00:27.665 --> 00:00:28.885 Yale School of Medicine.

NOTE Confidence: 0.92693835

 $00:00:29.420 \longrightarrow 00:00:30.480$ Here's doctor Winer.

NOTE Confidence: 0.97197235

 $00:00:31.500 \longrightarrow 00:00:32.860$ Maybe we can just start

NOTE Confidence: 0.97197235

 $00:00:32.860 \longrightarrow 00:00:34.640$ off as I often do,

NOTE Confidence: 0.97197235

 $00:00:34.940 \longrightarrow 00:00:36.140$ just asking you a little

NOTE Confidence: 0.97197235

 $00:00:36.140 \longrightarrow 00:00:37.120$ bit about yourself.

NOTE Confidence: 0.94192123

 $00:00:38.220 \longrightarrow 00:00:39.420$ How was it that you

NOTE Confidence: 0.94192123

 $00:00:39.420 \longrightarrow 00:00:41.040$ became a doctor? And

NOTE Confidence: 0.95953685

00:00:41.565 --> 00:00:42.784 probably, more importantly,

NOTE Confidence: 0.7949459

 $00:00:43.405 \longrightarrow 00:00:44.604$ how was that you ended up

 $00:00:45.485 \longrightarrow 00:00:45.985$ focusing on cancers of

NOTE Confidence: 0.9923891

 $00{:}00{:}49.165 --> 00{:}00{:}49.825$ the chest?

NOTE Confidence: 0.97864294

00:00:51.005 --> 00:00:53.165 Well, I grew up in

NOTE Confidence: 0.97864294 00:00:53.165 --> 00:00:53.665 Ohio

 $00:00:55.005 \longrightarrow 00:00:56.385$ at a time when

NOTE Confidence: 0.9728944

 $00:00:57.530 \longrightarrow 00:00:58.190$ I was

NOTE Confidence: 0.95824516

 $00:00:59.050 \longrightarrow 00:01:00.649$ left to the television a

NOTE Confidence: 0.95824516

 $00:01:00.649 \longrightarrow 00:01:02.730$ fair bit.

NOTE Confidence: 0.95824516

 $00:01:02.730 \longrightarrow 00:01:03.690$ You and me both.

NOTE Confidence: 0.99295264

 $00:01:04.170 \longrightarrow 00:01:06.250 I$ was really

NOTE Confidence: 0.99295264

 $00:01:06.250 \longrightarrow 00:01:08.110$ drawn to the television show

NOTE Confidence: 0.76622814

 $00:01:08.569 \longrightarrow 00:01:09.069$ MASH and

 $00:01:11.015 \longrightarrow 00:01:12.555$ more for the medical aspects

NOTE Confidence: 0.9948635

 $00:01:12.775 \longrightarrow 00:01:14.315$ and the dynamics than

NOTE Confidence: 0.9243888

 $00:01:15.415 \longrightarrow 00:01:16.455$ some of the mischief on

NOTE Confidence: 0.9243888

00:01:16.455 --> 00:01:17.915 that show. But,

NOTE Confidence: 0.9765064

 $00:01:19.095 \longrightarrow 00:01:20.935$ that really drew me to

NOTE Confidence: 0.9765064

00:01:20.935 --> 00:01:21.435 surgery.

 $00:01:23.069 \longrightarrow 00:01:24.509$ And it was only later in

NOTE Confidence: 0.9989623

 $00:01:24.509 \longrightarrow 00:01:26.450$ life that I learned that

NOTE Confidence: 0.9879034

00:01:27.150 --> 00:01:29.150 Hawkeye, who was the

 $00:01:29.150 \longrightarrow 00:01:30.509$ character I most

NOTE Confidence: 0.9879034

 $00:01:30.509 \longrightarrow 00:01:31.569$ identified with

NOTE Confidence: 0.97364074

 $00:01:32.430 \longrightarrow 00:01:33.709$ on the show was a

NOTE Confidence: 0.97364074

 $00:01:33.709 \longrightarrow 00:01:35.310$ thoracic surgeon, but that was

NOTE Confidence: 0.97364074

 $00:01:35.310 \longrightarrow 00:01:36.509$ not what

NOTE Confidence: 0.97364074

 $00:01:36.509 \longrightarrow 00:01:37.729$ drew me to the specialty.

NOTE Confidence: 0.99774134

 $00:01:42.655 \longrightarrow 00:01:43.694$ When I was in New

NOTE Confidence: 0.99774134

 $00:01:43.694 \longrightarrow 00:01:45.715$ York, as a surgery resident I

 $00:01:47.774 \longrightarrow 00:01:49.795$ had a mentor who really

NOTE Confidence: 0.97598654

 $00:01:51.010 \longrightarrow 00:01:52.550$ got me interested in thoracic

NOTE Confidence: 0.97598654

 $00{:}01{:}52.610 \dashrightarrow 00{:}01{:}54.710$ surgery and the anatomy and

 $00:01:56.370 \longrightarrow 00:01:57.410$ it's one of the

NOTE Confidence: 0.9903526

 $00:01:57.410 \longrightarrow 00:01:59.250$ few specialties where we

NOTE Confidence: 0.9903526

00:01:59.250 --> 00:02:00.070 really go

NOTE Confidence: 0.98022723

 $00{:}02{:}01.010 \dashrightarrow 00{:}02{:}02.610$ in multiple different parts of

NOTE Confidence: 0.98022723

 $00:02:02.610 \longrightarrow 00:02:03.855$ the body and treat

 $00:02:05.135 \longrightarrow 00:02:06.975$ literally hundreds of different types

NOTE Confidence: 0.9890368

 $00{:}02{:}06.975 \dashrightarrow 00{:}02{:}08.975$ of diseases. And so it

NOTE Confidence: 0.9890368

 $00:02:08.975 \longrightarrow 00:02:10.275$ it allows you to be a

 $00:02:11.294 \longrightarrow 00:02:13.055$ physician as much as it

NOTE Confidence: 0.97522134

 $00:02:13.055 \longrightarrow 00:02:14.335$ does a surgeon, and I

NOTE Confidence: 0.97522134

 $00:02:14.335 \longrightarrow 00:02:15.935$ really like that.

NOTE Confidence: 0.97522134

 $00:02:15.935 \longrightarrow 00:02:17.935$ There are thoracic surgeons who spend

NOTE Confidence: 0.97522134

 $00:02:17.935 \longrightarrow 00:02:19.155$ less of their time

NOTE Confidence: 0.99961996

 $00:02:19.470 \longrightarrow 00:02:21.069$ focused on cancer than you do?

 $00:02:22.510 \longrightarrow 00:02:23.010$ Yeah.

NOTE Confidence: 0.97206813

 $00:02:23.310 \longrightarrow 00:02:23.889$ I think

NOTE Confidence: 0.99910355

 $00:02:25.310 \longrightarrow 00:02:26.610$ in the field of surgery,

NOTE Confidence: 0.990724

 $00:02:27.150 \longrightarrow 00:02:28.510$ the lines get a little

NOTE Confidence: 0.990724

 $00:02:28.510 \longrightarrow 00:02:30.129$ bit blurry, and it depends on

 $00:02:31.790 \longrightarrow 00:02:33.090$ the size of the hospital

NOTE Confidence: 0.97493345

 $00{:}02{:}33.470 \longrightarrow 00{:}02{:}35.715$ and the types, and complexity

NOTE Confidence: 0.97493345

 $00:02:35.855 \longrightarrow 00:02:37.395$ of cases that come through.

 $00:02:38.575 \longrightarrow 00:02:39.614$ I grew up in an

NOTE Confidence: 0.99661654

 $00{:}02{:}39.614 \dashrightarrow 00{:}02{:}41.635$ era where the thoracic surgeons

 $00:02:43.375 \longrightarrow 00:02:45.075$ did cancer and noncancer,

NOTE Confidence: 0.98905814

 $00{:}02{:}46.575 \dashrightarrow 00{:}02{:}48.910$ and so I have continued

NOTE Confidence: 0.98905814

 $00:02:48.910 \longrightarrow 00:02:49.710$ to have that as

NOTE Confidence: 0.98905814

 $00:02:49.710 \longrightarrow 00:02:50.830$ part of my practice. But

NOTE Confidence: 0.98905814

 $00:02:50.830 \longrightarrow 00:02:52.350$ there are I would say

NOTE Confidence: 0.98905814

 $00:02:52.350 \longrightarrow 00:02:53.970$ the majority of thoracic surgeons

NOTE Confidence: 0.9947975

00:02:54.270 --> 00:02:55.389 spend the majority of their

NOTE Confidence: 0.9947975

 $00:02:55.389 \longrightarrow 00:02:55.889$ practice

NOTE Confidence: 0.99260014

 $00:02:57.230 \longrightarrow 00:02:58.750$ dealing with at least

NOTE Confidence: 0.99260014

00:02:58.750 --> 00:02:59.570 lung cancer.

NOTE Confidence: 0.9776567

 $00:02:59.975 \longrightarrow 00:03:00.875$ Some of the more

NOTE Confidence: 0.9967248

 $00{:}03{:}01.735 --> 00{:}03{:}02.955 \text{ less common cancers},$

NOTE Confidence: 0.9733018

 $00:03:04.535 \longrightarrow 00:03:05.495$ I think a lot of

NOTE Confidence: 0.9733018

 $00:03:05.495 \longrightarrow 00:03:06.955$ the thoracic surgeons

 $00:03:07.575 \longrightarrow 00:03:08.215$ tend to

NOTE Confidence: 0.9493719

 $00:03:09.095 \longrightarrow 00:03:10.535$ refer those on to

NOTE Confidence: 0.9457753

 $00:03:10.935 \longrightarrow 00:03:11.755$ larger centers,

NOTE Confidence: 0.9091235

00:03:12.615 --> 00:03:13.355 such as Yale or some of 00:03:15.080 --> 00:03:16.380 the other larger centers.

NOTE Confidence: 0.982044

00:03:16.919 --> 00:03:18.760 And other than lung cancer,

NOTE Confidence: 0.982044

 $00:03:18.760 \longrightarrow 00:03:20.040$ what other cancers do you

NOTE Confidence: 0.982044

 $00:03:20.040 \longrightarrow 00:03:20.940$ end up treating?

NOTE Confidence: 0.96580845

 $00:03:21.720 \longrightarrow 00:03:23.639$ Esophageal cancer is probably the

NOTE Confidence: 0.96580845

 $00:03:23.639 \longrightarrow 00:03:24.860$ second most common,

NOTE Confidence: 0.9822989

 $00:03:25.239 \longrightarrow 00:03:27.419$ but really any tumor that

NOTE Confidence: 0.9822989

 $00:03:27.639 \longrightarrow 00:03:28.139$ arises

NOTE Confidence: 0.9794644

 $00:03:28.599 \longrightarrow 00:03:30.014$ in the chest and that

NOTE Confidence: 0.9794644

 $00{:}03{:}30.014 --> 00{:}03{:}30.655$ could be

NOTE Confidence: 0.9975498

 $00:03:31.135 \longrightarrow 00:03:32.495$ tumors can arise from the

NOTE Confidence: 0.9975498

00:03:32.495 --> 00:03:32.995 bones,

 $00:03:33.935 \longrightarrow 00:03:34.435$ mesothelioma.

NOTE Confidence: 0.8677548

 $00:03:36.015 \longrightarrow 00:03:36.915$ There are

NOTE Confidence: 0.96625906

 $00{:}03{:}38.895 \dashrightarrow 00{:}03{:}40.575$ tumors that can spread from other

NOTE Confidence: 0.96625906

 $00:03:40.575 \longrightarrow 00:03:42.170$ parts of the body to

NOTE Confidence: 0.96625906

 $00:03:42.170 \longrightarrow 00:03:43.930$ the lungs, and we can

NOTE Confidence: 0.96625906

 $00:03:43.930 \longrightarrow 00:03:44.330$ help the

NOTE Confidence: 0.9939441

 $00{:}03{:}45.690 \dashrightarrow 00{:}03{:}47.390$ teams that manage colorectal

NOTE Confidence: 0.9939441

 $00:03:47.530 \longrightarrow 00:03:48.670$ cancer, for instance,

NOTE Confidence: 0.86833704

 $00:03:49.370 \longrightarrow 00:03:50.510$ by treating

NOTE Confidence: 0.99616504

 $00:03:50.970 \longrightarrow 00:03:52.010$ some of the sites of

NOTE Confidence: 0.99616504

 $00{:}03{:}52.010 \dashrightarrow 00{:}03{:}53.370$ disease that spread to the

NOTE Confidence: 0.99616504

 $00:03:53.370 \longrightarrow 00:03:53.870$ lungs.

NOTE Confidence: 0.9808066

 $00:03:54.965 \longrightarrow 00:03:57.045$ And in the abdomen, there

NOTE Confidence: 0.9808066

 $00:03:57.045 \longrightarrow 00:03:58.105$ are various cancers

NOTE Confidence: 0.98191464

 $00:03:58.484 \longrightarrow 00:04:00.025$ that we get involved with,

NOTE Confidence: 0.96716094

 $00:04:01.045 \longrightarrow 00:04:01.545$ sometimes,

00:04:02.084 --> 00:04:03.064 gastric cancers that are

 $00:04:05.605 \longrightarrow 00:04:07.144$ close to the esophagus.

NOTE Confidence: 0.97433007

 $00:04:07.510 \longrightarrow 00:04:09.110$ But, really, anything that

NOTE Confidence: 0.97433007

 $00:04:09.110 \longrightarrow 00:04:10.330$ happens in the chest that

00:04:13.110 --> 00:04:14.490 doesn't need a heart surgeon,

NOTE Confidence: 0.98869336

 $00:04:15.430 \longrightarrow 00:04:16.730$ we're the people to call.

NOTE Confidence: 0.9919195

 $00:04:17.190 \longrightarrow 00:04:18.710$ So maybe we can start

NOTE Confidence: 0.9919195

 $00:04:18.710 \longrightarrow 00:04:20.550$ off talking a little about

NOTE Confidence: 0.9919195

 $00:04:20.550 \longrightarrow 00:04:21.670$ lung cancer, and then we'll

NOTE Confidence: 0.9919195

 $00:04:21.670 \longrightarrow 00:04:22.730$ move on to

NOTE Confidence: 0.998665

 $00{:}04{:}23.035 \dashrightarrow 00{:}04{:}25.035$ talking about esophageal cancer. We

NOTE Confidence: 0.998665

 $00{:}04{:}25.035 \dashrightarrow 00{:}04{:}25.935$ recently had

NOTE Confidence: 0.95120376

 $00:04:26.395 \longrightarrow 00:04:28.315$ Roy Herbst on on the

NOTE Confidence: 0.95120376

00:04:28.315 --> 00:04:28.815 show

NOTE Confidence: 0.993316

 $00:04:29.355 \longrightarrow 00:04:30.635$ and talked about some of

NOTE Confidence: 0.993316

 $00:04:30.635 \longrightarrow 00:04:32.175$ the medical aspects

 $00:04:32.475 \longrightarrow 00:04:34.555$ of lung cancer treatment and

NOTE Confidence: 0.9975874

 $00{:}04{:}34.555 \dashrightarrow 00{:}04{:}36.779$ how it has just evolved

NOTE Confidence: 0.9993411

 $00:04:37.160 \longrightarrow 00:04:38.360$ so much over the past

NOTE Confidence: 0.9993411

 $00:04:38.360 \longrightarrow 00:04:39.580$ twenty years with

NOTE Confidence: 0.9981197

 $00:04:39.960 \longrightarrow 00:04:40.940$ both immunotherapy

NOTE Confidence: 0.99657637

 $00:04:41.640 \longrightarrow 00:04:43.400$ and various forms of targeted

NOTE Confidence: 0.99657637

 $00:04:43.400 \longrightarrow 00:04:43.900$ therapy.

NOTE Confidence: 0.9996804

00:04:44.520 --> 00:04:46.779 Tell us about your involvement

NOTE Confidence: 0.9996804

 $00{:}04{:}46.839 {\:{\mbox{--}}\!>}\ 00{:}04{:}48.380$ in patients with lung cancer

NOTE Confidence: 0.83301413 00:04:49.160 --> 00:04:49.660 and.

NOTE Confidence: 0.9700624

 $00{:}04{:}50.555 \dashrightarrow 00{:}04{:}51.294 \ \mathrm{in \ particular},$

NOTE Confidence: 0.98504853

 $00:04:51.595 \longrightarrow 00:04:53.514$ how the changes in the

NOTE Confidence: 0.98504853

 $00:04:53.514 \longrightarrow 00:04:55.354$ medical therapies have affected what

NOTE Confidence: 0.98504853

00:04:55.354 --> 00:04:56.014 you do?

NOTE Confidence: 0.99917686

 $00:04:56.794 \longrightarrow 00:04:58.475$ So whenever we think about

NOTE Confidence: 0.99917686

 $00:04:58.475 \longrightarrow 00:05:00.475$ cancer, we think about what

 $00:05:00.475 \longrightarrow 00:05:01.595$ we see and what we

NOTE Confidence: 0.99917686

 $00:05:01.595 \longrightarrow 00:05:04.255$ can't see. So surgery is a

 $00:05:05.529 \longrightarrow 00:05:07.229$ treatment that's very effective

NOTE Confidence: 0.9963894

 $00:05:08.009 \longrightarrow 00:05:09.529$ in sites of cancer that

NOTE Confidence: 0.9963894

 $00:05:09.529 \longrightarrow 00:05:10.430$ we can see.

NOTE Confidence: 0.9877508

00:05:11.690 --> 00:05:12.190 Unfortunately,

NOTE Confidence: 0.9972357

 $00:05:12.570 \longrightarrow 00:05:13.770$ a lot of patients who

NOTE Confidence: 0.9972357

 $00:05:13.770 \longrightarrow 00:05:15.210$ have their life shortened by

NOTE Confidence: 0.9972357

 $00:05:15.210 \longrightarrow 00:05:17.130$ cancer, it's the disease we

NOTE Confidence: 0.9972357

 $00:05:17.130 \longrightarrow 00:05:18.250$ can't see that gets them

NOTE Confidence: 0.9972357

 $00:05:18.250 \longrightarrow 00:05:18.990$ into trouble.

NOTE Confidence: 0.9975409

 $00:05:19.585 \longrightarrow 00:05:20.705$ And I would say what's

NOTE Confidence: 0.9975409

 $00:05:20.705 \longrightarrow 00:05:22.165$ really exciting about

NOTE Confidence: 0.9996352

 $00:05:22.544 \longrightarrow 00:05:24.805$ the current era of cancer is

 $00:05:25.904 \longrightarrow 00:05:27.445$ we now have answers

NOTE Confidence: 0.99100834

 $00:05:27.904 \longrightarrow 00:05:29.264$ for the disease we can't

 $00:05:29.264 \longrightarrow 00:05:30.305$ see that we've never had

NOTE Confidence: 0.99100834

 $00:05:30.305 \longrightarrow 00:05:31.285$ before. And so,

NOTE Confidence: 0.99914646

 $00:05:32.290 \longrightarrow 00:05:34.630$ we're turning more patients into

NOTE Confidence: 0.99914646

 $00:05:34.930 \longrightarrow 00:05:35.430$ curable

NOTE Confidence: 0.9864038

 $00:05:35.890 \longrightarrow 00:05:37.410$ than we've ever seen.

NOTE Confidence: 0.9864038

 $00:05:37.570 \longrightarrow 00:05:38.850$ And to be clear,

NOTE Confidence: 0.9864038

 $00:05:38.850 \longrightarrow 00:05:40.310$ the not seeing,

NOTE Confidence: 0.97594666

 $00:05:40.770 \longrightarrow 00:05:42.130$ which is what the

NOTE Confidence: 0.97594666

 $00{:}05{:}42.130 \dashrightarrow 00{:}05{:}43.890$ disease that ultimately can threaten

NOTE Confidence: 0.97594666

 $00:05:43.890 \longrightarrow 00:05:44.790$ someone's life,

NOTE Confidence: 0.88786393

 $00:05:45.235 \longrightarrow 00:05:46.515$ it's not seeing it at

NOTE Confidence: 0.88786393

 $00:05:46.515 \longrightarrow 00:05:48.835$ diagnosis, but eventually it becomes

NOTE Confidence: 0.88786393

 $00:05:48.835 \longrightarrow 00:05:49.335$ apparent.

NOTE Confidence: 0.9980762

 $00:05:49.715 \longrightarrow 00:05:51.475$ That's right. So it's

NOTE Confidence: 0.9980762

 $00:05:51.475 \longrightarrow 00:05:53.955$ the microscopic cancer that's either

NOTE Confidence: 0.9980762

 $00:05:53.955 \longrightarrow 00:05:55.315$ living in the blood or

 $00:05:55.315 \longrightarrow 00:05:56.375$ a vital organ

NOTE Confidence: 0.9778184

 $00:05:56.835 \longrightarrow 00:05:58.515$ that has left the cancer

NOTE Confidence: 0.9778184

 $00:05:58.515 \longrightarrow 00:06:00.115$ where it started and traveled

NOTE Confidence: 0.9778184

 $00:06:00.115 \longrightarrow 00:06:01.849$ somewhere else. And it's just

NOTE Confidence: 0.9778184

 $00:06:01.849 \longrightarrow 00:06:03.050$ too small to be seen

NOTE Confidence: 0.9778184

 $00:06:03.050 \longrightarrow 00:06:04.490$ on a CT scan or

NOTE Confidence: 0.9778184

 $00:06:04.490 \longrightarrow 00:06:05.529$ a PET scan or a

NOTE Confidence: 0.9778184

00:06:05.529 --> 00:06:06.349 brain MRI,

NOTE Confidence: 0.99745244

 $00:06:06.810 \longrightarrow 00:06:08.430$ and it's only over time

NOTE Confidence: 0.99745244

 $00:06:08.729 \longrightarrow 00:06:10.650$ that cancer grows

NOTE Confidence: 0.99745244

 $00:06:10.650 \longrightarrow 00:06:11.629$ and then becomes

NOTE Confidence: 0.9853871

 $00:06:12.250 \longrightarrow 00:06:13.770$ apparent on the scans. But

NOTE Confidence: 0.9853871

 $00:06:13.770 \longrightarrow 00:06:14.595$ at that point,

NOTE Confidence: 0.998738

 $00:06:15.075 \longrightarrow 00:06:17.075$ our ability to treat it

NOTE Confidence: 0.95100266

 $00:06:18.035 \longrightarrow 00:06:20.035$ for a cure historically or

 $00:06:20.035 \longrightarrow 00:06:21.395$ in the past has

NOTE Confidence: 0.95100266

 $00:06:21.395 \longrightarrow 00:06:23.154$ been very low. But now

NOTE Confidence: 0.95100266

 $00:06:23.154 \longrightarrow 00:06:24.835$ with some of these treatments

NOTE Confidence: 0.95100266

 $00:06:24.835 \longrightarrow 00:06:26.035$ and lung cancer in

NOTE Confidence: 0.95100266

 $00:06:26.035 \longrightarrow 00:06:26.535$ particular,

NOTE Confidence: 0.9995447

 $00{:}06{:}27.270 \dashrightarrow 00{:}06{:}29.130$ we're taking patients who

NOTE Confidence: 0.9344007

 $00:06:29.990 \longrightarrow 00:06:31.350$ have always been thought

NOTE Confidence: 0.9344007

 $00:06:31.350 \longrightarrow 00:06:32.250$ to be incurable

NOTE Confidence: 0.95320624

 $00:06:32.710 \longrightarrow 00:06:33.450$ and actually,

NOTE Confidence: 0.9828571

 $00{:}06{:}34.070 \dashrightarrow 00{:}06{:}35.350$ curing them. And so it's

NOTE Confidence: 0.9828571

 $00:06:35.350 \longrightarrow 00:06:36.630$ just a really exciting

NOTE Confidence: 0.9828571

 $00:06:36.630 \longrightarrow 00:06:37.130$ time.

 $00:06:40.470 \longrightarrow 00:06:41.210$ And while

NOTE Confidence: 0.9909781

00:06:42.015 --> 00:06:42.515 ultimately,

NOTE Confidence: 0.9747047

 $00:06:43.135 \longrightarrow 00:06:44.575$ maybe there'll be a

NOTE Confidence: 0.9747047

 $00:06:44.575 \longrightarrow 00:06:46.095$ time when there's the magic

 $00:06:46.095 \longrightarrow 00:06:47.395$ pill for all cancer,

NOTE Confidence: 0.97722393

 $00:06:48.015 \longrightarrow 00:06:48.835$ at the moment,

NOTE Confidence: 0.99437374

 $00:06:49.455 \longrightarrow 00:06:51.214$ as the pills and as

NOTE Confidence: 0.99437374

00:06:51.214 --> 00:06:52.735 the infusions get better, it just

 $00:06:54.175 \longrightarrow 00:06:56.130$ allows us to do that

NOTE Confidence: 0.9857537

 $00:06:56.130 \longrightarrow 00:06:57.089$ much more in the way

NOTE Confidence: 0.9857537

 $00:06:57.089 \longrightarrow 00:06:57.830$ of surgery,

NOTE Confidence: 0.99741566

 $00:06:58.850 \longrightarrow 00:06:59.350$ because

NOTE Confidence: 0.94539016

 $00:07:00.050 \longrightarrow 00:07:01.669$ as you said, people who

NOTE Confidence: 0.94539016

 $00:07:01.810 \longrightarrow 00:07:02.930$ in the past wouldn't have

NOTE Confidence: 0.94539016

 $00:07:02.930 \longrightarrow 00:07:03.669$ been curable,

NOTE Confidence: 0.9854682

 $00:07:04.210 \longrightarrow 00:07:06.630$ now we can eradicate their

NOTE Confidence: 0.9854682

 $00:07:06.850 \longrightarrow 00:07:07.350$ micrometastatic

NOTE Confidence: 0.94916934

 $00{:}07{:}07.970 \dashrightarrow 00{:}07{:}09.590$ disease, and that leaves you

NOTE Confidence: 0.9818251

00:07:10.125 --> 00:07:12.045 dealing with the lung nodule

NOTE Confidence: 0.9818251

 $00:07:12.045 \longrightarrow 00:07:13.265$ that's still left behind.

 $00:07:13.645 \longrightarrow 00:07:15.885$ Absolutely. And I think

NOTE Confidence: 0.9190555

 $00:07:15.885 \longrightarrow 00:07:17.025$ at the same time that

 $00:07:18.685 \longrightarrow 00:07:19.985$ the treatments,

NOTE Confidence: 0.9990525

 $00:07:20.525 \longrightarrow 00:07:21.265$ the chemotherapies

NOTE Confidence: 0.9257278

 $00:07:21.645 \longrightarrow 00:07:23.345$ and the medications

NOTE Confidence: 0.9257278

 $00:07:23.485 \longrightarrow 00:07:24.385$ that are given,

NOTE Confidence: 0.99994516

 $00:07:25.560 \longrightarrow 00:07:26.060$ intravenously

NOTE Confidence: 0.931805

 $00:07:27.000 \longrightarrow 00:07:27.900$ have improved,

NOTE Confidence: 0.997101

 $00{:}07{:}28.680 \dashrightarrow 00{:}07{:}30.120$ the surgical techniques have gotten

NOTE Confidence: 0.997101

 $00:07:30.120 \longrightarrow 00:07:31.340$ a lot better. And so

NOTE Confidence: 0.99811953

 $00:07:31.640 \longrightarrow 00:07:33.980$ we used to make a

NOTE Confidence: 0.99172896

 $00:07:34.760 \longrightarrow 00:07:36.380$ five to ten inch incision

NOTE Confidence: 0.9780652

 $00:07:37.320 \longrightarrow 00:07:39.080$ to remove early stage lung

NOTE Confidence: 0.9780652

 $00:07:39.080 \longrightarrow 00:07:40.300$ cancers. And now

NOTE Confidence: 0.9800832

 $00{:}07{:}40.985 --> 00{:}07{:}41.884 \ \mathrm{ninety \ percent},$

NOTE Confidence: 0.99912393

 $00:07:42.345 \longrightarrow 00:07:43.645$ to ninety five percent of

 $00:07:45.224 \longrightarrow 00:07:47.065$ lung cancers are removed

 $00:07:47.065 \longrightarrow 00:07:48.764$ using minimally invasive techniques.

NOTE Confidence: 0.95134866

 $00:07:49.784 \longrightarrow 00:07:51.784$ Here, mostly using the robot.

NOTE Confidence: 0.95134866

 $00:07:51.784 \longrightarrow 00:07:53.224$ So your biggest incision is

NOTE Confidence: 0.95134866

 $00:07:53.224 \longrightarrow 00:07:53.724$ about

NOTE Confidence: 0.9984706

00:07:54.025 --> 00:07:55.080 an inch and a half,

NOTE Confidence: 0.9285473

 $00:07:55.560 \longrightarrow 00:07:57.000$ maybe two inches, and everything's

NOTE Confidence: 0.9285473

 $00:07:57.000 \longrightarrow 00:07:57.500$ done

NOTE Confidence: 0.9887997

 $00:07:58.199 \longrightarrow 00:08:00.039$ minimally invasively. And that

NOTE Confidence: 0.9887997

 $00:08:00.039 \longrightarrow 00:08:01.720$ really speeds up recovery and

NOTE Confidence: 0.9887997

 $00:08:01.720 \longrightarrow 00:08:03.180$ allows people who

NOTE Confidence: 0.9955097

 $00:08:03.560 \longrightarrow 00:08:04.939$ maybe weren't as healthy,

NOTE Confidence: 0.9997209

 $00:08:05.639 \longrightarrow 00:08:06.460$ to get through

NOTE Confidence: 0.97603804

 $00{:}08{:}07.405 --> 00{:}08{:}08.225 \ {\rm an \ operation},$

NOTE Confidence: 0.9958462

 $00:08:08.925 \longrightarrow 00:08:09.885$ a lot more easily and

NOTE Confidence: 0.9958462

 $00:08:09.885 \longrightarrow 00:08:11.085$ get back to their life

 $00:08:11.324 \longrightarrow 00:08:12.145$ much faster.

NOTE Confidence: 0.99164104

 $00:08:12.525 \longrightarrow 00:08:14.145$ And those ten to fifteen

NOTE Confidence: 0.96651894

00:08:14.445 --> 00:08:16.365 inch incisions for early stage

NOTE Confidence: 0.96651894

 $00:08:16.365 \longrightarrow 00:08:17.104$ lung cancer,

NOTE Confidence: 0.97596264

00:08:17.565 --> 00:08:19.245 that was being done how

NOTE Confidence: 0.97596264

 $00:08:19.245 \longrightarrow 00:08:19.985$ long ago?

NOTE Confidence: 0.9599853

 $00:08:20.520 \longrightarrow 00:08:22.520$ Twenty years? Ten years? How

NOTE Confidence: 0.9599853

 $00:08:22.520 \longrightarrow 00:08:23.480$ long has it been?

NOTE Confidence: 0.9599853

 $00:08:23.480 \longrightarrow 00:08:25.320$ I would say

NOTE Confidence: 0.9599853

 $00:08:25.320 \longrightarrow 00:08:26.760$ a ten inch incision is

NOTE Confidence: 0.9599853

 $00:08:26.760 \longrightarrow 00:08:28.380$ something I've seen,

NOTE Confidence: 0.99729717

 $00:08:29.000 \longrightarrow 00:08:30.440$ maybe twenty five years ago.

NOTE Confidence: 0.99729717

 $00:08:30.440 \longrightarrow 00:08:31.800$ Even when I

NOTE Confidence: 0.99729717

 $00:08:31.800 \longrightarrow 00:08:32.840$ have to do what we

NOTE Confidence: 0.99729717

 $00:08:32.840 \longrightarrow 00:08:34.300$ call a traditional incision,

NOTE Confidence: 0.97116107

 $00:08:34.895 \longrightarrow 00:08:36.015$ it's now like a five

 $00{:}08{:}36.015 --> 00{:}08{:}37.715$ inch incision, and we don't

NOTE Confidence: 0.97116107

 $00:08:37.855 \longrightarrow 00:08:39.455$ usually cut big muscles. So

NOTE Confidence: 0.97116107

 $00:08:39.455 \longrightarrow 00:08:40.595$ if somebody ever

NOTE Confidence: 0.9967001

 $00{:}08{:}41.455 --> 00{:}08{:}42.735$ says you're not a candidate

NOTE Confidence: 0.9967001

00:08:42.735 --> 00:08:44.355 for a minimally invasive approach,

NOTE Confidence: 0.9809946

00:08:45.775 --> 00:08:47.455 that still is way better

NOTE Confidence: 0.9809946

 $00:08:47.455 \longrightarrow 00:08:49.295$ than what patients used to be

 $00:08:51.110 \longrightarrow 00:08:52.170$ subjected to

NOTE Confidence: 0.92845356

 $00:08:52.630 \longrightarrow 00:08:54.330$ twenty five, thirty years ago

NOTE Confidence: 0.92845356

 $00:08:54.390 \longrightarrow 00:08:55.429$ where it was a

NOTE Confidence: 0.92845356

 $00:08:55.429 \longrightarrow 00:08:56.809$ much bigger cut and

NOTE Confidence: 0.9806811

 $00:08:57.670 \longrightarrow 00:08:58.809$ ribs were commonly

NOTE Confidence: 0.9906353

00:08:59.510 --> 00:09:00.010 taken.

NOTE Confidence: 0.9707733

 $00:09:01.110 \longrightarrow 00:09:02.870$ Now the vast majority

NOTE Confidence: 0.9707733

 $00:09:02.870 \longrightarrow 00:09:03.910$ of patients who even get

NOTE Confidence: 0.9707733

 $00{:}09{:}03.910 \dashrightarrow 00{:}09{:}05.050$ a traditional incision,

 $00{:}09{:}05.845 \dashrightarrow 00{:}09{:}07.765$ the recovery is actually much

NOTE Confidence: 0.9994324

 $00:09:07.765 \longrightarrow 00:09:08.885$ faster than when we were

NOTE Confidence: 0.9994324

 $00:09:08.885 \longrightarrow 00:09:10.425$ making those really big incisions.

NOTE Confidence: 0.9951119

 $00:09:10.725 \longrightarrow 00:09:11.765$ No. I think it's really

NOTE Confidence: 0.9951119

 $00{:}09{:}11.765 \dashrightarrow 00{:}09{:}13.445$ remarkable. It's been true across

NOTE Confidence: 0.9951119

 $00:09:13.445 \longrightarrow 00:09:14.905$ the whole surgical field.

NOTE Confidence: 0.99040306

00:09:16.005 --> 00:09:17.525 I'll share that, you know,

NOTE Confidence: 0.99040306

 $00:09:17.525 \longrightarrow 00:09:18.745$ I recently had

NOTE Confidence: 0.8982139

 $00:09:19.125 \longrightarrow 00:09:20.105$ a hip done.

00:09:21.819 --> 00:09:23.420 And the day of surgery, they tried

NOTE Confidence: 0.9660151

00:09:23.420 --> 00:09:24.639 to get you up walking.

NOTE Confidence: 0.9745875

 $00:09:25.100 \longrightarrow 00:09:26.059$ You know, there was a

NOTE Confidence: 0.9745875

 $00:09:26.059 \longrightarrow 00:09:27.519$ time years ago

NOTE Confidence: 0.9388686

 $00:09:28.059 \longrightarrow 00:09:29.420$ when whether it was a

NOTE Confidence: 0.9388686

 $00:09:29.420 \longrightarrow 00:09:30.620$ hip or whether it was

NOTE Confidence: 0.9388686

 $00:09:30.620 \longrightarrow 00:09:32.939$ a lung cancer, people

 $00:09:32.939 \longrightarrow 00:09:34.139$ were put in their beds for

 $00:09:35.154 \longrightarrow 00:09:36.855$ you know, a long time.

 $00:09:38.915 \longrightarrow 00:09:39.975$ I think that

NOTE Confidence: 0.99799573

 $00:09:40.275 \longrightarrow 00:09:40.775$ medicine

NOTE Confidence: 0.9886996

 $00:09:41.554 \longrightarrow 00:09:42.775$ tends to improve

NOTE Confidence: 0.99550694

 $00:09:44.275 \longrightarrow 00:09:46.195$ in one area and pull

NOTE Confidence: 0.99550694

 $00:09:46.195 \longrightarrow 00:09:48.455$ other areas along. And so

NOTE Confidence: 0.96394306

 $00:09:48.860 \longrightarrow 00:09:50.480$ I would say that the

NOTE Confidence: 0.96394306

 $00:09:50.600 \longrightarrow 00:09:53.579$ patient experience now benefits from

NOTE Confidence: 0.96394306

 $00:09:53.579 \longrightarrow 00:09:55.420$ better anesthesia. So people are

NOTE Confidence: 0.96394306

 $00{:}09{:}55.420 \dashrightarrow 00{:}09{:}57.500$ less nauseous people wake up

NOTE Confidence: 0.96394306

 $00:09:57.500 \longrightarrow 00:09:59.420$ faster, their pain is much

NOTE Confidence: 0.96394306

 $00{:}09{:}59.420 \dashrightarrow 00{:}10{:}00.860$ better controlled at the same

NOTE Confidence: 0.96394306

 $00{:}10{:}00.860 \dashrightarrow 00{:}10{:}01.600$ time. We're

NOTE Confidence: 0.9717564

 $00{:}10{:}02.275 \dashrightarrow 00{:}10{:}04.515$ making smaller incisions. We're better

NOTE Confidence: 0.9717564

 $00:10:04.515 \longrightarrow 00:10:05.175$ at controlling

 $00:10:05.635 \longrightarrow 00:10:06.135$ pain.

NOTE Confidence: 0.9740785

 $00:10:06.595 \longrightarrow 00:10:07.955$ And, because of

NOTE Confidence: 0.9480722

 $00:10:08.835 \longrightarrow 00:10:09.975$ the opioid

NOTE Confidence: 0.99070436

00:10:10.675 --> 00:10:11.175 pandemic,

NOTE Confidence: 0.9414939

 $00:10:12.275 \longrightarrow 00:10:13.015$ we really

NOTE Confidence: 0.97633857

 $00{:}10{:}13.475 \dashrightarrow 00{:}10{:}15.630$ try to minimize narcotics, and

NOTE Confidence: 0.97633857

 $00:10:15.630 \longrightarrow 00:10:16.830$ we have all of these

NOTE Confidence: 0.97633857

 $00:10:16.830 \longrightarrow 00:10:17.309$ different

NOTE Confidence: 0.9497245

 $00:10:17.710 \longrightarrow 00:10:19.630$ techniques that we can keep

NOTE Confidence: 0.9497245

 $00:10:19.630 \longrightarrow 00:10:20.130$ people

NOTE Confidence: 0.9820952

 $00{:}10{:}20.910 \dashrightarrow 00{:}10{:}22.270$ active and doing the things

NOTE Confidence: 0.9820952

 $00:10:22.270 \longrightarrow 00:10:23.470$ we need them to do

NOTE Confidence: 0.9820952

 $00:10:23.470 \longrightarrow 00:10:24.130$ to recover,

NOTE Confidence: 0.9899536

 $00{:}10{:}25.470 {\:{\circ}{\circ}{\circ}}>00{:}10{:}26.590$ yet doing it in a

NOTE Confidence: 0.9899536

 $00:10:26.590 \longrightarrow 00:10:27.870$ way that their pain is

NOTE Confidence: 0.9899536

 $00:10:27.870 \longrightarrow 00:10:28.370$ controlled,

 $00:10:28.830 \longrightarrow 00:10:29.970$ and they're not getting

NOTE Confidence: 0.9749676

 $00:10:30.954 \longrightarrow 00:10:32.735$ a lot of narcotic medication.

NOTE Confidence: 0.98323935

 $00:10:33.355 \longrightarrow 00:10:34.554$ Yeah. I mean, it is

NOTE Confidence: 0.98323935

 $00:10:34.554 \longrightarrow 00:10:36.334$ fairly dramatic how

NOTE Confidence: 0.994207

 $00:10:36.795 \longrightarrow 00:10:38.334$ the concern about opioids

NOTE Confidence: 0.9939509

 $00:10:38.795 \longrightarrow 00:10:40.154$ and the abuse of

NOTE Confidence: 0.9939509

 $00:10:40.154 \longrightarrow 00:10:40.654$ opioids

NOTE Confidence: 0.98929

 $00:10:41.514 \longrightarrow 00:10:42.954$ has led to far more

NOTE Confidence: 0.98929

 $00:10:42.954 \longrightarrow 00:10:43.454$ creativity

NOTE Confidence: 0.9994343

 $00:10:43.834 \longrightarrow 00:10:45.375$ about how we use them

NOTE Confidence: 0.9903649

 $00{:}10{:}45.980 \dashrightarrow 00{:}10{:}47.819$ in people who have

NOTE Confidence: 0.9903649

00:10:47.819 --> 00:10:49.679 significant pain and how

NOTE Confidence: 0.98510027

 $00{:}10{:}50.220 {\:{\mbox{--}}\!>\:} 00{:}10{:}51.279$ we don't let people

NOTE Confidence: 0.99207646

00:10:51.660 --> 00:10:53.339 remain in pain, but we

NOTE Confidence: 0.99207646

 $00:10:53.339 \longrightarrow 00:10:54.540$ come up with other ways

 $00:10:54.540 \longrightarrow 00:10:56.540$ of approaching the pain. So,

NOTE Confidence: 0.99207646

00:10:56.699 --> 00:10:57.500 you know, I'm not sure

NOTE Confidence: 0.99207646

 $00:10:57.500 \longrightarrow 00:10:58.860$ I've ever asked anyone this

NOTE Confidence: 0.99207646

 $00:10:58.860 \longrightarrow 00:10:59.865$ question, but I'm sure

00:11:02.345 --> 00:11:02.845 occasionally

NOTE Confidence: 0.9505555

00:11:03.145 --> 00:11:04.584 when you're doing a bigger

NOTE Confidence: 0.9505555

00:11:04.584 --> 00:11:05.084 surgery,

NOTE Confidence: 0.9997946

 $00:11:05.545 \longrightarrow 00:11:07.625$ you're in the operating room

NOTE Confidence: 0.9997946

 $00:11:07.625 \longrightarrow 00:11:09.065$ for quite a number of

NOTE Confidence: 0.9997946

 $00:11:09.065 \longrightarrow 00:11:09.565$ hours.

NOTE Confidence: 0.9748212

 $00:11:10.505 \longrightarrow 00:11:12.184$ What's that like to

NOTE Confidence: 0.9748212

 $00{:}11{:}12.184 \dashrightarrow 00{:}11{:}13.964$ be just standing over

NOTE Confidence: 0.9582725

 $00:11:15.010 \longrightarrow 00:11:17.570$ a patient and

NOTE Confidence: 0.9582725

 $00:11:17.570 \longrightarrow 00:11:19.250$ it is standing. It's not

NOTE Confidence: 0.9582725

 $00:11:19.250 \longrightarrow 00:11:20.790$ sitting most of the time.

NOTE Confidence: 0.98116815

 $00:11:22.610 \longrightarrow 00:11:23.490$ How do you get through

 $00:11:23.490 \longrightarrow 00:11:24.230$ all that?

NOTE Confidence: 0.9996448

 $00{:}11{:}24.850 \dashrightarrow 00{:}11{:}25.510$ It is

NOTE Confidence: 0.99955696

 $00:11:26.530 \longrightarrow 00:11:27.030$ amazingly

NOTE Confidence: 0.9997205

 $00:11:27.490 \longrightarrow 00:11:27.990$ compelling

NOTE Confidence: 0.9986434

 $00:11:28.370 \longrightarrow 00:11:29.510$ when you are

NOTE Confidence: 0.9975074

 $00:11:30.125 \longrightarrow 00:11:32.524$ in charge of a patient's

NOTE Confidence: 0.9975074

 $00:11:32.524 \longrightarrow 00:11:33.024$ life and not just

 $00:11:36.445 \longrightarrow 00:11:38.225$ whether something big

NOTE Confidence: 0.96710145

 $00{:}11{:}39.085 \dashrightarrow 00{:}11{:}40.785$ happens in the operating room,

NOTE Confidence: 0.98895943 00:11:41.085 --> 00:11:41.585 but NOTE Confidence: 0.99628305

 $00:11:42.059 \longrightarrow 00:11:43.660$ when somebody

NOTE Confidence: 0.99628305

 $00:11:43.660 \longrightarrow 00:11:44.620$ trusts you to take them

NOTE Confidence: 0.99628305

 $00:11:44.620 \longrightarrow 00:11:45.980$ to the operating room, they're

NOTE Confidence: 0.99628305

 $00{:}11{:}45.980 \dashrightarrow 00{:}11{:}46.960 \text{ trusting you}$

NOTE Confidence: 0.9696267

 $00:11:48.059 \longrightarrow 00:11:49.980$ to fight that battle for

NOTE Confidence: 0.9696267

 $00:11:49.980 \longrightarrow 00:11:52.000$ them. And so you are

 $00:11:52.300 \longrightarrow 00:11:54.140$ looking for any site of

NOTE Confidence: 0.9696267

 $00:11:54.140 \longrightarrow 00:11:55.440$ disease. You are

NOTE Confidence: 0.99979204

 $00:11:55.985 \longrightarrow 00:11:57.764$ so focused on getting

NOTE Confidence: 0.98683405

 $00:11:58.304 \longrightarrow 00:11:59.665$ every part of that tumor

NOTE Confidence: 0.98683405

00:11:59.665 --> 00:12:01.845 out as cleanly as possible,

NOTE Confidence: 0.998738

 $00{:}12{:}02.545 \dashrightarrow 00{:}12{:}04.865$ and it really commands your

NOTE Confidence: 0.998738

 $00:12:04.865 \longrightarrow 00:12:06.464$ attention so much that the

NOTE Confidence: 0.998738

 $00:12:06.464 \longrightarrow 00:12:08.220$ time really flies by.

NOTE Confidence: 0.998738

 $00:12:08.300 \longrightarrow 00:12:09.179$ I do a lot of

NOTE Confidence: 0.998738

 $00:12:09.179 \longrightarrow 00:12:11.259$ surgeries that are three hours,

NOTE Confidence: 0.998738

00:12:11.259 --> 00:12:11.980 but I do a lot

NOTE Confidence: 0.998738

 $00:12:11.980 \longrightarrow 00:12:13.600$ of surgeries that are

NOTE Confidence: 0.9662567

00:12:14.379 --> 00:12:16.160 seven hours. And

NOTE Confidence: 0.99595946

 $00:12:17.179 \longrightarrow 00:12:18.939$ I would consider

NOTE Confidence: 0.99595946

 $00:12:18.939 \longrightarrow 00:12:21.179$ myself to have a pretty

NOTE Confidence: 0.99595946

 $00:12:21.179 \longrightarrow 00:12:23.179$ short attention span outside of

 $00:12:23.179 \longrightarrow 00:12:24.675$ the OR. But when you're

NOTE Confidence: 0.99595946

 $00:12:24.675 \longrightarrow 00:12:25.495$ in the OR,

NOTE Confidence: 0.99984205

 $00:12:26.195 \longrightarrow 00:12:27.015$ that responsibility

NOTE Confidence: 0.9999368

 $00:12:27.554 \longrightarrow 00:12:28.615$ is so compelling

NOTE Confidence: 0.9980434

 $00:12:29.155 \longrightarrow 00:12:30.934$ that the time just absolutely

NOTE Confidence: 0.9980434

 $00:12:30.995 \longrightarrow 00:12:31.895$ flies by.

NOTE Confidence: 0.99352676

 $00:12:32.675 \longrightarrow 00:12:34.195$ Well, I'm not

NOTE Confidence: 0.99352676

 $00{:}12{:}34.195 \dashrightarrow 00{:}12{:}35.715$ a surgeon, and I have

NOTE Confidence: 0.99352676

 $00:12:35.715 \longrightarrow 00:12:37.715$ never been in a seven

NOTE Confidence: 0.99352676

 $00:12:37.715 \longrightarrow 00:12:39.735$ hour operation in the OR.

NOTE Confidence: 0.9721683

 $00:12:41.100 \longrightarrow 00:12:42.540$ I can tell you that

NOTE Confidence: 0.9820705

 $00:12:43.020 \longrightarrow 00:12:44.640$ the times when I feel

NOTE Confidence: 0.9820705

 $00:12:44.700 \longrightarrow 00:12:46.860$ most centered and focused are

NOTE Confidence: 0.9820705

 $00:12:46.860 \longrightarrow 00:12:47.900$ when I'm in a room

NOTE Confidence: 0.9820705

 $00:12:47.900 \longrightarrow 00:12:48.720$ with a patient,

 $00:12:49.340 \longrightarrow 00:12:50.780$ and in fact, the door

NOTE Confidence: 0.9736686

 $00{:}12{:}50.780 \dashrightarrow 00{:}12{:}52.380$ closes and nothing else in

NOTE Confidence: 0.9736686

 $00:12:52.380 \longrightarrow 00:12:53.580$ the world is happening for

NOTE Confidence: 0.9736686 00:12:53.580 --> 00:12:54.080 me. NOTE Confidence: 0.94573563

00:12:55.214 --> 00:12:56.175 I would hope that I

NOTE Confidence: 0.94573563

 $00:12:56.175 \longrightarrow 00:12:57.214$ would have the attention to

NOTE Confidence: 0.94573563

00:12:57.214 --> 00:12:58.495 do that for seven hours,

NOTE Confidence: 0.94573563

 $00:12:58.495 \longrightarrow 00:12:59.954$ but you obviously do.

 $00:13:01.694 \longrightarrow 00:13:03.375$ And I was a carpenter before medical

NOTE Confidence: 0.9554207

 $00:13:03.375 \longrightarrow 00:13:04.274$ school, and when

00:13:06.175 --> 00:13:07.214 you're in the thick of

NOTE Confidence: 0.96109176

00:13:07.214 --> 00:13:09.279 things, it's problem

NOTE Confidence: 0.96109176

 $00:13:09.279 \longrightarrow 00:13:11.540$ solving, and

NOTE Confidence: 0.96109176

 $00:13:11.839 \longrightarrow 00:13:13.519$ when you're concentrating on something

NOTE Confidence: 0.96109176

 $00:13:13.519 \longrightarrow 00:13:14.959$ that is stimulating and you

NOTE Confidence: 0.96109176

 $00:13:14.959 \longrightarrow 00:13:16.100$ care a lot about,

NOTE Confidence: 0.99857783

 $00:13:16.880 \longrightarrow 00:13:18.420$ time just flies by.

00:13:21.105 --> 00:13:22.464 And I suppose when you

NOTE Confidence: 0.99434155

 $00{:}13{:}22.464 \dashrightarrow 00{:}13{:}24.645$ saw that in medical school,

NOTE Confidence: 0.9962527

 $00:13:25.825 \longrightarrow 00:13:27.105$ that's one of the things

NOTE Confidence: 0.9962527

 $00:13:27.105 \longrightarrow 00:13:28.304$ that drew you to become

NOTE Confidence: 0.9962527

 $00:13:28.304 \longrightarrow 00:13:28.885$ a surgeon.

NOTE Confidence: 0.9706126

00:13:29.825 --> 00:13:31.904 Hundred percent.

NOTE Confidence: 0.9706126

00:13:31.904 --> 00:13:33.105 Well we're gonna need to take

NOTE Confidence: 0.9706126

 $00:13:33.105 \longrightarrow 00:13:34.304$ just a brief break.

NOTE Confidence: 0.9706126

 $00:13:34.304 \longrightarrow 00:13:35.265$ When we come back, we're

NOTE Confidence: 0.9706126

00:13:35.265 --> 00:13:36.325 gonna talk about

NOTE Confidence: 0.98982906

00:13:36.770 --> 00:13:38.870 esophageal cancer and

NOTE Confidence: 0.96747124

 $00:13:39.490 \longrightarrow 00:13:41.250$ what has evolved in

NOTE Confidence: 0.96747124

 $00:13:41.250 \longrightarrow 00:13:42.070$ that area,

NOTE Confidence: 0.9989428

 $00:13:42.530 \longrightarrow 00:13:43.650$ and we'll talk a little

NOTE Confidence: 0.9989428

 $00:13:43.650 \longrightarrow 00:13:44.370$ bit about

NOTE Confidence: 0.99935514

 $00:13:44.770 \longrightarrow 00:13:45.990$ lung cancer screening.

00:13:46.450 --> 00:13:48.290 Funding for Yale Cancer Answers

NOTE Confidence: 0.9560075

00:13:48.290 --> 00:13:50.230 comes from Smilow Cancer Hospital,

NOTE Confidence: 0.9710625

 $00:13:50.554 \longrightarrow 00:13:51.454$ where their hematology

NOTE Confidence: 0.9990124

 $00{:}13{:}51.995 \dashrightarrow 00{:}13{:}53.375$ program offers comprehensive

NOTE Confidence: 0.96487486

 $00:13:53.755 \longrightarrow 00:13:55.355$ diagnosis and treatment of blood

NOTE Confidence: 0.96487486

 $00:13:55.355 \longrightarrow 00:13:57.995$ cancers including lymphoma, leukemia, and

NOTE Confidence: 0.96487486

 $00:13:57.995 \longrightarrow 00:13:58.495$ myeloma.

NOTE Confidence: 0.8543402

00:13:59.115 --> 00:13:59.615 Smilowcancerhospital

NOTE Confidence: 0.99517787

 $00:14:00.714 \longrightarrow 00:14:01.375$ dot org.

NOTE Confidence: 0.9695432

 $00:14:03.410 \longrightarrow 00:14:04.850$ There are many obstacles to

NOTE Confidence: 0.9695432

 $00{:}14{:}04.850 \dashrightarrow 00{:}14{:}06.530$ face when quitting smoking as

NOTE Confidence: 0.9695432

00:14:06.530 --> 00:14:08.210 smoking involves the potent drug

NOTE Confidence: 0.9695432

00:14:08.210 --> 00:14:08.710 nicotine.

NOTE Confidence: 0.97594744

 $00:14:09.410 \longrightarrow 00:14:10.690$ Quitting smoking is a very

NOTE Confidence: 0.97594744

 $00:14:10.690 \longrightarrow 00:14:13.090$ important lifestyle change especially for

 $00:14:13.090 \longrightarrow 00:14:15.330$ patients undergoing cancer treatment as

NOTE Confidence: 0.97594744

 $00:14:15.330 \longrightarrow 00:14:16.790$ it's been shown to positively

NOTE Confidence: 0.97594744

00:14:17.010 --> 00:14:18.710 impact response to treatments,

NOTE Confidence: 0.9907662

 $00:14:19.214 \longrightarrow 00:14:20.815$ decrease the likelihood that patients

NOTE Confidence: 0.9907662

00:14:20.815 --> 00:14:22.355 will develop second malignancies,

NOTE Confidence: 0.9945062

 $00:14:22.894 \longrightarrow 00:14:24.595$ and increase rates of survival.

NOTE Confidence: 0.9693164

 $00:14:25.134 \longrightarrow 00:14:27.134$ Tobacco treatment programs are currently

NOTE Confidence: 0.9693164

00:14:27.134 --> 00:14:28.995 being offered at federally designated

NOTE Confidence: 0.9693164

 $00{:}14{:}29.214 \dashrightarrow 00{:}14{:}31.535$ comprehensive cancer centers, such as

NOTE Confidence: 0.9693164

 $00:14:31.535 \longrightarrow 00:14:32.894$ Yale Cancer Center and

NOTE Confidence: 0.9693164

00:14:32.894 --> 00:14:34.355 Smilow Cancer Hospital.

NOTE Confidence: 0.9752043

 $00:14:35.030 \longrightarrow 00:14:36.950$ All treatment components are evidence

NOTE Confidence: 0.9752043

 $00:14:36.950 \longrightarrow 00:14:38.790$ based and patients are treated

NOTE Confidence: 0.9752043

 $00:14:38.790 \longrightarrow 00:14:40.630$ with FDA approved first line

NOTE Confidence: 0.9752043

 $00:14:40.630 \longrightarrow 00:14:41.130$ medications

NOTE Confidence: 0.97618866

00:14:41.670 --> 00:14:43.210 as well as smoking cessation

00:14:43.270 --> 00:14:45.590 counseling that stresses appropriate coping

NOTE Confidence: 0.97618866

 $00:14:45.590 \longrightarrow 00:14:46.090$ skills.

NOTE Confidence: 0.95743346

00:14:46.630 --> 00:14:48.230 More information is available at

NOTE Confidence: 0.95743346

 $00:14:48.230 \longrightarrow 00:14:50.170$ yale cancer center dot org.

NOTE Confidence: 0.95743346

 $00:14:50.285 \longrightarrow 00:14:52.045$ You're listening to Connecticut Public

NOTE Confidence: 0.95743346

 $00:14:52.045 \longrightarrow 00:14:52.545$ Radio.

NOTE Confidence: 0.8999999

 $00:14:54.205 \longrightarrow 00:14:55.985$ Good evening again. This is

NOTE Confidence: 0.8999999

 $00:14:56.045 \longrightarrow 00:14:56.865$ Eric Winer

NOTE Confidence: 0.87420833

 $00:14:57.325 \longrightarrow 00:14:58.945$ with Yale Cancer Answers.

NOTE Confidence: 0.9988495

 $00:14:59.565 \longrightarrow 00:15:01.665$ And I'm joined tonight by

NOTE Confidence: 0.94454473

 $00:15:02.205 \longrightarrow 00:15:04.525$ Dan Boffa, who is a

NOTE Confidence: 0.94454473

 $00:15:04.525 \longrightarrow 00:15:05.665$ thoracic surgeon

NOTE Confidence: 0.99941444

 $00{:}15{:}06.660 {\: --> \:} 00{:}15{:}07.880$ and leads our

NOTE Confidence: 0.9925968

 $00:15:08.339 \longrightarrow 00:15:09.880$ division of

NOTE Confidence: 0.98865277

 $00:15:11.220 \longrightarrow 00:15:12.279$ thoracic surgery.

 $00:15:13.940 \longrightarrow 00:15:14.899$ Dan, let's

NOTE Confidence: 0.9996326

 $00:15:15.460 \longrightarrow 00:15:16.980$ shift gears a little bit.

NOTE Confidence: 0.9996326

 $00:15:16.980 \longrightarrow 00:15:18.040$ We talked about

NOTE Confidence: 0.984519

 $00:15:18.915 \longrightarrow 00:15:20.355$ lung cancer, and we talked

NOTE Confidence: 0.984519

 $00:15:20.355 \longrightarrow 00:15:21.735$ about surgical techniques

NOTE Confidence: 0.9985616

 $00:15:22.195 \longrightarrow 00:15:22.775$ a bit.

NOTE Confidence: 0.9863852

 $00{:}15{:}23.235 \dashrightarrow 00{:}15{:}25.175$ Let's talk about esophageal cancer.

NOTE Confidence: 0.9863852

 $00:15:25.315 \longrightarrow 00:15:26.855$ And esophageal cancer,

NOTE Confidence: 0.99541533

 $00:15:27.395 \longrightarrow 00:15:28.595$ I think, is one of

NOTE Confidence: 0.99541533

 $00:15:28.595 \longrightarrow 00:15:30.750$ those cancers that people are

NOTE Confidence: 0.99541533

 $00:15:30.990 \longrightarrow 00:15:32.530$ pretty frightened of.

NOTE Confidence: 0.99605113

 $00:15:33.150 \longrightarrow 00:15:33.630$ And,

NOTE Confidence: 0.99483776

 $00:15:34.030 \longrightarrow 00:15:35.630$ while it's not the most

NOTE Confidence: 0.99483776

 $00:15:35.630 \longrightarrow 00:15:37.310$ common cancer, it's by no

NOTE Confidence: 0.99483776

 $00:15:37.310 \longrightarrow 00:15:38.290$ means uncommon.

NOTE Confidence: 0.9995319

 $00:15:38.990 \longrightarrow 00:15:40.190$ So tell us a little

 $00:15:40.190 \longrightarrow 00:15:40.850$ bit about

NOTE Confidence: 0.9967423

00:15:41.870 --> 00:15:43.090 esophageal cancer.

NOTE Confidence: 0.99914473

 $00:15:44.095 \longrightarrow 00:15:45.555$ So esophageal cancer

NOTE Confidence: 0.9933938

 $00:15:46.255 \longrightarrow 00:15:48.015$ is a dangerous cancer that

NOTE Confidence: 0.9933938

 $00:15:48.015 \longrightarrow 00:15:50.175$ we don't have a great

NOTE Confidence: 0.9933938

 $00:15:50.175 \longrightarrow 00:15:51.935$ way to screen for yet.

NOTE Confidence: 0.9933938

00:15:51.935 --> 00:15:53.055 And I think because of

NOTE Confidence: 0.9933938

 $00:15:53.055 \longrightarrow 00:15:53.555$ that,

NOTE Confidence: 0.9995331

 $00:15:54.015 \longrightarrow 00:15:55.935$ we're not finding it until

NOTE Confidence: 0.9995331

 $00:15:55.935 \longrightarrow 00:15:56.435$ people

NOTE Confidence: 0.97662055

 $00{:}15{:}56.815 \dashrightarrow 00{:}15{:}57.715$ have symptoms.

NOTE Confidence: 0.9916007

 $00:15:58.290 \longrightarrow 00:15:59.910$ And once you have symptoms,

NOTE Confidence: 0.98257744

 $00:16:00.610 \longrightarrow 00:16:02.230$ it is not necessarily,

NOTE Confidence: 0.99054134

 $00:16:03.810 \longrightarrow 00:16:05.330$ spread to vital organs, but

NOTE Confidence: 0.99054134

 $00:16:05.330 \longrightarrow 00:16:06.790$ it is not typically

 $00:16:07.250 \longrightarrow 00:16:08.850$ at its earliest stage and

NOTE Confidence: 0.98189557

 $00:16:08.850 \longrightarrow 00:16:10.310$ not the point where we're

NOTE Confidence: 0.98189557

00:16:10.495 --> 00:16:11.955 best able to cure people. 00:16:13.215 --> 00:16:14.495 Can you just comment

NOTE Confidence: 0.9605349

 $00:16:14.495 \longrightarrow 00:16:15.535$ for a minute on those

NOTE Confidence: 0.9605349

00:16:15.535 --> 00:16:16.035 symptoms?

NOTE Confidence: 0.9915696

 $00:16:16.655 \longrightarrow 00:16:18.735$ So if you notice that

NOTE Confidence: 0.9915696

00:16:18.735 --> 00:16:21.135 you're having difficulty swallowing, that

NOTE Confidence: 0.9915696

 $00:16:21.135 \longrightarrow 00:16:22.915$ food is getting stuck, particularly

NOTE Confidence: 0.9824732

 $00:16:23.790 \longrightarrow 00:16:25.230$ in the mid to lower

NOTE Confidence: 0.9824732

 $00:16:25.230 \longrightarrow 00:16:27.070$ part of your chest. Even

NOTE Confidence: 0.9824732

 $00{:}16{:}27.070 \dashrightarrow 00{:}16{:}28.130 \text{ if it just happens}$

NOTE Confidence: 0.9983438

 $00:16:28.670 \longrightarrow 00:16:30.830$ more than once, you really

NOTE Confidence: 0.9983438

 $00{:}16{:}30.830 \dashrightarrow 00{:}16{:}32.290$ need to let your

NOTE Confidence: 0.9983438

 $00:16:32.430 \longrightarrow 00:16:34.029$ primary know about it

NOTE Confidence: 0.9983438

 $00:16:34.029 \longrightarrow 00:16:35.170$ and see a gastroenterologist.

 $00:16:37.135 \longrightarrow 00:16:37.935$ A lot of people

 $00:16:40.175 \longrightarrow 00:16:40.835$ have heartburn,

NOTE Confidence: 0.9966769

 $00:16:41.455 \longrightarrow 00:16:42.655$ and that's one of the

NOTE Confidence: 0.9966769

 $00:16:42.655 \longrightarrow 00:16:43.795$ things that makes

NOTE Confidence: 0.99944437

 $00:16:44.655 \longrightarrow 00:16:45.795$ esophageal cancer

NOTE Confidence: 0.91822034

 $00{:}16{:}46.735 \dashrightarrow 00{:}16{:}49.715$ difficult to identify because the

00:16:51.459 --> 00:16:53.860 way that screening works is to find

NOTE Confidence: 0.99329364

 $00{:}16{:}53.860 \dashrightarrow 00{:}16{:}55.540$ dangerous things before they do

NOTE Confidence: 0.99329364

 $00:16:55.540 \longrightarrow 00:16:56.519$ dangerous things.

NOTE Confidence: 0.9985927

 $00:16:57.060 \longrightarrow 00:16:57.560$ And

NOTE Confidence: 0.9995087

 $00:16:58.740 \longrightarrow 00:16:59.880$ the symptoms

NOTE Confidence: 0.99804366

 $00:17:00.339 \longrightarrow 00:17:01.620$ and the people at risk

NOTE Confidence: 0.99804366

 $00:17:01.620 \longrightarrow 00:17:03.959$ for esophageal cancer are generally

NOTE Confidence: 0.99804366

 $00:17:04.100 \longrightarrow 00:17:04.600$ people

NOTE Confidence: 0.9991663

 $00:17:04.980 \longrightarrow 00:17:06.494$ who have heartburn,

NOTE Confidence: 0.99963576

 $00:17:06.955 \longrightarrow 00:17:08.075$ who are over the age

NOTE Confidence: 0.99963576

00:17:08.075 --> 00:17:08.734 of fifty,

 $00:17:09.274 \longrightarrow 00:17:10.815$ who are overweight.

NOTE Confidence: 0.99636346

 $00:17:12.475 \longrightarrow 00:17:14.234$ White males tend to have

NOTE Confidence: 0.99636346

 $00:17:14.234 \longrightarrow 00:17:15.215$ a higher risk.

NOTE Confidence: 0.9820797

00:17:15.595 --> 00:17:16.475 Well, that's a lot of

NOTE Confidence: 0.9820797

 $00:17:16.475 \longrightarrow 00:17:18.475$ us. And I've described this

NOTE Confidence: 0.9820797

 $00:17:18.475 \longrightarrow 00:17:19.835$ in the past as kind

NOTE Confidence: 0.9820797

 $00:17:19.835 \longrightarrow 00:17:20.815$ of like a tornado.

NOTE Confidence: 0.98798144

 $00:17:21.380 \longrightarrow 00:17:22.280$ So tornadoes

NOTE Confidence: 0.97953063

 $00:17:22.660 \longrightarrow 00:17:24.280$ often happen when the conditions

NOTE Confidence: 0.97953063

 $00:17:24.500 \longrightarrow 00:17:25.880$ are right for a tornado.

NOTE Confidence: 0.9913776

 $00:17:26.340 \longrightarrow 00:17:27.620$ But most of the time

NOTE Confidence: 0.9913776

 $00{:}17{:}27.620 \dashrightarrow 00{:}17{:}29.300$ that conditions are favorable for

NOTE Confidence: 0.9913776

 $00:17:29.300 \longrightarrow 00:17:29.800$ tornadoes,

NOTE Confidence: 0.95702416

 $00:17:30.260 \longrightarrow 00:17:31.780$ you don't get any. And

NOTE Confidence: 0.95702416

 $00{:}17{:}31.780 \dashrightarrow 00{:}17{:}33.320$ sometimes tornadoes happen

 $00:17:33.934 \longrightarrow 00:17:35.535$ when the conditions aren't favorable.

NOTE Confidence: 0.98640156

 $00:17:35.535 \longrightarrow 00:17:36.835$ So it's really hard to

00:17:38.015 --> 00:17:39.535 pin down who you would

NOTE Confidence: 0.98731786

 $00:17:39.535 \longrightarrow 00:17:40.755$ do upper endoscopies,

NOTE Confidence: 0.97801256

 $00:17:42.174 \longrightarrow 00:17:43.315$ instead of a colonoscopy,

NOTE Confidence: 0.9854356

 $00:17:43.615 \longrightarrow 00:17:44.815$ which goes from the bottom.

NOTE Confidence: 0.9854356

00:17:44.815 --> 00:17:46.195 This is an upper endoscopy,

NOTE Confidence: 0.9854356

 $00:17:46.335 \longrightarrow 00:17:47.695$ which goes from your mouth

NOTE Confidence: 0.9854356

00:17:47.695 --> 00:17:49.475 into your esophagus. And so

NOTE Confidence: 0.9854356

 $00:17:49.580 \longrightarrow 00:17:50.859$ it's hard to screen for and

 $00:17:52.300 \longrightarrow 00:17:53.600$ we miss that opportunity to

 $00:17:55.260 \longrightarrow 00:17:56.780$ find it at its earliest

NOTE Confidence: 0.99713916

 $00:17:56.780 \longrightarrow 00:17:57.280$ stage.

NOTE Confidence: 0.9992895

 $00:17:57.740 \longrightarrow 00:17:58.700$ But if you do have

NOTE Confidence: 0.9992895

00:17:58.700 --> 00:17:59.200 heartburn,

NOTE Confidence: 0.9997665

 $00:18:00.060 \longrightarrow 00:18:01.760$ and it's not well controlled

NOTE Confidence: 0.9993499

 $00:18:02.060 \longrightarrow 00:18:03.340$ with an over the counter

 $00:18:03.340 \longrightarrow 00:18:03.840$ medication,

NOTE Confidence: 0.9867438

 $00:18:04.515 \longrightarrow 00:18:06.035$ and you're

NOTE Confidence: 0.9867438

 $00:18:06.035 \longrightarrow 00:18:07.315$ over the age of fifty,

NOTE Confidence: 0.9867438

 $00:18:07.315 \longrightarrow 00:18:08.435$ I would talk to your

NOTE Confidence: 0.9867438

00:18:08.435 --> 00:18:09.795 primary about having an upper

NOTE Confidence: 0.9867438

 $00:18:09.795 \longrightarrow 00:18:10.295$ endoscopy.

NOTE Confidence: 0.97855586

 $00:18:10.994 \longrightarrow 00:18:12.435$ And then there are certain

NOTE Confidence: 0.97855586

 $00:18:12.435 \longrightarrow 00:18:14.035$ conditions that are associated with

NOTE Confidence: 0.97855586

 $00:18:14.035 \longrightarrow 00:18:15.715$ a higher risk of

NOTE Confidence: 0.97855586

00:18:15.715 --> 00:18:16.215 esophageal

NOTE Confidence: 0.9647916

00:18:16.515 --> 00:18:17.895 cancer, things like

NOTE Confidence: 0.91957855

00:18:18.195 --> 00:18:19.255 Barrett's esophagus.

00:18:22.609 --> 00:18:23.590 Barrett's esophagus

NOTE Confidence: 0.99386054

 $00:18:23.970 \longrightarrow 00:18:25.730$ is a change in the

NOTE Confidence: 0.99386054

00:18:25.730 --> 00:18:27.430 esophagus where the lining

NOTE Confidence: 0.98720884

00:18:28.210 --> 00:18:30.230 changes from its normal lining

 $00:18:30.290 \longrightarrow 00:18:31.890$ to the lining that the

NOTE Confidence: 0.98720884

 $00:18:31.890 \longrightarrow 00:18:33.410$ intestine has on the other

NOTE Confidence: 0.98720884

 $00:18:33.410 \longrightarrow 00:18:34.725$ side of the stomach. In

NOTE Confidence: 0.98720884

 $00:18:34.725 \longrightarrow 00:18:35.445$ a lot of ways, that

NOTE Confidence: 0.98720884

 $00:18:35.445 \longrightarrow 00:18:37.605$ makes sense because the

NOTE Confidence: 0.98720884

00:18:37.605 --> 00:18:39.205 downstream side of the stomach

NOTE Confidence: 0.98720884

 $00:18:39.205 \longrightarrow 00:18:40.825$ sees acid all the time.

NOTE Confidence: 0.9753096

 $00:18:41.125 \longrightarrow 00:18:43.285$ And so its lining is

NOTE Confidence: 0.9753096

00:18:43.285 --> 00:18:44.744 designed to protect it,

NOTE Confidence: 0.9990977

 $00:18:45.125 \longrightarrow 00:18:45.625$ whereas

NOTE Confidence: 0.99061376

 $00:18:46.005 \longrightarrow 00:18:47.785$ acid shouldn't be going backwards.

NOTE Confidence: 0.99061376

 $00:18:48.019 \longrightarrow 00:18:49.700$ And so that lining is

NOTE Confidence: 0.99061376

 $00:18:49.700 \longrightarrow 00:18:50.200$ designed

NOTE Confidence: 0.99219817

 $00:18:50.980 \longrightarrow 00:18:52.419$ to help things pass through it.

NOTE Confidence: 0.99219817

00:18:52.419 --> 00:18:54.200 And so Barrett's esophagus

NOTE Confidence: 0.9804204

 $00:18:54.500 \longrightarrow 00:18:55.700$ sounds like a good thing

 $00:18:55.700 \longrightarrow 00:18:57.379$ because the acid is

NOTE Confidence: 0.9804204

 $00{:}18{:}57.379 \dashrightarrow 00{:}18{:}59.059$ turning the lining into something

NOTE Confidence: 0.9804204

 $00:18:59.059 \longrightarrow 00:19:00.795$ that should be protecting it.

NOTE Confidence: 0.9804204

 $00:19:00.875 \longrightarrow 00:19:02.075$ The problem is once it

NOTE Confidence: 0.9804204

 $00:19:02.075 \longrightarrow 00:19:03.755$ makes that change, it loses

NOTE Confidence: 0.9804204

 $00:19:03.755 \longrightarrow 00:19:05.055$ its ability to control

NOTE Confidence: 0.9751777

 $00:19:05.835 \longrightarrow 00:19:06.875$ what it does and what

NOTE Confidence: 0.9751777

 $00:19:06.875 \longrightarrow 00:19:07.755$ it looks like, and

NOTE Confidence: 0.9751777

 $00:19:07.755 \longrightarrow 00:19:09.595$ a series of changes

NOTE Confidence: 0.9751777

 $00:19:09.595 \longrightarrow 00:19:10.475$ can happen, and it can

NOTE Confidence: 0.9751777

 $00:19:10.475 \longrightarrow 00:19:12.075$ turn into a cancer. But,

NOTE Confidence: 0.9751777

00:19:12.075 --> 00:19:13.295 again, most Barrett's

NOTE Confidence: 0.9899243

00:19:14.315 --> 00:19:15.935 does not turn into cancer.

NOTE Confidence: 0.98665404

 $00:19:16.730 \longrightarrow 00:19:18.170$ So it's hard to

NOTE Confidence: 0.98665404

 $00:19:18.170 \longrightarrow 00:19:19.609$ nail down who is

 $00:19:19.609 \longrightarrow 00:19:21.230$ really at highest risk.

NOTE Confidence: 0.999563

00:19:21.770 --> 00:19:23.470 And what about the role of 00:19:24.490 --> 00:19:27.130 to bacco use and alcohol in

NOTE Confidence: 0.96908677

 $00:19:27.130 \longrightarrow 00:19:28.350$ esophageal cancer?

NOTE Confidence: 0.99982095

 $00:19:28.730 \longrightarrow 00:19:30.190$ Both have been associated

NOTE Confidence: 0.9945418

 $00:19:30.730 \longrightarrow 00:19:32.325$ with an increased risk of

NOTE Confidence: 0.9945418

 $00:19:32.325 \longrightarrow 00:19:33.544$ esophageal cancer.

NOTE Confidence: 0.97590804

00:19:34.005 --> 00:19:35.145 So I think there's

NOTE Confidence: 0.99452114

 $00{:}19{:}35.765 \dashrightarrow 00{:}19{:}37.065$ a lot of people who associate

NOTE Confidence: 0.97833097

00:19:37.605 --> 00:19:39.304 tobacco use with lung cancer,

NOTE Confidence: 0.7788661

 $00:19:39.605 \longrightarrow 00:19:40.505$ but really,

NOTE Confidence: 0.9986754

 $00:19:40.885 \longrightarrow 00:19:41.385$ most

NOTE Confidence: 0.9020972

 $00:19:41.845 \longrightarrow 00:19:43.145$ or many cancers,

NOTE Confidence: 0.9998619

 $00:19:43.924 \longrightarrow 00:19:45.145$ have an association

NOTE Confidence: 0.9810547

 $00:19:45.605 \longrightarrow 00:19:47.859$ with tobacco use. And we're

NOTE Confidence: 0.9810547

 $00:19:47.859 \longrightarrow 00:19:48.359$ increasingly

00:19:49.140 --> 00:19:51.880 finding signals that moderate

NOTE Confidence: 0.9997186

00:19:52.419 --> 00:19:53.960 to heavy alcohol use

NOTE Confidence: 0.7794917

 $00:19:54.580 \longrightarrow 00:19:55.080$ increases,

NOTE Confidence: 0.9947262

 $00:19:55.460 \longrightarrow 00:19:56.660$ to some degree, your risk

NOTE Confidence: 0.9947262

 $00:19:56.660 \longrightarrow 00:19:58.740$ for cancer in multiple parts

NOTE Confidence: 0.9947262

 $00:19:58.740 \longrightarrow 00:19:59.940$ of the body, including the

NOTE Confidence: 0.9947262

 $00:19:59.940 \longrightarrow 00:20:01.240$ esophagus and stomach.

NOTE Confidence: 0.9981784

 $00:20:01.625 \longrightarrow 00:20:03.725$ And with esophageal cancer,

NOTE Confidence: 0.99978304

 $00{:}20{:}04.265 --> 00{:}20{:}05.005 \ \mathrm{my} \ \mathrm{recollection}$

NOTE Confidence: 0.99975

 $00:20:05.305 \longrightarrow 00:20:06.125$ is that

NOTE Confidence: 0.98048574

00:20:07.145 --> 00:20:08.744 if you think of smoking

NOTE Confidence: 0.98048574

 $00:20:08.744 \longrightarrow 00:20:10.505$ and drinking as one each,

NOTE Confidence: 0.98048574

00:20:10.505 --> 00:20:12.265 that one plus one doesn't

NOTE Confidence: 0.98048574

 $00:20:12.265 \longrightarrow 00:20:13.965$ equal two. It equals three.

NOTE Confidence: 0.9861099

 $00:20:14.425 \longrightarrow 00:20:16.045$ Yeah. I think that

NOTE Confidence: 0.9841573

 $00:20:17.130 \longrightarrow 00:20:18.590$ in many cancers,

 $00:20:19.050 \longrightarrow 00:20:20.970$ risk factors tend to

NOTE Confidence: 0.89944345

 $00:20:20.970 \longrightarrow 00:20:23.290$ stack into a

NOTE Confidence: 0.89944345

 $00:20:23.290 \longrightarrow 00:20:24.270$ greater risk.

NOTE Confidence: 0.9710885

00:20:25.050 --> 00:20:26.430 You know, I commonly,

NOTE Confidence: 0.99765897

 $00:20:27.210 \longrightarrow 00:20:27.710$ describe

NOTE Confidence: 0.9471692

 $00:20:28.250 \longrightarrow 00:20:30.270$ risk factors like smoking

NOTE Confidence: 0.9471692

 $00:20:30.490 \longrightarrow 00:20:31.630$ as a bad thing.

NOTE Confidence: 0.8975681

 $00{:}20{:}31.934 \dashrightarrow 00{:}20{:}33.315$ Choosing to swim in gasoline

NOTE Confidence: 0.99957514

 $00:20:33.855 \longrightarrow 00:20:34.674$ is a bad

NOTE Confidence: 0.99137217

00:20:34.975 --> 00:20:36.255 thing. Doing both of them

NOTE Confidence: 0.99137217

 $00:20:36.255 \longrightarrow 00:20:37.855$ is a really, really bad

NOTE Confidence: 0.99137217

 $00:20:37.855 \longrightarrow 00:20:39.134$ thing. And so I think

NOTE Confidence: 0.99137217

 $00:20:39.134 \longrightarrow 00:20:40.335$ that's a fair point. I

NOTE Confidence: 0.99137217

 $00:20:40.335 \longrightarrow 00:20:42.494$ think that describes it quite

NOTE Confidence: 0.99137217 00:20:42.494 --> 00:20:44.514 well.

 $00:20:45.054 \longrightarrow 00:20:45.554$ How has esophageal cancer

 $00:20:46.950 \longrightarrow 00:20:48.869$ treatment changed over the years?

NOTE Confidence: 0.9962412

 $00:20:48.869 \longrightarrow 00:20:51.029$ Because this is one of

NOTE Confidence: 0.9962412

 $00:20:51.029 \longrightarrow 00:20:53.109$ those tumors where our success

NOTE Confidence: 0.9962412

 $00:20:53.109 \longrightarrow 00:20:54.490$ rate is going up.

NOTE Confidence: 0.8160808

 $00:20:58.710 \longrightarrow 00:20:59.289$ The mainstay

NOTE Confidence: 0.99773157

 $00:20:59.750 \longrightarrow 00:21:02.169$ of cure for esophageal cancer

NOTE Confidence: 0.9994567

 $00:21:02.825 \longrightarrow 00:21:05.085$ has been removing the esophagus

NOTE Confidence: 0.96607757

 $00{:}21{:}05.465 \dashrightarrow 00{:}21{:}07.484$ and reconstructing the esophagus,

NOTE Confidence: 0.9771568

00:21:08.265 --> 00:21:10.045 typically by bringing the stomach,

NOTE Confidence: 0.9771568

00:21:10.265 --> 00:21:11.725 making it into a tube,

NOTE Confidence: 0.99824405

 $00{:}21{:}12.105 \dashrightarrow 00{:}21{:}13.885$ and replacing the esophagus.

NOTE Confidence: 0.9987531

00:21:14.760 --> 00:21:16.540 So several things have happened.

NOTE Confidence: 0.99774104

00:21:17.240 --> 00:21:19.320 One is the earliest stage

NOTE Confidence: 0.99774104

 $00{:}21{:}19.320 \dashrightarrow 00{:}21{:}21.320$ esophageal cancers can now be

NOTE Confidence: 0.99774104

 $00:21:21.320 \longrightarrow 00:21:22.540$ treated successfully

 $00:21:23.320 \longrightarrow 00:21:23.820$ endoscopically.

NOTE Confidence: 0.9883596 00:21:24.359 --> 00:21:24.760 So, NOTE Confidence: 0.95044374

 $00:21:25.320 \longrightarrow 00:21:26.280$ you come and go the

NOTE Confidence: 0.95044374

 $00:21:26.280 \longrightarrow 00:21:27.960$ same day. You have an

NOTE Confidence: 0.95044374

 $00:21:27.960 \longrightarrow 00:21:28.700$ upper endoscopy and

 $00:21:30.355 \longrightarrow 00:21:31.335$ either by

NOTE Confidence: 0.7994707

 $00:21:31.875 \longrightarrow 00:21:32.375$ cooking

NOTE Confidence: 0.9962137

 $00:21:32.994 \longrightarrow 00:21:34.835$ with heat or freezing or

NOTE Confidence: 0.9962137

 $00:21:34.835 \longrightarrow 00:21:35.335$ scraping,

NOTE Confidence: 0.99974906

 $00:21:36.434 \longrightarrow 00:21:37.174$ you can

NOTE Confidence: 0.9479555

 $00:21:38.115 \longrightarrow 00:21:40.054$ remove the earliest stage esophageal

NOTE Confidence: 0.983156

 $00:21:40.835 \longrightarrow 00:21:42.375$ cancers, which we used to

NOTE Confidence: 0.93920404

 $00:21:42.755 \longrightarrow 00:21:43.575$ do an esophage ectomy

NOTE Confidence: 0.9997215 00:21:43.955 --> 00:21:44.455 for. NOTE Confidence: 0.99365395

 $00:21:44.790 \longrightarrow 00:21:46.070$ Now for the people we

NOTE Confidence: 0.99365395

 $00:21:46.070 \longrightarrow 00:21:48.410$ do offer an esophagectomy for,

 $00:21:48.710 \longrightarrow 00:21:49.369$ it is

NOTE Confidence: 0.9888103

 $00:21:49.750 \longrightarrow 00:21:51.930$ a much less invasive operation.

NOTE Confidence: 0.9888103

 $00:21:52.070 \longrightarrow 00:21:53.670$ Ninety percent of

NOTE Confidence: 0.9888103

00:21:53.670 --> 00:21:55.530 the esophagectomies I do now

NOTE Confidence: 0.96160847

 $00:21:55.910 \longrightarrow 00:21:57.270$ are done with a minimally

NOTE Confidence: 0.96160847

 $00{:}21{:}57.270 \dashrightarrow 00{:}21{:}58.869$ invasive approach, and the biggest

NOTE Confidence: 0.96160847

 $00:21:58.869 \longrightarrow 00:21:59.369$ incision,

NOTE Confidence: 0.9648225

 $00:22:00.205 \longrightarrow 00:22:01.485$ which used to be two

NOTE Confidence: 0.9648225

 $00{:}22{:}01.485 --> 00{:}22{:}03.005$ eight inch incisions, is now

NOTE Confidence: 0.9648225

 $00:22:03.005 \longrightarrow 00:22:04.285$ the biggest incision is a

NOTE Confidence: 0.9648225

00:22:04.285 --> 00:22:05.805 single two inch incision. And

NOTE Confidence: 0.964822500:22:05.805 --> 00:22:06.305 so,

NOTE Confidence: 0.9744663

 $00:22:06.685 \longrightarrow 00:22:08.285$ the recovery is much faster,

NOTE Confidence: 0.9744663

 $00{:}22{:}08.285 \to 00{:}22{:}09.485$ and people get back to

NOTE Confidence: 0.9744663

 $00:22:09.485 \longrightarrow 00:22:09.885$ their

NOTE Confidence: 0.9895239

00:22:10.365 --> 00:22:12.225 routines much faster.

 $00:22:12.845 \longrightarrow 00:22:14.685$ And now just like in

NOTE Confidence: 0.96597767

 $00:22:14.685 \longrightarrow 00:22:15.425$ lung cancer,

NOTE Confidence: 0.99982953

 $00:22:16.100 \longrightarrow 00:22:16.600$ there are

NOTE Confidence: 0.88758564

 $00:22:18.100 \longrightarrow 00:22:19.400$ different types of chemotherapies

NOTE Confidence: 0.9901271

 $00:22:20.020 \longrightarrow 00:22:21.400$ and immunotherapies

NOTE Confidence: 0.99767154

 $00:22:21.859 \longrightarrow 00:22:22.900$ that are starting to show

NOTE Confidence: 0.99767154

 $00:22:22.900 \longrightarrow 00:22:23.400$ promise

NOTE Confidence: 0.97913563

00:22:23.940 --> 00:22:25.880 in esophageal cancer. So, again,

NOTE Confidence: 0.9957046

 $00:22:26.740 \longrightarrow 00:22:27.800$ trying to address

NOTE Confidence: 0.99610895

00:22:28.125 --> 00:22:29.805 the cancer we can't see

NOTE Confidence: 0.99610895

 $00:22:29.805 \longrightarrow 00:22:31.405$ on CT scans and PET

NOTE Confidence: 0.99610895

00:22:31.405 --> 00:22:33.185 scans, the microscopic cancer,

NOTE Confidence: 0.9705448

 $00:22:34.125 \longrightarrow 00:22:34.625$ using

NOTE Confidence: 0.9905407

 $00:22:35.005 \longrightarrow 00:22:36.145$ the novel treatments

NOTE Confidence: 0.9944702

00:22:36.605 --> 00:22:38.045 is showing great promise in

 $00:22:38.045 \longrightarrow 00:22:40.365$ esophageal cancer as well.

NOTE Confidence: 0.9944702

 $00:22:40.365 \longrightarrow 00:22:40.865$ immunotherapy,

NOTE Confidence: 0.9051027

00:22:42.160 --> 00:22:43.460 presumably with chemotherapy,

NOTE Confidence: 0.9789028

 $00:22:44.080 \longrightarrow 00:22:45.600$ is now a standard for

NOTE Confidence: 0.9789028

 $00:22:45.600 \longrightarrow 00:22:47.780$ many patients with esophageal cancer?

NOTE Confidence: 0.95715183

 $00:22:48.240 \longrightarrow 00:22:49.300$ For many patients.

NOTE Confidence: 0.97842306

 $00:22:49.680 \longrightarrow 00:22:51.359$ Not all, but for

NOTE Confidence: 0.97842306

 $00:22:51.359 \longrightarrow 00:22:53.119$ many patients. I think because

NOTE Confidence: 0.97842306

 $00:22:53.119 \longrightarrow 00:22:54.740$ there's less of them,

NOTE Confidence: 0.9795394

 $00:22:55.359 \longrightarrow 00:22:57.220$ than than, say, lung cancer,

NOTE Confidence: 0.9982581

 $00{:}22{:}57.734 \dashrightarrow 00{:}22{:}59.655$ we're still trying to learn

NOTE Confidence: 0.9982581

 $00:22:59.655 \longrightarrow 00:23:01.115$ who would be best served,

NOTE Confidence: 0.9891627

 $00:23:01.655 \longrightarrow 00:23:03.655$ by these by immunotherapy and

NOTE Confidence: 0.9891627

 $00:23:03.655 \longrightarrow 00:23:04.535$ some of the more novel

NOTE Confidence: 0.9891627

 $00:23:04.535 \longrightarrow 00:23:05.035$ treatments.

NOTE Confidence: 0.99833506

 $00:23:05.655 \longrightarrow 00:23:06.775$ And what are the kinds

 $00:23:06.775 \longrightarrow 00:23:08.555$ of problems people with esophageal

NOTE Confidence: 0.99833506

 $00:23:08.775 \longrightarrow 00:23:10.555$ cancer have after surgery?

NOTE Confidence: 0.9711858

 $00:23:11.335 \longrightarrow 00:23:13.160$ Well, if you have

NOTE Confidence: 0.9711858

 $00:23:13.160 \longrightarrow 00:23:14.700$ your esophagus

NOTE Confidence: 0.9985042

 $00:23:15.560 \longrightarrow 00:23:17.100$ removed and reconstructed,

NOTE Confidence: 0.9768915

 $00:23:18.040 \longrightarrow 00:23:19.500$ the biggest thing is

 $00:23:22.119 \longrightarrow 00:23:23.880$ everybody walks around with about

NOTE Confidence: 0.98340935

 $00:23:23.880 \longrightarrow 00:23:25.080$ a Coke cans worth of

NOTE Confidence: 0.98340935

00:23:25.080 --> 00:23:26.760 fluid in your stomach, which

NOTE Confidence: 0.98340935

 $00:23:26.760 \longrightarrow 00:23:28.595$ is now in your chest

NOTE Confidence: 0.98340935

 $00:23:28.734 \longrightarrow 00:23:29.934$ as opposed to your belly.

NOTE Confidence: 0.98340935

 $00:23:29.934 \longrightarrow 00:23:31.054$ And so that means that

NOTE Confidence: 0.98340935

00:23:31.054 --> 00:23:32.275 you can't lie flat.

NOTE Confidence: 0.9949649

 $00:23:32.655 \longrightarrow 00:23:33.615$ Now we have

NOTE Confidence: 0.98980176

 $00:23:34.015 \longrightarrow 00:23:35.075$ people that

NOTE Confidence: 0.99790764

00:23:36.095 --> 00:23:37.475 are competitive triathletes,

 $00:23:38.095 \longrightarrow 00:23:40.115$ people who swim, and

00:23:41.970 --> 00:23:43.330 I have a woman who

NOTE Confidence: 0.8575806

 $00:23:43.330 \longrightarrow 00:23:43.830$ bikes

NOTE Confidence: 0.9841523

 $00:23:44.690 \longrightarrow 00:23:45.430$ in Europe.

NOTE Confidence: 0.9867567

 $00:23:45.970 \longrightarrow 00:23:46.770$ Actually, we have a lot

NOTE Confidence: 0.9867567

 $00:23:46.770 \longrightarrow 00:23:47.410$ of bikers.

NOTE Confidence: 0.950343

00:23:48.210 --> 00:23:49.730 So you can get back

NOTE Confidence: 0.950343

 $00:23:49.730 \longrightarrow 00:23:51.590$ to a very normal

NOTE Confidence: 0.9972326

 $00:23:52.050 \longrightarrow 00:23:53.330$ quality of life, but there

NOTE Confidence: 0.9972326

 $00:23:53.330 \longrightarrow 00:23:54.310$ are some considerations,

NOTE Confidence: 0.99649227

 $00:23:55.010 \longrightarrow 00:23:56.555$ for sure. And so do

NOTE Confidence: 0.99649227

 $00:23:56.555 \longrightarrow 00:23:57.695$ people have to sleep

NOTE Confidence: 0.99579334

 $00:23:58.075 \longrightarrow 00:23:59.055$ on an incline?

NOTE Confidence: 0.98874706

 $00:23:59.755 \longrightarrow 00:24:00.955$ Yeah. So you have to

NOTE Confidence: 0.98874706

 $00:24:00.955 \longrightarrow 00:24:01.455$ sleep

NOTE Confidence: 0.98196065

 $00:24:02.075 \longrightarrow 00:24:02.875$ with your head of the

 $00:24:02.875 \longrightarrow 00:24:03.935$ bed thirty degrees,

NOTE Confidence: 0.99939567

 $00:24:04.715 \longrightarrow 00:24:05.915$ either with a wedge or

NOTE Confidence: 0.99939567

 $00:24:05.915 \longrightarrow 00:24:07.055$ a mechanical bed.

NOTE Confidence: 0.98154986

 $00:24:07.675 \longrightarrow 00:24:09.275$ And if not, the problem

NOTE Confidence: 0.98154986

 $00:24:09.275 \longrightarrow 00:24:11.130$ is that there's aspiration

NOTE Confidence: 0.98154986

 $00:24:11.130 \longrightarrow 00:24:12.670$ of fluid into your lungs.

NOTE Confidence: 0.96345603

 $00:24:12.970 \longrightarrow 00:24:14.810$ There's no valve

NOTE Confidence: 0.96345603

 $00{:}24{:}14.810 \to 00{:}24{:}16.730$ anymore that separates the stomach

NOTE Confidence: 0.96345603

 $00:24:16.730 \longrightarrow 00:24:17.850$ from the esophagus. So if

NOTE Confidence: 0.96345603

 $00:24:17.850 \longrightarrow 00:24:19.050$ you were to lie completely

NOTE Confidence: 0.96345603

 $00:24:19.050 \longrightarrow 00:24:21.210$ flat, that Coke cans worth

NOTE Confidence: 0.96345603

 $00:24:21.210 \longrightarrow 00:24:22.650$ of fluid can go

NOTE Confidence: 0.96345603

 $00{:}24{:}22.650 \dashrightarrow 00{:}24{:}23.609$ into the back of your

NOTE Confidence: 0.96345603

00:24:23.609 --> 00:24:24.810 mouth and you could choke

NOTE Confidence: 0.96345603

 $00:24:24.810 \longrightarrow 00:24:25.845$ on it. And so

 $00:24:25.845 \longrightarrow 00:24:27.525$ it's really an important thing

NOTE Confidence: 0.96345603

00:24:27.525 --> 00:24:29.045 that you keep your head

NOTE Confidence: 0.96345603

 $00:24:29.045 \longrightarrow 00:24:29.945$ of bed elevated

NOTE Confidence: 0.969969

 $00:24:30.325 \longrightarrow 00:24:31.685$ at all times. It sounds

NOTE Confidence: 0.969969

00:24:31.685 --> 00:24:33.305 like a challenge for biomedical

NOTE Confidence: 0.969969

 $00:24:33.605 \longrightarrow 00:24:34.105$ engineers.

NOTE Confidence: 0.9995749

 $00:24:35.445 \longrightarrow 00:24:37.125$ Well, I think there's

NOTE Confidence: 0.9995749

 $00:24:37.125 \longrightarrow 00:24:38.105$ a lot of opportunities

NOTE Confidence: 0.9731658

 $00:24:38.405 \longrightarrow 00:24:39.845$ for innovation, and I think that

NOTE Confidence: 0.9728127

 $00:24:43.590 \longrightarrow 00:24:45.350$ both in the engineering world, but

NOTE Confidence: 0.9728127

 $00:24:45.350 \longrightarrow 00:24:46.470$ also in sort of the

NOTE Confidence: 0.9728127

 $00:24:46.470 \longrightarrow 00:24:47.910$ data science world to try

NOTE Confidence: 0.9728127

 $00:24:47.910 \longrightarrow 00:24:49.109$ to figure out who are

NOTE Confidence: 0.9728127

 $00:24:49.109 \longrightarrow 00:24:50.470$ the best people for

NOTE Confidence: 0.9728127

 $00:24:50.470 \longrightarrow 00:24:51.210$ which treatment.

NOTE Confidence: 0.9996016

 $00:24:51.750 \longrightarrow 00:24:52.250$ Sure.

 $00:24:54.085 \longrightarrow 00:24:55.125$ Can we talk a little

NOTE Confidence: 0.9927456

 $00{:}24{:}55.125 \dashrightarrow 00{:}24{:}57.144$ bit about lung cancer screening?

NOTE Confidence: 0.98826236

 $00:24:57.605 \longrightarrow 00:24:58.725$ I had promised to do

NOTE Confidence: 0.98826236

 $00:24:58.725 \longrightarrow 00:25:00.164$ that on a

NOTE Confidence: 0.98826236

00:25:00.164 --> 00:25:00.664 previous

NOTE Confidence: 0.93468654

00:25:01.605 --> 00:25:03.625 episode or previous show

00:25:05.779 --> 00:25:07.059 and we didn't quite get

NOTE Confidence: 0.99455506

 $00:25:07.059 \longrightarrow 00:25:08.659$ into all the details that

NOTE Confidence: 0.99455506

 $00:25:08.659 \longrightarrow 00:25:10.519$ I had hoped to.

NOTE Confidence: 0.99511886

00:25:10.899 --> 00:25:11.399 But,

NOTE Confidence: 0.99868757

 $00:25:11.859 \longrightarrow 00:25:13.720$ lung cancer screening is potentially

NOTE Confidence: 0.9025917

00:25:14.580 --> 00:25:15.480 really lifesaving,

NOTE Confidence: 0.9927233

00:25:15.859 --> 00:25:17.240 potentially very important.

NOTE Confidence: 0.9994354

00:25:18.419 --> 00:25:20.600 Yeah. So lung cancer screening

NOTE Confidence: 0.975888

 $00:25:21.234 \longrightarrow 00:25:22.135$ in my lifetime

NOTE Confidence: 0.99392086

 $00{:}25{:}22.514 \dashrightarrow 00{:}25{:}24.514$ will probably be the single

 $00:25:24.514 \longrightarrow 00:25:25.654$ most impactful

NOTE Confidence: 0.8831495

00:25:26.755 --> 00:25:27.734 medical discovery

NOTE Confidence: 0.9673876

00:25:28.115 --> 00:25:29.794 for the cancers I treat.

NOTE Confidence: 0.9673876

 $00:25:29.794 \longrightarrow 00:25:30.934$ Lung cancer screening

NOTE Confidence: 0.99372405

 $00{:}25{:}31.554 \dashrightarrow 00{:}25{:}33.394$ reduces a person's chances of

NOTE Confidence: 0.99372405

 $00:25:33.394 \longrightarrow 00:25:35.014$ dying of lung cancer by

NOTE Confidence: 0.9589689

 $00:25:35.315 \longrightarrow 00:25:36.615$ more than twenty percent.

NOTE Confidence: 0.9674792

 $00{:}25{:}37.850 \to 00{:}25{:}39.630$ It's a CT scan

NOTE Confidence: 0.9674792

 $00:25:39.770 \longrightarrow 00:25:40.510$ that happens

NOTE Confidence: 0.9999552

 $00:25:41.290 \longrightarrow 00:25:42.110$ once a year

NOTE Confidence: 0.9929058

 $00:25:42.490 \longrightarrow 00:25:44.410$ and looks for anything that

NOTE Confidence: 0.9929058

 $00:25:44.410 \longrightarrow 00:25:46.090$ could be a precancer or

NOTE Confidence: 0.9929058

 $00:25:46.090 \longrightarrow 00:25:46.750$ a cancer,

NOTE Confidence: 0.99546635

 $00:25:47.770 \longrightarrow 00:25:48.890$ and then leads to the

NOTE Confidence: 0.99546635

 $00:25:48.890 \longrightarrow 00:25:50.110$ various evaluations.

 $00:25:51.315 \longrightarrow 00:25:52.755$ For reasons that we don't

NOTE Confidence: 0.99912566

00:25:52.755 --> 00:25:53.655 fully understand,

NOTE Confidence: 0.98682684

 $00:25:54.835 \longrightarrow 00:25:56.115$ only about ten percent of

NOTE Confidence: 0.98682684

 $00:25:56.115 \longrightarrow 00:25:57.494$ the people who are eligible

NOTE Confidence: 0.98682684

 $00:25:57.554 \longrightarrow 00:25:58.674$ for screening, so those are

NOTE Confidence: 0.98682684

 $00:25:58.674 \longrightarrow 00:26:00.595$ people who are fifty years

NOTE Confidence: 0.98682684

 $00:26:00.595 \longrightarrow 00:26:02.609$ or older and who've smoked

NOTE Confidence: 0.97104245

 $00:26:04.850 \longrightarrow 00:26:06.130$ only about ten percent of

NOTE Confidence: 0.97104245

 $00:26:06.130 \longrightarrow 00:26:07.270$ the people who are eligible

NOTE Confidence: 0.98502946

00:26:07.650 --> 00:26:08.630 actually participate.

NOTE Confidence: 0.9905908

00:26:10.049 --> 00:26:11.570 We've tried to understand why

NOTE Confidence: 0.9905908

 $00:26:11.570 \longrightarrow 00:26:13.010$ this is, and we've done

NOTE Confidence: 0.9905908

00:26:13.010 --> 00:26:15.109 some research here at Yale.

NOTE Confidence: 0.9905908

 $00:26:15.394 \longrightarrow 00:26:16.274$ One of the things we

NOTE Confidence: 0.9905908

 $00:26:16.274 \longrightarrow 00:26:17.475$ found that was a bit

NOTE Confidence: 0.97961754

 $00:26:17.955 \longrightarrow 00:26:19.794$ surprising is that the

00:26:19.794 --> 00:26:22.034 primary care clinician is pretty

NOTE Confidence: 0.97961754

 $00{:}26{:}22.034 \dashrightarrow 00{:}26{:}23.315$ important in the lung cancer

NOTE Confidence: 0.97961754

00:26:23.315 --> 00:26:24.294 screening process,

NOTE Confidence: 0.9985576

 $00:26:24.674 \longrightarrow 00:26:25.634$ and one out of three

NOTE Confidence: 0.9985576

00:26:25.634 --> 00:26:26.835 people in the United States

NOTE Confidence: 0.9985576

 $00:26:26.835 \longrightarrow 00:26:27.875$ does not actually have a

NOTE Confidence: 0.9985576

00:26:27.875 --> 00:26:29.095 primary care clinician.

NOTE Confidence: 0.9698511

 $00:26:30.200 \longrightarrow 00:26:31.820$ We tried to call hospitals

NOTE Confidence: 0.9698511

 $00:26:31.880 \longrightarrow 00:26:32.840$ to see if they could

NOTE Confidence: 0.9698511

00:26:32.840 --> 00:26:33.980 help, and, actually,

NOTE Confidence: 0.9982801

 $00:26:34.680 \longrightarrow 00:26:35.720$ only ten percent of the

NOTE Confidence: 0.9982801

00:26:35.720 --> 00:26:37.080 hospitals can actually help if

NOTE Confidence: 0.9982801

 $00:26:37.080 \longrightarrow 00:26:38.359$ you call them directly. And

NOTE Confidence: 0.9982801 00:26:38.359 --> 00:26:38.859 so NOTE Confidence: 0.98032266

 $00:26:39.160 \longrightarrow 00:26:40.460$ we're working with the

 $00:26:41.925 \longrightarrow 00:26:43.145$ big organizations

NOTE Confidence: 0.99958354

 $00:26:43.445 \longrightarrow 00:26:44.965$ and primary care clinicians to try

 $00:26:46.085 \longrightarrow 00:26:48.245$ to alleviate that barrier

NOTE Confidence: 0.9909456

 $00:26:48.245 \longrightarrow 00:26:49.685$ to screening. But I also

NOTE Confidence: 0.9909456

 $00:26:49.685 \longrightarrow 00:26:50.425$ think patients $00:26:52.165 \longrightarrow 00:26:52.905$ have legitimate

NOTE Confidence: 0.8893442

 $00:26:53.765 \longrightarrow 00:26:55.525$ concerns about screening.

 $00:26:56.850 \longrightarrow 00:26:58.230$ a lot of people feel

NOTE Confidence: 0.9625495

 $00:26:58.690 \longrightarrow 00:27:00.050$ that there's no hope if

NOTE Confidence: 0.9625495

 $00{:}27{:}00.050 \longrightarrow 00{:}27{:}01.970$ you find things. Nobody wants

NOTE Confidence: 0.9625495

 $00:27:01.970 \longrightarrow 00:27:03.090$ to look for something you

NOTE Confidence: 0.9625495

 $00:27:03.090 \longrightarrow 00:27:04.070$ don't wanna find.

 $00{:}27{:}06.690 \to 00{:}27{:}07.970$ But I think that when

NOTE Confidence: 0.9986123

00:27:07.970 --> 00:27:09.510 you participate in screening,

NOTE Confidence: 0.99612397

 $00{:}27{:}09.925 \dashrightarrow 00{:}27{:}11.465$ you're gonna find a cancer

NOTE Confidence: 0.99612397

 $00:27:11.525 \longrightarrow 00:27:12.505$ at its earliest

NOTE Confidence: 0.9965995

 $00:27:12.805 \longrightarrow 00:27:14.125$ stage when the treatment is

NOTE Confidence: 0.9965995

 $00:27:14.125 \longrightarrow 00:27:15.465$ a lot easier on you.

 $00:27:15.525 \longrightarrow 00:27:16.965$ And so I do think

NOTE Confidence: 0.9965995

 $00{:}27{:}16.965 \dashrightarrow 00{:}27{:}17.465 \text{ that}$

NOTE Confidence: 0.98863804

 $00:27:18.085 \longrightarrow 00:27:19.225$ it's such an important thing.

NOTE Confidence: 0.99248654

 $00:27:21.045 \longrightarrow 00:27:22.565$ And anybody who's

NOTE Confidence: 0.99248654

 $00:27:22.565 \longrightarrow 00:27:23.445$ listening to this, if you

NOTE Confidence: 0.99248654

 $00:27:23.445 \longrightarrow 00:27:24.965$ know somebody who's fifty years

NOTE Confidence: 0.99248654

 $00:27:24.965 \longrightarrow 00:27:26.380$ or older and has a

NOTE Confidence: 0.99248654

 $00:27:26.380 \longrightarrow 00:27:27.440$ history of smoking,

NOTE Confidence: 0.978003

 $00:27:28.460 \longrightarrow 00:27:29.900$ either reach out or

NOTE Confidence: 0.978003

 $00:27:30.059 \longrightarrow 00:27:30.859$ have them reach out to

NOTE Confidence: 0.978003

00:27:30.859 --> 00:27:32.320 their primary or call us 00:27:36.059 --> 00:27:36.940 and we can hook you

NOTE Confidence: 0.98597693

 $00:27:36.940 \longrightarrow 00:27:38.080$ up with screening.

NOTE Confidence: 0.9988217

 $00:27:38.655 \longrightarrow 00:27:39.615$ And do you think some

NOTE Confidence: 0.9988217

00:27:39.615 --> 00:27:41.455 primary care doctors just don't

NOTE Confidence: 0.9988217

 $00:27:41.455 \longrightarrow 00:27:42.835$ buy into it yet?

 $00:27:44.975 \longrightarrow 00:27:46.175$ There was a recent study.

NOTE Confidence: 0.98564005

00:27:46.175 --> 00:27:47.715 And I've had conversations

NOTE Confidence: 0.9668823500:27:48.095 --> 00:27:48.415 with

NOTE Confidence: 0.9852541

 $00:27:49.295 \longrightarrow 00:27:50.735$ leaders of the primary care

NOTE Confidence: 0.9852541

 $00:27:50.735 \longrightarrow 00:27:51.235$ organizations,

NOTE Confidence: 0.9773337

 $00:27:51.799 \longrightarrow 00:27:52.919$ and there's just such a

NOTE Confidence: 0.9773337

00:27:52.919 --> 00:27:54.539 shortage of primary care

NOTE Confidence: 0.9751307

 $00:27:55.080 \longrightarrow 00:27:57.080$ clinicians right now that

NOTE Confidence: 0.9751307

00:27:57.080 --> 00:27:58.520 if you had a primary

NOTE Confidence: 0.9751307

 $00:27:58.520 \longrightarrow 00:28:00.299$ care clinician do everything

NOTE Confidence: 0.98290986

 $00{:}28{:}00.679 \dashrightarrow 00{:}28{:}02.359$ that's recommended as a best

NOTE Confidence: 0.98290986

00:28:02.359 --> 00:28:02.859 practice,

NOTE Confidence: 0.994935

 $00:28:03.400 \longrightarrow 00:28:04.600$ they would have to work

NOTE Confidence: 0.994935

00:28:04.600 --> 00:28:05.640 eight or nine days a

NOTE Confidence: 0.994935

 $00:28:05.640 \longrightarrow 00:28:07.260$ week, which is obviously impossible.

 $00:28:08.425 \longrightarrow 00:28:09.965$ I think that

 $00:28:10.425 \longrightarrow 00:28:11.065$ a lot of the

NOTE Confidence: 0.9646787

 $00:28:11.065 \longrightarrow 00:28:11.565$ primaries

NOTE Confidence: 0.9886253

 $00:28:13.225 \longrightarrow 00:28:14.825$ trust that the screening works.

NOTE Confidence: 0.9886253

00:28:14.825 --> 00:28:16.445 It's just they're so overwhelmed

NOTE Confidence: 0.9886253

 $00:28:16.665 \longrightarrow 00:28:17.785$ in many parts of the

NOTE Confidence: 0.9886253

00:28:17.785 --> 00:28:19.705 country. They just don't have

NOTE Confidence: 0.9886253

 $00:28:19.705 \longrightarrow 00:28:20.445$ the bandwidth

NOTE Confidence: 0.9940479

 $00:28:21.150 \longrightarrow 00:28:22.670$ to chase down all of

NOTE Confidence: 0.9940479

 $00:28:22.670 \longrightarrow 00:28:23.470$ these things. So I do

NOTE Confidence: 0.9940479

 $00:28:23.470 \longrightarrow 00:28:24.910$ think it's a

NOTE Confidence: 0.9940479

00:28:24.910 --> 00:28:25.410 responsibility

NOTE Confidence: 0.99315554

 $00:28:25.710 \longrightarrow 00:28:26.910$ that we have to put

NOTE Confidence: 0.99315554

 $00:28:26.910 \longrightarrow 00:28:28.990$ on patients as well

NOTE Confidence: 0.99315554

 $00:28:28.990 \longrightarrow 00:28:30.050$ as their primaries,

NOTE Confidence: 0.99816704

 $00:28:30.670 \longrightarrow 00:28:32.290$ because it's so powerful,

NOTE Confidence: 0.9719356

 $00:28:33.150 \longrightarrow 00:28:34.190$ and such an

 $00:28:34.190 \longrightarrow 00:28:35.924$ important thing to do.

NOTE Confidence: 0.9719356

 $00:28:35.924 \longrightarrow 00:28:37.365$ Dr. Dan Boffa is a professor

NOTE Confidence: 0.9719356

 $00:28:37.365 \longrightarrow 00:28:38.965$ of thoracic surgery at the

NOTE Confidence: 0.9719356

 $00:28:38.965 \longrightarrow 00:28:40.184$ Yale School of Medicine.

NOTE Confidence: 0.9623063

 $00:28:40.804 \longrightarrow 00:28:42.085$ If you have questions, the

NOTE Confidence: 0.9623063

 $00:28:42.085 \longrightarrow 00:28:43.765$ address is cancer answers at

NOTE Confidence: 0.9623063

 $00:28:43.765 \longrightarrow 00:28:45.144$ yale dot e d u,

NOTE Confidence: 0.9623063

 $00:28:45.205 \longrightarrow 00:28:46.485$ and past editions of the

NOTE Confidence: 0.9623063

 $00{:}28{:}46.485 {\: \hbox{\scriptsize -->}}\> 00{:}28{:}48.245$ program are available in audio

NOTE Confidence: 0.9623063

 $00:28:48.245 \longrightarrow 00:28:49.605$ and written form at yale

NOTE Confidence: 0.9623063

00:28:49.605 --> 00:28:51.120 cancer center dot org.

NOTE Confidence: 0.99798495

00:28:51.520 --> 00:28:52.480 We hope you'll join us

NOTE Confidence: 0.99798495

 $00{:}28{:}52.480 --> 00{:}28{:}53.600 \ \mathrm{next \ time \ to \ learn \ more}$

NOTE Confidence: 0.99798495

 $00:28:53.600 \longrightarrow 00:28:54.980$ about the fight against cancer.

NOTE Confidence: 0.96299785

 $00:28:55.440 \longrightarrow 00:28:57.200$ Funding for Yale Cancer Answers

00:28:57.200 --> 00:28:58.880 is provided by Smilow Cancer

NOTE Confidence: 0.96299785

00:28:58.880 --> 00:28:59.380 Hospital.