$00:00:00.160 \longrightarrow 00:00:01.920$ Funding for Yale Cancer Answers

NOTE Confidence: 0.9429003

 $00{:}00{:}01.920 \dashrightarrow 00{:}00{:}03.679$ is provided by Smilow Cancer

NOTE Confidence: 0.9429003

00:00:03.679 --> 00:00:04.180 Hospital.

NOTE Confidence: 0.9525311

00:00:06.160 --> 00:00:08.080 Welcome to Yale Cancer Answers

NOTE Confidence: 0.9525311

 $00:00:08.080 \longrightarrow 00:00:09.200$ with the director of the

NOTE Confidence: 0.9525311

00:00:09.200 --> 00:00:11.039 Yale Cancer Center, doctor Eric

NOTE Confidence: 0.9525311

 $00:00:11.039 \longrightarrow 00:00:11.539$ Winer.

NOTE Confidence: 0.99430835

 $00:00:12.255 \longrightarrow 00:00:14.435$ Yale Cancer Answers features conversations

NOTE Confidence: 0.9997091

 $00:00:14.735 \longrightarrow 00:00:15.475$ with oncologists

NOTE Confidence: 0.99821216

00:00:15.775 --> 00:00:16.895 and specialists who are on

NOTE Confidence: 0.99821216

 $00:00:16.895 \longrightarrow 00:00:18.095$ the forefront of the battle

NOTE Confidence: 0.99821216

 $00:00:18.095 \longrightarrow 00:00:18.995$ to fight cancer.

NOTE Confidence: 0.9909795

00:00:19.614 --> 00:00:20.994 This week, it's a conversation

NOTE Confidence: 0.9909795

 $00:00:21.055 \longrightarrow 00:00:22.255$ about the care of patients

NOTE Confidence: 0.9909795

 $00{:}00{:}22.255 \dashrightarrow 00{:}00{:}23.775$ with brain tumors with doctor

NOTE Confidence: 0.9909795

00:00:23.775 --> 00:00:24.595 James Hansen.

 $00{:}00{:}25.150 \dashrightarrow 00{:}00{:}26.770$ Doctor Hansen is an associate

NOTE Confidence: 0.9949629

 $00:00:26.829 \longrightarrow 00:00:28.990$ professor of the rapeutic radiology at

NOTE Confidence: 0.9949629

 $00:00:28.990 \longrightarrow 00:00:30.289$ the Yale School of Medicine.

NOTE Confidence: 0.8924776

 $00:00:30.830 \longrightarrow 00:00:31.970$ Here's doctor Winer.

NOTE Confidence: 0.998027

 $00{:}00{:}33.150 \dashrightarrow 00{:}00{:}34.350$ How did you get interested

NOTE Confidence: 0.998027

 $00:00:34.350 \longrightarrow 00:00:35.650$ in radiation oncology?

NOTE Confidence: 0.97131485

 $00:00:36.750 \longrightarrow 00:00:38.715$ That goes back

NOTE Confidence: 0.97131485

 $00:00:38.955 \longrightarrow 00:00:40.395$ way back to when I

NOTE Confidence: 0.97131485

 $00:00:40.395 \longrightarrow 00:00:41.935$ was a kid growing up,

NOTE Confidence: 0.97131485

 $00:00:42.075 \longrightarrow 00:00:42.875$ and I was a big

NOTE Confidence: 0.97131485

 $00:00:42.875 \longrightarrow 00:00:44.795$ fan of Marvel comic books.

NOTE Confidence: 0.97131485

 $00:00:44.795 \longrightarrow 00:00:46.575$ And if anybody remembers those,

NOTE Confidence: 0.97131485

 $00{:}00{:}46.795 \dashrightarrow 00{:}00{:}48.235$ all those superheroes got their

NOTE Confidence: 0.97131485

 $00:00:48.235 \longrightarrow 00:00:50.795$ powers from radiation. Spiderman

NOTE Confidence: 0.97131485

 $00:00:50.795 \longrightarrow 00:00:51.595$ was bitten by a

00:00:51.595 --> 00:00:52.655 radioactive spider.

NOTE Confidence: 0.98017657

 $00{:}00{:}53.229 \dashrightarrow 00{:}00{:}54.750$ The Incredible Hulk was bombarded

NOTE Confidence: 0.98017657

 $00:00:54.750 \longrightarrow 00:00:55.650$ with gamma rays.

NOTE Confidence: 0.9639507

 $00:00:56.110 \longrightarrow 00:00:57.710$ I figured, who wouldn't want

NOTE Confidence: 0.9639507

 $00:00:57.710 \longrightarrow 00:00:58.670$ to have a career in

NOTE Confidence: 0.9639507

 $00:00:58.670 \longrightarrow 00:00:59.730$ radiation?

NOTE Confidence: 0.94078064

00:01:00.270 --> 00:01:01.170 So, unfortunately,

NOTE Confidence: 0.9753599

 $00:01:01.710 \longrightarrow 00:01:02.910$ I've been a radiation doctor

NOTE Confidence: 0.9753599

 $00{:}01{:}02.910 --> 00{:}01{:}04.350$ for years now, and I'm

NOTE Confidence: 0.9753599

 $00:01:04.350 \longrightarrow 00:01:05.229$ here to tell you, those

NOTE Confidence: 0.9753599

 $00{:}01{:}05.229 \dashrightarrow 00{:}01{:}07.145$ comics are actually fiction. I've

NOTE Confidence: 0.9753599

 $00:01:07.145 \longrightarrow 00:01:08.524$ not yet seen anybody

NOTE Confidence: 0.95083207

 $00:01:08.825 \longrightarrow 00:01:10.524$ exposed to radiation get superpowers.

NOTE Confidence: 0.9654531

 $00:01:11.384 \longrightarrow 00:01:12.825$ But I have witnessed some

NOTE Confidence: 0.9654531

 $00:01:12.825 \longrightarrow 00:01:14.685$ incredible courage in our patients.

NOTE Confidence: 0.9654531

 $00:01:14.744 \longrightarrow 00:01:15.545$ And I would say those

 $00{:}01{:}15.545 \dashrightarrow 00{:}01{:}16.905$ are the real superheroes for

NOTE Confidence: 0.9654531

 $00{:}01{:}16.905 --> 00{:}01{:}17.405$ sure.

NOTE Confidence: 0.99841857

 $00:01:17.784 \longrightarrow 00:01:18.825$ Why don't you tell us

NOTE Confidence: 0.99841857

 $00:01:18.825 \longrightarrow 00:01:19.725$ a little bit

NOTE Confidence: 0.9993837

 $00:01:20.300 \longrightarrow 00:01:20.800$ about

NOTE Confidence: 0.9002139

 $00:01:21.420 \longrightarrow 00:01:23.360$ gamma knife? What is this?

NOTE Confidence: 0.99228925

 $00:01:23.740 \longrightarrow 00:01:25.360$ It's a form of radiation.

NOTE Confidence: 0.99228925

 $00:01:25.500 \longrightarrow 00:01:26.220$ I think a lot of

NOTE Confidence: 0.99228925

 $00:01:26.220 \longrightarrow 00:01:27.500$ people know that, but they

NOTE Confidence: 0.99228925

 $00:01:27.500 \longrightarrow 00:01:28.700$ don't know much in the

NOTE Confidence: 0.99228925

 $00:01:28.700 \longrightarrow 00:01:30.480$ way of specifics and

NOTE Confidence: 0.99568367

 $00:01:30.780 \longrightarrow 00:01:32.060$ where we might use it

NOTE Confidence: 0.99568367

 $00{:}01{:}32.060 \dashrightarrow 00{:}01{:}33.820$ and where we wouldn't use it.

 $00:01:34.715 \longrightarrow 00:01:36.895$ I absolutely

NOTE Confidence: 0.9661934

 $00:01:37.034 \longrightarrow 00:01:38.235$ love the Gamma Knife. I

NOTE Confidence: 0.9661934

 $00{:}01{:}38.235 \dashrightarrow 00{:}01{:}39.775$ think it's a fantastic machine.

00:01:40.395 --> 00:01:41.615 I have just one

NOTE Confidence: 0.98575765

00:01:41.915 --> 00:01:43.194 problem with it, and that

NOTE Confidence: 0.98575765

 $00:01:43.194 \longrightarrow 00:01:45.034$ is its name. I wish

NOTE Confidence: 0.98575765

 $00:01:45.034 \longrightarrow 00:01:45.915$ for all the world it

NOTE Confidence: 0.98575765

 $00:01:45.915 \longrightarrow 00:01:46.875$ would not have included the

NOTE Confidence: 0.98575765

 $00:01:46.875 \longrightarrow 00:01:48.940$ word knife because that scares

NOTE Confidence: 0.98575765

 $00:01:48.940 \longrightarrow 00:01:50.140$ all of our patients. There

NOTE Confidence: 0.98575765

 $00:01:50.140 \longrightarrow 00:01:51.660$ is no knife involved. It's

NOTE Confidence: 0.98575765

00:01:51.660 --> 00:01:52.400 just a machine

NOTE Confidence: 0.999762

 $00:01:52.700 \longrightarrow 00:01:54.060$ that is designed to give

NOTE Confidence: 0.999762

 $00:01:54.060 \longrightarrow 00:01:54.560$ radiation

NOTE Confidence: 0.9008353

00:01:54.940 --> 00:01:56.800 extremely accurately and, specifically,

NOTE Confidence: 0.9955757

 $00:01:57.580 \longrightarrow 00:01:59.360$ extremely accurately in the brain.

NOTE Confidence: 0.9724441

00:01:59.675 --> 00:02:00.475 And when we're talking about

NOTE Confidence: 0.9724441

 $00:02:00.475 \longrightarrow 00:02:02.555$ the brain, accuracy is literally

 $00:02:02.555 \longrightarrow 00:02:04.895$ everything because we're using radiation

NOTE Confidence: 0.9724441

 $00{:}02{:}04.955 \dashrightarrow 00{:}02{:}06.395$ to kill things, which is

NOTE Confidence: 0.9724441

 $00:02:06.395 \longrightarrow 00:02:07.835$ good for tumors, but not

NOTE Confidence: 0.9724441

 $00:02:07.835 \longrightarrow 00:02:09.375$ great for normal tissue cells.

NOTE Confidence: 0.9893357

00:02:09.675 --> 00:02:10.635 A gamma knife can get

NOTE Confidence: 0.9893357

 $00:02:10.635 \longrightarrow 00:02:11.435$ us to less than a

NOTE Confidence: 0.9893357

 $00:02:11.435 \longrightarrow 00:02:12.555$ tenth of a millimeter of

NOTE Confidence: 0.9893357

 $00:02:12.555 \longrightarrow 00:02:14.070$ error in our targeting.

NOTE Confidence: 0.9893357

 $00:02:14.150 \longrightarrow 00:02:15.030$ We can leave

NOTE Confidence: 0.9893357

 $00:02:15.030 \longrightarrow 00:02:15.830$ the rest of the normal

NOTE Confidence: 0.9893357

 $00{:}02{:}15.830 \dashrightarrow 00{:}02{:}16.650$ brain alone.

NOTE Confidence: 0.9966901

 $00:02:17.430 \longrightarrow 00:02:18.550$ We do that with a

NOTE Confidence: 0.9966901

 $00:02:18.550 \longrightarrow 00:02:19.670$ combination of a 3D

NOTE Confidence: 0.9966901

 $00:02:19.670 \longrightarrow 00:02:20.870$ targeting box that goes on

NOTE Confidence: 0.9966901

 $00:02:20.870 \longrightarrow 00:02:21.930$ the patient's head,

NOTE Confidence: 0.9977837

 $00{:}02{:}22.470 \dashrightarrow 00{:}02{:}24.630$ some complex MRI imaging, and

 $00:02:24.630 \longrightarrow 00:02:26.410$ then some very sophisticated arrangements

NOTE Confidence: 0.9977837

 $00:02:26.470 \longrightarrow 00:02:27.290$ of some actual

NOTE Confidence: 0.9721195

 $00:02:27.745 \longrightarrow 00:02:29.985$ radioactive sources that give a

NOTE Confidence: 0.9721195

 $00{:}02{:}29.985 \dashrightarrow 00{:}02{:}30.945$ hundred and ninety two beams

NOTE Confidence: 0.9721195

 $00:02:30.945 \longrightarrow 00:02:32.145$ to one little tiny dot

NOTE Confidence: 0.9721195

 $00:02:32.145 \longrightarrow 00:02:32.805$ in space.

NOTE Confidence: 0.9766665

 $00:02:33.264 \longrightarrow 00:02:34.145$ And so we can position

NOTE Confidence: 0.9766665

 $00:02:34.145 \longrightarrow 00:02:35.105$ the patient so that one

NOTE Confidence: 0.9766665

00:02:35.105 --> 00:02:36.545 little dot is right where

NOTE Confidence: 0.9766665

 $00:02:36.545 \longrightarrow 00:02:37.825$ we want it. It's kinda

NOTE Confidence: 0.9766665

00:02:37.825 --> 00:02:39.985 like painting by pointillism, where

NOTE Confidence: 0.9766665

 $00:02:39.985 \longrightarrow 00:02:41.200$ you just dot dot dot

NOTE Confidence: 0.9766665

 $00{:}02{:}41.200 --> 00{:}02{:}42.239$ dot dot to cover your

NOTE Confidence: 0.9766665

 $00:02:42.239 \longrightarrow 00:02:43.440$ target, and you leave the

NOTE Confidence: 0.9766665

 $00:02:43.440 \longrightarrow 00:02:44.819$ rest of the brain alone.

 $00:02:44.959 \longrightarrow 00:02:46.099$ We call those shots.

NOTE Confidence: 0.9620072

00:02:46.480 --> 00:02:48.639 So you can target very

NOTE Confidence: 0.9620072

 $00:02:48.639 \longrightarrow 00:02:49.620$ small tumors.

NOTE Confidence: 0.9755042

 $00:02:50.160 \longrightarrow 00:02:51.440$ The smaller, the

NOTE Confidence: 0.9755042

 $00:02:51.440 \longrightarrow 00:02:53.060$ better. We love small. Yes.

NOTE Confidence: 0.9996062

 $00{:}02{:}53.360 \mathrel{--}{>} 00{:}02{:}53.860$ And

NOTE Confidence: 0.99601436

 $00{:}02{:}54.385 \dashrightarrow 00{:}02{:}55.905$ what's the largest tumor you

NOTE Confidence: 0.99601436

 $00:02:55.905 \longrightarrow 00:02:57.264$ can target with a gamma

NOTE Confidence: 0.99601436

00:02:57.264 --> 00:02:57.764 knife?

NOTE Confidence: 0.917902

 $00:02:58.385 \longrightarrow 00:02:59.764$ There's no limit,

NOTE Confidence: 0.9988459

00:03:00.465 --> 00:03:01.925 but the larger the tumor,

NOTE Confidence: 0.98701614

 $00:03:02.305 \longrightarrow 00:03:03.425$ the greater the volume of

NOTE Confidence: 0.98701614

 $00{:}03{:}03.425 \dashrightarrow 00{:}03{:}04.545$ normal brain around it that

NOTE Confidence: 0.98701614

 $00:03:04.545 \longrightarrow 00:03:05.505$ is getting hit by some

NOTE Confidence: 0.98701614

 $00:03:05.505 \longrightarrow 00:03:06.545$ degree of radiation. So we

NOTE Confidence: 0.98701614

 $00:03:06.545 \longrightarrow 00:03:07.025$ have to be a little

 $00:03:07.025 \longrightarrow 00:03:08.520$ bit careful. We've got ways

NOTE Confidence: 0.98701614

 $00:03:08.520 \longrightarrow 00:03:09.320$ that we can deal with

NOTE Confidence: 0.98701614

 $00:03:09.320 \longrightarrow 00:03:10.760$ that by adjusting our dose

NOTE Confidence: 0.98701614

 $00:03:10.760 \longrightarrow 00:03:11.960$ or maybe having the patient

NOTE Confidence: 0.98701614

 $00:03:11.960 \longrightarrow 00:03:13.320$ come back for a couple

NOTE Confidence: 0.98701614

 $00{:}03{:}13.320 \dashrightarrow 00{:}03{:}14.520$ treatments instead of doing it

NOTE Confidence: 0.98701614

 $00:03:14.520 \longrightarrow 00:03:15.800$ all in one day. So

NOTE Confidence: 0.98701614

 $00:03:15.800 \longrightarrow 00:03:17.160$ there's no real limit,

NOTE Confidence: 0.98701614

 $00:03:17.160 \longrightarrow 00:03:17.660$ truthfully.

NOTE Confidence: 0.92899376

 $00:03:18.760 \longrightarrow 00:03:21.004$ But, practically, when

NOTE Confidence: 0.92899376

00:03:21.004 --> 00:03:22.605 would you stop thinking about

NOTE Confidence: 0.92899376

00:03:22.605 --> 00:03:23.905 doing gamma knife

NOTE Confidence: 0.9956881

 $00{:}03{:}24.205 \dashrightarrow 00{:}03{:}25.485$ and start thinking about doing

NOTE Confidence: 0.9956881

 $00:03:25.485 \longrightarrow 00:03:27.245$ something different in terms of

NOTE Confidence: 0.9956881

 $00:03:27.245 \longrightarrow 00:03:27.745$ size?

 $00:03:28.285 \longrightarrow 00:03:29.965$ Well, it depends very much

NOTE Confidence: 0.9298716 00:03:29.965 --> 00:03:30.465 on NOTE Confidence: 0.97528577

 $00:03:30.845 \longrightarrow 00:03:31.885$ what kind of a cancer

NOTE Confidence: 0.97528577

 $00:03:31.885 \longrightarrow 00:03:33.644$ we are dealing with, because

NOTE Confidence: 0.97528577

 $00:03:33.644 \longrightarrow 00:03:34.989$ as you know, it's an

NOTE Confidence: 0.97528577

00:03:34.989 --> 00:03:36.110 entirely new world now with

NOTE Confidence: 0.97528577

 $00{:}03{:}36.110 \dashrightarrow 00{:}03{:}37.810$ targeted the rapies and such.

NOTE Confidence: 0.9988966 00:03:38.349 --> 00:03:38.849 If NOTE Confidence: 0.9961978

 $00:03:39.150 \longrightarrow 00:03:40.349$ we are worried that a

NOTE Confidence: 0.9961978

00:03:40.349 --> 00:03:41.870 cancer is spread widely throughout

NOTE Confidence: 0.9961978

 $00:03:41.870 \longrightarrow 00:03:43.069$ the brain, it's not just

NOTE Confidence: 0.9961978

 $00:03:43.069 \longrightarrow 00:03:44.690$ in the one area, then

NOTE Confidence: 0.94949293

 $00{:}03{:}45.069 \dashrightarrow 00{:}03{:}46.290$ we'll need to have conversations

NOTE Confidence: 0.94949293

00:03:46.349 --> 00:03:47.470 about perhaps we might need

NOTE Confidence: 0.94949293

 $00:03:47.470 \longrightarrow 00:03:48.750$ to revert to the standard

NOTE Confidence: 0.94949293

 $00:03:48.750 \longrightarrow 00:03:50.245$ technique of the whole brain

 $00:03:50.385 \longrightarrow 00:03:50.885$ radiation.

NOTE Confidence: 0.9702225

 $00:03:51.825 \longrightarrow 00:03:52.785$ But we try to avoid

NOTE Confidence: 0.9702225

 $00:03:52.785 \longrightarrow 00:03:53.905$ that for as long as

NOTE Confidence: 0.9702225

 $00{:}03{:}53.905 \dashrightarrow 00{:}03{:}54.944$ we can because we do

NOTE Confidence: 0.9702225

 $00:03:54.944 \longrightarrow 00:03:56.165$ have this gamma knife technology.

NOTE Confidence: 0.999329

 $00:03:57.505 \longrightarrow 00:03:58.005$ And

NOTE Confidence: 0.99842834

 $00:03:58.385 \longrightarrow 00:03:59.364$ with this technology,

NOTE Confidence: 0.9922218

00:03:59.825 --> 00:04:01.105 you can give much higher

NOTE Confidence: 0.9922218

 $00:04:01.105 \longrightarrow 00:04:02.785$ doses of radiation than with

NOTE Confidence: 0.9922218

 $00:04:02.785 \longrightarrow 00:04:03.685$ standard radiation?

NOTE Confidence: 0.9694123

 $00:04:05.050 \longrightarrow 00:04:06.810$ That's basically true. Yeah. It's

NOTE Confidence: 0.9694123

 $00:04:06.890 \longrightarrow 00:04:07.790$ it comes down

NOTE Confidence: 0.98345584

 $00:04:08.170 \longrightarrow 00:04:09.530$ to the biology of radiation,

NOTE Confidence: 0.98345584

 $00:04:09.530 \longrightarrow 00:04:10.490$ and we didn't need to

NOTE Confidence: 0.98345584

 $00:04:10.490 \longrightarrow 00:04:11.530$ get too far into the

 $00:04:11.530 \longrightarrow 00:04:13.050$ woods on that. But there's

NOTE Confidence: 0.98345584

 $00:04:13.050 \longrightarrow 00:04:14.670$ a difference between giving radiation

NOTE Confidence: 0.99929273

 $00:04:15.050 \longrightarrow 00:04:16.510$ all in one big dose

NOTE Confidence: 0.96250117

 $00:04:16.970 \longrightarrow 00:04:18.170$ versus a bunch of small

NOTE Confidence: 0.96250117

 $00:04:18.170 \longrightarrow 00:04:19.735$ doses. And what the gamma

NOTE Confidence: 0.96250117

00:04:19.735 --> 00:04:20.695 knife can do, because it's

NOTE Confidence: 0.96250117

 $00:04:20.695 \longrightarrow 00:04:21.435$ so accurate,

NOTE Confidence: 0.99880344

 $00:04:21.815 \longrightarrow 00:04:22.855$ we can really hit the

NOTE Confidence: 0.99880344

 $00{:}04{:}22.855 --> 00{:}04{:}23.755 \ {\rm target \ hard}$

NOTE Confidence: 0.98067266 00:04:24.055 --> 00:04:24.555 once

NOTE Confidence: 0.9836091

 $00{:}04{:}24.935 \dashrightarrow 00{:}04{:}26.055$ compared to having to treat

NOTE Confidence: 0.9836091

 $00:04:26.055 \longrightarrow 00:04:27.815$ the entire brain over multiple

NOTE Confidence: 0.9836091

 $00:04:27.815 \longrightarrow 00:04:29.435$ fractions with a tinier dose

NOTE Confidence: 0.9836091

 $00:04:29.495 \longrightarrow 00:04:30.714$ to let the brain recover.

NOTE Confidence: 0.97417367

 $00:04:31.330 \longrightarrow 00:04:33.169$ And when you do those

NOTE Confidence: 0.97417367

 $00{:}04{:}33.169 \dashrightarrow 00{:}04{:}35.570$ multiple fractions, say over two

 $00:04:35.570 \longrightarrow 00:04:37.589$ weeks or even longer sometimes,

NOTE Confidence: 0.99358845

 $00:04:38.930 \longrightarrow 00:04:40.850$ the total dose has to

NOTE Confidence: 0.99358845

 $00:04:40.850 \longrightarrow 00:04:42.550$ be increased.

NOTE Confidence: 0.99767494 00:04:43.490 --> 00:04:43.990 It's NOTE Confidence: 0.99133164

 $00:04:44.370 \longrightarrow 00:04:45.330$ a little bit of hand

NOTE Confidence: 0.99133164

00:04:45.330 --> 00:04:46.370 waving in terms of how we 00:04:47.545 --> 00:04:48.985 say which dose is equivalent

NOTE Confidence: 0.9898747

 $00:04:48.985 \longrightarrow 00:04:49.705$ to the other, and not

NOTE Confidence: 0.9898747

 $00:04:49.705 \longrightarrow 00:04:50.745$ all of us believe those

NOTE Confidence: 0.9898747

 $00:04:50.745 \longrightarrow 00:04:51.245$ equations.

NOTE Confidence: 0.96601117

 $00:04:52.185 \longrightarrow 00:04:53.945$ But theoretically, yes, we might

NOTE Confidence: 0.96601117

00:04:53.945 --> 00:04:55.385 treat in a single fraction,

NOTE Confidence: 0.96601117

 $00:04:55.385 \longrightarrow 00:04:56.585$ for example, to a dose

NOTE Confidence: 0.96601117

 $00:04:56.585 \longrightarrow 00:04:57.645$ of twenty gray,

NOTE Confidence: 0.96738416

 $00:04:57.945 \longrightarrow 00:04:58.985$ whereas the total dose of

NOTE Confidence: 0.96738416

 $00:04:58.985 \longrightarrow 00:05:00.025$ a whole brain treatment is

 $00:05:00.025 \longrightarrow 00:05:00.525$ typically

NOTE Confidence: 0.91441536

 $00:05:00.904 \longrightarrow 00:05:01.645$ thirty gray.

NOTE Confidence: 0.9970169

 $00:05:02.105 \longrightarrow 00:05:03.710$ But it's not a perfect

NOTE Confidence: 0.9970169

 $00:05:03.710 \longrightarrow 00:05:04.210$ correlation at all.

 $00:05:06.990 \longrightarrow 00:05:08.830$ And when you're treating cancer

NOTE Confidence: 0.9987632

 $00:05:08.830 \longrightarrow 00:05:09.650$ in the brain,

NOTE Confidence: 0.9906492

 $00:05:10.110 \longrightarrow 00:05:12.110$ this is both cancers that

NOTE Confidence: 0.9906492

 $00:05:12.110 \longrightarrow 00:05:13.310$ start in the brain as

NOTE Confidence: 0.9906492

 $00{:}05{:}13.310 \dashrightarrow 00{:}05{:}14.670$ well as cancers that spread

NOTE Confidence: 0.9906492

 $00:05:14.670 \longrightarrow 00:05:15.410$ to the brain?

NOTE Confidence: 0.9981636

 $00:05:16.190 \longrightarrow 00:05:17.890$ That's right. It does

NOTE Confidence: 0.9993207

 $00:05:18.335 \longrightarrow 00:05:19.855$ depend very much on exactly

NOTE Confidence: 0.9993207

 $00:05:19.855 \longrightarrow 00:05:21.075$ what we are treating.

NOTE Confidence: 0.9668489

 $00:05:21.615 \longrightarrow 00:05:22.575$ By far and away, the

NOTE Confidence: 0.9668489

 $00:05:22.575 \longrightarrow 00:05:23.395$ most common

NOTE Confidence: 0.99727184

 $00:05:24.735 \longrightarrow 00:05:25.695$ tumors that we are treating

 $00{:}05{:}25.695 \to 00{:}05{:}26.735$ are cancers that have spread

NOTE Confidence: 0.99727184

 $00:05:26.735 \longrightarrow 00:05:27.695$ to the brain, which are

NOTE Confidence: 0.99727184

 $00:05:27.695 \longrightarrow 00:05:28.975$ things that we call brain

NOTE Confidence: 0.99727184

 $00:05:28.975 \longrightarrow 00:05:29.475$ metastases.

NOTE Confidence: 0.9718212

 $00:05:30.270 \longrightarrow 00:05:31.229$ There are other forms of

NOTE Confidence: 0.9718212

 $00:05:31.229 \longrightarrow 00:05:32.190$ tumors that we treat as

NOTE Confidence: 0.9718212

 $00:05:32.190 \longrightarrow 00:05:33.229$ well that start in the

NOTE Confidence: 0.9718212

 $00:05:33.229 \longrightarrow 00:05:34.449$ brain, meningiomas,

NOTE Confidence: 0.93890727

 $00{:}05{:}34.750 \dashrightarrow 00{:}05{:}36.529$ pituitary adenomas, and such.

NOTE Confidence: 0.98544025

 $00:05:37.069 \longrightarrow 00:05:37.870$ But far and away, the

NOTE Confidence: 0.98544025

 $00{:}05{:}37.870 \dashrightarrow 00{:}05{:}39.550$ metastases are our number one

NOTE Confidence: 0.98544025

 $00:05:39.550 \longrightarrow 00:05:40.370$ that we treat.

NOTE Confidence: 0.99704224

00:05:41.629 --> 00:05:42.129 And

NOTE Confidence: 0.9526584

 $00:05:42.525 \longrightarrow 00:05:43.025$ metastases

NOTE Confidence: 0.9990511

00:05:43.325 --> 00:05:45.245 happen in patients who have

 $00:05:45.245 \longrightarrow 00:05:46.385$ an initial cancer

NOTE Confidence: 0.9652494

 $00{:}05{:}46.845 \dashrightarrow 00{:}05{:}48.605$ and then develop a recurrence

NOTE Confidence: 0.9652494

 $00:05:48.605 \longrightarrow 00:05:50.545$ of that cancer. And sometimes

NOTE Confidence: 0.97821045

 $00:05:51.245 \longrightarrow 00:05:52.625$ it spreads to the brain.

NOTE Confidence: 0.97821045

 $00:05:52.685 \longrightarrow 00:05:54.625$ Recently, there's been talk that

NOTE Confidence: 0.97821045

 $00:05:54.925 \longrightarrow 00:05:56.765$ brain metastases seem to be

NOTE Confidence: 0.97821045

 $00:05:56.765 \longrightarrow 00:05:57.265$ increasing.

NOTE Confidence: 0.99349

 $00:05:58.000 \longrightarrow 00:05:59.199$ Do you have thoughts about

NOTE Confidence: 0.99349

 $00:05:59.199 \longrightarrow 00:05:59.699$ that?

NOTE Confidence: 0.9761977

 $00:06:00.800 \longrightarrow 00:06:02.800$ I think that's in large

NOTE Confidence: 0.9761977

 $00{:}06{:}02.800 \dashrightarrow 00{:}06{:}05.680$ part credit to oncologists like

NOTE Confidence: 0.9761977

 $00:06:05.680 \longrightarrow 00:06:08.080$ yourself, that are getting better

NOTE Confidence: 0.9761977

 $00{:}06{:}08.080 \dashrightarrow 00{:}06{:}09.760$ and better at treating disease

NOTE Confidence: 0.9761977

 $00{:}06{:}09.760 \dashrightarrow 00{:}06{:}11.460$ everywhere else in the body.

NOTE Confidence: 0.99828833

00:06:11.919 --> 00:06:13.220 The brain, unfortunately,

NOTE Confidence: 0.999331

 $00:06:13.680 \longrightarrow 00:06:14.615$ is a little bit tougher

 $00:06:14.615 \longrightarrow 00:06:16.235$ to get those medicines into.

NOTE Confidence: 0.9955127

 $00:06:16.695 \longrightarrow 00:06:17.654$ As we know, there's

NOTE Confidence: 0.9955127

 $00:06:17.654 \longrightarrow 00:06:18.775$ something called the blood brain

NOTE Confidence: 0.9955127

 $00:06:18.775 \longrightarrow 00:06:20.214$ barrier that keeps those drugs

NOTE Confidence: 0.9955127

 $00:06:20.214 \longrightarrow 00:06:21.735$ out. So while we're doing

NOTE Confidence: 0.9955127

 $00:06:21.735 \longrightarrow 00:06:23.095$ better at controlling disease outside

NOTE Confidence: 0.9955127

 $00:06:23.095 \longrightarrow 00:06:23.755$ the brain,

NOTE Confidence: 0.99175835

 $00{:}06{:}24.535 \dashrightarrow 00{:}06{:}25.735$ we still need better ways

NOTE Confidence: 0.99175835

 $00:06:25.735 \longrightarrow 00:06:26.855$ to control disease in the

NOTE Confidence: 0.99175835

 $00:06:26.855 \longrightarrow 00:06:28.380$ brain. And that's getting

NOTE Confidence: 0.99175835

 $00:06:28.380 \longrightarrow 00:06:30.540$ better and better. So we're

NOTE Confidence: 0.99175835

 $00:06:30.540 \longrightarrow 00:06:32.139$ relying less and less on

NOTE Confidence: 0.99175835

 $00{:}06{:}32.139 \dashrightarrow 00{:}06{:}33.120$ the whole brain radiation,

NOTE Confidence: 0.9696214

 $00:06:33.580 \longrightarrow 00:06:34.699$ more on the gamma knife

NOTE Confidence: 0.9696214

 $00:06:34.699 \longrightarrow 00:06:36.380$ as these better targeted the rapies

 $00:06:36.380 \longrightarrow 00:06:37.680$ come along to help us.

NOTE Confidence: 0.99619555

 $00:06:38.539 \longrightarrow 00:06:40.139$ And there have been studies

NOTE Confidence: 0.99619555

 $00:06:40.139 \longrightarrow 00:06:41.360$ that have shown that

NOTE Confidence: 0.9739158

00:06:41.975 --> 00:06:43.495 patients actually do better when

NOTE Confidence: 0.9739158

00:06:43.495 --> 00:06:45.115 treated with gamma knife

NOTE Confidence: 0.99672014

 $00:06:45.415 \longrightarrow 00:06:46.955$ or related technologies

NOTE Confidence: 0.9727268

 $00:06:47.415 \longrightarrow 00:06:49.755$ than getting whole brain.

NOTE Confidence: 0.96785945

 $00:06:50.294 \longrightarrow 00:06:52.535$ Sure. Absolutely. The normal

NOTE Confidence: 0.96785945

 $00{:}06{:}52.535 \dashrightarrow 00{:}06{:}53.975$ brain doesn't wanna get exposed

NOTE Confidence: 0.96785945

00:06:53.975 --> 00:06:55.175 to that radiation. It can

NOTE Confidence: 0.96785945

 $00{:}06{:}55.175 \dashrightarrow 00{:}06{:}56.375$ have an effect on things

NOTE Confidence: 0.96785945 00:06:56.375 --> 00:06:56.875 like NOTE Confidence: 0.99527127

 $00:06:57.220 \longrightarrow 00:06:58.580$ short term memory and

NOTE Confidence: 0.99527127

 $00:06:58.580 \longrightarrow 00:06:59.560$ just overall

NOTE Confidence: 0.9894673

 $00:06:59.940 \longrightarrow 00:07:01.860$ energy levels. So if we

NOTE Confidence: 0.9894673

 $00:07:01.860 \longrightarrow 00:07:03.380$ can avoid it, we should

 $00:07:03.380 \longrightarrow 00:07:04.900$ when we can. That's not

NOTE Confidence: 0.9894673

 $00:07:04.900 \longrightarrow 00:07:05.700$ to say that there isn't

NOTE Confidence: 0.9894673

 $00:07:05.700 \longrightarrow 00:07:06.760$ a time and a place

NOTE Confidence: 0.9894673

 $00:07:06.820 \longrightarrow 00:07:08.200$ for the whole brain radiation.

NOTE Confidence: 0.9894673

 $00:07:08.500 \longrightarrow 00:07:09.540$ It's we just have to

NOTE Confidence: 0.9894673

00:07:09.540 --> 00:07:10.660 pick and choose our battles,

NOTE Confidence: 0.9894673

 $00:07:10.660 \longrightarrow 00:07:11.400$ for sure.

NOTE Confidence: 0.99959916 00:07:11.875 --> 00:07:12.375 And

NOTE Confidence: 0.998094

 $00:07:12.835 \longrightarrow 00:07:14.035$ when would you give whole

NOTE Confidence: 0.998094

 $00:07:14.035 \longrightarrow 00:07:14.855$ brain radiation?

NOTE Confidence: 0.9994085 00:07:16.115 --> 00:07:16.615 So NOTE Confidence: 0.95978516

00:07:16.995 --> 00:07:18.435 it's very much dependent on

NOTE Confidence: 0.95978516

 $00{:}07{:}18.435 \dashrightarrow 00{:}07{:}19.895$ the patient and the situation.

NOTE Confidence: 0.9832999

 $00:07:20.755 \longrightarrow 00:07:21.875$ If we don't have

NOTE Confidence: 0.9832999

 $00:07:21.875 \longrightarrow 00:07:23.315$ a good targeted therapy to

 $00:07:23.315 \longrightarrow 00:07:24.835$ back us up and we

NOTE Confidence: 0.9832999

 $00{:}07{:}24.835 --> 00{:}07{:}25.335 \ \mathrm{have}$

NOTE Confidence: 0.99516183

 $00:07:25.940 \longrightarrow 00:07:27.380$ many, many spots to go

NOTE Confidence: 0.99516183

00:07:27.380 --> 00:07:29.140 after, you know, thirty, forty,

NOTE Confidence: 0.99516183 00:07:29.140 --> 00:07:29.640 fifty,

NOTE Confidence: 0.9957565

 $00:07:30.420 \longrightarrow 00:07:31.220$ then we know if we

NOTE Confidence: 0.9957565

 $00:07:31.220 \longrightarrow 00:07:33.060$ see fifty spots, there's probably

NOTE Confidence: 0.9957565

 $00:07:33.060 \longrightarrow 00:07:34.100$ another ten or twenty that

NOTE Confidence: 0.9957565

 $00:07:34.100 \longrightarrow 00:07:35.220$ we can't see, and it

NOTE Confidence: 0.9957565

 $00:07:35.220 \longrightarrow 00:07:36.180$ makes more sense for the

NOTE Confidence: 0.9957565

 $00{:}07{:}36.180 \dashrightarrow 00{:}07{:}36.680 \ \mathrm{patient}$

NOTE Confidence: 0.999804

 $00:07:36.980 \longrightarrow 00:07:37.880$ to treat everything.

NOTE Confidence: 0.9689173

 $00:07:39.275 \longrightarrow 00:07:40.395$ Other types of disease, for

NOTE Confidence: 0.9689173

 $00{:}07{:}40.395 \dashrightarrow 00{:}07{:}41.835$ example, small cell lung cancer

NOTE Confidence: 0.9689173

 $00:07:41.835 \longrightarrow 00:07:43.775$ is a type that tends

NOTE Confidence: 0.9805781

 $00:07:44.314 \longrightarrow 00:07:45.354$ to very commonly go to

 $00:07:45.354 \longrightarrow 00:07:46.074$ the brain, and we tend

NOTE Confidence: 0.9805781

 $00:07:46.074 \longrightarrow 00:07:47.034$ to have a lower threshold

NOTE Confidence: 0.9805781

 $00:07:47.034 \longrightarrow 00:07:48.875$ for activating that whole brain

NOTE Confidence: 0.9805781

 $00:07:48.875 \longrightarrow 00:07:50.235$ decision in that case. But

NOTE Confidence: 0.9805781

 $00:07:50.235 \longrightarrow 00:07:51.275$ even that, we're trying to

NOTE Confidence: 0.9805781

 $00:07:51.275 \longrightarrow 00:07:52.335$ back off on nowadays.

 $00:07:55.280 \longrightarrow 00:07:56.480$ I have to say as

NOTE Confidence: 0.9609666

 $00:07:56.480 \longrightarrow 00:07:58.020$ a medical oncologist

NOTE Confidence: 0.95781386

 $00{:}07{:}59.040 \dashrightarrow 00{:}08{:}00.880$ taking care of mostly women

NOTE Confidence: 0.95781386

 $00:08:00.880 \longrightarrow 00:08:01.940$ with breast cancer,

NOTE Confidence: 0.998452

 $00{:}08{:}03.520 \dashrightarrow 00{:}08{:}05.220$ that the advances in radiation

NOTE Confidence: 0.9377571

 $00:08:06.074 \longrightarrow 00:08:07.675$ largely through techniques like the

NOTE Confidence: 0.9377571

 $00:08:07.675 \longrightarrow 00:08:09.134$ gamma knife, have been incredible

NOTE Confidence: 0.9377571

 $00:08:09.275 \longrightarrow 00:08:10.014$ over the years.

NOTE Confidence: 0.9981839

 $00:08:10.315 \longrightarrow 00:08:10.815$ And

NOTE Confidence: 0.9985981

 $00:08:11.755 \longrightarrow 00:08:14.074$ radiation oncologists have been able

 $00:08:14.074 \longrightarrow 00:08:15.294$ to treat

NOTE Confidence: 0.9997481

 $00:08:15.835 \longrightarrow 00:08:17.294$ more and more with

NOTE Confidence: 0.9803024

 $00:08:17.595 \longrightarrow 00:08:19.375$ really less and less toxic

NOTE Confidence: 0.9803024

 $00:08:19.435 \longrightarrow 00:08:19.935$ approaches.

NOTE Confidence: 0.9622487

 $00:08:21.035 \longrightarrow 00:08:23.010$ Yeah. And I'm particularly excited

NOTE Confidence: 0.9622487

 $00:08:23.010 \longrightarrow 00:08:24.370$ about what we're seeing with

NOTE Confidence: 0.9622487

 $00:08:24.370 \longrightarrow 00:08:26.770$ these new antibody drug conjugates

NOTE Confidence: 0.9622487

 $00:08:26.770 \longrightarrow 00:08:28.470$ like HER2 that are really

NOTE Confidence: 0.9987772

 $00:08:29.330 \longrightarrow 00:08:31.010$ helping us delay that need

NOTE Confidence: 0.9987772

 $00:08:31.010 \longrightarrow 00:08:32.309$ to activate the whole brain

NOTE Confidence: 0.9987772

 $00{:}08{:}32.370 \dashrightarrow 00{:}08{:}34.050$ protocol. So we can help

NOTE Confidence: 0.9987772 00:08:34.050 --> 00:08:34.550 you NOTE Confidence: 0.99245834

 $00:08:34.895 \longrightarrow 00:08:36.255$ target just the most important

NOTE Confidence: 0.99245834

 $00:08:36.255 \longrightarrow 00:08:37.695$ tumors, and the drugs can

NOTE Confidence: 0.99245834

 $00:08:37.695 \longrightarrow 00:08:38.495$ perhaps take care of the

 $00:08:38.495 \longrightarrow 00:08:40.415$ smaller ones, which is a

NOTE Confidence: 0.99245834

00:08:40.415 --> 00:08:41.695 big change from

NOTE Confidence: 0.99245834

 $00:08:41.695 \longrightarrow 00:08:42.655$ even just a few years

NOTE Confidence: 0.99245834 00:08:42.655 --> 00:08:43.155 ago. NOTE Confidence: 0.9952498

00:08:44.415 --> 00:08:45.554 Yeah. Which is,

NOTE Confidence: 0.9984947

00:08:46.015 --> 00:08:47.535 of course, among the many

NOTE Confidence: 0.9984947

 $00:08:47.535 \longrightarrow 00:08:48.835$ reasons why having

NOTE Confidence: 0.99449533

00:08:49.679 --> 00:08:51.620 people participate in multidisciplinary

NOTE Confidence: 0.99388146

00:08:52.160 --> 00:08:53.620 teams is so important.

NOTE Confidence: 0.99960697

 $00:08:54.320 \longrightarrow 00:08:54.820$ Absolutely.

NOTE Confidence: 0.98317003

 $00{:}08{:}55.520 \dashrightarrow 00{:}08{:}56.800$ We wouldn't have nowhere near

NOTE Confidence: 0.98317003

 $00:08:56.800 \longrightarrow 00:08:58.160$ the confidence to do what

NOTE Confidence: 0.98317003

 $00:08:58.160 \longrightarrow 00:08:59.679$ we do if we didn't

NOTE Confidence: 0.98317003

 $00:08:59.679 \longrightarrow 00:09:00.720$ know we had the backup

NOTE Confidence: 0.98317003

00:09:00.720 --> 00:09:03.120 of people like Veronica Chiang,

NOTE Confidence: 0.98317003

00:09:03.120 --> 00:09:04.179 who's one of our neurosurgeons,

 $00:09:04.480 \longrightarrow 00:09:06.315$ who can operate when we

NOTE Confidence: 0.98317003

 $00{:}09{:}06.315 --> 00{:}09{:}07.675$ need help or operate the

NOTE Confidence: 0.98317003

 $00:09:07.675 \longrightarrow 00:09:09.115$ the laser technology when there's

NOTE Confidence: 0.98317003

 $00{:}09{:}09.115 \dashrightarrow 00{:}09{:}10.475$ some radiation treatment effect that

NOTE Confidence: 0.98317003

 $00:09:10.475 \longrightarrow 00:09:11.375$ we need to fix.

NOTE Confidence: 0.97614527

 $00:09:12.635 \longrightarrow 00:09:14.315$ I always need someone to

NOTE Confidence: 0.97614527

 $00:09:14.315 \longrightarrow 00:09:15.515$ call when I say, you

NOTE Confidence: 0.97614527

 $00:09:15.515 \longrightarrow 00:09:16.554$ know, I'm this is close

NOTE Confidence: 0.97614527

 $00:09:16.554 \longrightarrow 00:09:17.934$ to needing whole brain, but

NOTE Confidence: 0.98259515

 $00:09:18.320 \longrightarrow 00:09:19.120$ can you back me up?

NOTE Confidence: 0.98259515

 $00:09:19.120 \longrightarrow 00:09:20.080$ Do you have any targeted

NOTE Confidence: 0.98259515

 $00:09:20.080 \longrightarrow 00:09:21.679$ therapy that I can argue

NOTE Confidence: 0.98259515

 $00{:}09{:}21.679 --> 00{:}09{:}22.480$ will take care of the

NOTE Confidence: 0.98259515

00:09:22.480 --> 00:09:23.280 smaller spots, and I can

NOTE Confidence: 0.98259515

 $00:09:23.280 \longrightarrow 00:09:24.080$ just go after the

 $00:09:24.080 \longrightarrow 00:09:25.200$ important ones right now?

 $00:09:26.080 \longrightarrow 00:09:27.700$ You can't do this

NOTE Confidence: 0.9841038

 $00:09:27.840 \longrightarrow 00:09:29.460$ by any one specialty anymore.

NOTE Confidence: 0.9841038

 $00:09:29.760 \longrightarrow 00:09:30.800$ Not sure maybe you ever

NOTE Confidence: 0.9841038

 $00:09:30.800 \longrightarrow 00:09:31.460$ could, truthfully.

 $00:09:33.360 \longrightarrow 00:09:35.194$ It's absolutely the case.

NOTE Confidence: 0.9738833

 $00:09:35.415 \longrightarrow 00:09:36.554$ And what about

NOTE Confidence: 0.97946054

 $00:09:37.095 \longrightarrow 00:09:39.255$ patients who have primary brain

NOTE Confidence: 0.97946054

 $00:09:39.255 \longrightarrow 00:09:40.315$ tumors where

NOTE Confidence: 0.96550053

 $00:09:40.694 \longrightarrow 00:09:41.894$ the cancer starts in the

NOTE Confidence: 0.96550053

 $00:09:41.894 \dashrightarrow 00:09:43.755$ brain? Cancers like glioblastoma

NOTE Confidence: 0.9815855

 $00:09:44.615 \longrightarrow 00:09:46.694$ and other forms of

NOTE Confidence: 0.9815855

00:09:46.694 --> 00:09:47.434 brain cancer?

NOTE Confidence: 0.96266335

 $00:09:48.309 \longrightarrow 00:09:49.190$ Are there times when you

NOTE Confidence: 0.96266335

 $00:09:49.190 \longrightarrow 00:09:51.190$ use Gamma Knife after someone

NOTE Confidence: 0.96266335

 $00:09:51.190 \longrightarrow 00:09:52.170$ has had surgery?

NOTE Confidence: 0.9314866

 $00:09:52.790 \longrightarrow 00:09:53.690$ Very rare,

 $00{:}09{:}54.069 \dashrightarrow 00{:}09{:}55.750$ especially here in our own

NOTE Confidence: 0.9899848

 $00:09:55.750 \longrightarrow 00:09:56.889$ institution.

NOTE Confidence: 0.97551435

 $00:09:57.269 \longrightarrow 00:09:58.230$ For example, the

NOTE Confidence: 0.97551435

 $00:09:58.230 \longrightarrow 00:09:58.730$ glioblastomas,

NOTE Confidence: 0.9993431

 $00:09:59.350 \longrightarrow 00:10:00.569$ we tend to think

NOTE Confidence: 0.99595886

 $00:10:01.074 \longrightarrow 00:10:02.934$ because of their infiltrative nature

NOTE Confidence: 0.99595886

 $00:10:03.154 \longrightarrow 00:10:04.514$ and the larger volume that

NOTE Confidence: 0.99595886

 $00:10:04.514 \longrightarrow 00:10:05.634$ you need to cover to

NOTE Confidence: 0.99595886

 $00:10:05.634 \longrightarrow 00:10:06.535$ get all

NOTE Confidence: 0.9902854

 $00:10:06.995 \longrightarrow 00:10:07.875$ the hands of the cells

NOTE Confidence: 0.9902854

 $00:10:07.875 \longrightarrow 00:10:08.695$ that are extending,

NOTE Confidence: 0.932189

 $00:10:09.154 \longrightarrow 00:10:10.595$ it's better to go with

NOTE Confidence: 0.932189

 $00{:}10{:}10.595 \dashrightarrow 00{:}10{:}12.115$ that longer, what we call

NOTE Confidence: 0.932189

 $00{:}10{:}12.115 \dashrightarrow 00{:}10{:}14.295$ fractionated course and in combination

NOTE Confidence: 0.932189

 $00:10:14.434 \longrightarrow 00:10:15.334$ with the chemotherapy.

00:10:16.160 --> 00:10:17.520 The Gamma Knife for other

NOTE Confidence: 0.9102759

 $00:10:17.520 \longrightarrow 00:10:19.679$ radiosurgery techniques might come into

NOTE Confidence: 0.9102759 00:10:19.679 --> 00:10:20.179 play

NOTE Confidence: 0.9733285

 $00:10:20.640 \longrightarrow 00:10:22.400$ after that. So if later

NOTE Confidence: 0.9733285

 $00:10:22.400 \longrightarrow 00:10:23.280$ down the road there was

NOTE Confidence: 0.9733285

 $00:10:23.280 \longrightarrow 00:10:24.559$ just one little spot that

NOTE Confidence: 0.9733285

00:10:24.559 --> 00:10:25.920 came back, then I might

NOTE Confidence: 0.9733285

 $00:10:25.920 \longrightarrow 00:10:26.720$ get a call from, for

NOTE Confidence: 0.9733285

 $00{:}10{:}26.720 \dashrightarrow 00{:}10{:}28.559$ example, doctor Contessa or doctor

NOTE Confidence: 0.9733285

00:10:28.559 --> 00:10:29.620 Bindra to say,

NOTE Confidence: 0.959794

00:10:30.000 --> 00:10:30.554 do you think you

NOTE Confidence: 0.959794

00:10:30.554 --> 00:10:31.835 could gamma knife that one

NOTE Confidence: 0.959794

00:10:31.835 --> 00:10:33.035 little spot? I've already given

NOTE Confidence: 0.959794

 $00:10:33.035 \longrightarrow 00:10:33.755$ what I can do from

NOTE Confidence: 0.959794

 $00:10:33.755 \longrightarrow 00:10:34.955$ the Linac side, which is

NOTE Confidence: 0.959794

 $00:10:34.955 \longrightarrow 00:10:36.395$ called a linear accelerator, the

00:10:36.395 --> 00:10:37.375 normal radiation.

NOTE Confidence: 0.9945047

00:10:38.235 --> 00:10:39.195 It's a fairly

NOTE Confidence: 0.9945047

00:10:39.195 --> 00:10:40.155 rare occurrence that we would

NOTE Confidence: 0.9945047

 $00:10:40.155 \longrightarrow 00:10:40.815$ do that.

NOTE Confidence: 0.99855554

00:10:41.595 --> 00:10:42.090 Yeah.

NOTE Confidence: 0.8486808

00:10:45.370 --> 00:10:46.270 I think that,

NOTE Confidence: 0.9940806

00:10:47.050 --> 00:10:48.170 you know, all of this

NOTE Confidence: 0.9940806

00:10:48.170 --> 00:10:49.790 shows that these decisions

NOTE Confidence: 0.9940806

 $00:10:49.850 \longrightarrow 00:10:52.590$ are really very, very complicated.

NOTE Confidence: 0.9901794

 $00:10:53.130 \longrightarrow 00:10:54.910$ And then what about other

NOTE Confidence: 0.99053705

00:10:55.385 --> 00:10:56.665 cancers in other parts of

NOTE Confidence: 0.99053705

00:10:56.665 --> 00:10:58.025 the body other than the

NOTE Confidence: 0.99053705

 $00{:}10{:}58.025 --> 00{:}10{:}59.545$ brain? Do you use gamma

NOTE Confidence: 0.99053705

 $00:10:59.545 \longrightarrow 00:11:01.325$ knife in those situations too?

NOTE Confidence: 0.9895475

00:11:02.265 --> 00:11:03.705 Not the gamma knife. The

00:11:03.705 --> 00:11:04.925 gamma knife is specifically

NOTE Confidence: 0.94721293

 $00:11:05.304 \longrightarrow 00:11:07.225$ built around that head

NOTE Confidence: 0.94721293

 $00:11:07.225 \longrightarrow 00:11:08.265$ frame and such so that

NOTE Confidence: 0.94721293

 $00:11:08.265 \longrightarrow 00:11:09.065$ we can have a 3D

NOTE Confidence: 0.94721293

 $00:11:09.065 \longrightarrow 00:11:10.605$ targeting specifically

NOTE Confidence: 0.9970705

 $00:11:11.040 \longrightarrow 00:11:12.639$ in the brain. But the

NOTE Confidence: 0.9970705

00:11:12.639 --> 00:11:13.139 concept

NOTE Confidence: 0.9956888

00:11:13.440 --> 00:11:14.179 of radiosurgery,

NOTE Confidence: 0.9728047

 $00{:}11{:}14.720 \dashrightarrow 00{:}11{:}15.860$ meaning giving radiation

NOTE Confidence: 0.9775967

00:11:16.639 --> 00:11:19.040 extremely accurately in one dose

NOTE Confidence: 0.9775967

 $00{:}11{:}19.040 \dashrightarrow 00{:}11{:}19.920$ or a couple of

NOTE Confidence: 0.9775967

00:11:19.920 --> 00:11:20.420 doses,

NOTE Confidence: 0.9989243

 $00:11:20.800 \longrightarrow 00:11:22.639$ absolutely applies elsewhere in the

NOTE Confidence: 0.9989243

00:11:22.639 --> 00:11:23.139 body.

NOTE Confidence: 0.9906799

 $00:11:23.600 \longrightarrow 00:11:24.795$ We just call it something

NOTE Confidence: 0.9906799

00:11:24.795 --> 00:11:26.495 else. We call it stereotactic

00:11:27.115 --> 00:11:28.335 body radiotherapy,

NOTE Confidence: 0.97345555

00:11:28.715 --> 00:11:29.455 or SBRT.

NOTE Confidence: 0.9926551

 $00:11:29.995 \longrightarrow 00:11:30.735$ For example,

NOTE Confidence: 0.9454703

 $00:11:31.515 \longrightarrow 00:11:33.195$ doctor Johung tends to use

NOTE Confidence: 0.9454703

 $00{:}11{:}33.195 \dashrightarrow 00{:}11{:}34.735$ this for our pancreatic cancers.

NOTE Confidence: 0.9454703

 $00:11:34.875 \longrightarrow 00:11:36.315$ Doctor Park uses this for

NOTE Confidence: 0.9454703

 $00:11:36.315 \longrightarrow 00:11:37.215$ our lung cancers.

NOTE Confidence: 0.9505465

 $00:11:38.300 \longrightarrow 00:11:39.580$ Absolutely, the field of radiation

NOTE Confidence: 0.9505465

 $00:11:39.580 \longrightarrow 00:11:41.280$ has exploded in terms

NOTE Confidence: 0.9667593

00:11:41.660 --> 00:11:42.240 of new,

NOTE Confidence: 0.9973715

 $00:11:42.620 \longrightarrow 00:11:44.059$ faster, better ways to use

NOTE Confidence: 0.9973715

00:11:44.059 --> 00:11:45.820 radiation to treat cancer. And

NOTE Confidence: 0.9973715

 $00:11:45.820 \longrightarrow 00:11:46.780$ so what is it that

NOTE Confidence: 0.9973715

 $00:11:46.780 \longrightarrow 00:11:48.080$ led to this bifurcation

NOTE Confidence: 0.89676493

 $00:11:48.460 \longrightarrow 00:11:51.200$ between Gamma Knife and stereotactic

00:11:51.900 --> 00:11:52.400 radiosurgery?

NOTE Confidence: 0.994421

00:11:54.455 --> 00:11:56.395 Well, the concept of stereotactic

NOTE Confidence: 0.994421

 $00:11:56.455 \longrightarrow 00:11:57.895$ radiosurgery just means we're treating

NOTE Confidence: 0.994421

 $00:11:57.895 \longrightarrow 00:11:59.975$ something super accurately with a

NOTE Confidence: 0.994421

 $00:11:59.975 \longrightarrow 00:12:01.095$ high dose in a few

NOTE Confidence: 0.994421

 $00:12:01.095 \longrightarrow 00:12:01.595$ fractions.

NOTE Confidence: 0.96035993

00:12:02.695 --> 00:12:04.135 The gamma knife is entirely

NOTE Confidence: 0.96035993

 $00:12:04.135 \longrightarrow 00:12:06.535$ based on basically a brand

NOTE Confidence: 0.96035993

 $00:12:06.535 \longrightarrow 00:12:07.495$ and the use of that

NOTE Confidence: 0.96035993

 $00:12:07.495 \longrightarrow 00:12:09.470$ specific head frame. So you

NOTE Confidence: 0.96035993

 $00:12:09.470 \longrightarrow 00:12:10.350$ may have heard of things

NOTE Confidence: 0.96035993

 $00:12:10.350 \longrightarrow 00:12:11.410$ like the CyberKnife.

NOTE Confidence: 0.9904596

00:12:12.429 --> 00:12:13.790 Again, they decided to use

NOTE Confidence: 0.9904596

 $00:12:13.790 \longrightarrow 00:12:14.829$ the word knife. I think

NOTE Confidence: 0.9904596

 $00:12:14.829 \longrightarrow 00:12:15.809$ that was a mistake.

NOTE Confidence: 0.9314473

 $00:12:16.910 \longrightarrow 00:12:17.870$ So that's just

 $00:12:17.870 \longrightarrow 00:12:19.629$ a different brand?

NOTE Confidence: 0.9314473

 $00{:}12{:}19.629 \dashrightarrow 00{:}12{:}20.910$ Yeah. It does not use the

 $00:12:22.944 \longrightarrow 00:12:24.225$ cobalt sources like the

NOTE Confidence: 0.9784512

00:12:24.225 --> 00:12:25.345 gamma knife does, but it's

NOTE Confidence: 0.9784512

 $00:12:25.345 \longrightarrow 00:12:26.464$ the same idea of giving

NOTE Confidence: 0.9784512

 $00:12:26.464 \longrightarrow 00:12:28.545$ radiation hyper accurately just to

NOTE Confidence: 0.9784512

 $00:12:28.545 \longrightarrow 00:12:29.524$ the problem areas.

NOTE Confidence: 0.9984804

00:12:30.384 --> 00:12:30.884 And

NOTE Confidence: 0.96594214

00:12:31.345 --> 00:12:32.545 just back to gamma knife

NOTE Confidence: 0.96594214

 $00:12:32.545 \longrightarrow 00:12:33.824$ for a second. So a

NOTE Confidence: 0.96594214

00:12:33.824 --> 00:12:35.665 a patient has a gamma

NOTE Confidence: 0.96594214

 $00:12:35.665 \longrightarrow 00:12:36.404$ knife treatment.

NOTE Confidence: 0.9990988

 $00:12:36.990 \longrightarrow 00:12:37.710$ Do they need to be

NOTE Confidence: 0.9990988

 $00:12:37.710 \longrightarrow 00:12:39.070$ in the hospital? Can they

NOTE Confidence: 0.9990988

 $00:12:39.070 \longrightarrow 00:12:40.690$ go home that same day?

NOTE Confidence: 0.9990988

 $00:12:40.910 \longrightarrow 00:12:41.730$ What are the

00:12:42.190 --> 00:12:43.630 consequences a day or two

NOTE Confidence: 0.99758935

 $00:12:43.630 \longrightarrow 00:12:44.130$ later?

NOTE Confidence: 0.992259

00:12:44.590 --> 00:12:46.130 It's remarkably well tolerated.

NOTE Confidence: 0.9973682

 $00:12:47.070 \longrightarrow 00:12:48.270$ Almost all of our patients

NOTE Confidence: 0.9973682

 $00:12:48.270 \longrightarrow 00:12:49.470$ go home the very same

NOTE Confidence: 0.997368200:12:49.470 --> 00:12:49.970 day.

NOTE Confidence: 0.98073506

 $00:12:50.975 \longrightarrow 00:12:51.775$ They're a little tired for

NOTE Confidence: 0.98073506

00:12:51.775 --> 00:12:52.895 a couple days and a

NOTE Confidence: 0.98073506

 $00:12:52.895 \longrightarrow 00:12:54.335$ little sore where the frame

NOTE Confidence: 0.98073506

 $00:12:54.335 \longrightarrow 00:12:55.235$ has been attached.

NOTE Confidence: 0.9822544

 $00:12:55.615 \longrightarrow 00:12:56.815$ But other than that, it's

NOTE Confidence: 0.9822544

 $00{:}12{:}56.815 \dashrightarrow 00{:}12{:}58.175$ a very well tolerated treatment.

NOTE Confidence: 0.9822544

 $00:12:58.175 \longrightarrow 00:12:59.054$ And that is a huge

NOTE Confidence: 0.9822544

 $00:12:59.054 \longrightarrow 00:12:59.554$ benefit

NOTE Confidence: 0.9859951

 $00:12:59.934 \longrightarrow 00:13:01.054$ because it's so much faster

 $00:13:01.054 \longrightarrow 00:13:02.675$ than other forms of radiation.

NOTE Confidence: 0.9911325

 $00:13:03.230 \longrightarrow 00:13:04.110$ We can get them on

NOTE Confidence: 0.9911325

 $00:13:04.110 \longrightarrow 00:13:05.309$ to the next phase of

NOTE Confidence: 0.9911325

 $00:13:05.309 \longrightarrow 00:13:06.130$ either chemotherapy

NOTE Confidence: 0.97061837

 $00:13:06.430 \longrightarrow 00:13:08.030$ or targeted therapy or clinical

NOTE Confidence: 0.97061837

 $00:13:08.030 \longrightarrow 00:13:09.490$ trial without any delay.

NOTE Confidence: 0.9596449

 $00:13:12.030 \longrightarrow 00:13:13.870$ Even beyond that, who wants

NOTE Confidence: 0.9596449

 $00:13:13.870 \longrightarrow 00:13:15.070$ to feel badly from a

NOTE Confidence: 0.9596449

 $00:13:15.070 \longrightarrow 00:13:16.930$ treatment? The

NOTE Confidence: 0.9596449

00:13:17.105 --> 00:13:18.465 easier a treatment

NOTE Confidence: 0.9596449

 $00:13:18.465 \longrightarrow 00:13:20.145$ is, the more you can

NOTE Confidence: 0.9596449

 $00:13:20.145 \longrightarrow 00:13:21.684$ think about getting it.

NOTE Confidence: 0.9907809

00:13:23.025 --> 00:13:24.865 Well, we're gonna take a

NOTE Confidence: 0.9907809

 $00:13:24.865 \longrightarrow 00:13:27.105$ very brief break. And when

NOTE Confidence: 0.9907809

 $00:13:27.105 \longrightarrow 00:13:28.645$ we come back, we'll continue

NOTE Confidence: 0.9907809

 $00:13:28.705 \longrightarrow 00:13:29.605$ talking to

00:13:30.110 --> 00:13:32.110 James Hansen, associate professor of

NOTE Confidence: 0.96891224

00:13:32.110 --> 00:13:33.090 therapeutic radiology,

NOTE Confidence: 0.99936306

 $00:13:33.870 \longrightarrow 00:13:35.550$ and we'll move on to

NOTE Confidence: 0.99936306

 $00:13:35.550 \longrightarrow 00:13:36.290$ talk about

NOTE Confidence: 0.9943037

 $00:13:36.750 \longrightarrow 00:13:38.130$ some of his own research,

NOTE Confidence: 0.98869085

 $00:13:39.150 \longrightarrow 00:13:40.910$ focused on a very different

NOTE Confidence: 0.98869085

 $00:13:40.910 \longrightarrow 00:13:41.410$ area.

NOTE Confidence: 0.9549862

 $00{:}13{:}41.950 \dashrightarrow 00{:}13{:}43.550$ Support for Yale Cancer Answers

NOTE Confidence: 0.9549862

00:13:43.550 --> 00:13:45.490 comes from Smilow Cancer Hospital,

NOTE Confidence: 0.9651667

 $00{:}13{:}45.995 \dashrightarrow 00{:}13{:}47.695$ where their thyroid care ablation

NOTE Confidence: 0.9651667

 $00:13:47.755 \longrightarrow 00:13:50.175$ program offers an alternative nonsurgical

NOTE Confidence: 0.9839518

 $00:13:50.554 \longrightarrow 00:13:52.394$ approach to treating symptomatic or

NOTE Confidence: 0.9839518

 $00:13:52.394 \longrightarrow 00:13:54.735$ aesthetically unappealing thyroid nodules.

NOTE Confidence: 0.7659271

 $00:13:55.355 \longrightarrow 00:13:55.855$ Smilowcancer

NOTE Confidence: 0.8527115

 $00:13:56.235 \longrightarrow 00:13:57.615$ hospital dot org.

00:13:59.860 --> 00:14:01.540 Genetic testing can be useful

NOTE Confidence: 0.9980401

 $00:14:01.540 \longrightarrow 00:14:02.740$ for people with certain types

NOTE Confidence: 0.9980401

 $00:14:02.740 \longrightarrow 00:14:03.780$ of cancer that seem to

NOTE Confidence: 0.9980401

 $00:14:03.780 \longrightarrow 00:14:04.920$ run-in their families.

NOTE Confidence: 0.99796593

 $00:14:05.380 \longrightarrow 00:14:06.980$ Genetic counseling is a process

NOTE Confidence: 0.99796593

00:14:06.980 --> 00:14:08.840 that includes collecting a detailed

NOTE Confidence: 0.99796593

 $00:14:08.900 \longrightarrow 00:14:10.520$ personal and family history,

NOTE Confidence: 0.97694325

 $00:14:10.934 \longrightarrow 00:14:11.915$ a risk assessment,

NOTE Confidence: 0.9996111

 $00{:}14{:}12.295 \dashrightarrow 00{:}14{:}13.815$ and a discussion of genetic

NOTE Confidence: 0.9996111

00:14:13.815 --> 00:14:14.795 testing options.

NOTE Confidence: 0.9719718

 $00:14:15.335 \longrightarrow 00:14:16.615$ Only about five to ten

NOTE Confidence: 0.9719718

 $00:14:16.615 \longrightarrow 00:14:17.975$ percent of all cancers are

NOTE Confidence: 0.9719718

 $00:14:17.975 \longrightarrow 00:14:19.895$ inherited and genetic testing is

NOTE Confidence: 0.9719718

 $00:14:19.895 \longrightarrow 00:14:21.355$ not recommended for everyone.

NOTE Confidence: 0.9989085

 $00:14:21.975 \longrightarrow 00:14:23.639$ Individuals who have a personal

NOTE Confidence: 0.9989085

 $00:14:23.639 \longrightarrow 00:14:25.480$ and or family history that

 $00:14:25.480 \longrightarrow 00:14:27.800$ includes cancer at unusually early

NOTE Confidence: 0.9989085

 $00{:}14{:}27.800 --> 00{:}14{:}28.300 \ \mathrm{ages},$

NOTE Confidence: 0.99947417

 $00:14:28.759 \longrightarrow 00:14:30.360$ multiple relatives on the same

NOTE Confidence: 0.99947417

 $00:14:30.360 \longrightarrow 00:14:31.639$ side of the family with

NOTE Confidence: 0.99947417

 $00:14:31.639 \longrightarrow 00:14:32.620$ the same cancer,

NOTE Confidence: 0.998387

 $00:14:33.079 \longrightarrow 00:14:34.680$ more than one diagnosis of

NOTE Confidence: 0.998387

 $00:14:34.680 \longrightarrow 00:14:36.300$ cancer in the same individual,

NOTE Confidence: 0.98516095

 $00:14:37.045 \longrightarrow 00:14:37.785$ rare cancers,

NOTE Confidence: 0.9977504

00:14:38.245 --> 00:14:39.605 or family history of a

NOTE Confidence: 0.9977504

 $00:14:39.605 \longrightarrow 00:14:41.305$ known altered cancer predisposing

NOTE Confidence: 0.99335146

00:14:41.765 --> 00:14:43.445 gene could be candidates for

NOTE Confidence: 0.99335146

 $00:14:43.445 \longrightarrow 00:14:44.425$ genetic testing.

NOTE Confidence: 0.9797522

 $00{:}14{:}45.045 \dashrightarrow 00{:}14{:}46.885$ Resources for genetic counseling and

NOTE Confidence: 0.9797522

00:14:46.885 --> 00:14:48.505 testing are available at federally

NOTE Confidence: 0.9797522

 $00:14:48.645 \longrightarrow 00:14:50.905$ designated comprehensive cancer centers,

00:14:51.290 --> 00:14:52.730 such as Yale Cancer Center

NOTE Confidence: 0.95709705

00:14:52.730 --> 00:14:54.510 and Smilow Cancer Hospital.

NOTE Confidence: 0.9757914

00:14:54.890 --> 00:14:56.570 More information is available at

NOTE Confidence: 0.9757914

 $00:14:56.570 \longrightarrow 00:14:58.350$ yale cancer center dot org.

NOTE Confidence: 0.9757914

 $00:14:58.570 \longrightarrow 00:15:00.330$ You're listening to Connecticut Public

NOTE Confidence: 0.9757914

 $00:15:00.330 \longrightarrow 00:15:00.830$ Radio.

NOTE Confidence: 0.8920007

00:15:01.770 --> 00:15:03.610 Hello again. This is Eric

NOTE Confidence: 0.8920007

00:15:03.610 --> 00:15:05.470 Winer with Yale Cancer Answers,

NOTE Confidence: 0.8920007

 $00:15:05.610 \longrightarrow 00:15:06.830$ and I'm here again

NOTE Confidence: 0.9262989

 $00:15:07.585 \longrightarrow 00:15:09.765$ with our guest, doctor James

NOTE Confidence: 0.9262989

 $00{:}15{:}09.825 --> 00{:}15{:}10.325 \ \mathrm{Hansen},$

NOTE Confidence: 0.99803525

 $00{:}15{:}10.865 --> 00{:}15{:}12.165 \text{ a radiation oncologist}$

NOTE Confidence: 0.97190017

 $00:15:12.945 \longrightarrow 00:15:14.565$ who focuses on

NOTE Confidence: 0.90497637

00:15:14.945 --> 00:15:16.165 gamma knife treatment

NOTE Confidence: 0.99779606

 $00:15:16.465 \longrightarrow 00:15:17.925$ in his clinical work.

NOTE Confidence: 0.9900657

 $00:15:18.465 \longrightarrow 00:15:20.565$ But beyond that, like many,

00:15:20.785 --> 00:15:21.765 many physicians,

NOTE Confidence: 0.9500661

 $00:15:23.430 \longrightarrow 00:15:25.029$ is involved in research as

NOTE Confidence: 0.9500661

 $00:15:25.029 \longrightarrow 00:15:25.529$ well,

NOTE Confidence: 0.99688995

 $00:15:26.149 \longrightarrow 00:15:27.850$ involved in research to try

NOTE Confidence: 0.998291

 $00:15:28.709 \longrightarrow 00:15:29.370$ to make

NOTE Confidence: 0.9997784

 $00:15:29.750 \longrightarrow 00:15:31.670$ treatment better for patients in

NOTE Confidence: 0.9997784

 $00:15:31.670 \longrightarrow 00:15:32.329$ the future.

NOTE Confidence: 0.99781406

 $00:15:32.790 \longrightarrow 00:15:34.470$ Some of that research involves

NOTE Confidence: 0.99781406

 $00:15:34.470 \longrightarrow 00:15:35.829$ clinical trials. Some of it

NOTE Confidence: 0.99781406

00:15:35.829 --> 00:15:37.510 involves more basic work to

NOTE Confidence: 0.99781406

 $00:15:37.510 \longrightarrow 00:15:38.205$ try to

NOTE Confidence: 0.99984723

00:15:38.765 --> 00:15:39.345 come up

NOTE Confidence: 0.99980855

00:15:40.125 --> 00:15:41.345 with new approaches

NOTE Confidence: 0.9995207

 $00:15:43.245 \longrightarrow 00:15:44.845$ that could lead to clinical

NOTE Confidence: 0.9995207

 $00:15:44.845 \longrightarrow 00:15:45.985$ trials in the future.

 $00:15:46.925 \longrightarrow 00:15:47.965$ So I wanna talk to

NOTE Confidence: 0.9804729

 $00:15:47.965 \longrightarrow 00:15:48.945$ you about

NOTE Confidence: 0.9992061

00:15:50.125 --> 00:15:51.745 lupus related antibodies

NOTE Confidence: 0.98629725

 $00:15:52.365 \longrightarrow 00:15:54.065$ and how this might

NOTE Confidence: 0.99906397

 $00:15:54.820 \longrightarrow 00:15:55.880$ ultimately improve

NOTE Confidence: 0.995097

 $00:15:56.260 \longrightarrow 00:15:58.420$ care for individuals who have

NOTE Confidence: 0.995097

 $00:15:58.420 \longrightarrow 00:15:58.920$ glioblastoma.

NOTE Confidence: 0.9942274

 $00:15:59.460 \longrightarrow 00:16:01.779$ And maybe before you talk

NOTE Confidence: 0.9942274

00:16:01.779 --> 00:16:03.560 about lupus related antibodies,

NOTE Confidence: 0.9915592

 $00:16:04.020 \longrightarrow 00:16:05.140$ maybe you could just talk

NOTE Confidence: 0.9915592 00:16:05.140 --> 00:16:05.640 for NOTE Confidence: 0.9573315

 $00:16:06.785 \longrightarrow 00:16:08.305$ a minute or two about

NOTE Confidence: 0.9573315

00:16:08.305 --> 00:16:08.805 glioblastoma

NOTE Confidence: 0.9563076

 $00:16:09.665 \longrightarrow 00:16:10.165$ and

NOTE Confidence: 0.9961316

 $00:16:10.704 \longrightarrow 00:16:12.225$ where we stand with that

NOTE Confidence: 0.9961316

 $00:16:12.225 \longrightarrow 00:16:13.925$ very difficult to treat cancer.

 $00:16:14.785 \longrightarrow 00:16:15.584$ Did you say you wanted

NOTE Confidence: 0.9865449

 $00:16:15.584 \longrightarrow 00:16:16.704$ me to talk about lupus

NOTE Confidence: 0.9865449

00:16:16.704 --> 00:16:19.105 related antibodies in cancer?

NOTE Confidence: 0.9865449

 $00:16:19.105 \longrightarrow 00:16:20.225$ That sounds a little off

NOTE Confidence: 0.9865449

 $00:16:20.225 \longrightarrow 00:16:21.444$ the norm here.

00:16:23.780 --> 00:16:24.660 It is, it's your work.

NOTE Confidence: 0.9370552

00:16:24.660 --> 00:16:26.020 Oh, how about that?

NOTE Confidence: 0.9370552

00:16:26.020 --> 00:16:27.620 Alright. Yes. Happy to talk

NOTE Confidence: 0.9370552

 $00:16:27.620 \longrightarrow 00:16:28.360$ about that.

NOTE Confidence: 0.99979466 00:16:28.820 --> 00:16:29.320 So

NOTE Confidence: 0.9991438

 $00{:}16{:}29.700 \dashrightarrow 00{:}16{:}30.200 \ glioblastoma$

NOTE Confidence: 0.99966675

 $00:16:31.060 \longrightarrow 00:16:32.340$ is one of the most

NOTE Confidence: 0.99966675

 $00:16:32.340 \longrightarrow 00:16:32.840$ aggressive

NOTE Confidence: 0.9955153

 $00{:}16{:}33.220 \mathrel{--}{>} 00{:}16{:}34.900$ primary brain tumors that we

NOTE Confidence: 0.9955153

 $00:16:34.900 \longrightarrow 00:16:35.400$ encounter.

NOTE Confidence: 0.9997285

 $00:16:36.225 \longrightarrow 00:16:37.505$ And one of the reasons

 $00{:}16{:}37.505 \to 00{:}16{:}38.464$ that it's so tough to

NOTE Confidence: 0.9997285

 $00:16:38.464 \longrightarrow 00:16:39.445$ beat is

NOTE Confidence: 0.982666

 $00:16:39.904 \longrightarrow 00:16:41.105$ that it has figured out

NOTE Confidence: 0.982666

00:16:41.105 --> 00:16:42.625 ways to sort of cloak

NOTE Confidence: 0.982666

 $00:16:42.625 \longrightarrow 00:16:43.985$ itself so that it kind

NOTE Confidence: 0.982666

 $00:16:43.985 \longrightarrow 00:16:45.265$ of, I like to say, it runs

00:16:46.145 --> 00:16:47.904 silent, meaning that our own

NOTE Confidence: 0.982666

00:16:47.904 --> 00:16:49.665 immune system can't see it,

NOTE Confidence: 0.982666

00:16:49.665 --> 00:16:50.865 can't fight it off. So

NOTE Confidence: 0.982666

 $00:16:50.865 \longrightarrow 00:16:52.199$ we try to be

NOTE Confidence: 0.982666

 $00:16:52.199 \longrightarrow 00:16:54.139$ aggressive with surgery and radiation

NOTE Confidence: 0.982666

 $00:16:54.199 \longrightarrow 00:16:56.360$ and chemotherapy, but we really

NOTE Confidence: 0.982666

 $00:16:56.360 \longrightarrow 00:16:57.560$ need backup from the immune

NOTE Confidence: 0.982666

 $00:16:57.560 \longrightarrow 00:16:58.839$ system to get after it.

NOTE Confidence: 0.982666

00:16:58.839 --> 00:16:59.980 And, unfortunately,

NOTE Confidence: 0.96163774

 $00{:}17{:}00.439 \to 00{:}17{:}01.560$ the T cells and such

 $00:17:01.560 \longrightarrow 00:17:02.759$ just don't tend to find

NOTE Confidence: 0.96163774

 $00{:}17{:}02.759 \dashrightarrow 00{:}17{:}04.539$ it. And that's why glioblastoma

NOTE Confidence: 0.990077

 $00:17:05.080 \longrightarrow 00:17:06.505$ is called immunologically,

NOTE Confidence: 0.93467236

00:17:07.125 --> 00:17:07.784 quote, unquote,

NOTE Confidence: 0.99911773 00:17:08.404 --> 00:17:08.904 cold. NOTE Confidence: 0.99921703

 $00:17:09.684 \longrightarrow 00:17:10.424$ So we figured

NOTE Confidence: 0.97757435

 $00:17:10.884 \longrightarrow 00:17:11.605$ if there was a way

NOTE Confidence: 0.97757435

 $00:17:11.605 \longrightarrow 00:17:12.804$ to heat up those tumors,

NOTE Confidence: 0.97757435

 $00:17:12.804 \longrightarrow 00:17:13.924$ maybe we could get better

NOTE Confidence: 0.97757435

 $00:17:13.924 \longrightarrow 00:17:14.424$ outcomes.

NOTE Confidence: 0.99559426

 $00:17:14.965 \longrightarrow 00:17:16.325$ And by cold, you mean

NOTE Confidence: 0.99559426 00:17:16.325 --> 00:17:16.825 that NOTE Confidence: 0.99837124

 $00{:}17{:}17.524 \dashrightarrow 00{:}17{:}18.024 \ \mathrm{immunotherapy}$

NOTE Confidence: 0.931265

 $00:17:18.565 \longrightarrow 00:17:19.865$ as we give it today

NOTE Confidence: 0.997001

 $00:17:20.250 \longrightarrow 00:17:21.530$ doesn't seem to have any

00:17:21.530 --> 00:17:22.590 impact on glioblastomas.

NOTE Confidence: 0.9986521

 $00{:}17{:}23.290 --> 00{:}17{:}24.250$ You got it. So all

NOTE Confidence: 0.9986521

 $00:17:24.250 \longrightarrow 00:17:25.770$ those antibody things we see

NOTE Confidence: 0.9986521

 $00:17:25.770 \longrightarrow 00:17:27.470$ advertised on TV that are

NOTE Confidence: 0.9986521

00:17:27.609 --> 00:17:29.150 really making a huge difference

NOTE Confidence: 0.9986521

 $00:17:29.290 \longrightarrow 00:17:30.670$ in other kinds of cancers,

NOTE Confidence: 0.9995214

 $00:17:31.130 \longrightarrow 00:17:32.430$ they're not touching glioblastoma.

NOTE Confidence: 0.99919635

 $00:17:33.130 \longrightarrow 00:17:33.930$ So we need a way

NOTE Confidence: 0.99919635

 $00:17:33.930 \longrightarrow 00:17:35.070$ to figure out why

NOTE Confidence: 0.999764

 $00:17:35.455 \longrightarrow 00:17:36.655$ or how to break that

NOTE Confidence: 0.999764

 $00{:}17{:}36.655 \dashrightarrow 00{:}17{:}37.155$ cycle.

NOTE Confidence: 0.9988851

 $00:17:37.935 \longrightarrow 00:17:39.375$ So where would we

NOTE Confidence: 0.9988851

 $00:17:39.375 \longrightarrow 00:17:40.595$ look to find a hyperactive

NOTE Confidence: 0.9988851

00:17:40.895 --> 00:17:42.515 immune system?

NOTE Confidence: 0.96481353

00:17:42.815 --> 00:17:44.275 How about autoimmunity,

NOTE Confidence: 0.9889104

 $00:17:45.055 \longrightarrow 00:17:46.275$ like lupus?

 $00{:}17{:}46.815 {\:\dashrightarrow\:} 00{:}17{:}47.875$ So in lupus,

NOTE Confidence: 0.99924153

 $00{:}17{:}48.670 \dashrightarrow 00{:}17{:}50.430$ a patient's own immune system

NOTE Confidence: 0.99924153

 $00:17:50.430 \longrightarrow 00:17:52.270$ goes a little crazy and

NOTE Confidence: 0.99924153

00:17:52.270 --> 00:17:54.130 starts attacking its own cells

NOTE Confidence: 0.99924153

 $00:17:54.190 \longrightarrow 00:17:54.930$ and tissues.

NOTE Confidence: 0.9967168

 $00:17:55.869 \longrightarrow 00:17:56.830$ So we figured, well, if

NOTE Confidence: 0.9967168

 $00:17:56.830 \longrightarrow 00:17:57.790$ we could figure out what

NOTE Confidence: 0.9967168

 $00:17:57.790 \longrightarrow 00:17:58.690$ are the mechanisms

NOTE Confidence: 0.99979407

 $00:17:59.230 \longrightarrow 00:18:00.130$ driving that

NOTE Confidence: 0.9939677

 $00:18:00.510 \longrightarrow 00:18:01.710$ and just isolate a few

NOTE Confidence: 0.9939677

 $00:18:01.710 \longrightarrow 00:18:02.510$ of them, maybe we could

NOTE Confidence: 0.9939677

 $00:18:02.510 \longrightarrow 00:18:03.490$ use some of those

NOTE Confidence: 0.99779975

 $00{:}18{:}03.895 \dashrightarrow 00{:}18{:}05.415$ to awaken the immune system

NOTE Confidence: 0.99779975

00:18:05.415 --> 00:18:06.635 in glioblastoma.

NOTE Confidence: 0.9769826

 $00:18:07.815 \longrightarrow 00:18:08.615$ And that's what my lab

 $00:18:08.615 \longrightarrow 00:18:10.934$ focuses on, is understanding mechanisms

NOTE Confidence: 0.9769826

 $00:18:10.934 \longrightarrow 00:18:11.595$ of autoimmunity

NOTE Confidence: 0.9952764

 $00:18:12.054 \longrightarrow 00:18:12.934$ with the goal of using

NOTE Confidence: 0.9952764

 $00:18:12.934 \longrightarrow 00:18:14.155$ them against cancer.

NOTE Confidence: 0.97001725

 $00:18:14.695 \longrightarrow 00:18:15.815$ And let me just ask

NOTE Confidence: 0.97001725

00:18:15.815 --> 00:18:17.595 you. Lupus, if I remember

NOTE Confidence: 0.97001725

00:18:17.655 --> 00:18:18.475 right, from

NOTE Confidence: 0.9863422

 $00:18:19.160 \longrightarrow 00:18:20.299$ days when I

NOTE Confidence: 0.94857836

 $00{:}18{:}20.600 \dashrightarrow 00{:}18{:}22.220$ trained in internal medicine,

NOTE Confidence: 0.9627298

 $00:18:22.600 \longrightarrow 00:18:24.280$ is actually a disease that

NOTE Confidence: 0.9627298

 $00{:}18{:}24.280 \dashrightarrow 00{:}18{:}26.039$ occasionally affects the brain as well?

NOTE Confidence: 0.9627298

00:18:26.039 --> 00:18:28.380 Absolutely. And patients,

NOTE Confidence: 0.9601078

 $00:18:29.080 \longrightarrow 00:18:31.080$ at times, unfortunately, get what's

NOTE Confidence: 0.9601078

 $00:18:31.080 \longrightarrow 00:18:32.460$ called lupus cerebritis,

NOTE Confidence: 0.9964006

 $00:18:33.664 \longrightarrow 00:18:35.905$ where those antibodies seem

NOTE Confidence: 0.9964006

 $00:18:35.905 \longrightarrow 00:18:37.525$ to attack the brain.

00:18:38.145 --> 00:18:39.445 That's exactly right.

NOTE Confidence: 0.99886715

 $00:18:39.984 \longrightarrow 00:18:40.865$ But how in the world

NOTE Confidence: 0.99886715

00:18:40.865 --> 00:18:42.484 are they doing that? Antibodies

NOTE Confidence: 0.99886715

 $00:18:42.625 \longrightarrow 00:18:43.825$ aren't supposed to be able

NOTE Confidence: 0.99886715

 $00:18:43.825 \longrightarrow 00:18:45.265$ to cross the blood brain

NOTE Confidence: 0.99886715

 $00:18:45.265 \longrightarrow 00:18:45.765$ barrier.

NOTE Confidence: 0.9991699

00:18:46.660 --> 00:18:47.780 Antibodies aren't even supposed to

NOTE Confidence: 0.9991699

 $00:18:47.780 \longrightarrow 00:18:48.840$ be able to penetrate

NOTE Confidence: 0.99751616

 $00:18:49.140 \longrightarrow 00:18:50.740$ into live cells. So that's

NOTE Confidence: 0.99751616

 $00:18:50.740 \longrightarrow 00:18:52.280$ a good segue. Thank you.

NOTE Confidence: 0.9771672

 $00:18:54.420 \longrightarrow 00:18:56.260$ Antibody therapy, as we know

NOTE Confidence: 0.9771672

 $00:18:56.260 \longrightarrow 00:18:58.100$ it currently, is focused on

NOTE Confidence: 0.9771672

 $00:18:58.100 \longrightarrow 00:18:59.000$ binding things

NOTE Confidence: 0.99616736

 $00:18:59.345 \longrightarrow 00:19:00.625$ on the outside of cells,

NOTE Confidence: 0.99616736

 $00:19:00.625 \longrightarrow 00:19:02.385$ things circulating in the blood

 $00:19:02.385 \longrightarrow 00:19:03.345$ or on the surface of

NOTE Confidence: 0.99616736 00:19:03.345 --> 00:19:03.845 cells.

NOTE Confidence: 0.99145865

 $00:19:04.465 \longrightarrow 00:19:05.185$ Now this is where a

NOTE Confidence: 0.99145865

00:19:05.185 --> 00:19:06.545 lot of critics might say,

NOTE Confidence: 0.99145865

00:19:06.545 --> 00:19:08.225 well, no. Some antibodies get

NOTE Confidence: 0.99145865

 $00:19:08.225 \longrightarrow 00:19:09.445$ eaten by cells.

NOTE Confidence: 0.9925141

 $00:19:09.825 \longrightarrow 00:19:10.705$ But I say that those

NOTE Confidence: 0.9925141

 $00:19:10.705 \longrightarrow 00:19:11.984$ don't count because they then

NOTE Confidence: 0.9925141

 $00:19:11.984 \longrightarrow 00:19:13.425$ get destroyed inside the cell

NOTE Confidence: 0.9925141

 $00:19:13.425 \longrightarrow 00:19:14.885$ by endosomes and lysosomes.

NOTE Confidence: 0.999907

 $00:19:15.970 \longrightarrow 00:19:16.869$ What's remarkable

NOTE Confidence: 0.93394667

 $00:19:17.250 \longrightarrow 00:19:18.850$ about lupus antibodies we have

NOTE Confidence: 0.93394667

 $00:19:18.850 \longrightarrow 00:19:19.350$ found

NOTE Confidence: 0.9958642

 $00:19:19.890 \longrightarrow 00:19:20.850$ is that a subset of

NOTE Confidence: 0.9958642

 $00:19:20.850 \longrightarrow 00:19:21.350$ them

NOTE Confidence: 0.9851427

00:19:21.890 --> 00:19:23.490 are reactive against a patient's

 $00:19:23.490 \longrightarrow 00:19:24.470$ own DNA.

NOTE Confidence: 0.9632946

 $00:19:25.169 \longrightarrow 00:19:25.890$ And so sort of a

NOTE Confidence: 0.9632946

 $00:19:25.890 \longrightarrow 00:19:27.250$ hallmark of lupus is these

NOTE Confidence: 0.9632946

 $00:19:27.250 \longrightarrow 00:19:28.470$ anti DNA antibodies.

NOTE Confidence: 0.99167544

 $00:19:30.065 \longrightarrow 00:19:31.185$ And so they look for

NOTE Confidence: 0.99167544

00:19:31.185 --> 00:19:33.285 DNA, and they find DNA

NOTE Confidence: 0.99167544

 $00:19:33.585 \longrightarrow 00:19:34.565$ where it is

NOTE Confidence: 0.9653787

00:19:35.025 --> 00:19:36.385 concentrated. So it's kind of

NOTE Confidence: 0.9653787 00:19:36.385 --> 00:19:36.545 like NOTE Confidence: 0.9884996

00:19:37.585 --> 00:19:39.105 if anybody who's listening has

NOTE Confidence: 0.9884996

 $00:19:39.105 \longrightarrow 00:19:40.385$ seen the movie Star Trek

NOTE Confidence: 0.9884996

 $00:19:40.385 \longrightarrow 00:19:41.825$ there is a part

NOTE Confidence: 0.9884996

00:19:41.825 --> 00:19:42.965 of that movie wherein

NOTE Confidence: 0.95480585

 $00:19:43.460 \longrightarrow 00:19:45.060$ the Enterprise is facing a

NOTE Confidence: 0.95480585

 $00:19:45.060 \longrightarrow 00:19:45.560$ cloaked

 $00:19:46.100 \longrightarrow 00:19:47.300$ bad guy ship, and they

NOTE Confidence: 0.9371047

 $00{:}19{:}47.300 --> 00{:}19{:}48.260$ can't figure out how to

NOTE Confidence: 0.9371047

 $00:19:48.260 \longrightarrow 00:19:49.859$ find it. Until suddenly, they

NOTE Confidence: 0.9371047

 $00:19:49.859 \longrightarrow 00:19:50.359$ realize

NOTE Confidence: 0.98278254

 $00:19:51.060 \longrightarrow 00:19:52.020$ the thing has to have

NOTE Confidence: 0.98278254

 $00:19:52.020 \longrightarrow 00:19:53.460$ a tailpipe. And so they

NOTE Confidence: 0.98278254

 $00:19:53.460 \longrightarrow 00:19:54.100$ figure out a way to

NOTE Confidence: 0.98278254

 $00:19:54.100 \longrightarrow 00:19:55.640$ fire off a photon torpedo

NOTE Confidence: 0.9976845

 $00:19:56.260 \longrightarrow 00:19:57.619$ to track its exhaust back

NOTE Confidence: 0.9976845

 $00:19:57.619 \longrightarrow 00:19:58.520$ to its source.

NOTE Confidence: 0.9623363

00:19:59.455 --> 00:20:01.395 Tumor exhaust is DNA,

NOTE Confidence: 0.9732676

 $00:20:01.695 \longrightarrow 00:20:03.215$ nucleic acids, as the tumor

NOTE Confidence: 0.9732676

 $00:20:03.215 \longrightarrow 00:20:04.575$ cells are cycling and releasing

NOTE Confidence: 0.9732676

 $00:20:04.575 \longrightarrow 00:20:05.855$ them. So we thought, well,

NOTE Confidence: 0.9732676

 $00:20:05.855 \longrightarrow 00:20:07.215$ maybe these anti DNA antibodies

NOTE Confidence: 0.9732676

 $00{:}20{:}07.215 \dashrightarrow 00{:}20{:}09.135$ will find tumors by tracking

00:20:09.135 --> 00:20:10.175 their exhaust back to the

NOTE Confidence: 0.9732676

 $00:20:10.175 \longrightarrow 00:20:11.935$ source. And, indeed, they do.

NOTE Confidence: 0.9732676

00:20:11.935 --> 00:20:13.455 And what's even more remarkable

NOTE Confidence: 0.9732676

 $00:20:13.455 \longrightarrow 00:20:14.675$ is when they get there,

NOTE Confidence: 0.97068566

00:20:14.990 --> 00:20:16.369 they're sticking to the nucleoside

NOTE Confidence: 0.97068566

00:20:16.430 --> 00:20:17.490 components of DNA,

NOTE Confidence: 0.95015025

 $00:20:17.950 \longrightarrow 00:20:19.070$ and then the live tumor

NOTE Confidence: 0.95015025

 $00{:}20{:}19.070 \dashrightarrow 00{:}20{:}21.170$ cells and other environmental

NOTE Confidence: 0.95015025 00:20:21.230 --> 00:20:21.730 cells

NOTE Confidence: 0.9863708

 $00:20:22.430 \longrightarrow 00:20:24.450$ are pulling those nucleosides in

NOTE Confidence: 0.9863708

 $00{:}20{:}24.670 \dashrightarrow 00{:}20{:}25.550$ through this thing called a

NOTE Confidence: 0.9863708

 $00:20:25.550 \longrightarrow 00:20:27.250$ nucleoside salvage pathway.

NOTE Confidence: 0.9847343

 $00{:}20{:}27.565 \to 00{:}20{:}28.525$ And so it pulls the

NOTE Confidence: 0.9847343

00:20:28.525 --> 00:20:30.465 antibody in. And the antibody

NOTE Confidence: 0.9847343

 $00:20:30.605 \longrightarrow 00:20:32.065$ then gets into those cells,

 $00:20:32.445 \longrightarrow 00:20:34.125$ skips all the security guys.

NOTE Confidence: 0.9650427

00:20:34.125 --> 00:20:35.805 It skips the lysosomes and

NOTE Confidence: 0.9650427

 $00:20:35.805 \longrightarrow 00:20:36.925$ the endosomes, and it has

NOTE Confidence: 0.9650427

 $00:20:36.925 \longrightarrow 00:20:38.785$ free rein inside that cell.

NOTE Confidence: 0.97820246

 $00:20:39.405 \longrightarrow 00:20:40.125$ Some of them go to

NOTE Confidence: 0.97820246

 $00:20:40.125 \longrightarrow 00:20:40.785$ the nucleus.

NOTE Confidence: 0.99724895

00:20:41.405 --> 00:20:42.625 Some go to the cytoplasm.

NOTE Confidence: 0.94787073

 $00:20:43.590 \longrightarrow 00:20:44.710$ What we just found, and

NOTE Confidence: 0.94787073

 $00{:}20{:}44.710 --> 00{:}20{:}45.830$ we just published in Science

NOTE Confidence: 0.94787073

00:20:45.830 --> 00:20:47.470 Signaling and is getting quite

NOTE Confidence: 0.94787073

 $00:20:47.470 \longrightarrow 00:20:48.309$ a lot of attention and

NOTE Confidence: 0.94787073

 $00:20:48.309 \longrightarrow 00:20:49.369$ very excited about,

NOTE Confidence: 0.9909094

 $00:20:49.910 \longrightarrow 00:20:50.950$ is that one of these

NOTE Confidence: 0.9909094

 $00:20:50.950 \longrightarrow 00:20:52.549$ antibodies, when it gets into

NOTE Confidence: 0.9909094

 $00{:}20{:}52.549 \dashrightarrow 00{:}20{:}54.270$ that cytoplasm, the liquid part

NOTE Confidence: 0.9909094

 $00:20:54.270 \longrightarrow 00:20:55.190$ of the cell, not the

00:20:55.190 --> 00:20:55.690 nucleus,

NOTE Confidence: 0.99934083

00:20:56.545 --> 00:20:58.005 it's sticking to RNA,

NOTE Confidence: 0.9834965

 $00:20:58.385 \longrightarrow 00:20:59.744$ a specific type of nucleic

NOTE Confidence: 0.9834965

 $00:20:59.744 \longrightarrow 00:21:00.244$ acid.

NOTE Confidence: 0.9320717

00:21:00.785 --> 00:21:01.685 And then finally,

NOTE Confidence: 0.98920184

 $00:21:02.385 \longrightarrow 00:21:03.905$ something inside the cell called

NOTE Confidence: 0.98920184

 $00:21:03.905 \longrightarrow 00:21:05.765$ a pattern recognition receptor

NOTE Confidence: 0.9671283

 $00:21:06.385 \longrightarrow 00:21:07.685$ sees that and says,

NOTE Confidence: 0.95084655

 $00:21:08.465 \longrightarrow 00:21:09.744$ that's not supposed to be

NOTE Confidence: 0.95084655

 $00:21:09.744 \longrightarrow 00:21:11.000$ here. I don't know what's

NOTE Confidence: 0.95084655

00:21:11.000 --> 00:21:12.679 going on, but something bad

NOTE Confidence: 0.95084655

00:21:12.679 --> 00:21:14.440 has happened. And it triggers

NOTE Confidence: 0.95084655

 $00:21:14.440 \longrightarrow 00:21:15.960$ off an immune reaction. And

NOTE Confidence: 0.95084655

 $00:21:15.960 \longrightarrow 00:21:17.559$ it finally says, oh my

NOTE Confidence: 0.95084655

00:21:17.559 --> 00:21:18.059 goodness.

 $00:21:18.760 \longrightarrow 00:21:19.960$ There's a tumor here this

NOTE Confidence: 0.94341546

 $00:21:19.960 \longrightarrow 00:21:21.000$ whole time. We've been sitting

NOTE Confidence: 0.94341546

 $00:21:21.000 \longrightarrow 00:21:22.760$ amongst this. We didn't realize.

NOTE Confidence: 0.94341546

 $00:21:22.760 \longrightarrow 00:21:24.039$ And then it recruits T

NOTE Confidence: 0.94341546

 $00:21:24.039 \longrightarrow 00:21:25.335$ cells, and we do see

NOTE Confidence: 0.94341546

00:21:25.335 --> 00:21:26.554 an improved response.

NOTE Confidence: 0.99472296

 $00:21:26.855 \longrightarrow 00:21:27.734$ So we figured out a

NOTE Confidence: 0.99472296

 $00:21:27.734 \longrightarrow 00:21:29.175$ way, we believe, to use

NOTE Confidence: 0.99472296

 $00{:}21{:}29.175 \dashrightarrow 00{:}21{:}30.775$ a lupus antibody that can

NOTE Confidence: 0.99472296

00:21:30.775 --> 00:21:32.234 cross the blood brain barrier,

NOTE Confidence: 0.9469714

00:21:32.695 --> 00:21:34.875 penetrate into live cells, and

NOTE Confidence: 0.91186196

 $00:21:35.175 \longrightarrow 00:21:36.375$ tumor cells and non tumor

NOTE Confidence: 0.91186196

00:21:36.375 --> 00:21:37.815 cells fire up the immune

NOTE Confidence: 0.91186196

 $00:21:37.815 \longrightarrow 00:21:38.315$ system

NOTE Confidence: 0.97943485

 $00:21:38.720 \longrightarrow 00:21:39.920$ and improve outcomes. It does

NOTE Confidence: 0.97943485

 $00:21:39.920 \longrightarrow 00:21:40.820$ it by itself.

00:21:41.280 --> 00:21:42.080 And if you throw in

NOTE Confidence: 0.9860163

 $00{:}21{:}42.080 \dashrightarrow 00{:}21{:}43.940$ an immune checkpoint blockade antibody,

NOTE Confidence: 0.9860163

 $00:21:44.240 \longrightarrow 00:21:45.680$ like those classic anti PD

NOTE Confidence: 0.9860163

 $00:21:45.680 \longrightarrow 00:21:46.180$ ones,

NOTE Confidence: 0.9900512

 $00:21:46.640 \longrightarrow 00:21:48.160$ it works even better. So

NOTE Confidence: 0.9900512

 $00:21:48.160 \longrightarrow 00:21:49.680$ we're pretty thrilled by

NOTE Confidence: 0.9900512

 $00:21:49.680 \longrightarrow 00:21:50.640$ this, and we we hope

NOTE Confidence: 0.9900512

 $00:21:50.640 \longrightarrow 00:21:51.945$ that we can get this

NOTE Confidence: 0.9900512

 $00:21:52.264 \longrightarrow 00:21:53.465$ to the clinical trials as

NOTE Confidence: 0.9900512

 $00:21:53.465 \longrightarrow 00:21:54.764$ soon as we possibly can.

NOTE Confidence: 0.99542314

 $00{:}21{:}55.465 \to 00{:}21{:}57.465$ Now if it

NOTE Confidence: 0.99542314

00:21:57.465 --> 00:21:59.304 also goes to normal cells

NOTE Confidence: 0.99542314

 $00:21:59.304 \longrightarrow 00:22:00.664$ in the brain, is there

NOTE Confidence: 0.99542314

 $00:22:00.664 \longrightarrow 00:22:02.044$ some chance it would

NOTE Confidence: 0.9992542

 $00:22:02.664 \longrightarrow 00:22:03.725$ increase the

 $00:22:04.119 \longrightarrow 00:22:05.659$ side effects from immunotherapy

NOTE Confidence: 0.9986771

 $00:22:06.039 \longrightarrow 00:22:07.399$ in those normal cells in

NOTE Confidence: 0.9986771

 $00:22:07.399 \longrightarrow 00:22:08.059$ the brain?

NOTE Confidence: 0.96302706

00:22:08.600 --> 00:22:10.039 That's the real trick. Right?

NOTE Confidence: 0.96302706

 $00:22:10.039 \longrightarrow 00:22:10.919$ Is doing this in a

NOTE Confidence: 0.96302706

 $00:22:10.919 \longrightarrow 00:22:12.039$ way that we don't cause

NOTE Confidence: 0.96302706

 $00:22:12.039 \longrightarrow 00:22:12.539$ harm.

NOTE Confidence: 0.99892396

 $00:22:13.159 \longrightarrow 00:22:14.440$ And this is where it's

NOTE Confidence: 0.99892396

 $00:22:14.440 \longrightarrow 00:22:15.179$ all about

NOTE Confidence: 0.9639235

 $00:22:15.640 \longrightarrow 00:22:17.000$ where is the antibody gonna

NOTE Confidence: 0.9639235

 $00:22:17.000 \longrightarrow 00:22:18.279$ go. And and the beauty

NOTE Confidence: 0.9639235

 $00:22:18.279 \longrightarrow 00:22:19.525$ of this, and I wish

NOTE Confidence: 0.9639235

 $00:22:19.525 \longrightarrow 00:22:20.405$ I could take credit for

NOTE Confidence: 0.9639235

 $00:22:20.405 \longrightarrow 00:22:21.605$ it. I didn't design this.

NOTE Confidence: 0.9639235

00:22:21.605 --> 00:22:23.065 This is a natural antibody,

NOTE Confidence: 0.9639235

 $00:22:23.205 \longrightarrow 00:22:25.065$ a natural lupus antibody.

 $00{:}22{:}25.765 \dashrightarrow 00{:}22{:}27.465$ It will only penetrate cells

NOTE Confidence: 0.9992568

00:22:27.605 --> 00:22:29.525 in areas that are super

NOTE Confidence: 0.9992568

 $00:22:29.525 \longrightarrow 00:22:30.425$ highly concentrated

NOTE Confidence: 0.9840481

 $00:22:31.060 \longrightarrow 00:22:32.680$ in the DNA that's released

NOTE Confidence: 0.9840481

 $00:22:32.740 \longrightarrow 00:22:34.580$ by the tumor because that's

NOTE Confidence: 0.9840481

 $00:22:34.580 \longrightarrow 00:22:35.859$ its path into the cell.

NOTE Confidence: 0.9840481

 $00:22:35.859 \longrightarrow 00:22:37.140$ So when it if it

NOTE Confidence: 0.9840481

 $00:22:37.140 \longrightarrow 00:22:38.180$ finds other areas in the

NOTE Confidence: 0.9840481

 $00:22:38.180 \longrightarrow 00:22:39.780$ normal brain that are not

NOTE Confidence: 0.9840481

 $00:22:39.780 \longrightarrow 00:22:41.380$ soaked in DNA, it will

NOTE Confidence: 0.9840481

 $00{:}22{:}41.380 --> 00{:}22{:}42.820$ not penetrate. And that's the

NOTE Confidence: 0.9840481

 $00:22:42.820 \longrightarrow 00:22:43.619$ first thing that we looked

NOTE Confidence: 0.9840481

00:22:43.619 --> 00:22:44.725 for. Where does the

NOTE Confidence: 0.9840481

00:22:44.725 --> 00:22:46.005 antibody go? And it just

NOTE Confidence: 0.9840481

 $00:22:46.005 \longrightarrow 00:22:47.205$ goes into the area of

 $00:22:47.205 \longrightarrow 00:22:48.325$ the tumor and the surrounding

NOTE Confidence: 0.9840481

 $00:22:48.325 \longrightarrow 00:22:49.845$ area, not into the normal

NOTE Confidence: 0.9840481

 $00:22:49.845 \longrightarrow 00:22:50.345$ brain.

NOTE Confidence: 0.99781275

 $00:22:51.044 \longrightarrow 00:22:52.345$ So it preferentially

NOTE Confidence: 0.9744559

 $00:22:52.725 \longrightarrow 00:22:54.404$ goes into the tumor on its own.

NOTE Confidence: 0.9744559

 $00:22:54.404 \longrightarrow 00:22:56.725$ Correct. Based on

NOTE Confidence: 0.9744559

 $00:22:56.725 \longrightarrow 00:22:57.225$ targeting

NOTE Confidence: 0.9994037

00:22:57.924 --> 00:22:59.460 the DNA. And if you

NOTE Confidence: 0.9994037

 $00{:}22{:}59.619 \longrightarrow 00{:}23{:}01.399$ follow that reasoning further

NOTE Confidence: 0.8513396

00:23:02.260 --> 00:23:03.880 in noncancer applications,

NOTE Confidence: 0.95633435

 $00{:}23{:}04.580 \mathrel{--}{>} 00{:}23{:}06.359$ these antibodies will also find

NOTE Confidence: 0.95633435

 $00:23:06.419 \longrightarrow 00:23:08.179$ areas of damage. So for

NOTE Confidence: 0.95633435

 $00:23:08.179 \longrightarrow 00:23:08.679$ example,

NOTE Confidence: 0.9692379

00:23:08.980 --> 00:23:10.580 my colleagues and my

NOTE Confidence: 0.9692379

 $00:23:10.580 \longrightarrow 00:23:12.200$ team have found as well,

NOTE Confidence: 0.9995337

00:23:12.695 --> 00:23:14.054 these antibodies will find areas

 $00:23:14.054 \longrightarrow 00:23:14.795$ of a stroke

NOTE Confidence: 0.9998537

 $00:23:15.175 \longrightarrow 00:23:15.835$ in the brain

NOTE Confidence: 0.99556303

 $00:23:16.215 \longrightarrow 00:23:17.655$ or a heart attack

NOTE Confidence: 0.9909003

 $00{:}23{:}18.054 \dashrightarrow 00{:}23{:}19.494$ Because DNA is being released

NOTE Confidence: 0.9909003

 $00:23:19.734 \longrightarrow 00:23:21.335$ by the damaged cells.

NOTE Confidence: 0.9909003

 $00:23:21.335 \longrightarrow 00:23:22.315$ Exactly.

NOTE Confidence: 0.98893327

00:23:22.695 --> 00:23:24.054 So all this excitement about

NOTE Confidence: 0.98893327

 $00:23:24.054 \longrightarrow 00:23:26.315$ this antibody by itself as

NOTE Confidence: 0.9606603

00:23:26.619 --> 00:23:27.919 engaging the immune system,

NOTE Confidence: 0.96134645

 $00:23:28.220 \longrightarrow 00:23:29.279$ I think, is great.

NOTE Confidence: 0.98515415

 $00:23:29.820 \longrightarrow 00:23:31.260$ There's one more dimension to it.

 $00:23:32.940 \longrightarrow 00:23:33.820$ Wait a second. If this

NOTE Confidence: 0.974616

 $00:23:33.820 \longrightarrow 00:23:35.340$ antibody can get into cells

NOTE Confidence: 0.974616

 $00:23:35.340 \longrightarrow 00:23:36.940$ and it can avoid all

NOTE Confidence: 0.974616

 $00:23:36.940 \longrightarrow 00:23:37.600$ the security,

NOTE Confidence: 0.9991748

 $00:23:37.980 \longrightarrow 00:23:38.880$ skip the lysosomes,

 $00:23:40.205 \longrightarrow 00:23:41.565$ will it carry other things

NOTE Confidence: 0.985773

 $00:23:41.565 \longrightarrow 00:23:42.545$ with it in?

NOTE Confidence: 0.8304807

00:23:42.925 --> 00:23:43.665 And indeed,

NOTE Confidence: 0.9222479

00:23:44.205 --> 00:23:45.165 we haven't published this yet,

NOTE Confidence: 0.9222479

 $00:23:45.165 \longrightarrow 00:23:45.965$ but I mean, this

NOTE Confidence: 0.9222479

00:23:45.965 --> 00:23:46.765 is just between you and me, right?

NOTE Confidence: 0.9222479

 $00:23:46.765 \longrightarrow 00:23:47.645$ No one's listening

NOTE Confidence: 0.9222479

 $00:23:47.645 \longrightarrow 00:23:48.365$ to this. I hope, oh,

NOTE Confidence: 0.9222479

 $00:23:48.365 \longrightarrow 00:23:49.405$ wait. There's this radio.

NOTE Confidence: 0.99895895

 $00:23:50.205 \longrightarrow 00:23:51.165$ I'll still be able to

NOTE Confidence: 0.99895895

 $00:23:51.165 \longrightarrow 00:23:51.825$ say it.

NOTE Confidence: 0.93268275

 $00:23:52.859 \longrightarrow 00:23:55.020$ Absolutely. These antibodies can carry

NOTE Confidence: 0.93268275

 $00{:}23{:}55.020 \dashrightarrow 00{:}23{:}56.540$ cargos in with them, whether

NOTE Confidence: 0.93268275

 $00:23:56.540 \longrightarrow 00:23:58.059$ they are nucleic acids or

NOTE Confidence: 0.93268275

 $00:23:58.059 \longrightarrow 00:23:59.359$ linked other antibodies.

 $00:23:59.820 \longrightarrow 00:24:00.700$ So we can use these

NOTE Confidence: 0.94295144

 $00:24:00.700 \longrightarrow 00:24:02.059$ antibodies to deliver things to

NOTE Confidence: 0.94295144

 $00:24:02.059 \longrightarrow 00:24:03.820$ either increase the effect on

NOTE Confidence: 0.94295144

 $00:24:03.820 \longrightarrow 00:24:05.820$ tumors or perhaps to treat

NOTE Confidence: 0.94295144

 $00:24:05.820 \longrightarrow 00:24:07.575$ heart attacks, perhaps to improve

NOTE Confidence: 0.94295144

00:24:07.575 --> 00:24:09.255 improve treatment of stroke. The

NOTE Confidence: 0.94295144

 $00:24:09.255 \longrightarrow 00:24:10.775$ sky's the limit in my

NOTE Confidence: 0.94295144

 $00:24:10.775 \longrightarrow 00:24:11.275$ opinion.

NOTE Confidence: 0.9979546 00:24:12.295 --> 00:24:12.795 So NOTE Confidence: 0.98315805

 $00:24:13.575 \longrightarrow 00:24:15.575$ almost like what we now

NOTE Confidence: 0.98315805

00:24:15.575 --> 00:24:17.895 call drug antibody conjugates, you

NOTE Confidence: 0.98315805 00:24:17.895 --> 00:24:18.395 could

NOTE Confidence: 0.99874496

 $00:24:18.960 \longrightarrow 00:24:20.179$ theoretically link

NOTE Confidence: 0.9498955

 $00:24:20.559 \longrightarrow 00:24:21.919$ a little bit of some

NOTE Confidence: 0.9498955

 $00:24:21.919 \longrightarrow 00:24:23.380$ drug that would be toxic

NOTE Confidence: 0.9498955

 $00:24:23.440 \longrightarrow 00:24:24.880$ to the cancer to the

 $00:24:24.880 \longrightarrow 00:24:25.380$ antibody.

NOTE Confidence: 0.9833297

 $00:24:26.559 \longrightarrow 00:24:28.159$ Absolutely. In fact, that was

 $00:24:29.039 \longrightarrow 00:24:30.159$ a paper from

NOTE Confidence: 0.98416436

 $00:24:30.159 \longrightarrow 00:24:31.039$ last year, and I'm

NOTE Confidence: 0.98416436

 $00:24:31.039 \longrightarrow 00:24:32.159$ really, really glad you gave

NOTE Confidence: 0.98416436

 $00:24:32.159 \longrightarrow 00:24:33.059$ me that segue.

NOTE Confidence: 0.95026433

 $00:24:33.645 \longrightarrow 00:24:35.725$ I was in, ACS Central

NOTE Confidence: 0.95026433

 $00:24:35.725 \longrightarrow 00:24:37.645$ Science. So everyone has asked

NOTE Confidence: 0.95026433

 $00:24:37.645 \longrightarrow 00:24:38.625$ me along the way,

NOTE Confidence: 0.9968799

 $00:24:39.085 \longrightarrow 00:24:39.965$ why don't you use these

NOTE Confidence: 0.9968799

 $00:24:39.965 \longrightarrow 00:24:41.185$ antibodies to deliver

NOTE Confidence: 0.88760126

00:24:41.805 --> 00:24:42.925 drugs? And I said, well,

NOTE Confidence: 0.88760126

00:24:42.925 --> 00:24:44.305 it doesn't make sense because

NOTE Confidence: 0.99937636

 $00:24:44.685 \longrightarrow 00:24:45.885$ the whole idea of an

NOTE Confidence: 0.99937636

00:24:45.885 --> 00:24:47.105 antibody drug conjugate

NOTE Confidence: 0.97906756

 $00:24:47.645 \longrightarrow 00:24:48.945$ is it gets eaten up,

 $00:24:49.240 \longrightarrow 00:24:50.220$ and then the lysosome

NOTE Confidence: 0.9735748

 $00:24:50.600 \longrightarrow 00:24:51.480$ breaks it down, and that's

NOTE Confidence: 0.9735748

 $00:24:51.480 \longrightarrow 00:24:52.779$ how the drug gets released.

NOTE Confidence: 0.9986059

 $00:24:53.320 \longrightarrow 00:24:54.519$ What's gonna release the drug

NOTE Confidence: 0.9986059

00:24:54.519 --> 00:24:55.640 for these antibodies? They don't

NOTE Confidence: 0.9986059

 $00:24:55.640 \longrightarrow 00:24:56.619$ go to the lysosome.

NOTE Confidence: 0.92115074

00:24:57.240 --> 00:24:57.980 But finally,

NOTE Confidence: 0.9601754

 $00:24:58.919 \longrightarrow 00:25:00.039$ a great postdoc by the

NOTE Confidence: 0.9601754

 $00:25:00.039 \longrightarrow 00:25:00.919$ name of Faye Kao in

NOTE Confidence: 0.9601754

 $00:25:00.919 \longrightarrow 00:25:03.105$ my lab figured out when

NOTE Confidence: 0.9601754

 $00{:}25{:}03.105 \dashrightarrow 00{:}25{:}04.465$ one of these antibodies goes

NOTE Confidence: 0.9601754

 $00:25:04.465 \longrightarrow 00:25:05.845$ zipping on into the cell,

NOTE Confidence: 0.96767825

00:25:06.145 --> 00:25:07.185 this one goes into the

NOTE Confidence: 0.96767825

00:25:07.185 --> 00:25:07.685 nucleus,

NOTE Confidence: 0.924718

 $00:25:08.785 \longrightarrow 00:25:10.305$ something happens and it triggers

 $00:25:10.305 \longrightarrow 00:25:11.045$ a specific

NOTE Confidence: 0.972248

 $00:25:12.065 \longrightarrow 00:25:12.565$ protease,

NOTE Confidence: 0.95554316

 $00:25:12.865 \longrightarrow 00:25:14.065$ a protein that cuts

NOTE Confidence: 0.95554316

 $00:25:14.065 \longrightarrow 00:25:15.505$ other things apart from a

NOTE Confidence: 0.95554316

00:25:15.505 --> 00:25:16.005 lysosome

NOTE Confidence: 0.98947555

 $00:25:16.820 \longrightarrow 00:25:17.940$ to chase it into the

NOTE Confidence: 0.98947555

00:25:17.940 --> 00:25:18.440 nucleus.

NOTE Confidence: 0.9911041

 $00:25:19.300 \longrightarrow 00:25:20.260$ And that's what breaks it

NOTE Confidence: 0.9911041

 $00:25:20.260 \longrightarrow 00:25:21.220$ down in the nucleus. And

NOTE Confidence: 0.9911041

 $00:25:21.220 \longrightarrow 00:25:22.119$ then we realized,

NOTE Confidence: 0.9650472

 $00{:}25{:}23.220 --> 00{:}25{:}24.580$ if we use a linker

NOTE Confidence: 0.9650472

 $00:25:24.580 \longrightarrow 00:25:26.280$ that that protease will cut,

NOTE Confidence: 0.9650472

 $00:25:26.580 \longrightarrow 00:25:27.859$ now we can deliver things

NOTE Confidence: 0.9650472

 $00{:}25{:}27.859 \dashrightarrow 00{:}25{:}28.760$ into the nucleus,

NOTE Confidence: 0.99739915

 $00:25:29.415 \longrightarrow 00:25:30.375$ and the drug will be

NOTE Confidence: 0.99739915

 $00{:}25{:}30.375 \dashrightarrow 00{:}25{:}31.815$ released. And so you've heard

00:25:31.815 --> 00:25:32.635 of ADCs,

NOTE Confidence: 0.9785941

 $00{:}25{:}33.095 \dashrightarrow 00{:}25{:}34.315$ antibody drug conjugates.

NOTE Confidence: 0.9991307

 $00:25:35.095 \longrightarrow 00:25:36.215$ We have now coined the

NOTE Confidence: 0.9991307

 $00:25:36.215 \longrightarrow 00:25:36.715$ phrase

NOTE Confidence: 0.8388974

 $00:25:37.175 \longrightarrow 00:25:37.675$ ANADCs

NOTE Confidence: 0.94833994

00:25:38.215 --> 00:25:40.535 for anti nuclear antibody drug

NOTE Confidence: 0.94833994

 $00:25:40.535 \longrightarrow 00:25:41.895$ conjugates. And I'm really trying

NOTE Confidence: 0.94833994

 $00:25:41.895 \longrightarrow 00:25:42.720$ to get that to stick.

NOTE Confidence: 0.94833994

00:25:42.960 --> 00:25:44.080 So, hopefully, people that are

NOTE Confidence: 0.94833994

 $00:25:44.080 \longrightarrow 00:25:45.460$ listening will use that too.

NOTE Confidence: 0.99158776

00:25:46.159 --> 00:25:47.760 Well, I mean, of course,

NOTE Confidence: 0.99158776

00:25:47.760 --> 00:25:48.559 we're gonna have to see

NOTE Confidence: 0.99158776

 $00{:}25{:}48.559 \dashrightarrow 00{:}25{:}50.240$ if this works in people,

NOTE Confidence: 0.99158776 00:25:50.240 --> 00:25:50.720 but,

NOTE Confidence: 0.9983762

00:25:51.359 --> 00:25:53.440 the whole idea sounds pretty

 $00:25:53.440 \longrightarrow 00:25:55.119$ cool to me.

NOTE Confidence: 0.9983762

 $00:25:55.119 \longrightarrow 00:25:56.260$ I think so too.

NOTE Confidence: 0.9960152

 $00:25:57.520 \longrightarrow 00:25:58.340$ And so

NOTE Confidence: 0.9977378

 $00:25:58.654 \longrightarrow 00:25:59.955$ in using these

NOTE Confidence: 0.9988933

 $00:26:00.335 \longrightarrow 00:26:02.255$ lupus antibodies, is there any

NOTE Confidence: 0.9988933

 $00:26:02.255 \longrightarrow 00:26:03.394$ risk that a patient

NOTE Confidence: 0.99941885

 $00:26:03.774 \longrightarrow 00:26:05.774$ is gonna develop some symptoms

NOTE Confidence: 0.99941885

00:26:05.774 --> 00:26:06.514 of lupus?

NOTE Confidence: 0.99947345

 $00{:}26{:}07.135 \dashrightarrow 00{:}26{:}08.514$ Sure. That's the first question

NOTE Confidence: 0.99323714

 $00:26:08.815 \longrightarrow 00:26:09.934$ on our minds and on

NOTE Confidence: 0.99323714

00:26:09.934 --> 00:26:10.994 everybody's mind.

NOTE Confidence: 0.9571766

 $00:26:12.070 \longrightarrow 00:26:13.109$ When it comes to an

NOTE Confidence: 0.9571766

00:26:13.109 --> 00:26:14.410 anti DNA antibody,

NOTE Confidence: 0.9946608

 $00:26:15.190 \longrightarrow 00:26:16.470$ one of the dangers we've

NOTE Confidence: 0.9946608

00:26:16.470 --> 00:26:17.910 seen associated with lupus is

NOTE Confidence: 0.9946608

 $00:26:17.910 \longrightarrow 00:26:19.190$ that they can get stuck

 $00:26:19.190 \longrightarrow 00:26:20.470$ in the kidneys, and then

NOTE Confidence: 0.9946608

 $00{:}26{:}20.470 \longrightarrow 00{:}26{:}21.430$ they can trigger an immune

NOTE Confidence: 0.9946608

 $00:26:21.430 \longrightarrow 00:26:22.790$ response against the kidney to

NOTE Confidence: 0.9946608

 $00:26:22.790 \longrightarrow 00:26:23.930$ cause this thing called

NOTE Confidence: 0.98135626

 $00{:}26{:}24.310 \dashrightarrow 00{:}26{:}26.250$ lupus nephritis, just inflammation

NOTE Confidence: 0.9997196

 $00:26:26.550 \longrightarrow 00:26:27.290$ of the kidney.

NOTE Confidence: 0.9995923

 $00:26:27.875 \longrightarrow 00:26:28.935$ The good news is

NOTE Confidence: 0.97098154

 $00:26:29.315 \longrightarrow 00:26:30.435$ most of that is caused

NOTE Confidence: 0.97098154

 $00:26:30.435 \longrightarrow 00:26:32.035$ by what we call the

NOTE Confidence: 0.97098154

00:26:32.035 --> 00:26:33.815 constant regions of the antibody,

NOTE Confidence: 0.97098154

 $00:26:33.875 \longrightarrow 00:26:35.155$ the FC tail for

NOTE Confidence: 0.97098154

 $00:26:35.155 \longrightarrow 00:26:36.435$ those that know any antibody

NOTE Confidence: 0.97098154

 $00:26:36.435 \longrightarrow 00:26:36.935$ structure.

NOTE Confidence: 0.9788936

 $00:26:37.875 \longrightarrow 00:26:38.915$ And the magic of these

NOTE Confidence: 0.9788936

 $00:26:38.915 \longrightarrow 00:26:40.195$ antibodies that allows them to

 $00:26:40.195 \longrightarrow 00:26:41.715$ do their thing to bind

NOTE Confidence: 0.9788936

00:26:41.715 --> 00:26:43.095 DNA, bind RNA,

NOTE Confidence: 0.99929416

 $00:26:43.590 \longrightarrow 00:26:44.090$ penetrate

NOTE Confidence: 0.9583391

 $00:26:44.549 \longrightarrow 00:26:45.830$ cells, has nothing to do

NOTE Confidence: 0.9583391

 $00:26:45.830 \longrightarrow 00:26:47.030$ with the FC or any

NOTE Confidence: 0.9583391

 $00:26:47.030 \longrightarrow 00:26:48.309$ of their constants, all in

NOTE Confidence: 0.9583391

 $00:26:48.309 \longrightarrow 00:26:49.830$ the variable regions. So we've

NOTE Confidence: 0.9583391

 $00:26:49.830 \longrightarrow 00:26:51.770$ created what we call fragments,

NOTE Confidence: 0.97210246

 $00{:}26{:}52.309 \dashrightarrow 00{:}26{:}53.990$ single chain variable fragments and

NOTE Confidence: 0.97210246

 $00:26:53.990 \longrightarrow 00:26:55.510$ such that don't have any

NOTE Confidence: 0.97210246

 $00{:}26{:}55.510 \dashrightarrow 00{:}26{:}56.950$ of the dangerous lupus causing

NOTE Confidence: 0.97210246

 $00:26:56.950 \longrightarrow 00:26:58.535$ parts, but still preserve the

NOTE Confidence: 0.97210246

00:26:58.535 --> 00:26:59.755 cell penetrating activity,

NOTE Confidence: 0.9909537

00:27:00.295 --> 00:27:01.435 the delivery aspects,

NOTE Confidence: 0.98489493

 $00:27:01.895 \longrightarrow 00:27:03.175$ and the engagement of all

NOTE Confidence: 0.98489493

 $00:27:03.175 \longrightarrow 00:27:04.455$ those factors that we want

 $00:27:04.455 \longrightarrow 00:27:05.175$ to try to fight off

NOTE Confidence: 0.98489493

 $00:27:05.175 \longrightarrow 00:27:05.915$ these diseases.

NOTE Confidence: 0.9851301

 $00:27:06.535 \longrightarrow 00:27:07.255$ Well, it sounds to me

NOTE Confidence: 0.9851301

 $00:27:07.255 \longrightarrow 00:27:08.375$ like we wanna try to

NOTE Confidence: 0.9851301

00:27:08.375 --> 00:27:09.494 encourage you to do this

NOTE Confidence: 0.9851301

 $00:27:09.494 \longrightarrow 00:27:10.695$ work as quickly as you

NOTE Confidence: 0.9851301

00:27:10.695 --> 00:27:13.010 can because it sounds pretty

NOTE Confidence: 0.9851301

 $00:27:13.010 \longrightarrow 00:27:13.510$ promising.

NOTE Confidence: 0.981347

 $00:27:13.970 \longrightarrow 00:27:14.869$ Thank you. Yeah.

NOTE Confidence: 0.8893189

 $00{:}27{:}15.250 --> 00{:}27{:}15.890$ I can take all the

NOTE Confidence: 0.8893189

00:27:15.890 --> 00:27:17.190 encouragement I can get.

NOTE Confidence: 0.8519861

 $00:27:21.730 \longrightarrow 00:27:22.789$ The truth is

NOTE Confidence: 0.99289745

 $00{:}27{:}23.250 --> 00{:}27{:}24.609$ that if we didn't have

NOTE Confidence: 0.99289745

 $00:27:24.609 \longrightarrow 00:27:26.049$ research, if we didn't have

NOTE Confidence: 0.99289745 00:27:26.049 --> 00:27:26.549 both

 $00:27:26.895 \longrightarrow 00:27:28.115$ research in laboratories

NOTE Confidence: 0.9984933

 $00:27:28.575 \longrightarrow 00:27:30.595$ and research in the clinic,

NOTE Confidence: 0.9816244

 $00:27:31.295 \longrightarrow 00:27:33.535$ cancer treatment wouldn't change. And

NOTE Confidence: 0.9816244

 $00:27:33.535 \longrightarrow 00:27:35.215$ what has led to really

NOTE Confidence: 0.9816244

 $00:27:35.215 \longrightarrow 00:27:36.994$ a revolution in cancer therapeutics

NOTE Confidence: 0.9948084

 $00:27:37.775 \longrightarrow 00:27:38.675$ over the last

NOTE Confidence: 0.97456586

 $00:27:39.169 \longrightarrow 00:27:39.669$ twenty,

NOTE Confidence: 0.99985474

 $00:27:39.970 \longrightarrow 00:27:41.190$ twenty five years

NOTE Confidence: 0.97278696

 $00:27:41.650 \longrightarrow 00:27:43.090$ has been all the research

NOTE Confidence: 0.97278696

 $00:27:43.090 \longrightarrow 00:27:44.369$ that has gone on, and

NOTE Confidence: 0.97278696

 $00{:}27{:}44.369 \dashrightarrow 00{:}27{:}46.230$ it's really quite remarkable.

NOTE Confidence: 0.9990181

 $00:27:47.010 \longrightarrow 00:27:47.750$ No question.

NOTE Confidence: 0.99333036

00:27:49.010 --> 00:27:50.630 You know, and it's just

NOTE Confidence: 0.99333036

 $00:27:50.895 \longrightarrow 00:27:52.035$ so very important.

NOTE Confidence: 0.9980963

 $00:27:52.415 \longrightarrow 00:27:53.715$ So in our last

NOTE Confidence: 0.99772805

 $00:27:54.015 \longrightarrow 00:27:55.075$ minute or so,

 $00:27:55.775 \longrightarrow 00:27:56.755$ maybe you could,

NOTE Confidence: 0.99967986

 $00:27:57.615 \longrightarrow 00:27:58.915$ look into the future

NOTE Confidence: 0.988027

 $00:27:59.535 \longrightarrow 00:28:01.855$ and tell us what you

NOTE Confidence: 0.988027

 $00:28:01.855 \longrightarrow 00:28:03.395$ think are gonna be the

NOTE Confidence: 0.99948245

 $00{:}28{:}04.280 \dashrightarrow 00{:}28{:}06.460$ new directions for radiation oncology

NOTE Confidence: 0.9799461

 $00:28:07.000 \longrightarrow 00:28:08.299$ in the years ahead.

NOTE Confidence: 0.9990602

 $00:28:09.640 \longrightarrow 00:28:10.840$ Yeah. So I I'm very

NOTE Confidence: 0.9990602

 $00:28:10.840 \longrightarrow 00:28:11.820$ excited about

NOTE Confidence: 0.9997729

00:28:12.679 --> 00:28:13.179 immunotherapy

NOTE Confidence: 0.996694

 $00:28:13.799 \longrightarrow 00:28:14.700$ and the combination

NOTE Confidence: 0.9491019

 $00:28:15.080 \longrightarrow 00:28:15.900$ with radiation.

NOTE Confidence: 0.99953526

 $00:28:17.240 \longrightarrow 00:28:18.280$ And we have so much

NOTE Confidence: 0.99953526

 $00{:}28{:}18.280 --> 00{:}28{:}19.419$ to learn about

NOTE Confidence: 0.9905596

 $00:28:20.025 \longrightarrow 00:28:20.925$ how the radiation

NOTE Confidence: 0.9863615

 $00:28:21.545 \longrightarrow 00:28:22.744$ triggers and talks to the

 $00:28:22.744 \longrightarrow 00:28:23.565$ immune system.

NOTE Confidence: 0.99937093

 $00:28:23.945 \longrightarrow 00:28:24.905$ But when we can figure

NOTE Confidence: 0.99937093

 $00:28:24.905 \longrightarrow 00:28:25.945$ that out, I think we'll

NOTE Confidence: 0.99937093

 $00:28:25.945 \longrightarrow 00:28:27.545$ have even more ways to

NOTE Confidence: 0.99937093

 $00:28:27.545 \longrightarrow 00:28:28.045$ activate

NOTE Confidence: 0.97414505

 $00:28:28.665 \longrightarrow 00:28:30.605$ those, quote, unquote, cold tumors

NOTE Confidence: 0.97414505

 $00:28:30.744 \longrightarrow 00:28:31.945$ by giving radiation to the

NOTE Confidence: 0.97414505

 $00:28:31.945 \longrightarrow 00:28:33.145$ right area at the right time.

NOTE Confidence: 0.97414505

00:28:33.145 --> 00:28:35.340 Doctor James Hansen is

NOTE Confidence: 0.97414505

 $00:28:35.340 \longrightarrow 00:28:37.200$ an associate professor of the rapeutic

NOTE Confidence: 0.97414505

 $00{:}28{:}37.340 \dashrightarrow 00{:}28{:}38.940$ radiology at the Yale School

NOTE Confidence: 0.97414505

 $00:28:38.940 \longrightarrow 00:28:39.600$ of Medicine.

NOTE Confidence: 0.9817916

 $00:28:40.140 \longrightarrow 00:28:41.500$ If you have questions, the

NOTE Confidence: 0.9817916

 $00{:}28{:}41.500 \dashrightarrow 00{:}28{:}42.560$ address is cancer answersyale

NOTE Confidence: 0.9331751

 $00:28:43.420 \longrightarrow 00:28:44.240$ dot edu,

NOTE Confidence: 0.96382993

 $00:28:44.540 \longrightarrow 00:28:45.900$ and past editions of the

 $00:28:45.900 \longrightarrow 00:28:47.760$ program are available in audio

NOTE Confidence: 0.96382993

 $00:28:47.820 \longrightarrow 00:28:49.225$ and written form at yale

NOTE Confidence: 0.96382993

 $00:28:49.225 \longrightarrow 00:28:50.684$ cancer center dot org.

NOTE Confidence: 0.9955498

00:28:50.985 --> 00:28:52.024 We hope you'll join us

NOTE Confidence: 0.9955498

 $00:28:52.024 \longrightarrow 00:28:53.144$ next time to learn more

NOTE Confidence: 0.9955498

 $00:28:53.144 \longrightarrow 00:28:54.605$ about the fight against cancer.

NOTE Confidence: 0.96647334

 $00{:}28{:}55.065 \dashrightarrow 00{:}28{:}56.825$ Funding for Yale Cancer Answers

NOTE Confidence: 0.96647334

 $00{:}28{:}56.825 \dashrightarrow 00{:}28{:}58.585$ is provided by Smilow Cancer

NOTE Confidence: 0.96647334

 $00:28:58.585 \longrightarrow 00:28:59.085$ Hospital.