WEBVTT

00:00:00.160 --> 00:00:01.920 Funding for Yale Cancer Answers

NOTE Confidence: 0.9362146

 $00{:}00{:}01.920 \dashrightarrow 00{:}00{:}03.679$ is provided by Smilow Cancer

NOTE Confidence: 0.9362146

 $00:00:03.679 \longrightarrow 00:00:04.180$ Hospital.

NOTE Confidence: 0.9288788

 $00{:}00{:}06.319 \dashrightarrow 00{:}00{:}08.400$ Welcome to Yale Cancer Answers

NOTE Confidence: 0.9288788

 $00:00:08.400 \longrightarrow 00:00:09.440$ with the director of the

NOTE Confidence: 0.9288788

00:00:09.440 --> 00:00:11.280 Yale Cancer Center, Doctor Eric

NOTE Confidence: 0.9288788

 $00:00:11.280 \longrightarrow 00:00:11.780$ Winer.

NOTE Confidence: 0.9918662

 $00:00:12.434 \longrightarrow 00:00:14.535$ Yale Cancer Answers features conversations

NOTE Confidence: 0.9918662

 $00:00:14.834 \longrightarrow 00:00:15.575$ with oncologists

NOTE Confidence: 0.9978125

 $00:00:15.875 \longrightarrow 00:00:17.075$ and specialists who are on

NOTE Confidence: 0.9978125

 $00:00:17.075 \longrightarrow 00:00:18.275$ the forefront of the battle

NOTE Confidence: 0.9978125

 $00:00:18.275 \longrightarrow 00:00:19.255$ to fight cancer.

NOTE Confidence: 0.9886899

 $00{:}00{:}19.875 \dashrightarrow 00{:}00{:}21.175$ This week, it's a conversation

NOTE Confidence: 0.9886899

00:00:21.314 --> 00:00:22.595 about the care of patients

NOTE Confidence: 0.9886899

 $00:00:22.595 \longrightarrow 00:00:24.595$ with urologic cancers with doctor

00:00:24.595 --> 00:00:25.494 Preston Sprenkle.

NOTE Confidence: 0.9955482

00:00:26.039 --> 00:00:27.800 Doctor Sprenkle is an associate

NOTE Confidence: 0.9955482

 $00:00:27.800 \longrightarrow 00:00:29.400$ professor of urology at the

NOTE Confidence: 0.9955482

 $00:00:29.400 \longrightarrow 00:00:30.699$ Yale School of Medicine.

NOTE Confidence: 0.8956689

 $00:00:31.000 \longrightarrow 00:00:32.220$ Here's doctor Winer.

NOTE Confidence: 0.9866029

 $00:00:34.520 \longrightarrow 00:00:36.220$ Why don't we start off

NOTE Confidence: 0.9995442

00:00:37.479 --> 00:00:39.239 just hearing a little bit

NOTE Confidence: 0.9995442

 $00:00:39.239 \longrightarrow 00:00:40.460$ about you

NOTE Confidence: 0.9828101

 $00{:}00{:}40.835 \dashrightarrow 00{:}00{:}42.275$ and how you got interested

NOTE Confidence: 0.9828101

00:00:42.275 --> 00:00:43.735 in urologic cancers.

NOTE Confidence: 0.99364406

00:00:45.155 --> 00:00:47.175 So I trained in urology

NOTE Confidence: 0.9681276

 $00{:}00{:}47.795 \dashrightarrow 00{:}00{:}49.815$ residency in New York and

NOTE Confidence: 0.99956006

 $00:00:50.995 \longrightarrow 00:00:53.380$ was really impressed with the

NOTE Confidence: 0.99956006

 $00:00:53.380 \longrightarrow 00:00:53.880$ complexity

NOTE Confidence: 0.9976603

 $00:00:54.340 \longrightarrow 00:00:55.480$ of urologic

NOTE Confidence: 0.9874219

 $00:00:55.860 \longrightarrow 00:00:57.079$ cancers and

 $00:00:58.100 \longrightarrow 00:00:59.700$ the challenges that we face

NOTE Confidence: 0.97498566

00:00:59.700 --> 00:01:01.079 when treating them.

NOTE Confidence: 0.9990408

 $00:01:02.020 \longrightarrow 00:01:03.239$ I think it was

NOTE Confidence: 0.95738816

00:01:04.020 --> 00:01:05.619 a lot of basic science,

NOTE Confidence: 0.95738816

00:01:05.619 --> 00:01:07.220 the integration of science

NOTE Confidence: 0.95738816

00:01:07.220 --> 00:01:08.440 in clinical medicine,

NOTE Confidence: 0.89470047 00:01:09.194 --> 00:01:09.694 and,

NOTE Confidence: 0.9972114

 $00:01:11.435 \longrightarrow 00:01:11.935$ really

NOTE Confidence: 0.90501547

 $00:01:12.555 \longrightarrow 00:01:13.935$ how we were able to

NOTE Confidence: 0.9992299

 $00:01:14.315 \longrightarrow 00:01:15.935$ try to integrate all these

NOTE Confidence: 0.9792809

 $00:01:17.355 \longrightarrow 00:01:19.515$ complex technical issues with

NOTE Confidence: 0.9792809

 $00:01:19.515 \longrightarrow 00:01:21.035$ patient care and

NOTE Confidence: 0.9792809

 $00:01:21.035 \longrightarrow 00:01:22.655$ helping patients

NOTE Confidence: 0.9868868

 $00:01:23.250 \longrightarrow 00:01:25.090$ and especially men with prostate

NOTE Confidence: 0.9868868

 $00{:}01{:}25.090 --> 00{:}01{:}25.590 \ \mathrm{cancer}$

 $00:01:26.209 \longrightarrow 00:01:27.970$ understand their diagnosis and make

NOTE Confidence: 0.9892043

 $00:01:27.970 \longrightarrow 00:01:29.110$ good treatment decisions.

NOTE Confidence: 0.998011

00:01:30.130 --> 00:01:31.350 Since being at Yale,

NOTE Confidence: 0.99857944

 $00:01:32.290 \longrightarrow 00:01:34.450$ this has grown from starting

NOTE Confidence: 0.99857944

 $00:01:34.450 \longrightarrow 00:01:35.190$ an MRI

NOTE Confidence: 0.9821644

 $00{:}01{:}35.834 \dashrightarrow 00{:}01{:}38.315$ ultrasound fusion prostate biopsy program

NOTE Confidence: 0.9821644

 $00:01:38.315 \longrightarrow 00:01:39.595$ to really be more accurate

NOTE Confidence: 0.9821644

 $00:01:39.595 \longrightarrow 00:01:40.315$ in the way that we

NOTE Confidence: 0.9821644

00:01:40.315 --> 00:01:42.015 diagnose prostate cancer,

NOTE Confidence: 0.9998336

 $00:01:42.475 \longrightarrow 00:01:42.975$ limit

NOTE Confidence: 0.9941381

 $00:01:43.435 \longrightarrow 00:01:44.635$ the number of men who

NOTE Confidence: 0.9941381

 $00:01:44.635 \longrightarrow 00:01:45.775$ have to have a prostate

NOTE Confidence: 0.9941381

 $00:01:45.834 \longrightarrow 00:01:47.755$ biopsy by using that

NOTE Confidence: 0.9941381

 $00{:}01{:}47.755 --> 00{:}01{:}48.255 \ \mathrm{imaging}.$

NOTE Confidence: 0.9979163

 $00:01:48.955 \longrightarrow 00:01:49.935$ And now

NOTE Confidence: 0.99224705

 $00{:}01{:}50.899 \dashrightarrow 00{:}01{:}52.359$ we've transitioned that

 $00:01:52.659 \longrightarrow 00:01:53.159$ into

NOTE Confidence: 0.99629885

 $00:01:53.619 \longrightarrow 00:01:55.939$ more precise treatments with prostate

NOTE Confidence: 0.99629885

 $00:01:55.939 \longrightarrow 00:01:57.320$ cancer ablation therapies.

NOTE Confidence: 0.9723077

 $00:01:57.780 \longrightarrow 00:01:59.460$ And we'll drill down

NOTE Confidence: 0.9723077

 $00:01:59.460 \longrightarrow 00:02:01.240$ on some of those.

NOTE Confidence: 0.99958515

00:02:01.619 --> 00:02:03.159 As a breast cancer doctor,

NOTE Confidence: 0.99958515

 $00:02:03.219 \longrightarrow 00:02:05.159$ I often think of prostate

NOTE Confidence: 0.99958515

 $00:02:05.299 \longrightarrow 00:02:05.799$ cancer as

 $00{:}02{:}08.175 --> 00{:}02{:}09.155$ the men's equivalent

NOTE Confidence: 0.9928532

 $00:02:09.455 \longrightarrow 00:02:10.355$ of postmenopausal

NOTE Confidence: 0.90721345

 $00:02:10.975 \longrightarrow 00:02:11.715$ breast cancer.

NOTE Confidence: 0.9778095

 $00:02:12.255 \longrightarrow 00:02:13.615$ And I think it is

NOTE Confidence: 0.9778095

 $00:02:13.615 \longrightarrow 00:02:15.315$ in a number of ways,

NOTE Confidence: 0.9778095

 $00:02:15.375 \longrightarrow 00:02:16.895$ and one of those ways

NOTE Confidence: 0.9778095

 $00:02:16.895 \longrightarrow 00:02:18.415$ is that prostate cancer isn't

NOTE Confidence: 0.9778095

00:02:18.415 --> 00:02:19.475 just one disease.

 $00:02:20.120 \longrightarrow 00:02:22.040$ It's really a range of

NOTE Confidence: 0.9929014

 $00:02:22.040 \longrightarrow 00:02:23.580$ different diseases that

NOTE Confidence: 0.99969167

 $00:02:24.360 \longrightarrow 00:02:25.960$ can vary from those that are

 $00:02:27.400 \longrightarrow 00:02:27.900$ remarkably

NOTE Confidence: 0.99926317

 $00:02:28.280 \longrightarrow 00:02:29.100$ slow growing

NOTE Confidence: 0.9976902

 $00:02:29.560 \longrightarrow 00:02:30.680$ to those that are more

NOTE Confidence: 0.9976902

 $00:02:30.680 \longrightarrow 00:02:31.180$ aggressive.

NOTE Confidence: 0.9990711

 $00:02:31.960 \longrightarrow 00:02:32.715$ Can you just

NOTE Confidence: 0.99632806

 $00:02:33.275 \longrightarrow 00:02:34.575$ talk a little bit about,

NOTE Confidence: 0.97128934

 $00:02:35.275 \longrightarrow 00:02:37.194$ first, maybe the very slow

NOTE Confidence: 0.97128934

 $00{:}02{:}37.194 \dashrightarrow 00{:}02{:}39.375$ growing prostate cancers and

NOTE Confidence: 0.9895894

 $00:02:39.754 \longrightarrow 00:02:41.275$ what does and doesn't have

NOTE Confidence: 0.9895894

 $00:02:41.275 \longrightarrow 00:02:42.155$ to be done in terms

NOTE Confidence: 0.9895894

 $00:02:42.155 \longrightarrow 00:02:43.694$ of treatment for some men?

NOTE Confidence: 0.9895894

 $00:02:43.834 \longrightarrow 00:02:44.875$ Yeah. Thank you for

NOTE Confidence: 0.9895894

 $00:02:44.875 \longrightarrow 00:02:46.175$ that question.

 $00:02:47.400 \longrightarrow 00:02:48.620$ There's a tremendous

NOTE Confidence: 0.72057915

 $00:02:49.639 \longrightarrow 00:02:50.540$ almost rainbow

NOTE Confidence: 0.9997439

 $00:02:51.319 \longrightarrow 00:02:52.620$ of ways that we

NOTE Confidence: 0.9676536

00:02:52.919 --> 00:02:54.780 interpret and manage prostate cancers,

NOTE Confidence: 0.98606485

 $00:02:56.280 \longrightarrow 00:02:58.120$ a tremendous breadth. So low

NOTE Confidence: 0.98606485

 $00{:}02{:}58.120 \dashrightarrow 00{:}03{:}00.120$ grade prostate cancer, there is

NOTE Confidence: 0.98606485

 $00:03:00.120 \longrightarrow 00:03:02.565$ an ongoing international discussion about

NOTE Confidence: 0.98606485

 $00:03:02.565 \longrightarrow 00:03:03.605$ whether or not we should

NOTE Confidence: 0.98606485

 $00{:}03{:}03.605 \dashrightarrow 00{:}03{:}05.225$ be calling it prostate cancer

NOTE Confidence: 0.98606485

 $00:03:05.285 \longrightarrow 00:03:06.905$ because it seems to have

NOTE Confidence: 0.99969167

 $00:03:07.445 \longrightarrow 00:03:08.745$ such a low

NOTE Confidence: 0.99478495

 $00{:}03{:}09.845 \dashrightarrow 00{:}03{:}11.605$ likelihood of ever causing a

NOTE Confidence: 0.99478495

00:03:11.605 --> 00:03:13.845 man's death that we follow

NOTE Confidence: 0.99478495

 $00:03:13.845 \longrightarrow 00:03:15.925$ those routinely with something called

NOTE Confidence: 0.99478495

00:03:15.925 --> 00:03:16.905 active surveillance.

 $00:03:18.349 \longrightarrow 00:03:19.730$ It does not require treatment.

 $00:03:20.590 \longrightarrow 00:03:22.269$ We monitor it closely so

NOTE Confidence: 0.99479026

 $00{:}03{:}22.269 \dashrightarrow 00{:}03{:}23.230$ that we can pick up

NOTE Confidence: 0.99479026

 $00:03:23.230 \longrightarrow 00:03:24.209$ early if

NOTE Confidence: 0.99974275

 $00:03:24.510 \longrightarrow 00:03:25.549$ it is one of those

NOTE Confidence: 0.99974275

 $00{:}03{:}25.549 {\: -->\:} 00{:}03{:}27.090$ very rare cases that

NOTE Confidence: 0.99886155

 $00:03:27.389 \longrightarrow 00:03:28.669$ has the potential or will

NOTE Confidence: 0.99886155

 $00:03:28.669 \longrightarrow 00:03:30.030$ behave more aggressively in the

NOTE Confidence: 0.99886155

 $00:03:30.030 \longrightarrow 00:03:30.530$ future.

NOTE Confidence: 0.9877678

 $00:03:31.775 \longrightarrow 00:03:33.455$ So that used to

NOTE Confidence: 0.9877678

 $00:03:33.455 \longrightarrow 00:03:35.135$ be about half or more

NOTE Confidence: 0.9877678

 $00{:}03{:}35.135 \to 00{:}03{:}36.255$ than half of the prostate

NOTE Confidence: 0.9877678

 $00{:}03{:}36.255 \dashrightarrow 00{:}03{:}37.715$ cancers that we would diagnose

NOTE Confidence: 0.9605314

00:03:38.415 --> 00:03:40.015 with now usage of better

NOTE Confidence: 0.9605314

 $00:03:40.015 \longrightarrow 00:03:42.335$ screening techniques, including this MRI

NOTE Confidence: 0.9605314

 $00{:}03{:}42.335 \dashrightarrow 00{:}03{:}43.635$ imaging for the prostate.

NOTE Confidence: 0.9926277

 $00{:}03{:}44.975 \dashrightarrow 00{:}03{:}47.215$ At most academic centers, it's

00:03:47.215 --> 00:03:48.390 now closer to about a

NOTE Confidence: 0.9926277

 $00:03:48.390 \longrightarrow 00:03:49.430$ third. So we've been able

NOTE Confidence: 0.9926277

 $00:03:49.430 \longrightarrow 00:03:51.530$ to avoid doing prostate biopsies

NOTE Confidence: 0.9926277

 $00:03:51.590 \longrightarrow 00:03:52.330$ and diagnosing

NOTE Confidence: 0.9888191

 $00:03:52.790 \longrightarrow 00:03:54.390$ these low grade cancers in

NOTE Confidence: 0.9888191

 $00:03:54.390 \longrightarrow 00:03:55.270$ about a quarter of the

NOTE Confidence: 0.9888191

 $00:03:55.270 \longrightarrow 00:03:56.230$ men that we used

NOTE Confidence: 0.9888191

 $00:03:56.230 \longrightarrow 00:03:57.830$ to diagnose it in.

NOTE Confidence: 0.9888191

 $00:03:57.830 \longrightarrow 00:03:59.209$ And I'm sure that

NOTE Confidence: 0.99683696

 $00{:}03{:}59.510 \dashrightarrow 00{:}04{:}01.349$ even when some one's told that

NOTE Confidence: 0.99683696

 $00{:}04{:}01.349 \dashrightarrow 00{:}04{:}02.090$ they have

NOTE Confidence: 0.99691665

 $00{:}04{:}02.535 \dashrightarrow 00{:}04{:}04.295$ low grade prostate cancer and

NOTE Confidence: 0.99691665

 $00{:}04{:}04.295 \dashrightarrow 00{:}04{:}05.815$ it's unlikely to cause their

NOTE Confidence: 0.99691665

00:04:05.815 --> 00:04:07.575 death, it still causes some

NOTE Confidence: 0.99691665

 $00:04:07.575 \longrightarrow 00:04:08.795$ amount of distress.

 $00:04:09.815 \longrightarrow 00:04:11.495$ Definitely.

NOTE Confidence: 0.9658599

 $00:04:11.495 \longrightarrow 00:04:12.775$ And that's one of

NOTE Confidence: 0.9658599

 $00:04:12.775 \longrightarrow 00:04:14.215$ the largest challenges that we

NOTE Confidence: 0.9658599

 $00:04:14.215 \longrightarrow 00:04:15.595$ have is how to

NOTE Confidence: 0.99032986

 $00:04:16.680 \longrightarrow 00:04:18.279$ reassure these men

NOTE Confidence: 0.99032986

 $00:04:18.279 \longrightarrow 00:04:19.080$ who have all of a

NOTE Confidence: 0.99032986

 $00{:}04{:}19.080 \dashrightarrow 00{:}04{:}21.180$ sudden gotten this cancer diagnosis

NOTE Confidence: 0.99032986

 $00:04:21.400 \longrightarrow 00:04:22.860$ that this is not something

NOTE Confidence: 0.9558398

00:04:23.400 --> 00:04:25.100 that is dangerous to them

NOTE Confidence: 0.9558398

 $00:04:25.240 \longrightarrow 00:04:27.260$ and that in many cases,

NOTE Confidence: 0.9993639

 $00:04:27.960 \longrightarrow 00:04:30.060$ the management or a treatment

NOTE Confidence: 0.9993639

 $00:04:30.120 \longrightarrow 00:04:31.740$ for this prostate cancer

NOTE Confidence: 0.9716498

 $00:04:32.264 \longrightarrow 00:04:33.705$ is probably worse than the

NOTE Confidence: 0.9716498

 $00:04:33.705 \longrightarrow 00:04:35.145$ disease itself. And that is

NOTE Confidence: 0.9716498

 $00:04:35.145 \longrightarrow 00:04:36.264$ one of the major challenges

NOTE Confidence: 0.9716498

 $00:04:36.264 \longrightarrow 00:04:37.305$ that we have in

 $00:04:37.305 \longrightarrow 00:04:37.805$ managing

NOTE Confidence: 0.99954796

 $00:04:38.505 \longrightarrow 00:04:39.485$ prostate cancer.

NOTE Confidence: 0.94927037

 $00:04:39.865 \longrightarrow 00:04:41.384$ Yeah. Well, here again is

NOTE Confidence: 0.94927037

 $00:04:41.384 \longrightarrow 00:04:43.065$ the parallel with breast

NOTE Confidence: 0.94927037

 $00:04:43.065 \longrightarrow 00:04:44.764$ cancer where

NOTE Confidence: 0.98171645

 $00:04:45.570 \longrightarrow 00:04:47.330$ we recognize that for some

NOTE Confidence: 0.98171645

 $00:04:47.330 \longrightarrow 00:04:49.089$ patients, we need new and

NOTE Confidence: 0.98171645

 $00{:}04{:}49.089 \dashrightarrow 00{:}04{:}50.449$ better the rapies, and there are

NOTE Confidence: 0.98171645

00:04:50.449 --> 00:04:52.130 still people who die of

NOTE Confidence: 0.98171645

 $00:04:52.130 \longrightarrow 00:04:53.250$ breast cancer in much the

NOTE Confidence: 0.98171645

 $00:04:53.250 \longrightarrow 00:04:54.770$ same way there are people

NOTE Confidence: 0.98171645

 $00{:}04{:}54.770 \dashrightarrow 00{:}04{:}56.630$ who die from prostate cancer.

NOTE Confidence: 0.98171645

 $00{:}04{:}56.930 \dashrightarrow 00{:}04{:}58.210$ But then there's a large

NOTE Confidence: 0.98171645

 $00:04:58.210 \longrightarrow 00:04:59.810$ population where we need to

NOTE Confidence: 0.98171645

 $00:04:59.810 \longrightarrow 00:05:00.630$ figure out

 $00:05:01.065 \longrightarrow 00:05:02.745$ how we can do less

NOTE Confidence: 0.9995899

 $00{:}05{:}02.745 \dashrightarrow 00{:}05{:}04.285$ and achieve the same outcomes.

NOTE Confidence: 0.9987826

 $00:05:04.904 \longrightarrow 00:05:06.445$ So when you're identifying

NOTE Confidence: 0.99970937

00:05:07.225 --> 00:05:08.765 these patients who have

NOTE Confidence: 0.99740404

00:05:09.705 --> 00:05:11.865 low grade prostate cancer, you

NOTE Confidence: 0.99740404

 $00:05:11.865 \longrightarrow 00:05:12.765$ still use

NOTE Confidence: 0.7813242

 $00:05:13.545 \longrightarrow 00:05:15.005$ a Gleason score?

NOTE Confidence: 0.94443446

 $00:05:15.509 \longrightarrow 00:05:16.629$ And you wanna talk about

NOTE Confidence: 0.94443446

 $00:05:16.629 \longrightarrow 00:05:17.990$ that a little bit?

NOTE Confidence: 0.94443446

 $00:05:17.990 \longrightarrow 00:05:20.009$ We do. So the Gleason

NOTE Confidence: 0.96421444

 $00:05:21.029 \longrightarrow 00:05:23.529$ scoring system has evolved somewhat.

NOTE Confidence: 0.96421444

 $00:05:23.750 \longrightarrow 00:05:25.190$ We're now using

NOTE Confidence: 0.96421444

00:05:25.190 --> 00:05:26.970 a Gleason grade grouping

NOTE Confidence: 0.8633055

 $00:05:27.349 \longrightarrow 00:05:28.409$ system because

NOTE Confidence: 0.9467595

 $00{:}05{:}29.455 \dashrightarrow 00{:}05{:}31.455$ the historical Gleason score sort

NOTE Confidence: 0.9467595

 $00:05:31.455 \longrightarrow 00:05:32.495$ of went from two to

 $00:05:32.495 \longrightarrow 00:05:33.535$ ten, but

NOTE Confidence: 0.962923

 $00:05:34.014 \longrightarrow 00:05:35.535$ we only considered things of

NOTE Confidence: 0.962923

 $00:05:35.535 \longrightarrow 00:05:36.654$ a six or higher to

NOTE Confidence: 0.962923

 $00:05:36.654 \longrightarrow 00:05:37.395$ be cancer.

NOTE Confidence: 0.98284584

00:05:38.255 --> 00:05:39.775 But intuitively, a six out

NOTE Confidence: 0.98284584

 $00:05:39.775 \longrightarrow 00:05:41.214$ of ten seems bad. And

NOTE Confidence: 0.98284584

 $00:05:41.214 \longrightarrow 00:05:42.654$ so even though that's the

NOTE Confidence: 0.98284584

 $00:05:42.654 \longrightarrow 00:05:43.154$ lowest

NOTE Confidence: 0.8755331

 $00:05:43.760 \longrightarrow 00:05:45.220$ grade.

 $00:05:46.560 \longrightarrow 00:05:48.180$ So a concerted effort by

NOTE Confidence: 0.9712777

 $00:05:48.640 \longrightarrow 00:05:50.339$ the International Society of Urologic

NOTE Confidence: 0.9712777

 $00:05:50.480 \longrightarrow 00:05:50.980$ Pathology,

NOTE Confidence: 0.97337806

 $00:05:51.360 \longrightarrow 00:05:53.220$ they regraded it or rebranded

NOTE Confidence: 0.97337806

 $00:05:53.360 \longrightarrow 00:05:54.320$ it as a grade group

NOTE Confidence: 0.97337806

 $00:05:54.320 \longrightarrow 00:05:55.360$ one through five. So now

NOTE Confidence: 0.97337806

 $00:05:55.360 \longrightarrow 00:05:56.400$ we're on a five point

 $00:05:56.400 \longrightarrow 00:05:57.735$ scale. A one out of

NOTE Confidence: 0.97337806

 $00{:}05{:}57.735 \dashrightarrow 00{:}05{:}59.195$ five is much more intuitively

NOTE Confidence: 0.97337806

00:05:59.415 --> 00:06:00.455 kind of low risk and

NOTE Confidence: 0.9733780600:06:00.455 --> 00:06:00.955 low

NOTE Confidence: 0.9234564

00:06:01.335 --> 00:06:02.875 grade. But there still is,

NOTE Confidence: 0.9232132

 $00:06:03.255 \longrightarrow 00:06:04.375$ and there is actually an

NOTE Confidence: 0.9232132

 $00:06:04.375 \longrightarrow 00:06:04.875$ effort

NOTE Confidence: 0.8362152

 $00:06:06.295 \longrightarrow 00:06:07.595$ underway to reevaluate

NOTE Confidence: 0.99279773

 $00:06:07.895 \longrightarrow 00:06:09.335$ Gleason, especially now that we

NOTE Confidence: 0.99279773

 $00:06:09.335 \longrightarrow 00:06:10.555$ have a lot more genomic

NOTE Confidence: 0.99279773

 $00{:}06{:}10.615 \dashrightarrow 00{:}06{:}12.395$ information about prostate cancer.

NOTE Confidence: 0.99133956

 $00:06:12.980 \longrightarrow 00:06:14.440$ There are efforts underway

NOTE Confidence: 0.99133956

 $00{:}06{:}14.580 \to 00{:}06{:}16.520$ to reevaluate that.

NOTE Confidence: 0.95852673

 $00:06:16.820 \longrightarrow 00:06:18.180$ And is a Gleason six

NOTE Confidence: 0.95852673

 $00:06:18.180 \longrightarrow 00:06:19.540$ the equivalent now of a one?

 $00:06:19.540 \longrightarrow 00:06:21.300$ That is correct. Yep.

NOTE Confidence: 0.95852673

 $00:06:21.300 \longrightarrow 00:06:22.339$ So grade group one is

NOTE Confidence: 0.95852673

00:06:22.339 --> 00:06:23.860 a Gleason six. Grade group

NOTE Confidence: 0.95852673

 $00:06:23.860 \longrightarrow 00:06:25.755$ two is a Gleason three

NOTE Confidence: 0.95852673

 $00:06:25.755 \longrightarrow 00:06:26.875$ plus four equals seven. And

NOTE Confidence: 0.95852673

 $00:06:26.875 \longrightarrow 00:06:27.915$ that was the other confusing

NOTE Confidence: 0.95852673

 $00:06:27.915 \longrightarrow 00:06:28.635$ thing is you had a

NOTE Confidence: 0.95852673

 $00:06:28.635 \longrightarrow 00:06:29.675$ three plus four equals seven

NOTE Confidence: 0.95852673

 $00{:}06{:}29.675 \to 00{:}06{:}30.635$ and a four plus three

NOTE Confidence: 0.95852673

 $00:06:30.635 \longrightarrow 00:06:32.235$ equals seven. Those are now

NOTE Confidence: 0.95852673

 $00:06:32.235 \longrightarrow 00:06:33.995$ grades one, two, and three.

NOTE Confidence: 0.95852673

 $00:06:33.995 \longrightarrow 00:06:35.275$ So it's a little bit

NOTE Confidence: 0.95852673

 $00:06:35.275 \longrightarrow 00:06:36.015$ more clear

NOTE Confidence: 0.9609542

 $00:06:36.635 \longrightarrow 00:06:37.515$ for us to be able

NOTE Confidence: 0.9609542

 $00:06:37.515 \longrightarrow 00:06:39.430$ to communicate.

NOTE Confidence: 0.9479825

 $00:06:43.589 \longrightarrow 00:06:45.770$ Gleason six, or the new one, is

 $00:06:47.510 \longrightarrow 00:06:49.510$ where you're very often

NOTE Confidence: 0.9924608

 $00:06:49.510 \longrightarrow 00:06:51.610$ talking about active surveillance?

NOTE Confidence: 0.99820006

 $00:06:52.555 \longrightarrow 00:06:53.055$ Correct.

NOTE Confidence: 0.9674936

 $00:06:53.515 \longrightarrow 00:06:55.295$ All of the guidelines internationally

NOTE Confidence: 0.9674936

 $00:06:55.515 \longrightarrow 00:06:56.714$ at this point for grade

NOTE Confidence: 0.9674936

00:06:56.714 --> 00:06:58.415 group one or Gleason six

NOTE Confidence: 0.9674936

 $00:06:58.555 \longrightarrow 00:07:00.815$ recommend active surveillance. They recommend

NOTE Confidence: 0.9674936

 $00:07:00.875 \longrightarrow 00:07:02.795$ against treatment. And that is

NOTE Confidence: 0.9674936

 $00:07:02.795 \longrightarrow 00:07:03.295$ because

NOTE Confidence: 0.9490826

 $00{:}07{:}03.995 \dashrightarrow 00{:}07{:}06.009$ the data suggests a greater

NOTE Confidence: 0.9490826

 $00{:}07{:}06.009 \dashrightarrow 00{:}07{:}07.770$ than ninety nine percent fifteen

NOTE Confidence: 0.9490826

 $00:07:07.770 \longrightarrow 00:07:10.190$ year survival without any intervention

NOTE Confidence: 0.8805364

 $00:07:10.650 \longrightarrow 00:07:12.650$ for men with the

NOTE Confidence: 0.8805364

 $00:07:12.650 \longrightarrow 00:07:14.430$ grade group one prostate cancer.

NOTE Confidence: 0.99854183

 $00:07:15.130 \longrightarrow 00:07:16.990$ So some of us are

NOTE Confidence: 0.999892

 $00:07:17.294 \longrightarrow 00:07:17.794$ very

00:07:18.095 --> 00:07:19.854 adamant about not treating anyone

NOTE Confidence: 0.9663741

 $00:07:19.854 \longrightarrow 00:07:21.134$ with Gleason six or grade

NOTE Confidence: 0.9663741

 $00:07:21.134 \longrightarrow 00:07:22.035$ group one disease.

NOTE Confidence: 0.9925844

 $00:07:22.655 \longrightarrow 00:07:23.775$ And as we've gained more

NOTE Confidence: 0.9925844

 $00:07:23.775 \longrightarrow 00:07:25.215$ experience, we've actually expanded that

NOTE Confidence: 0.9925844

 $00:07:25.215 \longrightarrow 00:07:26.414$ to a large percentage of

NOTE Confidence: 0.9925844

 $00:07:26.414 \longrightarrow 00:07:27.935$ men with grade group two

NOTE Confidence: 0.9925844

 $00:07:27.935 \longrightarrow 00:07:28.914$ prostate cancer

NOTE Confidence: 0.93716806

 $00:07:29.294 \longrightarrow 00:07:30.655$ where we monitor them closely

NOTE Confidence: 0.93716806

00:07:30.655 --> 00:07:32.095 but do not require initial

NOTE Confidence: 0.93716806

 $00:07:32.095 \longrightarrow 00:07:32.595$ treatment.

NOTE Confidence: 0.9917937

 $00:07:33.190 \longrightarrow 00:07:34.650$ And, of course, the reason

NOTE Confidence: 0.9917937

 $00:07:34.710 \longrightarrow 00:07:35.990$ that you wanna try to

NOTE Confidence: 0.9917937

 $00:07:35.990 \longrightarrow 00:07:37.510$ avoid treatment is there are

NOTE Confidence: 0.9917937

00:07:37.510 --> 00:07:38.010 consequences.

 $00:07:38.870 \longrightarrow 00:07:39.990$ And maybe this is a

NOTE Confidence: 0.9981339

 $00:07:39.990 \longrightarrow 00:07:41.270$ good time for you to

NOTE Confidence: 0.9981339

 $00:07:41.270 \longrightarrow 00:07:42.730$ just touch on

NOTE Confidence: 0.99956244

 $00:07:43.190 \longrightarrow 00:07:44.630$ some of the problems that

NOTE Confidence: 0.99956244

 $00:07:44.630 \longrightarrow 00:07:46.090$ arise after either

NOTE Confidence: 0.99991286

 $00:07:46.634 \longrightarrow 00:07:47.134$ surgery

NOTE Confidence: 0.97170043

 $00:07:47.435 \longrightarrow 00:07:49.675$ or radiation for prostate cancer.

00:07:51.514 --> 00:07:52.395 You're

NOTE Confidence: 0.98043203

 $00:07:52.395 \longrightarrow 00:07:53.354$ absolutely right. There are kind

NOTE Confidence: 0.98043203

 $00:07:53.354 \longrightarrow 00:07:54.794$ of two main reasons not

NOTE Confidence: 0.98043203

 $00:07:54.794 \longrightarrow 00:07:55.835$ to treat men with these

NOTE Confidence: 0.98043203

 $00:07:55.835 \longrightarrow 00:07:57.294$ low and intermediate risk cancers.

NOTE Confidence: 0.98043203

 $00:07:57.354 \longrightarrow 00:07:58.315$ One is we know that

NOTE Confidence: 0.98043203

 $00{:}07{:}58.315 --> 00{:}07{:}59.595$ it's not dangerous as we

NOTE Confidence: 0.98043203

 $00:07:59.595 \longrightarrow 00:08:00.940$ are talking about. There now

NOTE Confidence: 0.98043203

 $00:08:00.940 \longrightarrow 00:08:02.860$ are randomized clinical trials that

 $00:08:02.860 \longrightarrow 00:08:04.780$ show really minimal or no

NOTE Confidence: 0.98043203

 $00{:}08{:}04.780 \dashrightarrow 00{:}08{:}06.460$ survival benefit to treating men

NOTE Confidence: 0.98043203

 $00{:}08{:}06.460 \dashrightarrow 00{:}08{:}07.980$ with low and intermediate risk

NOTE Confidence: 0.98043203

 $00:08:07.980 \longrightarrow 00:08:09.500$ prostate cancer with fifteen and

NOTE Confidence: 0.98043203

 $00:08:09.500 \longrightarrow 00:08:10.960$ even twenty years of follow-up.

NOTE Confidence: 0.99902487

 $00:08:11.340 \longrightarrow 00:08:12.800$ In addition to the survival

NOTE Confidence: 0.99902487

 $00:08:12.860 \longrightarrow 00:08:13.360$ safety,

NOTE Confidence: 0.9696806

 $00:08:14.185 \longrightarrow 00:08:16.205$ any treatments that we perform

NOTE Confidence: 0.9696806

 $00{:}08{:}16.425 \dashrightarrow 00{:}08{:}18.665$ have significant or can have

NOTE Confidence: 0.9696806

00:08:18.665 --> 00:08:20.665 significant quality of life impact.

NOTE Confidence: 0.9696806

 $00{:}08{:}20.665 \dashrightarrow 00{:}08{:}22.425$ So typically because of the

NOTE Confidence: 0.9696806

00:08:22.425 --> 00:08:24.185 location of the prostate being

NOTE Confidence: 0.9696806

 $00:08:24.185 \longrightarrow 00:08:25.145$ in the middle of the

NOTE Confidence: 0.9696806

 $00{:}08{:}25.145 \dashrightarrow 00{:}08{:}26.790$ pelvis, it's near the rectum,

NOTE Confidence: 0.9696806

 $00:08:26.790 \longrightarrow 00:08:28.310$ it's near the bladder. The

NOTE Confidence: 0.9696806

 $00:08:28.310 \longrightarrow 00:08:30.490$ ure thra passes through the prostate.

 $00{:}08{:}30.790 \dashrightarrow 00{:}08{:}32.070$ So this is gonna impact

NOTE Confidence: 0.9821157

00:08:32.070 --> 00:08:33.830 potentially a man's urinary function,

NOTE Confidence: 0.9821157

 $00:08:33.830 \longrightarrow 00:08:34.870$ so their ability to hold

NOTE Confidence: 0.9821157

00:08:34.870 --> 00:08:36.950 their urine, their sexual function,

NOTE Confidence: 0.9821157

 $00:08:36.950 \longrightarrow 00:08:38.070$ their ability to get an

NOTE Confidence: 0.9821157

 $00:08:38.070 \longrightarrow 00:08:39.370$ erection or ejaculate,

NOTE Confidence: 0.8826395

00:08:40.274 --> 00:08:42.214 and also bowel function potentially

NOTE Confidence: 0.8826395

 $00:08:42.434 \longrightarrow 00:08:44.115$ in like diarrhea or other

NOTE Confidence: 0.8826395

 $00:08:44.115 \longrightarrow 00:08:44.615$ problems.

NOTE Confidence: 0.9978972

 $00:08:45.635 \longrightarrow 00:08:47.635$ Surgery is most commonly associated

NOTE Confidence: 0.9978972

 $00:08:47.635 \longrightarrow 00:08:49.014$ with urinary incontinence.

NOTE Confidence: 0.9987718

 $00:08:50.274 \longrightarrow 00:08:51.495$ Radiation therapy

NOTE Confidence: 0.98444974

 $00{:}08{:}52.035 \dashrightarrow 00{:}08{:}54.210$ has significant concern for sort

NOTE Confidence: 0.98444974

 $00:08:54.210 \longrightarrow 00:08:55.890$ of bowel dysfunction or

NOTE Confidence: 0.99779326

 $00:08:56.850 \longrightarrow 00:08:58.070$ bowel function disruption.

 $00:08:59.410 \longrightarrow 00:09:01.830$ And in terms of erectile

NOTE Confidence: 0.9689425

 $00:09:01.890 \longrightarrow 00:09:04.070$ dysfunction, that's with both surgery

NOTE Confidence: 0.9689425

 $00:09:04.130 \longrightarrow 00:09:05.430$ and radiation or

NOTE Confidence: 0.96251446

 $00:09:05.810 \longrightarrow 00:09:08.404$ more surgery?

NOTE Confidence: 0.96251446

00:09:08.565 --> 00:09:09.524 We're starting to get into

NOTE Confidence: 0.96251446

 $00:09:09.524 \longrightarrow 00:09:10.725$ the details, which is great,

NOTE Confidence: 0.96251446

 $00:09:10.725 \longrightarrow 00:09:12.245$ but it in large

NOTE Confidence: 0.96251446

 $00:09:12.245 \longrightarrow 00:09:13.205$ part depends on

NOTE Confidence: 0.96251446

 $00:09:13.205 \longrightarrow 00:09:14.565$ where the cancer is located.

NOTE Confidence: 0.96251446

 $00:09:14.565 \longrightarrow 00:09:15.464$ So surgery

NOTE Confidence: 0.9956783

 $00:09:16.005 \longrightarrow 00:09:17.045$ can be done where we

NOTE Confidence: 0.9956783

 $00:09:17.045 \longrightarrow 00:09:18.485$ try to preserve the nerves

NOTE Confidence: 0.9956783

00:09:18.485 --> 00:09:19.765 that are related to sexual

NOTE Confidence: 0.9956783

00:09:19.765 --> 00:09:20.265 function,

NOTE Confidence: 0.9760714

 $00:09:20.670 \longrightarrow 00:09:22.110$ but that depends largely on

NOTE Confidence: 0.9760714

 $00:09:22.110 \longrightarrow 00:09:23.230$ if the cancer is near

00:09:23.230 --> 00:09:24.910 those nerves. A primary goal

 $00:09:25.710 \longrightarrow 00:09:26.750$ of treatment is to get

NOTE Confidence: 0.9940264

 $00:09:26.750 \longrightarrow 00:09:28.190$ the cancer out.

NOTE Confidence: 0.9940264

 $00:09:28.190 \longrightarrow 00:09:29.809$ And this is so called nerve sparing

NOTE Confidence: 0.9940264

 $00:09:29.870 \longrightarrow 00:09:30.370$ prostatectomy?

NOTE Confidence: 0.99851483

 $00:09:30.910 \longrightarrow 00:09:32.589$ Exactly. So with a

NOTE Confidence: 0.99851483

00:09:32.589 --> 00:09:34.130 nerve sparing prostatectomy,

NOTE Confidence: 0.984862

 $00:09:35.955 \longrightarrow 00:09:37.795$ that is pretty equivalent in

NOTE Confidence: 0.984862

00:09:37.795 --> 00:09:39.154 terms of impact on sexual

NOTE Confidence: 0.984862

 $00:09:39.154 \longrightarrow 00:09:40.595$ function to radiation when we

NOTE Confidence: 0.984862

 $00:09:40.595 \longrightarrow 00:09:41.714$ look out to five years

NOTE Confidence: 0.984862

 $00:09:41.714 \longrightarrow 00:09:43.635$ and beyond. Before five years,

NOTE Confidence: 0.984862

 $00:09:43.635 \longrightarrow 00:09:45.335$ there's less impact with radiation,

NOTE Confidence: 0.984862

 $00{:}09{:}45.554 \dashrightarrow 00{:}09{:}47.154$ but probably more impact with

NOTE Confidence: 0.984862

 $00:09:47.154 \longrightarrow 00:09:47.654$ surgery.

NOTE Confidence: 0.9943817

 $00:09:47.990 \longrightarrow 00:09:48.629$ The issue is if you

 $00:09:48.629 \longrightarrow 00:09:49.750$ start to have cancer where

NOTE Confidence: 0.9943817

 $00:09:49.750 \longrightarrow 00:09:50.709$ we have to remove the

NOTE Confidence: 0.9943817

 $00:09:50.709 \longrightarrow 00:09:52.329$ nerve bundles with surgery,

NOTE Confidence: 0.95335555

 $00:09:52.709 \longrightarrow 00:09:53.910$ that has a much greater

NOTE Confidence: 0.95335555

 $00:09:53.910 \longrightarrow 00:09:55.829$ negative impact on erectile function.

NOTE Confidence: 0.95335555

 $00:09:55.829 \longrightarrow 00:09:57.670$ And that in part

NOTE Confidence: 0.95335555

 $00:09:57.670 \longrightarrow 00:09:59.429$ is why there's a

NOTE Confidence: 0.95335555

 $00{:}09{:}59.429 \dashrightarrow 00{:}10{:}01.245$ growing interest in the rapies like

NOTE Confidence: 0.95335555

 $00{:}10{:}01.404 \dashrightarrow 00{:}10{:}03.745$ ablation the rapies for prostate cancer,

NOTE Confidence: 0.977875

 $00:10:04.125 \longrightarrow 00:10:05.485$ where now that we

NOTE Confidence: 0.977875

 $00:10:05.485 \longrightarrow 00:10:06.925$ have this great imaging and

NOTE Confidence: 0.977875

00:10:06.925 --> 00:10:08.605 ability to do targeted biopsy

NOTE Confidence: 0.977875

 $00{:}10{:}08.605 --> 00{:}10{:}09.645$ of the prostate, we can

NOTE Confidence: 0.977875

 $00:10:09.645 \longrightarrow 00:10:11.485$ actually localize the cancers within

NOTE Confidence: 0.977875

00:10:11.485 --> 00:10:12.225 the prostate,

 $00:10:12.765 \longrightarrow 00:10:13.804$ and we can now, with

NOTE Confidence: 0.98152494

 $00:10:13.804 \longrightarrow 00:10:15.265$ some of these ablation technologies,

NOTE Confidence: 0.9686799

 $00:10:16.110 \longrightarrow 00:10:17.870$ localize and treat the area

NOTE Confidence: 0.9686799

 $00:10:17.870 \longrightarrow 00:10:19.230$ with the prostate cancer

NOTE Confidence: 0.9686799

 $00:10:19.230 \longrightarrow 00:10:20.029$ and leave the rest of

NOTE Confidence: 0.9686799

00:10:20.029 --> 00:10:21.070 the prostate alone.

NOTE Confidence: 0.9686799

 $00:10:21.070 \longrightarrow 00:10:22.350$ Is that, on average, a much

NOTE Confidence: 0.9686799

00:10:22.350 --> 00:10:24.370 lower rate of sexual dysfunction,

NOTE Confidence: 0.9686799

00:10:24.510 --> 00:10:26.450 much lower rate of urinary

NOTE Confidence: 0.9686799

 $00:10:26.589 \longrightarrow 00:10:28.450$ incontinence and bowel dysfunction

NOTE Confidence: 0.9686799

 $00{:}10{:}28.589 \dashrightarrow 00{:}10{:}30.290$ compared to surgery and radiation?

NOTE Confidence: 0.99825823

 $00:10:31.054 \longrightarrow 00:10:33.454$ So this now opens up

NOTE Confidence: 0.99825823

 $00:10:33.454 \longrightarrow 00:10:36.334$ the area of better tools

NOTE Confidence: 0.99825823

 $00{:}10{:}36.334 \dashrightarrow 00{:}10{:}38.355$ we have for both diagnosing

NOTE Confidence: 0.99825823

 $00:10:38.495 \longrightarrow 00:10:39.235$ and treating.

 $00:10:41.054 \longrightarrow 00:10:42.654$ And what's changed in terms of

 $00:10:42.654 \longrightarrow 00:10:43.154$ diagnosis?

NOTE Confidence: 0.9998431

 $00:10:43.855 \longrightarrow 00:10:44.675$ The biggest

NOTE Confidence: 0.99988294

 $00:10:45.590 \longrightarrow 00:10:46.730$ change was

NOTE Confidence: 0.99597293

 $00:10:47.110 \longrightarrow 00:10:49.590$ the more widespread adoption of

NOTE Confidence: 0.99597293

00:10:49.590 --> 00:10:51.910 prostate MRI. So around two

NOTE Confidence: 0.99597293

 $00{:}10{:}51.910 \dashrightarrow 00{:}10{:}53.770$ thousand ten, two thousand twelve,

NOTE Confidence: 0.8501115

 $00:10:54.230 \longrightarrow 00:10:55.510$ we began to really see

NOTE Confidence: 0.8501115

 $00:10:55.510 \longrightarrow 00:10:56.650$ an uptick

NOTE Confidence: 0.999135

 $00:10:57.030 \longrightarrow 00:10:58.790$ globally in the utilization of

NOTE Confidence: 0.999135

00:10:58.790 --> 00:10:59.770 prostate MRI.

NOTE Confidence: 0.9717055

00:11:00.345 --> 00:11:01.464 At that point, it was

NOTE Confidence: 0.9717055

 $00:11:01.464 \longrightarrow 00:11:03.165$ largely done in very specialized

NOTE Confidence: 0.9717055

00:11:03.225 --> 00:11:04.385 centers. We are very fortunate

NOTE Confidence: 0.9717055

 $00:11:04.385 \longrightarrow 00:11:05.704$ at Yale to have very

NOTE Confidence: 0.9717055

 $00:11:05.704 \longrightarrow 00:11:06.204$ experienced

NOTE Confidence: 0.98993015

 $00:11:06.584 \longrightarrow 00:11:08.024$ radiologists who are focused on

00:11:08.024 --> 00:11:08.925 prostate MRI.

NOTE Confidence: 0.9697233

 $00:11:09.385 \longrightarrow 00:11:10.764$ It is now more widely

NOTE Confidence: 0.9697233

 $00:11:10.904 \longrightarrow 00:11:12.684$ accepted and is

NOTE Confidence: 0.9697233

 $00:11:12.745 \longrightarrow 00:11:13.644$ done broadly.

NOTE Confidence: 0.9611748

 $00{:}11{:}14.220 \dashrightarrow 00{:}11{:}16.480$ There still is dramatic variation

NOTE Confidence: 0.9611748

 $00:11:16.540 \longrightarrow 00:11:17.820$ in the quality of prostate

NOTE Confidence: 0.9611748

00:11:17.820 --> 00:11:19.179 MRI that's completed, but that

NOTE Confidence: 0.9611748

00:11:19.179 --> 00:11:20.459 has really shifted the playing

NOTE Confidence: 0.9611748

 $00:11:20.459 \longrightarrow 00:11:21.500$ field for us over the

NOTE Confidence: 0.9611748

00:11:21.500 --> 00:11:22.940 last decade because it allows

NOTE Confidence: 0.9611748

00:11:22.940 --> 00:11:24.300 us, like you mentioned earlier,

NOTE Confidence: 0.9611748

 $00:11:24.300 \longrightarrow 00:11:25.339$ to be able to see

NOTE Confidence: 0.9611748

 $00:11:25.339 \longrightarrow 00:11:26.399$ inside the prostate,

NOTE Confidence: 0.9893647

 $00:11:26.855 \longrightarrow 00:11:28.455$ see where lesions are, and

NOTE Confidence: 0.9893647

00:11:28.455 --> 00:11:30.635 more accurately diagnose

 $00:11:30.775 \longrightarrow 00:11:32.055$ the cancer. So by putting

NOTE Confidence: 0.9893647

00:11:32.055 --> 00:11:34.295 needles into the lesion, we're

NOTE Confidence: 0.9893647

 $00{:}11{:}34.295 \dashrightarrow 00{:}11{:}35.575$ much more accurate with our

NOTE Confidence: 0.9893647

 $00:11:35.575 \longrightarrow 00:11:36.075$ biopsies,

NOTE Confidence: 0.99963564

 $00:11:36.615 \longrightarrow 00:11:37.755$ and we know

NOTE Confidence: 0.99975914

 $00:11:38.055 \longrightarrow 00:11:39.095$ what is there with more

NOTE Confidence: 0.99975914

 $00:11:39.095 \longrightarrow 00:11:39.570$ confidence.

NOTE Confidence: 0.99338144

 $00:11:40.050 \longrightarrow 00:11:41.730$ And does MRI and I

NOTE Confidence: 0.99338144

00:11:41.730 --> 00:11:42.850 think you were mentioning this

NOTE Confidence: 0.99338144

00:11:42.850 --> 00:11:45.190 before, does MRI help you

NOTE Confidence: 0.99338144

 $00{:}11{:}45.250 \dashrightarrow 00{:}11{:}47.110$ decide not to do biopsies

NOTE Confidence: 0.99338144

 $00:11:47.250 \longrightarrow 00:11:47.910$ at times?

NOTE Confidence: 0.9938915

 $00:11:48.370 \longrightarrow 00:11:50.050$ It does. Correct. So the

NOTE Confidence: 0.9938915

 $00:11:50.050 \longrightarrow 00:11:52.530$ the major screening tool remains

NOTE Confidence: 0.9938915

 $00:11:52.530 \longrightarrow 00:11:53.995$ a PSA blood test. So

NOTE Confidence: 0.9938915

 $00:11:53.995 \longrightarrow 00:11:55.595$ that is our primary screening

 $00:11:55.595 \longrightarrow 00:11:56.095$ tool

NOTE Confidence: 0.99464965

 $00:11:56.475 \longrightarrow 00:11:58.015$ that is recommended but

NOTE Confidence: 0.99212515

 $00:11:58.475 \longrightarrow 00:11:59.995$ the guidelines vary. It's a

NOTE Confidence: 0.99212515

00:11:59.995 --> 00:12:02.235 shared decision making, so deciding

NOTE Confidence: 0.99212515

 $00:12:02.235 \longrightarrow 00:12:03.035$ whether or not a man

NOTE Confidence: 0.99212515

 $00:12:03.035 \longrightarrow 00:12:04.015$ wants to be screened.

NOTE Confidence: 0.98075956

 $00:12:04.395 \longrightarrow 00:12:06.015$ But in general, that conversation

NOTE Confidence: 0.98075956

00:12:06.155 --> 00:12:07.835 should happen starting around age

NOTE Confidence: 0.98075956

 $00:12:07.835 \longrightarrow 00:12:09.295$ fifty to fifty five,

NOTE Confidence: 0.9363325

 $00:12:09.820 \longrightarrow 00:12:11.260$ and that usually is a

NOTE Confidence: 0.9363325

 $00:12:11.260 \longrightarrow 00:12:12.779$ PSA blood test. For people

NOTE Confidence: 0.9363325

00:12:12.779 --> 00:12:14.240 with a first degree relative,

NOTE Confidence: 0.9363325

 $00{:}12{:}14.459 --> 00{:}12{:}15.200 \ \mathrm{we \ would}$

NOTE Confidence: 0.99931175

 $00:12:15.579 \longrightarrow 00:12:18.459$ suggest considering earlier prostate cancer

NOTE Confidence: 0.99931175

 $00:12:18.459 \longrightarrow 00:12:18.959$ screening.

 $00:12:19.260 \longrightarrow 00:12:20.880$ And in terms of

NOTE Confidence: 0.9983055

 $00:12:21.500 \longrightarrow 00:12:24.160$ more accurately diagnosing the cancer,

NOTE Confidence: 0.96581024

00:12:24.675 --> 00:12:26.355 these MRIs help that as

NOTE Confidence: 0.96581024

 $00:12:26.355 \longrightarrow 00:12:28.035$ well so that if you're

NOTE Confidence: 0.96581024

00:12:28.035 --> 00:12:29.415 planning to do a biopsy,

NOTE Confidence: 0.97578454

00:12:29.795 --> 00:12:30.755 you can do it more

NOTE Confidence: 0.97578454

 $00:12:30.755 \longrightarrow 00:12:32.195$ accurately with the use of

NOTE Confidence: 0.97578454

00:12:32.195 --> 00:12:33.955 MRI.

NOTE Confidence: 0.97578454

 $00{:}12{:}33.955 \dashrightarrow 00{:}12{:}35.315$ Correct, the MRI allows us to look

NOTE Confidence: 0.97578454

 $00:12:35.315 \longrightarrow 00:12:36.595$ inside the prostate. We can

NOTE Confidence: 0.97578454

 $00:12:36.595 \longrightarrow 00:12:37.635$ see where a lesion is.

NOTE Confidence: 0.97578454

 $00:12:37.635 \longrightarrow 00:12:38.695$ We can then

NOTE Confidence: 0.98674995

 $00:12:39.080 \longrightarrow 00:12:40.440$ typically, have a 3D

NOTE Confidence: 0.98674995

 $00:12:40.440 \longrightarrow 00:12:42.040$ modeling where we combine

NOTE Confidence: 0.98674995

 $00:12:42.040 \longrightarrow 00:12:43.640$ the MRI with our real

NOTE Confidence: 0.98674995

 $00:12:43.640 \longrightarrow 00:12:45.320$ time ultrasound. It allows us

 $00:12:45.320 \longrightarrow 00:12:46.360$ to guide the needles for

NOTE Confidence: 0.98674995

 $00:12:46.360 \longrightarrow 00:12:47.179$ a more accurate

NOTE Confidence: 0.999844

 $00:12:47.559 \longrightarrow 00:12:48.059$ biopsy.

NOTE Confidence: 0.9775152

 $00:12:48.520 \longrightarrow 00:12:50.120$ And finally, before we take

NOTE Confidence: 0.9775152

00:12:50.120 --> 00:12:51.820 just a a brief break,

NOTE Confidence: 0.96022177

 $00:12:53.195 \longrightarrow 00:12:54.635$ I mentioned earlier that there

NOTE Confidence: 0.96022177

 $00:12:54.635 \longrightarrow 00:12:55.515$ are more than two hundred

NOTE Confidence: 0.96022177

 $00:12:55.515 \longrightarrow 00:12:56.815$ and fifty thousand cases,

NOTE Confidence: 0.9320914

 $00:12:57.434 \longrightarrow 00:12:57.934$ but,

NOTE Confidence: 0.99260634

 $00:12:59.035 \longrightarrow 00:13:00.235$ many of those are, of

NOTE Confidence: 0.99260634

00:13:00.235 --> 00:13:00.735 course,

NOTE Confidence: 0.9993653

 $00:13:01.115 \longrightarrow 00:13:02.095$ cases where

NOTE Confidence: 0.99828845

00:13:02.395 --> 00:13:03.915 a man's life is not

NOTE Confidence: 0.99828845

 $00:13:03.915 \longrightarrow 00:13:04.415$ threatened.

NOTE Confidence: 0.97148323

 $00:13:05.769 \longrightarrow 00:13:07.769$ How many cases of prostate

 $00:13:07.769 \longrightarrow 00:13:09.209$ cancer are there where you're

NOTE Confidence: 0.97148323

 $00:13:09.209 \longrightarrow 00:13:10.029$ more worried

NOTE Confidence: 0.99942756

 $00:13:10.730 \longrightarrow 00:13:11.230$ about

NOTE Confidence: 0.9299704

 $00:13:12.490 \longrightarrow 00:13:14.350$ the potential impact on survival?

NOTE Confidence: 0.9299704

 $00:13:14.649 \longrightarrow 00:13:15.690$ For that matter, how many

NOTE Confidence: 0.9299704

 $00:13:15.690 \longrightarrow 00:13:16.670$ deaths a year?

NOTE Confidence: 0.97115624

 $00:13:17.690 \longrightarrow 00:13:18.890$ Yes. So that is

NOTE Confidence: 0.97115624

 $00:13:18.890 \longrightarrow 00:13:19.929$ a very good question. I

NOTE Confidence: 0.97115624

00:13:19.929 --> 00:13:21.675 mean, I don't know the

NOTE Confidence: 0.97115624

 $00:13:21.675 \longrightarrow 00:13:22.954$ exact number of deaths off

NOTE Confidence: 0.97115624

 $00:13:22.954 \longrightarrow 00:13:23.675$ the top of my head.

NOTE Confidence: 0.97115624

 $00:13:23.675 \longrightarrow 00:13:25.355$ It is pretty significant, though.

NOTE Confidence: 0.97115624

 $00{:}13{:}25.355 \dashrightarrow 00{:}13{:}26.475$ The last number I recall

NOTE Confidence: 0.97115624

 $00:13:26.475 \longrightarrow 00:13:27.995$ was around probably twenty seven

NOTE Confidence: 0.97115624

 $00:13:27.995 \longrightarrow 00:13:28.495$ thousand.

NOTE Confidence: 0.98285747

00:13:29.675 --> 00:13:31.115 It is a percentage of

 $00:13:31.115 \longrightarrow 00:13:31.915$ of the men who were

NOTE Confidence: 0.98285747

 $00:13:31.915 \longrightarrow 00:13:32.415$ diagnosed.

NOTE Confidence: 0.9572679

 $00:13:32.840 \longrightarrow 00:13:34.300$ It's really those with metastatic

NOTE Confidence: 0.9572679

 $00:13:34.520 \longrightarrow 00:13:36.520$ prostate cancer that

NOTE Confidence: 0.9572679

 $00:13:36.520 \longrightarrow 00:13:38.280$ we really worry about.

NOTE Confidence: 0.9572679

 $00:13:38.280 \longrightarrow 00:13:40.040$ And that's why screening and

NOTE Confidence: 0.9572679

 $00:13:40.040 \longrightarrow 00:13:41.640$ early detection is really, really

NOTE Confidence: 0.9572679

 $00:13:41.640 \longrightarrow 00:13:43.720$ important. Finding this cancer before

NOTE Confidence: 0.9572679

 $00:13:43.720 \longrightarrow 00:13:44.380$ its metastatic

NOTE Confidence: 0.9453553

 $00:13:44.920 \longrightarrow 00:13:46.940$ allows us to intervene.

NOTE Confidence: 0.9514239

00:13:48.384 --> 00:13:49.204 And in

NOTE Confidence: 0.984626

 $00:13:49.505 \longrightarrow 00:13:50.785$ many, many, of those

NOTE Confidence: 0.984626

00:13:50.785 --> 00:13:52.144 men, we can prevent the

NOTE Confidence: 0.984626

 $00:13:52.144 \longrightarrow 00:13:54.225$ development of metastatic disease. So,

NOTE Confidence: 0.984626

00:13:54.225 --> 00:13:56.644 again, a disease where sometimes

00:13:56.865 --> 00:13:58.545 it's just very slow growing

NOTE Confidence: 0.984626

 $00:13:58.545 \longrightarrow 00:13:59.285$ and sometimes

NOTE Confidence: 0.9888826

 $00:13:59.904 \longrightarrow 00:14:01.845$ more aggressive and still

NOTE Confidence: 0.9888826

 $00:14:01.985 \longrightarrow 00:14:03.045$ a disease that

NOTE Confidence: 0.9764054

 $00:14:03.630 \longrightarrow 00:14:04.990$ threatens quite a number of

NOTE Confidence: 0.9764054

 $00{:}14{:}04.990 \dashrightarrow 00{:}14{:}06.750$ people's lives. Well, we're gonna

NOTE Confidence: 0.9764054

 $00:14:06.750 \longrightarrow 00:14:08.110$ take just a brief

NOTE Confidence: 0.9764054

 $00:14:08.110 \longrightarrow 00:14:09.710$ break and we'll be back

NOTE Confidence: 0.9764054

 $00:14:09.710 \longrightarrow 00:14:12.130$ and continue our discussion about

NOTE Confidence: 0.9764054

 $00:14:12.190 \longrightarrow 00:14:14.110$ prostate cancer with doctor Preston

NOTE Confidence: 0.9764054

00:14:14.110 --> 00:14:14.610 Sprenkle.

NOTE Confidence: 0.93937266

 $00{:}14{:}15.150 \dashrightarrow 00{:}14{:}16.910$ Funding for Yale Cancer Answers

NOTE Confidence: 0.93937266

00:14:16.910 --> 00:14:18.770 comes from Smilow Cancer Hospital,

NOTE Confidence: 0.92589056

 $00:14:19.285 \longrightarrow 00:14:20.405$ where they will be hosting

NOTE Confidence: 0.92589056

00:14:20.405 --> 00:14:22.185 an in person Cancer Survivors

NOTE Confidence: 0.92589056

00:14:22.325 --> 00:14:24.185 Day celebration on June fifth.

00:14:24.565 --> 00:14:26.425 For details and to register,

NOTE Confidence: 0.98482674

00:14:26.485 --> 00:14:27.945 please reach out to canceranswers

NOTE Confidence: 0.86824965

 $00:14:28.405 \longrightarrow 00:14:29.705$ at yale dot edu.

NOTE Confidence: 0.9198936

 $00:14:32.000 \longrightarrow 00:14:33.200$ Breast cancer is one of

NOTE Confidence: 0.9198936

 $00:14:33.200 \longrightarrow 00:14:34.640$ the most common cancers in

NOTE Confidence: 0.9198936

 $00:14:34.640 \longrightarrow 00:14:36.980$ women. In Connecticut alone, approximately

NOTE Confidence: 0.9198936

 $00:14:37.200 \longrightarrow 00:14:38.480$ three thousand five hundred women

NOTE Confidence: 0.9198936

 $00{:}14{:}38.480 \dashrightarrow 00{:}14{:}39.839$ will be diagnosed with breast

NOTE Confidence: 0.9198936

 $00:14:39.839 \longrightarrow 00:14:41.680$ cancer this year, but there

NOTE Confidence: 0.9198936

 $00:14:41.680 \longrightarrow 00:14:43.360$ is hope thanks to earlier

NOTE Confidence: 0.9198936

 $00:14:43.360 \longrightarrow 00:14:44.946$ detection, non invasive treatments, and

NOTE Confidence: 0.9198936

 $00:14:44.946 \longrightarrow 00:14:45.113$ the development of novel therapies

NOTE Confidence: 0.9198936

 $00{:}14{:}45.113 \dashrightarrow 00{:}14{:}45.279$ to fight breast cancer. Women

NOTE Confidence: 0.9198936

 $00:14:45.279 \longrightarrow 00:14:45.860$ should schedule

00:14:50.035 --> 00:14:51.254 a baseline mammogram

NOTE Confidence: 0.94690096

 $00:14:51.555 \longrightarrow 00:14:52.754$ beginning at age forty or

 $00:14:52.754 \longrightarrow 00:14:54.115$ earlier if they have risk

NOTE Confidence: 0.94690096

 $00{:}14{:}54.115 \dashrightarrow 00{:}14{:}56.134$ factors associated with the disease.

NOTE Confidence: 0.95951134

00:14:56.595 --> 00:14:58.554 With screening, early detection, and

NOTE Confidence: 0.95951134

 $00:14:58.554 \longrightarrow 00:14:59.095$ a healthy

NOTE Confidence: 0.9850562

 $00{:}14{:}59.475 \dashrightarrow 00{:}15{:}01.074$ lifestyle, breast cancer can be

NOTE Confidence: 0.9850562

 $00:15:01.074 \longrightarrow 00:15:01.574$ defeated.

NOTE Confidence: 0.9453213

 $00:15:02.250 \longrightarrow 00:15:03.930$ Clinical trials are currently underway

NOTE Confidence: 0.9453213

 $00:15:03.930 \longrightarrow 00:15:06.490$ at federally designated comprehensive cancer

NOTE Confidence: 0.9453213

00:15:06.490 --> 00:15:08.330 centers, such as Yale Cancer

NOTE Confidence: 0.9453213

00:15:08.330 --> 00:15:10.010 Center and Smilow Cancer

NOTE Confidence: 0.9453213

00:15:10.010 --> 00:15:10.510 Hospital,

NOTE Confidence: 0.9986832

 $00:15:10.890 \longrightarrow 00:15:12.570$ to make innovative new treatments

NOTE Confidence: 0.9986832

00:15:12.570 --> 00:15:13.710 available to patients.

NOTE Confidence: 0.9611438

 $00{:}15{:}14.305 \dashrightarrow 00{:}15{:}15.525$ Digital breast tomosynthesis

NOTE Confidence: 0.97770786

00:15:16.065 --> 00:15:17.745 or three d mammography is

00:15:17.745 --> 00:15:20.245 also transforming breast cancer screening

NOTE Confidence: 0.9950596

 $00:15:20.545 \longrightarrow 00:15:23.445$ by significantly reducing unnecessary procedures

NOTE Confidence: 0.9950596

 $00{:}15{:}23.505 \dashrightarrow 00{:}15{:}25.045$ while picking up more cancers.

NOTE Confidence: 0.97023076

00:15:25.665 --> 00:15:27.345 More information is available at

NOTE Confidence: 0.97023076

 $00:15:27.345 \longrightarrow 00:15:29.205$ yale cancer center dot org.

NOTE Confidence: 0.97023076

 $00{:}15{:}29.310 \dashrightarrow 00{:}15{:}31.070$ You're listening to Connecticut Public

NOTE Confidence: 0.97023076

 $00:15:31.070 \longrightarrow 00:15:31.570$ Radio.

NOTE Confidence: 0.97758037

 $00:15:32.430 \longrightarrow 00:15:33.790$ Good evening again. This is

NOTE Confidence: 0.97758037

 $00{:}15{:}33.790 \dashrightarrow 00{:}15{:}35.470$ Eric Winer with Yale Cancer

NOTE Confidence: 0.97758037

 $00:15:35.470 \longrightarrow 00:15:37.470$ Answers. I'm joined tonight by

NOTE Confidence: 0.97758037

 $00{:}15{:}37.470 \dashrightarrow 00{:}15{:}40.050$ doctor Preston Sprenkle, a urologic

NOTE Confidence: 0.97758037

 $00:15:40.350 \longrightarrow 00:15:40.850$ oncologist

NOTE Confidence: 0.9977281

 $00:15:41.625 \longrightarrow 00:15:43.465$ and an associate professor in

NOTE Confidence: 0.9977281

00:15:43.465 --> 00:15:45.385 urology here at Yale School

NOTE Confidence: 0.9977281

 $00:15:45.385 \longrightarrow 00:15:46.045$ of Medicine.

NOTE Confidence: 0.9976537

 $00{:}15{:}46.745 \dashrightarrow 00{:}15{:}48.105$ We've been talking about prostate

 $00{:}15{:}48.105 --> 00{:}15{:}49.145$ cancer. We're gonna move on

NOTE Confidence: 0.9976537

 $00:15:49.145 \longrightarrow 00:15:50.025$ and talk a little bit

NOTE Confidence: 0.9976537

 $00:15:50.025 \longrightarrow 00:15:52.105$ about testicular cancer in just

NOTE Confidence: 0.9976537

 $00:15:52.105 \longrightarrow 00:15:52.925$ a few minutes.

NOTE Confidence: 0.9956211

 $00:15:53.385 \longrightarrow 00:15:55.200$ But, before we leave the

NOTE Confidence: 0.9956211

 $00:15:55.200 \longrightarrow 00:15:56.960$ area of prostate cancer, I

NOTE Confidence: 0.9956211

 $00:15:56.960 \longrightarrow 00:15:58.020$ wanna talk about

NOTE Confidence: 0.9996636

 $00:15:58.400 \longrightarrow 00:15:58.900$ this

NOTE Confidence: 0.8941442

00:15:59.680 --> 00:16:00.500 new approach,

NOTE Confidence: 0.99551594

 $00:16:01.600 \longrightarrow 00:16:03.920$ that involves focal therapy

NOTE Confidence: 0.99551594

 $00:16:03.920 \longrightarrow 00:16:05.775$ or doing something less than

NOTE Confidence: 0.99551594

00:16:06.175 --> 00:16:07.955 treating the entire prostate,

NOTE Confidence: 0.9765827

 $00:16:08.815 \longrightarrow 00:16:10.515$ when a man has cancer.

NOTE Confidence: 0.9823351

00:16:10.975 --> 00:16:11.455 And,

NOTE Confidence: 0.9902267

00:16:11.855 --> 00:16:13.295 maybe you can just touch

 $00:16:13.295 \longrightarrow 00:16:14.335$ on this and how long

NOTE Confidence: 0.9902267

00:16:14.335 --> 00:16:15.775 it's been going on and 00:16:16.895 --> 00:16:18.835 how focal therapy is done.

NOTE Confidence: 0.9998509

 $00:16:19.550 \longrightarrow 00:16:20.589$ Sure. Thank you.

NOTE Confidence: 0.95542884 00:16:21.390 --> 00:16:21.890 So NOTE Confidence: 0.9535659

 $00:16:22.430 \longrightarrow 00:16:23.730$ focal therapy is an

NOTE Confidence: 0.97334075

 $00:16:24.670 \longrightarrow 00:16:27.149$ exciting new intervention. It's actually

NOTE Confidence: 0.97334075

 $00:16:27.149 \longrightarrow 00:16:28.350$ not that new. There have

NOTE Confidence: 0.97334075

 $00:16:28.350 \longrightarrow 00:16:29.330$ been ablation

NOTE Confidence: 0.999511

 $00:16:29.709 \longrightarrow 00:16:30.209$ therapies

NOTE Confidence: 0.9840774

 $00:16:30.830 \longrightarrow 00:16:32.750$ for prostate cancer for decades.

NOTE Confidence: 0.9840774

 $00:16:32.750 \longrightarrow 00:16:33.630$ So one of the early

NOTE Confidence: 0.9840774

 $00:16:33.630 \longrightarrow 00:16:34.845$ ones was cryoablation

NOTE Confidence: 0.99738485

 $00{:}16{:}35.145 \dashrightarrow 00{:}16{:}37.165$ or using cold energy to

NOTE Confidence: 0.99738336

00:16:37.545 --> 00:16:39.165 destroy prostate tissue.

NOTE Confidence: 0.999465

00:16:40.345 --> 00:16:40.845 Initially,

 $00{:}16{:}41.305 \dashrightarrow 00{:}16{:}42.825$ we were doing whole prostate

NOTE Confidence: 0.9888004

 $00{:}16{:}42.825 \to 00{:}16{:}44.585$ treatments with this approach. And

NOTE Confidence: 0.9888004

 $00:16:44.585 \longrightarrow 00:16:46.185$ at that time, it did

NOTE Confidence: 0.9888004

 $00:16:46.185 \longrightarrow 00:16:48.285$ have less of the impact on

00:16:49.600 --> 00:16:52.160 urinary continents than prostatectomy, and

NOTE Confidence: 0.94550997

 $00:16:52.160 \longrightarrow 00:16:54.000$ so it was used not

NOTE Confidence: 0.94550997

 $00:16:54.000 \longrightarrow 00:16:54.500$ infrequently.

NOTE Confidence: 0.9985699

 $00:16:55.360 \longrightarrow 00:16:57.380$ As we gained more information

NOTE Confidence: 0.9985699

00:16:57.600 --> 00:16:59.200 using MRI to

NOTE Confidence: 0.9985699

 $00:16:59.200 \longrightarrow 00:17:00.960$ be able to localize prostate

NOTE Confidence: 0.9985699

 $00:17:00.960 \longrightarrow 00:17:02.420$ cancer within the prostate,

NOTE Confidence: 0.9795487

 $00:17:03.045 \longrightarrow 00:17:04.645$ the idea of focal therapy

NOTE Confidence: 0.9795487

 $00:17:04.645 \longrightarrow 00:17:05.845$ or treating just part of

NOTE Confidence: 0.9795487

 $00{:}17{:}05.845 \dashrightarrow 00{:}17{:}07.125$ the prostate where the cancer

NOTE Confidence: 0.9795487

 $00:17:07.125 \longrightarrow 00:17:08.744$ is located

NOTE Confidence: 0.96063113

 $00:17:10.645 \longrightarrow 00:17:12.244$ became of more interest. And

 $00:17:12.244 \longrightarrow 00:17:13.845$ this is something you mentioned in

NOTE Confidence: 0.96063113

 $00:17:13.845 \longrightarrow 00:17:15.225$ breast cancer. You do lumpectomy.

NOTE Confidence: 0.96063113

 $00:17:15.440 \longrightarrow 00:17:16.799$ In kidney cancer, we remove

NOTE Confidence: 0.96063113

 $00:17:16.799 \longrightarrow 00:17:17.840$ just the tumor. We don't

NOTE Confidence: 0.96063113

00:17:17.840 --> 00:17:19.540 remove the whole organ necessarily,

NOTE Confidence: 0.9435423

 $00:17:20.480 \longrightarrow 00:17:21.760$ anymore now that we

NOTE Confidence: 0.9435423

 $00:17:21.760 \longrightarrow 00:17:23.220$ can localize where the cancer

NOTE Confidence: 0.9969287500:17:24.000 --> 00:17:25.119 is in

NOTE Confidence: 0.99692875

00:17:25.119 --> 00:17:26.240 the gland or in the organ. 00:17:27.575 --> 00:17:29.175 So focal therapy for prostate

NOTE Confidence: 0.9882788

00:17:29.175 --> 00:17:31.335 cancer has evolved. I've personally

NOTE Confidence: 0.9882788

00:17:31.335 --> 00:17:32.375 been doing that for almost

NOTE Confidence: 0.9882788

00:17:32.375 --> 00:17:33.994 ten years, with a combination

NOTE Confidence: 0.9882788

 $00:17:34.055 \longrightarrow 00:17:34.795$ of cryoablation

NOTE Confidence: 0.9993397

 $00:17:35.335 \longrightarrow 00:17:36.155$ and irreversible

NOTE Confidence: 0.9962789

 $00:17:36.695 \longrightarrow 00:17:37.195$ electroporation.

 $00:17:37.494 \longrightarrow 00:17:38.775$ These are both needle based

NOTE Confidence: 0.9997855

 $00:17:38.775 \longrightarrow 00:17:39.275$ technologies

NOTE Confidence: 0.9999095

 $00:17:40.109 \longrightarrow 00:17:40.609$ where

NOTE Confidence: 0.9954196

 $00:17:40.910 \longrightarrow 00:17:42.450$ we can see the prostate

NOTE Confidence: 0.96500665

00:17:43.070 --> 00:17:44.830 with the MRI. We localize

NOTE Confidence: 0.96500665

 $00:17:44.830 \longrightarrow 00:17:46.369$ it with a targeted biopsy.

NOTE Confidence: 0.96500665

 $00:17:46.430 \longrightarrow 00:17:47.630$ We localize the cancer within

NOTE Confidence: 0.96500665

 $00:17:47.630 \longrightarrow 00:17:48.210$ the prostate,

NOTE Confidence: 0.991324

 $00:17:48.670 \longrightarrow 00:17:49.630$ and then we can use

NOTE Confidence: 0.991324

00:17:49.630 --> 00:17:51.230 those images and information to

NOTE Confidence: 0.991324

 $00{:}17{:}51.230 \mathrel{--}{>} 00{:}17{:}53.115$ place needles into the prostate

NOTE Confidence: 0.991324

 $00:17:53.255 \longrightarrow 00:17:54.135$ in the area where the

NOTE Confidence: 0.991324

 $00:17:54.135 \longrightarrow 00:17:55.734$ cancer is located and really

NOTE Confidence: 0.991324

 $00{:}17{:}55.734 \dashrightarrow 00{:}17{:}57.355$ destroy that prostate tissue.

NOTE Confidence: 0.9982741

 $00:17:58.135 \longrightarrow 00:17:59.755$ By leaving the urethra,

NOTE Confidence: 0.9992201

 $00:18:00.135 \longrightarrow 00:18:01.575$ leaving the other side of

00:18:01.575 --> 00:18:02.715 the prostate alone,

NOTE Confidence: 0.99395585

 $00:18:03.335 \longrightarrow 00:18:05.700$ even potentially leaving both nerve

NOTE Confidence: 0.99395585

 $00:18:05.700 \longrightarrow 00:18:07.780$ bundles alone, we see much

NOTE Confidence: 0.99395585

00:18:07.780 --> 00:18:09.540 better preservation of quality of

NOTE Confidence: 0.99395585

 $00:18:09.540 \longrightarrow 00:18:10.820$ life in terms of sexual

NOTE Confidence: 0.99395585

00:18:10.820 --> 00:18:12.119 function, urinary function.

NOTE Confidence: 0.99968946

00:18:12.580 --> 00:18:13.080 Now

NOTE Confidence: 0.9962015

 $00{:}18{:}13.380 \dashrightarrow 00{:}18{:}14.580$ while I've been doing these

NOTE Confidence: 0.9962015

 $00:18:14.580 \longrightarrow 00:18:15.859$ technologies for ten years, they

NOTE Confidence: 0.9962015

00:18:15.859 --> 00:18:18.020 are not widely accepted or

NOTE Confidence: 0.9962015

 $00:18:18.020 \longrightarrow 00:18:19.960$ widely done around the country.

NOTE Confidence: 0.9962015

 $00{:}18{:}20.179 \dashrightarrow 00{:}18{:}22.115$ The technologies are still considered

NOTE Confidence: 0.9962015

 $00{:}18{:}22.335 \rightarrow 00{:}18{:}24.575$ investigational in many areas, and

NOTE Confidence: 0.9962015

 $00:18:24.575 \longrightarrow 00:18:25.535$ so we do this as

NOTE Confidence: 0.9962015

 $00:18:25.535 \longrightarrow 00:18:27.795$ part of an IRB approved

 $00:18:27.935 \longrightarrow 00:18:30.115$ research registry. We're still tracking

NOTE Confidence: 0.9891966

 $00:18:30.575 \longrightarrow 00:18:31.234$ the outcomes.

NOTE Confidence: 0.99034405

 $00:18:32.095 \longrightarrow 00:18:33.295$ We're making sure that it

NOTE Confidence: 0.99034405

 $00:18:33.295 \longrightarrow 00:18:34.335$ is safe. We're making sure

NOTE Confidence: 0.99034405

 $00:18:34.335 \longrightarrow 00:18:35.475$ that the cancer control

NOTE Confidence: 0.9972802

 $00:18:35.929 \longrightarrow 00:18:37.309$ is adequate and appropriate.

NOTE Confidence: 0.9892626

 $00:18:38.090 \longrightarrow 00:18:38.970$ So I think it is

NOTE Confidence: 0.9892626

00:18:38.970 --> 00:18:40.490 very exciting, but it's

NOTE Confidence: 0.9892626

 $00{:}18{:}40.490 \dashrightarrow 00{:}18{:}42.010$ not something that I think

NOTE Confidence: 0.9892626

 $00:18:42.010 \longrightarrow 00:18:43.850$ at this point, is appropriate

NOTE Confidence: 0.9892626

 $00:18:43.850 \longrightarrow 00:18:44.890$ for just anyone to be doing.

NOTE Confidence: 0.9892626

 $00:18:44.890 \longrightarrow 00:18:47.290$ And reading the tea

NOTE Confidence: 0.9892626

 $00:18:47.290 \longrightarrow 00:18:48.570$ leaves, do you think that

NOTE Confidence: 0.9892626

00:18:48.570 --> 00:18:50.250 this is something that will be 00:18:51.544 --> 00:18:53.225 done more widely in another

NOTE Confidence: 0.9997489

 $00:18:53.225 \longrightarrow 00:18:54.445$ five to ten years?

 $00:18:54.825 \longrightarrow 00:18:55.945$ I believe it will. We

NOTE Confidence: 0.9496159

 $00:18:55.945 \longrightarrow 00:18:57.625$ just had our

NOTE Confidence: 0.9496159

 $00{:}18{:}57.625 \dashrightarrow 00{:}18{:}59.164$ International American Urological

NOTE Confidence: 0.9975466

 $00:18:59.465 \longrightarrow 00:19:00.605$ Association meeting.

NOTE Confidence: 0.99881476

 $00:19:01.065 \longrightarrow 00:19:02.905$ It was presented as one

NOTE Confidence: 0.99881476

 $00:19:02.905 \longrightarrow 00:19:03.645$ of the plenary

NOTE Confidence: 0.987091

00:19:04.105 --> 00:19:06.200 lectures, and there is definitely

NOTE Confidence: 0.987091

 $00:19:06.260 \longrightarrow 00:19:07.320$ growing interest.

NOTE Confidence: 0.973843

 $00:19:07.940 \longrightarrow 00:19:08.740$ Those of us who've been

NOTE Confidence: 0.973843

 $00:19:08.740 \longrightarrow 00:19:09.619$ doing it for a while

NOTE Confidence: 0.973843

 $00:19:09.619 \longrightarrow 00:19:11.000$ do think it is approaching

NOTE Confidence: 0.973843

 $00:19:11.299 \longrightarrow 00:19:12.100$ sort of what we call

NOTE Confidence: 0.973843

 $00:19:12.100 \longrightarrow 00:19:13.220$ primetime.

NOTE Confidence: 0.973843

00:19:13.220 --> 00:19:14.600 It is almost ready for

NOTE Confidence: 0.9997738

00:19:15.059 --> 00:19:15.559 wider

NOTE Confidence: 0.99659777

 $00:19:15.940 \longrightarrow 00:19:17.080$ distribution and dissemination

 $00:19:17.380 \longrightarrow 00:19:19.705$ as the quality controls

NOTE Confidence: 0.99674356

 $00{:}19{:}19.705 --> 00{:}19{:}21.065$ are being better put into

NOTE Confidence: 0.99674356

 $00:19:21.065 \longrightarrow 00:19:21.565$ place.

NOTE Confidence: 0.9972937

 $00:19:22.184 \longrightarrow 00:19:23.244$ But just

NOTE Confidence: 0.8757801

 $00:19:24.505 \longrightarrow 00:19:26.605$ an educated guess, this is

NOTE Confidence: 0.99945366

 $00:19:26.905 \longrightarrow 00:19:28.265$ not something that is for

NOTE Confidence: 0.99945366

 $00:19:28.265 \longrightarrow 00:19:29.565$ a patient who has

NOTE Confidence: 0.9651471

 $00:19:29.865 \longrightarrow 00:19:32.184$ more locally advanced prostate cancer

NOTE Confidence: 0.9651471 00:19:32.184 --> 00:19:32.684 or NOTE Confidence: 0.98766893

 $00:19:33.330 \longrightarrow 00:19:35.250$ maybe somebody who has a

NOTE Confidence: 0.98766893

 $00:19:35.250 \longrightarrow 00:19:37.270$ more aggressive subtype of prostate

NOTE Confidence: 0.98766893

 $00:19:37.330 \longrightarrow 00:19:37.830$ cancer?

NOTE Confidence: 0.99908674

00:19:38.289 --> 00:19:39.490 You're absolutely right. I mean,

NOTE Confidence: 0.99908674

 $00:19:39.490 \longrightarrow 00:19:41.169$ at this point,

 $00:19:42.049 \longrightarrow 00:19:43.169$ this is not for everyone.

NOTE Confidence: 0.95570505

 $00:19:43.169 \longrightarrow 00:19:44.369$ So an ablation therapy is

 $00:19:44.369 \longrightarrow 00:19:45.090$ not for when there are

NOTE Confidence: 0.95570505

 $00{:}19{:}45.090 \dashrightarrow 00{:}19{:}46.565$ a lot of an atomic considerations

NOTE Confidence: 0.99684316

 $00{:}19{:}46.945 \dashrightarrow 00{:}19{:}49.125$ in addition to cancer aggressiveness

NOTE Confidence: 0.99684316

 $00:19:49.345 \longrightarrow 00:19:49.845$ considerations.

NOTE Confidence: 0.99060464

 $00:19:50.465 \longrightarrow 00:19:51.905$ We currently only recommend this

NOTE Confidence: 0.99060464

00:19:51.905 --> 00:19:53.365 really for men with intermediate

NOTE Confidence: 0.99060464

 $00:19:53.664 \longrightarrow 00:19:55.424$ risk prostate cancer. There is

NOTE Confidence: 0.99060464

 $00:19:55.424 \longrightarrow 00:19:56.945$ not a role at this

NOTE Confidence: 0.99060464

 $00:19:56.945 \longrightarrow 00:19:57.845$ time for

NOTE Confidence: 0.9621731

 $00:19:58.230 \longrightarrow 00:19:59.990$ treating high risk disease, although

NOTE Confidence: 0.9621731

 $00:19:59.990 \longrightarrow 00:20:01.450$ there are some clinical trials

NOTE Confidence: 0.939749

 $00:20:03.030 \longrightarrow 00:20:04.330$ evolving in those areas.

NOTE Confidence: 0.99803454

 $00:20:04.790 \longrightarrow 00:20:06.230$ So even as part of

NOTE Confidence: 0.99803454

 $00:20:06.230 \longrightarrow 00:20:06.890$ the research,

NOTE Confidence: 0.9288256

 $00:20:07.270 \longrightarrow 00:20:08.390$ one has to be quite

 $00:20:08.390 \longrightarrow 00:20:08.890$ selective.

NOTE Confidence: 0.9998682

 $00:20:09.350 \longrightarrow 00:20:10.250$ That is correct.

NOTE Confidence: 0.99888206

00:20:10.684 --> 00:20:11.184 Good.

NOTE Confidence: 0.9837036

00:20:11.885 --> 00:20:13.105 And then finally,

NOTE Confidence: 0.9799845

 $00:20:14.684 \longrightarrow 00:20:16.304$ there are still many men

NOTE Confidence: 0.9799845

 $00:20:16.365 \longrightarrow 00:20:17.484$ who need to have their

NOTE Confidence: 0.9799845

 $00:20:17.484 \longrightarrow 00:20:19.725$ prostate removed when diagnosed with

NOTE Confidence: 0.9799845

 $00:20:19.725 \longrightarrow 00:20:20.705$ prostate cancer.

NOTE Confidence: 0.9852448

00:20:21.885 --> 00:20:24.205 And sometimes an alternative is

NOTE Confidence: 0.9852448

 $00:20:24.205 \longrightarrow 00:20:25.405$ radiation. How do you make

NOTE Confidence: 0.9852448

00:20:25.405 --> 00:20:26.225 those decisions?

NOTE Confidence: 0.989159

00:20:27.059 --> 00:20:29.140 So radiation and surgery very

NOTE Confidence: 0.989159

 $00:20:29.140 \longrightarrow 00:20:30.820$ often are considered

NOTE Confidence: 0.989159

 $00:20:30.820 \longrightarrow 00:20:32.740$ to have pretty equivalent cancer

NOTE Confidence: 0.989159

 $00:20:32.740 \longrightarrow 00:20:33.240$ control.

NOTE Confidence: 0.99695164

 $00:20:33.700 \longrightarrow 00:20:34.980$ So it largely is a

 $00:20:34.980 \longrightarrow 00:20:36.500$ very personal decision of the

NOTE Confidence: 0.99695164

 $00:20:36.500 \longrightarrow 00:20:37.000$ patient

NOTE Confidence: 0.99044424

00:20:37.619 --> 00:20:39.220 and comparing the quality of

NOTE Confidence: 0.99044424

 $00{:}20{:}39.220 \dashrightarrow 00{:}20{:}41.554$ life impact of the different

NOTE Confidence: 0.99044424

00:20:41.615 --> 00:20:42.595 treatment approaches.

NOTE Confidence: 0.9805416

00:20:44.174 --> 00:20:45.794 It's a long discussion,

NOTE Confidence: 0.9860584

 $00:20:46.095 \longrightarrow 00:20:47.294$ but in brief, we sort

NOTE Confidence: 0.9860584

 $00:20:47.294 \longrightarrow 00:20:48.575$ of compare the impact on

NOTE Confidence: 0.9860584

00:20:48.575 --> 00:20:50.494 urinary function, impact on sexual

NOTE Confidence: 0.9860584

 $00:20:50.494 \longrightarrow 00:20:52.494$ function, the duration of treatment,

NOTE Confidence: 0.9860584

 $00:20:52.494 \longrightarrow 00:20:53.955$ the recovery from treatment,

NOTE Confidence: 0.9568007

 $00:20:54.660 \longrightarrow 00:20:55.380$ what are some of the

NOTE Confidence: 0.9568007

 $00:20:55.380 \longrightarrow 00:20:56.820$ long term consequences that you

NOTE Confidence: 0.9568007

 $00{:}20{:}56.820 \dashrightarrow 00{:}20{:}58.100$ can expect from the treatment.

NOTE Confidence: 0.9568007

 $00:20:58.100 \longrightarrow 00:20:58.980$ But it often is

 $00:20:58.980 \longrightarrow 00:21:00.260$ focused on quality of life

NOTE Confidence: 0.9568007

 $00:21:00.260 \longrightarrow 00:21:00.760$ factors,

NOTE Confidence: 0.9997769

 $00:21:01.220 \longrightarrow 00:21:02.900$ since the cancer control is

NOTE Confidence: 0.9997769

 $00:21:02.900 \longrightarrow 00:21:04.119$ relatively similar.

 $00:21:06.100 \longrightarrow 00:21:07.860$ Well, we're gonna move

NOTE Confidence: 0.9992962

 $00:21:07.860 \longrightarrow 00:21:09.300$ on and talk a little

NOTE Confidence: 0.9992962

 $00:21:09.300 \longrightarrow 00:21:11.615$ bit about testicular cancer.

NOTE Confidence: 0.99270546

00:21:12.315 --> 00:21:13.535 Testicular cancer,

NOTE Confidence: 0.98790455

 $00:21:13.994 \longrightarrow 00:21:16.415$ unlike prostate cancer, which predominantly

NOTE Confidence: 0.9990897

 $00:21:17.035 \longrightarrow 00:21:18.655$ is a disease in

NOTE Confidence: 0.9639503

 $00:21:19.515 \longrightarrow 00:21:20.875$ middle aged or older men,

NOTE Confidence: 0.9639503

 $00{:}21{:}20.875 \dashrightarrow 00{:}21{:}22.715$ though it can occasionally happen

NOTE Confidence: 0.9639503

 $00:21:22.715 \longrightarrow 00:21:24.475$ in people in their forties

NOTE Confidence: 0.9639503

 $00:21:24.475 \longrightarrow 00:21:26.390$ and younger, but quite rarely.

NOTE Confidence: 0.97627294

 $00{:}21{:}27.250 \dashrightarrow 00{:}21{:}29.109$ Testicular cancer is quite different.

NOTE Confidence: 0.9890253

 $00:21:30.210 \longrightarrow 00:21:30.710$ There

 $00:21:31.490 \longrightarrow 00:21:33.330$ are under ten thousand cases

NOTE Confidence: 0.9924084

 $00:21:33.330 \longrightarrow 00:21:34.550$ a year in the US,

NOTE Confidence: 0.9924084

 $00:21:34.690 \longrightarrow 00:21:36.210$ and the average age is

NOTE Confidence: 0.9924084

 $00:21:36.210 \longrightarrow 00:21:37.109$ thirty three.

NOTE Confidence: 0.9942478

 $00:21:37.410 \longrightarrow 00:21:38.790$ So this is a cancer

NOTE Confidence: 0.9942478

 $00:21:38.850 \longrightarrow 00:21:40.150$ of young men.

NOTE Confidence: 0.89629424

00:21:40.934 --> 00:21:41.414 And,

NOTE Confidence: 0.9967704

 $00:21:42.375 \longrightarrow 00:21:43.515$ maybe you can just

NOTE Confidence: 0.9998072

 $00:21:44.054 \longrightarrow 00:21:45.835$ talk a little bit about

NOTE Confidence: 0.98299474

 $00{:}21{:}46.534 \dashrightarrow 00{:}21{:}48.475$ what often brings someone in

NOTE Confidence: 0.9945508

 $00:21:49.015 \longrightarrow 00:21:50.534$ with a new diagnosis of

NOTE Confidence: 0.9945508

 $00:21:50.534 \longrightarrow 00:21:51.674$ testicular cancer.

NOTE Confidence: 0.9939675

00:21:52.215 --> 00:21:53.575 In general, there isn't a

NOTE Confidence: 0.9939675

 $00:21:53.575 \longrightarrow 00:21:55.095$ lot of screening that goes on.

 $00:21:56.120 \longrightarrow 00:21:57.580$ Correct. So there

NOTE Confidence: 0.998975

 $00{:}21{:}57.960 --> 00{:}21{:}59.100$ is not a

00:21:59.960 --> 00:22:02.040 systematic screening that is done

NOTE Confidence: 0.97296435

 $00:22:02.040 \longrightarrow 00:22:03.160$ by a health care provider

NOTE Confidence: 0.97296435

 $00:22:03.160 \longrightarrow 00:22:04.140$ typically, although

NOTE Confidence: 0.9185316

 $00:22:04.760 \longrightarrow 00:22:06.620$ and that's largely because testicular

NOTE Confidence: 0.9185316

 $00:22:06.760 \longrightarrow 00:22:07.260$ cancers,

NOTE Confidence: 0.99372166

 $00:22:07.560 \longrightarrow 00:22:08.940$ when they do occur,

NOTE Confidence: 0.9998556

 $00:22:09.274 \longrightarrow 00:22:10.335$ tend to be very

NOTE Confidence: 0.9964168

00:22:10.794 --> 00:22:12.955 fast growing and present rather

NOTE Confidence: 0.9964168

00:22:12.955 --> 00:22:13.455 quickly.

NOTE Confidence: 0.99435127

 $00:22:14.154 \longrightarrow 00:22:15.595$ There is screening that can

NOTE Confidence: 0.99435127

00:22:15.595 --> 00:22:17.034 be done. So young men

NOTE Confidence: 0.99435127

 $00:22:17.034 \longrightarrow 00:22:18.975$ starting in their late teens

NOTE Confidence: 0.99435127

00:22:19.115 --> 00:22:20.174 should do testicular

NOTE Confidence: 0.9637613

 $00:22:20.475 \longrightarrow 00:22:22.315$ self exams probably on a

NOTE Confidence: 0.9637613

 $00:22:22.315 \longrightarrow 00:22:23.294$ monthly basis.

NOTE Confidence: 0.9967032

 $00:22:24.000 \longrightarrow 00:22:25.840$ And that is honestly how

 $00{:}22{:}25.840 \to 00{:}22{:}26.960$ men present. So it is

NOTE Confidence: 0.9967032

 $00:22:26.960 \longrightarrow 00:22:29.119$ a new mass that they

NOTE Confidence: 0.9967032

 $00:22:29.119 \longrightarrow 00:22:31.200$ feel in the testicle or

NOTE Confidence: 0.9967032

 $00:22:31.200 \longrightarrow 00:22:32.020$ in their scrotum.

NOTE Confidence: 0.97078997

 $00:22:32.480 \longrightarrow 00:22:33.680$ That is the most common

NOTE Confidence: 0.97078997

 $00:22:33.680 \longrightarrow 00:22:34.180$ presentation.

NOTE Confidence: 0.9877685

 $00:22:35.865 \longrightarrow 00:22:37.145$ And it can be picked

NOTE Confidence: 0.9877685

 $00:22:37.145 \longrightarrow 00:22:38.265$ up early if someone is

NOTE Confidence: 0.9877685

00:22:38.265 --> 00:22:40.425 doing a routine testicular self

NOTE Confidence: 0.9877685

00:22:40.425 --> 00:22:42.425 exam. But I'm gonna guess

NOTE Confidence: 0.9877685

 $00:22:42.425 \longrightarrow 00:22:44.185$ that most young men don't

NOTE Confidence: 0.9877685

 $00:22:44.185 \longrightarrow 00:22:45.705$ do that routinely and that

NOTE Confidence: 0.9877685

 $00{:}22{:}45.705 \dashrightarrow 00{:}22{:}47.305$ when they find this, it's

NOTE Confidence: 0.9877685 00:22:47.305 --> 00:22:47.805 just

NOTE Confidence: 0.9899133

 $00:22:48.345 \longrightarrow 00:22:49.565$ almost an accident.

 $00:22:51.000 \longrightarrow 00:22:52.520$ That is often the case.

NOTE Confidence: 0.9667342

 $00:22:52.520 \longrightarrow 00:22:53.980$ Yes. And that's why we

NOTE Confidence: 0.9667342

 $00:22:54.119 \longrightarrow 00:22:55.260$ attempt to

NOTE Confidence: 0.9989055

 $00:22:56.760 \longrightarrow 00:22:59.100$ engage young men and pediatricians

NOTE Confidence: 0.9558761

 $00:22:59.480 \longrightarrow 00:23:00.840$ to educate young men. And

NOTE Confidence: 0.9558761

 $00:23:00.840 \longrightarrow 00:23:01.880$ there is

NOTE Confidence: 0.9558761

 $00{:}23{:}01.880 \dashrightarrow 00{:}23{:}04.040$ outreach on college campuses to

NOTE Confidence: 0.9558761

 $00:23:04.040 \longrightarrow 00:23:05.420$ sort of tell guys

NOTE Confidence: 0.94522053

 $00{:}23{:}05.835 \dashrightarrow 00{:}23{:}07.195$ or instruct guys on how

NOTE Confidence: 0.94522053

00:23:07.195 --> 00:23:08.554 to do a testicular self

NOTE Confidence: 0.94522053

 $00{:}23{:}08.554 \dashrightarrow 00{:}23{:}10.155$ exam. But you're correct. Most

NOTE Confidence: 0.94522053

 $00:23:10.155 \longrightarrow 00:23:11.215$ often it is

NOTE Confidence: 0.8971039

 $00:23:11.515 \longrightarrow 00:23:13.115$ something that it's hard to

NOTE Confidence: 0.8971039

 $00:23:13.115 \longrightarrow 00:23:14.975$ miss and you note a

NOTE Confidence: 0.8971039

 $00:23:15.115 \longrightarrow 00:23:16.494$ change in the testicle or on it.

 $00:23:19.109 \longrightarrow 00:23:20.490$ And there are

 $00:23:21.030 \longrightarrow 00:23:22.310$ a few different types of

NOTE Confidence: 0.9974553

 $00:23:22.310 \longrightarrow 00:23:23.290$ prostate cancer,

NOTE Confidence: 0.9997189

 $00:23:23.670 \longrightarrow 00:23:24.890$ some of which are

NOTE Confidence: 0.8885642

 $00:23:25.590 \longrightarrow 00:23:27.690$ potentially more aggressive than others,

NOTE Confidence: 0.99907553

 $00:23:28.950 \longrightarrow 00:23:29.450$ typically

NOTE Confidence: 0.91907066

 $00:23:30.150 \longrightarrow 00:23:33.105$ divided as seminomas and non

NOTE Confidence: 0.91907066

 $00:23:33.105 \longrightarrow 00:23:34.325$ seminomonas cancers.

NOTE Confidence: 0.944733

 $00:23:35.505 \longrightarrow 00:23:37.505$ Correct. Yeah. So testicular cancer

NOTE Confidence: 0.944733

00:23:37.505 --> 00:23:39.345 has two large subgroups and

NOTE Confidence: 0.944733

 $00:23:39.345 \longrightarrow 00:23:40.645$ there are other small subgroups.

NOTE Confidence: 0.7553584

00:23:41.505 --> 00:23:42.005 Seminoma

 $00:23:45.240 \longrightarrow 00:23:46.760$ is the most prevalent or

NOTE Confidence: 0.9757155

 $00{:}23{:}46.760 \dashrightarrow 00{:}23{:}48.220$ most common type of testicular

NOTE Confidence: 0.9757155

 $00:23:48.359 \longrightarrow 00:23:50.440$ cancer, and then we cluster

NOTE Confidence: 0.9757155

 $00:23:50.440 \longrightarrow 00:23:51.660$ a bunch of the others,

NOTE Confidence: 0.9757155

 $00:23:51.800 \longrightarrow 00:23:52.300$ embryonal,

 $00:23:54.040 \longrightarrow 00:23:56.280$ and others into yolk sac

NOTE Confidence: 0.9261952

 $00:23:56.280 \longrightarrow 00:23:57.484$ into nonseminoma.

NOTE Confidence: 0.9876998

 $00:23:57.865 \longrightarrow 00:23:59.244$ And that's because the prognosis

NOTE Confidence: 0.9876998

 $00:23:59.305 \longrightarrow 00:24:01.065$ with seminoma is quite good.

NOTE Confidence: 0.9876998

 $00:24:01.065 \longrightarrow 00:24:02.105$ The way that we treat

NOTE Confidence: 0.9876998

 $00:24:02.105 \longrightarrow 00:24:03.065$ them are a little bit

NOTE Confidence: 0.9876998

 $00{:}24{:}03.065 \dashrightarrow 00{:}24{:}04.445$ different, but pure seminoma

NOTE Confidence: 0.9851093

 $00:24:04.984 \longrightarrow 00:24:06.505$ is often cured just by

NOTE Confidence: 0.9851093

 $00:24:06.505 \longrightarrow 00:24:08.045$ removal of the tumor alone.

NOTE Confidence: 0.95800614

00:24:09.315 --> 00:24:11.600 Whereas non seminoma can

NOTE Confidence: 0.95800614

 $00:24:11.600 \longrightarrow 00:24:12.799$ also often be cured by

NOTE Confidence: 0.95800614

 $00:24:12.799 \longrightarrow 00:24:13.760$ that alone, but has a

NOTE Confidence: 0.95800614

 $00:24:13.760 \longrightarrow 00:24:15.200$ slightly higher rate of

NOTE Confidence: 0.95800614

 $00:24:15.200 \longrightarrow 00:24:17.059$ recurrence and needing additional treatment.

 $00:24:19.119 \longrightarrow 00:24:21.119$ Testicular cancer, in truth, was

NOTE Confidence: 0.94949406 00:24:21.119 --> 00:24:21.619 the NOTE Confidence: 0.99985445 $00:24:22.255 \longrightarrow 00:24:22.755$ original

NOTE Confidence: 0.98925143

00:24:23.294 --> 00:24:25.554 huge success in medical oncology.

NOTE Confidence: 0.9563185

 $00:24:25.855 \longrightarrow 00:24:27.794$ It's the one tumor type,

NOTE Confidence: 0.9563185

 $00:24:28.015 \longrightarrow 00:24:29.234$ albeit rare,

NOTE Confidence: 0.9993952500:24:29.695 --> 00:24:30.195 that

00:24:30.734 --> 00:24:32.595 early studies with chemotherapy

NOTE Confidence: 0.99883324

NOTE Confidence: 0.9994799

 $00:24:32.975 \longrightarrow 00:24:33.475$ demonstrated

NOTE Confidence: 0.9991124

00:24:33.855 --> 00:24:35.635 that you could dramatically

NOTE Confidence: 0.99846375

 $00:24:36.015 \longrightarrow 00:24:37.475$ increase the cure rate

NOTE Confidence: 0.99897563

 $00:24:38.210 \longrightarrow 00:24:39.990$ with the use of chemotherapy

NOTE Confidence: 0.99897563

 $00{:}24{:}40.210 \dashrightarrow 00{:}24{:}40.950$ in these

NOTE Confidence: 0.8956369

 $00:24:41.890 \longrightarrow 00:24:43.890$ germ cell tumors, the non

NOTE Confidence: 0.8956369

00:24:43.890 --> 00:24:45.109 seminomonas cancers.

NOTE Confidence: 0.9486817

 $00:24:46.290 \longrightarrow 00:24:47.430$ Correct. Yes.

NOTE Confidence: 0.98680335

 $00:24:47.810 \longrightarrow 00:24:48.310$ Chemotherapy

NOTE Confidence: 0.9195322

00:24:48.770 --> 00:24:50.869 use, especially in non seminoma,

 $00:24:51.244 \longrightarrow 00:24:53.025$ because initially we use radiation

NOTE Confidence: 0.95504344

 $00{:}24{:}53.165 \dashrightarrow 00{:}24{:}55.265$ therapy for seminoma. That has

NOTE Confidence: 0.9867441

 $00:24:55.645 \longrightarrow 00:24:57.005$ changed now. We now will

NOTE Confidence: 0.9867441

 $00:24:57.005 \longrightarrow 00:24:59.185$ often use chemotherapy for seminoma

NOTE Confidence: 0.9867441

 $00:24:59.244 \longrightarrow 00:24:59.984$ as well.

NOTE Confidence: 0.9652739

 $00:25:00.925 \longrightarrow 00:25:02.285$ But, yes, it absolutely was

NOTE Confidence: 0.9652739

 $00:25:02.285 \longrightarrow 00:25:04.619$ one of our great success

NOTE Confidence: 0.9652739

 $00{:}25{:}04.619 \dashrightarrow 00{:}25{:}07.020$ stories in in oncology, especially

NOTE Confidence: 0.9652739

00:25:07.020 --> 00:25:08.320 because patients are young,

NOTE Confidence: 0.9745818

 $00:25:08.940 \longrightarrow 00:25:10.060$ and we're able to have

NOTE Confidence: 0.9745818

00:25:10.060 --> 00:25:12.640 very, very high treatment success

NOTE Confidence: 0.9745818

 $00:25:12.860 \longrightarrow 00:25:14.940$ rates. I think the caveat

NOTE Confidence: 0.9745818

 $00{:}25{:}14.940 \dashrightarrow 00{:}25{:}15.900$ to that, I mean, it's

NOTE Confidence: 0.9745818

 $00:25:15.900 \longrightarrow 00:25:17.600$ excellent that we're able to,

NOTE Confidence: 0.9949999

 $00:25:18.140 \longrightarrow 00:25:18.880$ you know, save

 $00:25:19.304 \longrightarrow 00:25:20.424$ many people and keep them

NOTE Confidence: 0.97008353

 $00:25:20.424 \longrightarrow 00:25:20.924$ alive.

NOTE Confidence: 0.99925274 00:25:21.544 --> 00:25:22.044 But

NOTE Confidence: 0.98561746

 $00:25:22.504 \longrightarrow 00:25:23.465$ I still need to make

NOTE Confidence: 0.98561746

 $00:25:23.465 \longrightarrow 00:25:25.144$ a plug for early detection

NOTE Confidence: 0.98561746

 $00:25:25.144 \longrightarrow 00:25:26.585$ because when we find these ealry

 $00:25:28.345 \longrightarrow 00:25:29.304$ and we can treat them

NOTE Confidence: 0.98561746

 $00:25:29.304 \longrightarrow 00:25:30.825$ with surgery alone, we don't

NOTE Confidence: 0.98561746

 $00:25:30.825 \longrightarrow 00:25:31.884$ have to give chemotherapy.

NOTE Confidence: 0.94417495

 $00:25:32.450 \longrightarrow 00:25:33.490$ And the longer that we

NOTE Confidence: 0.94417495

 $00:25:33.490 \longrightarrow 00:25:34.530$ wait, the worse the cancer

NOTE Confidence: 0.94417495

 $00:25:34.530 \longrightarrow 00:25:36.290$ is, the more chemotherapy is

NOTE Confidence: 0.94417495

 $00:25:36.290 \longrightarrow 00:25:37.750$ needed and the more chemotherapy,

NOTE Confidence: 0.9888703

 $00{:}25{:}38.369 \dashrightarrow 00{:}25{:}39.650$ again, the more side effects.

NOTE Confidence: 0.9888703

 $00:25:39.650 \longrightarrow 00:25:41.670$ And especially in young men

NOTE Confidence: 0.9888703

 $00:25:41.809 \longrightarrow 00:25:43.010$ who have a long time

 $00:25:43.010 \longrightarrow 00:25:44.150$ to live after treatment,

NOTE Confidence: 0.98974717

 $00:25:44.465 \longrightarrow 00:25:46.065$ we do unfortunately see that

NOTE Confidence: 0.98974717

 $00:25:46.065 \longrightarrow 00:25:47.825$ secondary cancers and other problems

NOTE Confidence: 0.98974717

 $00:25:47.825 \longrightarrow 00:25:49.425$ can develop when we have

NOTE Confidence: 0.98974717

 $00:25:49.425 \longrightarrow 00:25:51.205$ to give more chemotherapy. So,

NOTE Confidence: 0.9623024

00:25:52.065 --> 00:25:53.425 still is very important to

NOTE Confidence: 0.9623024

 $00:25:53.425 \longrightarrow 00:25:54.865$ kind of if you hear

NOTE Confidence: 0.9623024

 $00:25:54.865 \longrightarrow 00:25:55.905$ this, if you're a young

NOTE Confidence: 0.9623024

00:25:55.905 --> 00:25:57.800 man, you know, testicular self

NOTE Confidence: 0.9623024

 $00:25:57.800 \longrightarrow 00:25:58.600$ exam is something you could

NOTE Confidence: 0.9623024

 $00:25:58.600 \longrightarrow 00:25:59.480$ do in the shower once

NOTE Confidence: 0.9623024

 $00:25:59.480 \longrightarrow 00:26:01.080$ a month. It's not difficult.

NOTE Confidence: 0.9623024

 $00:26:01.080 \longrightarrow 00:26:02.300$ Doesn't take much time.

NOTE Confidence: 0.9832689

00:26:03.160 --> 00:26:04.700 And, it can definitely

NOTE Confidence: 0.9548901

00:26:06.280 --> 00:26:07.320 you know, if God

NOTE Confidence: 0.9548901

 $00:26:07.320 \longrightarrow 00:26:09.075$ forbid, something happened,

 $00:26:09.075 \longrightarrow 00:26:10.195$ by detecting it

NOTE Confidence: 0.9548901

00:26:10.195 --> 00:26:11.894 early, it can help prevent

NOTE Confidence: 0.85051537

 $00:26:12.195 \longrightarrow 00:26:13.014$ a lot of

NOTE Confidence: 0.982349

 $00:26:13.394 \longrightarrow 00:26:14.994$ difficulty down the road. I

NOTE Confidence: 0.982349

 $00:26:14.994 \longrightarrow 00:26:16.195$ think it's a really important

NOTE Confidence: 0.982349

00:26:16.195 --> 00:26:17.815 message because the chemotherapy,

NOTE Confidence: 0.9988487

 $00:26:18.674 \longrightarrow 00:26:19.174$ while

NOTE Confidence: 0.999833

00:26:19.475 --> 00:26:19.975 relatively

NOTE Confidence: 0.9918227

00:26:20.355 --> 00:26:22.215 brief, meaning a few months,

NOTE Confidence: 0.99109

 $00:26:23.570 \longrightarrow 00:26:24.850$ is not for the faint

NOTE Confidence: 0.99109

 $00:26:24.850 \longrightarrow 00:26:25.510$ of heart.

NOTE Confidence: 0.9971798

00:26:26.050 --> 00:26:27.910 And it's tough chemotherapy

NOTE Confidence: 0.9741594

 $00:26:28.450 \longrightarrow 00:26:29.650$ and no one wants to

NOTE Confidence: 0.9741594

 $00:26:29.650 \longrightarrow 00:26:30.770$ get it if they can

NOTE Confidence: 0.9741594

 $00:26:30.770 \longrightarrow 00:26:32.310$ manage to avoid it.

00:26:32.930 --> 00:26:33.810 And I think, you know,

NOTE Confidence: 0.95911026

 $00:26:33.810 \longrightarrow 00:26:35.109$ the other message is

NOTE Confidence: 0.95792985

 $00:26:35.650 \longrightarrow 00:26:36.150$ because

NOTE Confidence: 0.9721809

 $00:26:36.530 \longrightarrow 00:26:38.534$ young people tend to sometimes

NOTE Confidence: 0.9721809

 $00:26:38.534 \longrightarrow 00:26:40.134$ put things off is if

NOTE Confidence: 0.9721809

 $00:26:40.134 \longrightarrow 00:26:41.975$ someone finds something, they need

NOTE Confidence: 0.9721809

 $00:26:41.975 \longrightarrow 00:26:44.075$ to take action

NOTE Confidence: 0.8411049

 $00:26:44.455 \longrightarrow 00:26:45.674$ and see their doctor

NOTE Confidence: 0.9968897

 $00{:}26{:}46.294 \to 00{:}26{:}47.734$ and not just wait until

NOTE Confidence: 0.9968897

 $00:26:47.734 \longrightarrow 00:26:49.514$ it gets bigger and bigger.

NOTE Confidence: 0.9814863

00:26:49.990 --> 00:26:51.029 Correct. And it's very easy

NOTE Confidence: 0.9814863

 $00:26:51.029 \longrightarrow 00:26:51.750$ for us to do an

NOTE Confidence: 0.9814863

00:26:51.750 --> 00:26:53.109 evaluation. So it's a quick

NOTE Confidence: 0.9814863

 $00{:}26{:}53.109 \dashrightarrow 00{:}26{:}54.309$ physical exam to see if

NOTE Confidence: 0.9814863

 $00:26:54.309 \longrightarrow 00:26:55.429$ we feel something in the

NOTE Confidence: 0.9814863

 $00:26:55.429 \longrightarrow 00:26:57.210$ testicle and then an ultrasound.

 $00{:}26{:}57.350 \dashrightarrow 00{:}26{:}58.570$ So it's a really noninvasive

NOTE Confidence: 0.99513036

 $00{:}26{:}58.950 \dashrightarrow 00{:}27{:}00.570$ initial diagnostic evaluation.

NOTE Confidence: 0.79349935 00:27:01.669 --> 00:27:02.085 Yes.

NOTE Confidence: 0.8610102

 $00:27:02.484 \longrightarrow 00:27:04.664$ Well, that's important.

NOTE Confidence: 0.99983996

 $00:27:05.125 \longrightarrow 00:27:06.085$ And what are some of

NOTE Confidence: 0.99983996

 $00:27:06.085 \longrightarrow 00:27:07.145$ the things that

NOTE Confidence: 0.9845944

 $00:27:07.524 \longrightarrow 00:27:10.085$ can masquerade as testicular cancer?

NOTE Confidence: 0.9845944

 $00:27:10.085 \longrightarrow 00:27:11.544$ So what other kinds of

NOTE Confidence: 0.9845944

 $00:27:11.684 \longrightarrow 00:27:13.705$ lumps arise in the testis?

NOTE Confidence: 0.9687528

 $00:27:14.179 \longrightarrow 00:27:14.980$ There can be a lot

NOTE Confidence: 0.9687528

 $00:27:14.980 \longrightarrow 00:27:15.859$ of lumps and bumps in

NOTE Confidence: 0.9687528

 $00:27:15.859 \longrightarrow 00:27:16.900$ the testis. So, you know,

NOTE Confidence: 0.9687528

 $00:27:16.900 \longrightarrow 00:27:18.260$ very commonly there can be

NOTE Confidence: 0.9687528

 $00:27:18.260 \longrightarrow 00:27:19.880$ a cyst, in the epididymis,

NOTE Confidence: 0.9833784

 $00:27:20.340 \longrightarrow 00:27:21.859$ which is something that sits

 $00:27:21.859 \longrightarrow 00:27:23.059$ right behind the testicle. You

NOTE Confidence: 0.9833784

 $00{:}27{:}23.059 \to 00{:}27{:}24.020$ can even have a cyst

NOTE Confidence: 0.9833784

 $00:27:24.020 \longrightarrow 00:27:24.840$ in the testicle,

NOTE Confidence: 0.7252652

 $00:27:26.684 \longrightarrow 00:27:27.184$ varicocele

NOTE Confidence: 0.94719

 $00:27:27.644 \longrightarrow 00:27:29.244$ sort of this bag of

NOTE Confidence: 0.94719

 $00{:}27{:}29.244 \dashrightarrow 00{:}27{:}31.005$ worms feeling that people describe

NOTE Confidence: 0.94719

 $00:27:31.005 \longrightarrow 00:27:32.125$ as just a vein that's

NOTE Confidence: 0.94719

 $00:27:32.125 \longrightarrow 00:27:32.945$ in the scrotum.

NOTE Confidence: 0.98914665

 $00{:}27{:}33.804 --> 00{:}27{:}35.005$ So there are other things

NOTE Confidence: 0.98914665

 $00{:}27{:}35.005 \dashrightarrow 00{:}27{:}36.924$ that can definitely masque rade as

NOTE Confidence: 0.98914665

 $00:27:36.924 \longrightarrow 00:27:38.524$ a testicular cancer,

NOTE Confidence: 0.98914665

 $00:27:38.524 \longrightarrow 00:27:40.144$ but, again, all of those

NOTE Confidence: 0.98914665

 $00:27:40.279 \longrightarrow 00:27:41.899$ can pretty easily be differentiated

NOTE Confidence: 0.98914665

 $00:27:41.960 \longrightarrow 00:27:43.639$ with a scrotal ultrasound. So

NOTE Confidence: 0.98914665

 $00:27:43.639 \longrightarrow 00:27:44.919$ if you feel something that's

NOTE Confidence: 0.98914665

 $00{:}27{:}44.919 --> 00{:}27{:}45.419 \ \mathrm{abnormal},$

 $00:27:45.799 \longrightarrow 00:27:47.019$ just get it checked out.

NOTE Confidence: 0.9610757

 $00:27:47.799 \longrightarrow 00:27:49.260$ And this is a situation

NOTE Confidence: 0.9610757

 $00:27:49.399 \longrightarrow 00:27:51.320$ where you're not doing things

NOTE Confidence: 0.9610757

00:27:51.320 --> 00:27:53.720 like focal ablative therapy. You're

NOTE Confidence: 0.9610757

 $00:27:53.720 \longrightarrow 00:27:54.619$ doing surgery.

NOTE Confidence: 0.99221295

00:27:55.054 --> 00:27:57.075 If someone has testicular cancer,

NOTE Confidence: 0.9850003

 $00:27:57.455 \longrightarrow 00:27:59.135$ what does the surgery

NOTE Confidence: 0.9850003

 $00:27:59.135 \longrightarrow 00:27:59.635$ involve?

NOTE Confidence: 0.9848347 00:28:01.054 --> 00:28:01.554 So NOTE Confidence: 0.9840285

 $00{:}28{:}01.934 \dashrightarrow 00{:}28{:}03.955$ the surgery for testicular cancer

NOTE Confidence: 0.9997672

 $00:28:04.494 \longrightarrow 00:28:05.234$ is often

NOTE Confidence: 0.9975318

 $00:28:05.695 \longrightarrow 00:28:06.195$ removal

NOTE Confidence: 0.92207485

 $00{:}28{:}06.494 \dashrightarrow 00{:}28{:}08.255$ of the involved testicle. So

NOTE Confidence: 0.92207485

 $00:28:08.255 \longrightarrow 00:28:09.375$ a surgical removal of the

NOTE Confidence: 0.92207485

 $00:28:09.375 \longrightarrow 00:28:10.275$ involved testicle.

 $00:28:12.260 \longrightarrow 00:28:13.859$ Men have two

NOTE Confidence: 0.9619995

 $00:28:13.859 \longrightarrow 00:28:14.920$ testicles typically,

NOTE Confidence: 0.998683300:28:15.619 --> 00:28:16.119 and

NOTE Confidence: 0.9416577

 $00:28:16.420 \longrightarrow 00:28:17.940$ so removing one does not

NOTE Confidence: 0.9416577

 $00:28:17.940 \longrightarrow 00:28:20.040$ appear to change the

NOTE Confidence: 0.98333395

00:28:20.500 --> 00:28:22.280 fertility risk or change

NOTE Confidence: 0.9999471

 $00:28:23.060 \longrightarrow 00:28:23.560$ testosterone

NOTE Confidence: 0.9839543

 $00:28:23.940 \longrightarrow 00:28:24.440$ levels.

NOTE Confidence: 0.97844225 00:28:24.900 --> 00:28:25.400 So NOTE Confidence: 0.99827486

 $00:28:25.845 \longrightarrow 00:28:26.965$ if there is someone who

NOTE Confidence: 0.99827486

 $00:28:26.965 \longrightarrow 00:28:28.244$ has only one testicle, we

NOTE Confidence: 0.99827486

 $00:28:28.244 \longrightarrow 00:28:28.984$ will consider

NOTE Confidence: 0.99733895

 $00:28:29.365 \longrightarrow 00:28:30.345$ doing a partial

NOTE Confidence: 0.983404

00:28:30.885 --> 00:28:32.885 orchiectomy, removing just the tumor,

NOTE Confidence: 0.983404

 $00:28:32.885 \longrightarrow 00:28:33.845$ but that's a very rare

NOTE Confidence: 0.983404

 $00:28:33.845 \longrightarrow 00:28:34.345$ occurrence.

 $00:28:34.885 \longrightarrow 00:28:36.645$ Doctor Preston Sprenkle is an

NOTE Confidence: 0.9781417

 $00{:}28{:}36.645 \dashrightarrow 00{:}28{:}38.565$ associate professor of urology at

NOTE Confidence: 0.9781417

 $00{:}28{:}38.565 \dashrightarrow 00{:}28{:}39.945$ the Yale School of Medicine.

NOTE Confidence: 0.9894117

 $00:28:40.530 \longrightarrow 00:28:41.730$ If you have questions, the

NOTE Confidence: 0.9894117

 $00:28:41.730 \longrightarrow 00:28:42.870$ address is canceranswers

NOTE Confidence: 0.8946957

 $00:28:43.330 \longrightarrow 00:28:44.550$ at yale dot edu,

NOTE Confidence: 0.98313695

 $00:28:44.850 \longrightarrow 00:28:46.210$ and past editions of the

NOTE Confidence: 0.98313695

 $00{:}28{:}46.210 \dashrightarrow 00{:}28{:}48.050$ program are available in audio

NOTE Confidence: 0.98313695

 $00:28:48.050 \longrightarrow 00:28:49.410$ and written form at yale

NOTE Confidence: 0.98313695

 $00:28:49.410 \longrightarrow 00:28:50.870$ cancer center dot org.

NOTE Confidence: 0.99948376

00:28:51.170 --> 00:28:52.210 We hope you'll join us

NOTE Confidence: 0.99948376

 $00:28:52.210 \longrightarrow 00:28:53.250$ next time to learn more

NOTE Confidence: 0.99948376

 $00{:}28{:}53.250 \dashrightarrow 00{:}28{:}54.710$ about the fight against cancer.

NOTE Confidence: 0.9748943

 $00{:}28{:}55.195 \dashrightarrow 00{:}28{:}56.875$ Funding for Yale Cancer Answers

NOTE Confidence: 0.9748943

00:28:56.875 --> 00:28:58.635 is provided by Smilow Cancer

00:28:58.635 --> 00:28:59.135 Hospital.