## WEBVTT

NOTE duration: "00:32:59.0570000"

NOTE language:en-us

NOTE Confidence: 0.77359676361084

 $00:00:00.000 \longrightarrow 00:00:06.830$  You're listening to the moon liners. The Yale

NOTE Confidence: 0.77359676361084

 $00:00:06.830 \longrightarrow 00:00:11.010$  Internal Medison podcast, talking with

NOTE Confidence: 0.77359676361084

00:00:11.010 --> 00:00:13.509 expert guests dropping

NOTE Confidence: 0.779919837202345

 $00:00:13.510 \longrightarrow 00:00:18.067$  expert knowledge. This is your morning report

NOTE Confidence: 0.782449066638947

 $00:00:18.070 \longrightarrow 00:00:20.382$  fix on the radio.

NOTE Confidence: 0.782449066638947

00:00:20.382 --> 00:00:23.718 Your daily dose of internal Medison.

NOTE Confidence: 0.782449066638947

 $00:00:23.718 \longrightarrow 00:00:26.288$  Welcome to the Moonlighters everybody.

NOTE Confidence: 0.782449066638947

 $00:00:26.290 \longrightarrow 00:00:27.598$  Thanks for listening.

NOTE Confidence: 0.782449066638947

 $00:00:27.598 \longrightarrow 00:00:31.020$  Today we have an excellent episode for you.

NOTE Confidence: 0.782449066638947

 $00:00:31.020 \longrightarrow 00:00:34.030$  We have actually a special guest here.

NOTE Confidence: 0.782449066638947

 $00:00:34.030 \longrightarrow 00:00:36.574$  One of our second year residents

NOTE Confidence: 0.782449066638947

 $00:00:36.574 \longrightarrow 00:00:38.760$  at Yale Doctor Keith Love.

NOTE Confidence: 0.782449066638947

 $00:00:38.760 \longrightarrow 00:00:41.418$  He has a special interest in

NOTE Confidence: 0.782449066638947

00:00:41.418 --> 00:00:43.676 Cardiology and he's going to

 $00:00:43.676 \longrightarrow 00:00:46.070$  kind of lead the episode today.

NOTE Confidence: 0.782449066638947

00:00:46.070 --> 00:00:48.220 We also have our famous

NOTE Confidence: 0.782449066638947

00:00:48.220 --> 00:00:49.510 cohost Gabriel Wilson,

NOTE Confidence: 0.782449066638947

 $00:00:49.510 \longrightarrow 00:00:52.950$  as well as usual will be here too.

NOTE Confidence: 0.782449066638947

 $00:00:52.950 \longrightarrow 00:00:55.790$  So thanks for coming, guys.

NOTE Confidence: 0.78244906663894700:00:55.790 --> 00:00:56.080 Yeah,

NOTE Confidence: 0.904358983039856

 $00:00:56.080 \longrightarrow 00:00:57.820$  thanks so much for having us.

NOTE Confidence: 0.904358983039856

 $00{:}00{:}57.820 \rightarrow 00{:}00{:}59.850$  So today's topic, we're going to go

NOTE Confidence: 0.904358983039856

 $00:00:59.850 \longrightarrow 00:01:00.720$  through Hypertrophic Cardiomyopathy

NOTE Confidence: 0.904358983039856

 $00:01:00.720 \longrightarrow 00:01:03.040$  and we have a special guest with us.

NOTE Confidence: 0.904358983039856

00:01:03.040 --> 00:01:04.832 Our very own doctor Daniel Jacobi of

NOTE Confidence: 0.904358983039856

 $00:01:04.832 \longrightarrow 00:01:06.534$  the all New Haven Hospital doctor

NOTE Confidence: 0.904358983039856

 $00{:}01{:}06.534 \dashrightarrow 00{:}01{:}08.585$  Kobe received his MD here at Yale

NOTE Confidence: 0.904358983039856

 $00{:}01{:}08.644 \dashrightarrow 00{:}01{:}10.189$  before completing his residency over

NOTE Confidence: 0.904358983039856

00:01:10.189 --> 00:01:12.320 at Mount Sinai in his fellowship in

 $00:01:12.320 \longrightarrow 00:01:13.480$  Cardiology at Columbia Presbyterian.

NOTE Confidence: 0.904358983039856

00:01:13.480 --> 00:01:16.090 He then found his way back to New Haven,

NOTE Confidence: 0.904358983039856

 $00:01:16.090 \longrightarrow 00:01:17.626$  where he now specializes in the

NOTE Confidence: 0.904358983039856

 $00:01:17.626 \longrightarrow 00:01:19.058$  diagnosis and treatment of heart

NOTE Confidence: 0.904358983039856

 $00:01:19.058 \longrightarrow 00:01:20.150$  failure and cardiomyopathy.

NOTE Confidence: 0.904358983039856

00:01:20.150 --> 00:01:21.914 He's the director of the comprehensive

NOTE Confidence: 0.904358983039856

 $00:01:21.914 \longrightarrow 00:01:23.422$  heart failure program and is

NOTE Confidence: 0.904358983039856

 $00:01:23.422 \longrightarrow 00:01:25.102$  the founder of the director of

NOTE Confidence: 0.904358983039856

 $00{:}01{:}25.102 \dashrightarrow 00{:}01{:}25.942$  the cardiomy opathy program.

NOTE Confidence: 0.904358983039856

 $00:01:25.950 \longrightarrow 00:01:27.444$  He focuses on the diagnosis and

NOTE Confidence: 0.904358983039856

 $00{:}01{:}27.444 \dashrightarrow 00{:}01{:}28.440$  the treatment of hypertrophic

NOTE Confidence: 0.904358983039856

00:01:28.488 --> 00:01:29.430 dilated arrhythmogenic,

NOTE Confidence: 0.904358983039856

 $00:01:29.430 \longrightarrow 00:01:30.399$  an restrictive cardiomyopathy.

NOTE Confidence: 0.904358983039856

 $00:01:30.399 \longrightarrow 00:01:32.337$  As well as the evaluation for

NOTE Confidence: 0.904358983039856

 $00:01:32.337 \longrightarrow 00:01:33.480$  causes of sudden death,

NOTE Confidence: 0.904358983039856

 $00:01:33.480 \longrightarrow 00:01:35.657$  and he also runs a pretty mean

 $00:01:35.660 \longrightarrow 00:01:38.158$  5K. He's got a lot going for now.

NOTE Confidence: 0.790759205818176

 $00:01:38.160 \longrightarrow 00:01:39.408$  Thanks for the boost.

NOTE Confidence: 0.790759205818176

 $00:01:39.410 \longrightarrow 00:01:41.276$  Build you up for the episode.

NOTE Confidence: 0.790759205818176

00:01:41.276 --> 00:01:42.524 It's good, it's good.

NOTE Confidence: 0.790759205818176

00:01:42.524 --> 00:01:44.744 I run a pretty good one, K.

NOTE Confidence: 0.790759205818176

 $00:01:44.744 \longrightarrow 00:01:46.120$  Run half of them,

NOTE Confidence: 0.790759205818176

 $00:01:46.120 \longrightarrow 00:01:48.220$  lock the other half but. All

NOTE Confidence: 0.927505671977997

 $00:01:48.220 \longrightarrow 00:01:49.950$  right, so we're talking about

NOTE Confidence: 0.927505671977997

00:01:49.950 --> 00:01:50.988 Hypertrophic Cardiomyopathy today.

NOTE Confidence: 0.927505671977997

 $00:01:50.990 \longrightarrow 00:01:53.419$  And why is this an important topic?

NOTE Confidence: 0.927505671977997

 $00:01:53.420 \longrightarrow 00:01:55.502$  So our focus will take us

NOTE Confidence: 0.927505671977997

 $00:01:55.502 \longrightarrow 00:01:56.543$  through common presentations,

NOTE Confidence: 0.927505671977997

 $00{:}01{:}56.550 \dashrightarrow 00{:}01{:}58.022$  an manifestations of Hypertrophic

NOTE Confidence: 0.927505671977997

 $00:01:58.022 \longrightarrow 00:02:00.230$  Cardiomyopathy will have a chance to

NOTE Confidence: 0.927505671977997

 $00:02:00.283 \longrightarrow 00:02:02.143$  kind of tease apart the heterogeneous

 $00:02:02.143 \longrightarrow 00:02:04.145$  ideologies of what is likely an

NOTE Confidence: 0.927505671977997

 $00:02:04.145 \longrightarrow 00:02:05.910$  under recognized spectrum of disease,

NOTE Confidence: 0.927505671977997

00:02:05.910 --> 00:02:07.938 and talk about how the underlying

NOTE Confidence: 0.927505671977997

 $00:02:07.938 \longrightarrow 00:02:09.290$  pathophysiology should guide our

NOTE Confidence: 0.927505671977997

 $00:02:09.346 \longrightarrow 00:02:10.961$  initial and chronic management of

NOTE Confidence: 0.927505671977997

00:02:10.961 --> 00:02:12.997 the disease will also discuss how

NOTE Confidence: 0.927505671977997

 $00:02:12.997 \longrightarrow 00:02:15.211$  to counsel our patients about life

NOTE Confidence: 0.927505671977997

 $00:02:15.211 \longrightarrow 00:02:16.318$  with Hypertrophic Cardiomyopathy.

NOTE Confidence: 0.927505671977997

 $00:02:16.320 \longrightarrow 00:02:18.749$  So let's get started with the case.

NOTE Confidence: 0.902325689792633

00:02:18.770 --> 00:02:21.050 Great, so we're going to talk about Mr.

NOTE Confidence: 0.902325689792633

 $00:02:21.050 \longrightarrow 00:02:23.100 \text{ H}$  Mr age 37 year old man with no past

NOTE Confidence: 0.902325689792633

 $00:02:23.158 \longrightarrow 00:02:25.054$  medical history and the first comes

NOTE Confidence: 0.902325689792633

 $00:02:25.054 \longrightarrow 00:02:27.319$  into his primary care providers office.

NOTE Confidence: 0.902325689792633

 $00:02:27.320 \longrightarrow 00:02:29.328$  After passing out reports that one week ago

NOTE Confidence: 0.902325689792633

00:02:29.328 --> 00:02:31.307 he's playing pickup basketball an experience,

NOTE Confidence: 0.902325689792633

 $00:02:31.310 \longrightarrow 00:02:32.735$  sudden chest tightness, followed by

 $00:02:32.735 \longrightarrow 00:02:34.160$  Lightheadedness and loss of consciousness.

NOTE Confidence: 0.902325689792633

 $00:02:34.160 \longrightarrow 00:02:35.590$  He regained consciousness seconds later.

NOTE Confidence: 0.902325689792633

 $00:02:35.590 \longrightarrow 00:02:37.578$  All his friends were standing around him.

NOTE Confidence: 0.902325689792633

00:02:37.580 --> 00:02:39.449 He was asymptomatic at that point and

NOTE Confidence: 0.902325689792633

 $00:02:39.449 \longrightarrow 00:02:41.289$  then he denied any symptoms there.

NOTE Confidence: 0.902325689792633

 $00:02:41.290 \longrightarrow 00:02:43.173$  After he did said he felt normal

NOTE Confidence: 0.902325689792633

 $00:02:43.173 \longrightarrow 00:02:44.709$  before the game felt normal.

NOTE Confidence: 0.902325689792633

 $00:02:44.710 \longrightarrow 00:02:46.878$  After the game, he tells you this is

NOTE Confidence: 0.902325689792633

 $00:02:46.878 \longrightarrow 00:02:49.020$  the first time he's ever passed out.

NOTE Confidence: 0.902325689792633

00:02:49.020 --> 00:02:51.604 And he wonders if maybe he was just

NOTE Confidence: 0.902325689792633

 $00:02:51.604 \longrightarrow 00:02:53.189$  dehydrated today in the office.

NOTE Confidence: 0.902325689792633

00:02:53.190 --> 00:02:55.116 Again, he states that he's feeling

NOTE Confidence: 0.902325689792633

 $00{:}02{:}55.116 --> 00{:}02{:}56.402$  quite well, Sasha, Kobe.

NOTE Confidence: 0.902325689792633

00:02:56.402 --> 00:02:58.007 So with this patient PCP,

NOTE Confidence: 0.902325689792633

00:02:58.010 --> 00:02:59.362 the primary care physician,

 $00:02:59.362 \longrightarrow 00:03:01.052$  what more history would you

NOTE Confidence: 0.902325689792633

00:03:01.052 --> 00:03:02.179 want right off the

NOTE Confidence: 0.899425864219666

 $00:03:02.180 \longrightarrow 00:03:03.464$  bat? Yeah, this is.

NOTE Confidence: 0.899425864219666

 $00:03:03.464 \longrightarrow 00:03:05.710$  I mean, this is a scary episode.

NOTE Confidence: 0.899425864219666

 $00:03:05.710 \longrightarrow 00:03:07.315$  37 year old healthy person

NOTE Confidence: 0.899425864219666

 $00:03:07.315 \longrightarrow 00:03:08.599$  should not pass out.

NOTE Confidence: 0.899425864219666

 $00:03:08.600 \longrightarrow 00:03:10.574$  I mean, in general I would guess

NOTE Confidence: 0.899425864219666

 $00:03:10.574 \longrightarrow 00:03:12.573$  that no one sitting in this

NOTE Confidence: 0.899425864219666

 $00{:}03{:}12.573 \dashrightarrow 00{:}03{:}14.378$  room has passed out recently.

NOTE Confidence: 0.899425864219666

 $00:03:14.380 \longrightarrow 00:03:16.291$  It's a rare event for someone to

NOTE Confidence: 0.899425864219666

 $00{:}03{:}16.291 \dashrightarrow 00{:}03{:}18.990$  pass out and for some one to pass out

NOTE Confidence: 0.899425864219666

 $00:03:18.990 \longrightarrow 00:03:20.810$  while they're doing sports activity.

NOTE Confidence: 0.899425864219666

 $00:03:20.810 \longrightarrow 00:03:22.365$  Is extremely rare and usually

NOTE Confidence: 0.899425864219666

 $00:03:22.365 \longrightarrow 00:03:24.919$  is a big red flag for bad stuff,

NOTE Confidence: 0.899425864219666

 $00:03:24.920 \longrightarrow 00:03:26.495$  so I'm already very worried

NOTE Confidence: 0.899425864219666

 $00:03:26.495 \longrightarrow 00:03:27.755$  as the persons PCP.

 $00{:}03{:}27.760 \dashrightarrow 00{:}03{:}29.965$  First thing I'm saying to the guys.

NOTE Confidence: 0.899425864219666

 $00:03:29.970 \longrightarrow 00:03:31.866$  Good job coming in. Well done.

NOTE Confidence: 0.899425864219666

 $00:03:31.870 \longrightarrow 00:03:34.075$  I'm glad you didn't blow this off.

NOTE Confidence: 0.899425864219666

 $00:03:34.080 \longrightarrow 00:03:36.096$  I would want to really try in a

NOTE Confidence: 0.899425864219666

 $00:03:36.096 \longrightarrow 00:03:38.533$  little bit more into whether there was

NOTE Confidence: 0.899425864219666

 $00:03:38.533 \longrightarrow 00:03:40.398$  any prodrome associated with this.

NOTE Confidence: 0.899425864219666

 $00:03:40.400 \longrightarrow 00:03:42.430$  He mentions that he is a little

NOTE Confidence: 0.899425864219666

 $00:03:42.430 \longrightarrow 00:03:43.718$  bit of Lightheadedness before

NOTE Confidence: 0.899425864219666

 $00:03:43.718 \longrightarrow 00:03:45.138$  the loss of consciousness,

NOTE Confidence: 0.899425864219666

 $00:03:45.140 \longrightarrow 00:03:46.904$  and I think that could potentially

NOTE Confidence: 0.899425864219666

 $00:03:46.904 \longrightarrow 00:03:48.930$  be an important piece of information.

NOTE Confidence: 0.899425864219666

 $00:03:48.930 \longrightarrow 00:03:51.458$  He mentions that he thinks he was dehydrated.

NOTE Confidence: 0.899425864219666

 $00{:}03{:}51.460 --> 00{:}03{:}53.120$  I'd like to dig in.

NOTE Confidence: 0.899425864219666

 $00:03:53.120 \longrightarrow 00:03:55.649$  And find out exactly what he means by that.

NOTE Confidence: 0.899425864219666

 $00:03:55.650 \longrightarrow 00:03:57.434$  Did he go out and was out till

 $00:03:57.434 \longrightarrow 00:03:58.980$  2:00 in the morning drinking

NOTE Confidence: 0.899425864219666

 $00:03:58.980 \longrightarrow 00:04:00.705$  the night before you know?

NOTE Confidence: 0.899425864219666 00:04:00.710 --> 00:04:01.272 Got up, NOTE Confidence: 0.899425864219666

00:04:01.272 --> 00:04:03.520 skip breakfast and went to play his game?

NOTE Confidence: 0.899425864219666

 $00:04:03.520 \longrightarrow 00:04:04.644$  If that's the case,

NOTE Confidence: 0.899425864219666

 $00:04:04.644 \longrightarrow 00:04:06.049$  maybe it is dehydration of.

NOTE Confidence: 0.899425864219666

 $00{:}04{:}06.050 \dashrightarrow 00{:}04{:}07.420$  I'd still be highly suspicious

NOTE Confidence: 0.899425864219666

 $00:04:07.420 \longrightarrow 00:04:08.790$  and then I automatically jump

NOTE Confidence: 0.899425864219666

00:04:08.837 --> 00:04:10.535 into whether there was any family

NOTE Confidence: 0.899425864219666

 $00:04:10.535 \longrightarrow 00:04:11.667$  history of similar episodes,

NOTE Confidence: 0.899425864219666

 $00{:}04{:}11.670 \dashrightarrow 00{:}04{:}14.014$  because as a young person with no other

NOTE Confidence: 0.899425864219666

 $00:04:14.014 \longrightarrow 00:04:16.157$  problems that would be of interest to me,

NOTE Confidence: 0.899425864219666 00:04:16.160 --> 00:04:17.003 by the way, NOTE Confidence: 0.899425864219666

00:04:17.003 --> 00:04:18.689 also want to know this guy,

NOTE Confidence: 0.899425864219666

00:04:18.690 --> 00:04:19.533 smoke, you know,

NOTE Confidence: 0.899425864219666

 $00:04:19.533 \longrightarrow 00:04:21.500$  we would already know as he'll be,

 $00:04:21.500 \longrightarrow 00:04:24.690$  so it's his BMI we want to kind of lay the.

NOTE Confidence: 0.899425864219666

00:04:24.690 --> 00:04:26.705 Lay the groundwork of understanding

NOTE Confidence: 0.899425864219666

00:04:26.705 --> 00:04:28.720 what are his cardiovascular risk

NOTE Confidence: 0.899425864219666

 $00:04:28.782 \longrightarrow 00:04:30.390$  factors for Atheros sclerosis

NOTE Confidence: 0.899425864219666

 $00:04:30.390 \longrightarrow 00:04:32.400$  because all things being equal,

NOTE Confidence: 0.899425864219666

 $00:04:32.400 \longrightarrow 00:04:33.756$  even though he's young,

NOTE Confidence: 0.899425864219666

 $00:04:33.756 \longrightarrow 00:04:35.451$  what's the most common cause

NOTE Confidence: 0.899425864219666

00:04:35.451 --> 00:04:37.279 of cardiovascular disease?

NOTE Confidence: 0.899425864219666

 $00:04:37.280 \longrightarrow 00:04:39.140$  It's Atheros sclerosis.

NOTE Confidence: 0.899425864219666

 $00{:}04{:}39.140 \dashrightarrow 00{:}04{:}41.388$  Sensor ties in a little bit with

NOTE Confidence: 0.892772734165192

 $00:04:41.390 \longrightarrow 00:04:43.472$  what immediately hops up sword are

NOTE Confidence: 0.892772734165192

 $00{:}04{:}43.472 \dashrightarrow 00{:}04{:}44.860$  differential diagnosis and you

NOTE Confidence: 0.892772734165192

 $00{:}04{:}44.920 \dashrightarrow 00{:}04{:}46.648$  alluded to some scary things and

NOTE Confidence: 0.892772734165192

00:04:46.648 --> 00:04:48.450 some common things at this point,

NOTE Confidence: 0.892772734165192

 $00:04:48.450 \longrightarrow 00:04:50.676$  what would you say are your top

 $00:04:50.676 \longrightarrow 00:04:52.329$  three things that you're thinking

NOTE Confidence: 0.892772734165192

 $00:04:52.329 \longrightarrow 00:04:54.548$  for this guy and what do you

NOTE Confidence: 0.892772734165192

 $00:04:54.550 \longrightarrow 00:04:56.470$  have so far to support those?

NOTE Confidence: 0.892772734165192

 $00:04:56.470 \longrightarrow 00:04:58.870$  OK, so I once got made fun of

NOTE Confidence: 0.892772734165192

 $00:04:58.870 \longrightarrow 00:05:00.970$  mercilessly as a resident just once,

NOTE Confidence: 0.892772734165192

 $00{:}05{:}00.970 \dashrightarrow 00{:}05{:}02.806$  because it was only happened to

NOTE Confidence: 0.892772734165192

 $00:05:02.806 \longrightarrow 00:05:05.138$  me one time all the other times,

NOTE Confidence: 0.892772734165192

 $00:05:05.140 \longrightarrow 00:05:06.429$  people will totally laudatory,

NOTE Confidence: 0.892772734165192

 $00:05:06.430 \longrightarrow 00:05:08.428$  but this one totally unusual time

NOTE Confidence: 0.892772734165192

00:05:08.428 --> 00:05:10.583 someone came up to me was, like,

NOTE Confidence: 0.892772734165192

 $00{:}05{:}10.583 \dashrightarrow 00{:}05{:}12.704$  you know, it has so many differential

NOTE Confidence: 0.892772734165192

 $00:05:12.704 \longrightarrow 00:05:14.150$  diagnosis that it's hilarious.

NOTE Confidence: 0.892772734165192

 $00:05:14.150 \longrightarrow 00:05:16.206$  It's so obvious that guy has a UTI.

NOTE Confidence: 0.892772734165192

 $00{:}05{:}16.210 --> 00{:}05{:}17.746$  Why do you have this long

NOTE Confidence: 0.892772734165192

00:05:17.746 --> 00:05:18.258 differential diagnosis?

NOTE Confidence: 0.892772734165192

 $00:05:18.260 \longrightarrow 00:05:19.964$  But I've always been someone to kind of

 $00:05:19.964 \longrightarrow 00:05:21.858$  play out all the different possibilities,

NOTE Confidence: 0.892772734165192

00:05:21.860 --> 00:05:22.780 because if you don't,

NOTE Confidence: 0.892772734165192

 $00:05:22.780 \longrightarrow 00:05:24.502$  and this is kind of something that

NOTE Confidence: 0.892772734165192

00:05:24.502 --> 00:05:25.967 I'm sure everybody's heard before.

NOTE Confidence: 0.892772734165192

00:05:25.970 --> 00:05:27.452 But if you don't think about

NOTE Confidence: 0.892772734165192

 $00:05:27.452 \longrightarrow 00:05:28.800$  it out of the gate,

NOTE Confidence: 0.892772734165192

00:05:28.800 --> 00:05:30.856 you're probably not going to think about it.

NOTE Confidence: 0.892772734165192

 $00:05:30.860 \longrightarrow 00:05:33.353$  It's whatever you put into the basket in the

NOTE Confidence: 0.892772734165192

 $00:05:33.353 \longrightarrow 00:05:35.475$  beginning is what you pick out of the basket.

NOTE Confidence: 0.892772734165192

 $00:05:35.480 \longrightarrow 00:05:37.847$  You pick something out of the basket at the

NOTE Confidence: 0.892772734165192

 $00:05:37.847 \longrightarrow 00:05:40.359$  end so I would be a really broad with this.

NOTE Confidence: 0.892772734165192

 $00:05:40.360 \longrightarrow 00:05:41.388$  I'd be thinking about

NOTE Confidence: 0.892772734165192

 $00{:}05{:}41.388 \dashrightarrow 00{:}05{:}42.159$  Cornering Atheros sclerosis.

NOTE Confidence: 0.892772734165192

 $00:05:42.160 \longrightarrow 00:05:44.320$  I'd be thinking about all the billions of

NOTE Confidence: 0.892772734165192

 $00:05:44.320 \longrightarrow 00:05:46.047$  different kinds of sudden cardiac death.

00:05:46.050 --> 00:05:47.885 Associated syndromes I'd be thinking

NOTE Confidence: 0.892772734165192

 $00{:}05{:}47.885 \dashrightarrow 00{:}05{:}48.986$  about autonomic dysfunction.

NOTE Confidence: 0.892772734165192

00:05:48.990 --> 00:05:50.088 Everything about drugs,

NOTE Confidence: 0.892772734165192

 $00{:}05{:}50.088 \to 00{:}05{:}51.918$  alcohol in Alpha listed substances,

NOTE Confidence: 0.892772734165192

 $00:05:51.920 \longrightarrow 00:05:52.910$  behavior, lifestyle items.

NOTE Confidence: 0.892772734165192

 $00:05:52.910 \longrightarrow 00:05:54.890$  Afraid to say you got to

NOTE Confidence: 0.892772734165192

 $00:05:54.890 \longrightarrow 00:05:56.330$  think about malingering.

NOTE Confidence: 0.892772734165192 00:05:56.330 --> 00:05:57.010 I mean, NOTE Confidence: 0.892772734165192

00:05:57.010 --> 00:05:59.050 I don't think about that all

NOTE Confidence: 0.892772734165192

 $00:05:59.050 \longrightarrow 00:06:01.100$  the time with my patients,

NOTE Confidence: 0.892772734165192

 $00{:}06{:}01.100 \dashrightarrow 00{:}06{:}04.394$  but if you don't have it in the basket,

NOTE Confidence: 0.892772734165192

 $00:06:04.400 \longrightarrow 00:06:05.868$  you know Munchausen's type

NOTE Confidence: 0.892772734165192

00:06:05.868 --> 00:06:06.969 behavior and lingering.

NOTE Confidence: 0.892772734165192

 $00:06:06.970 \longrightarrow 00:06:10.099$  You're never going to pick it up.

NOTE Confidence: 0.892772734165192

 $00:06:10.100 \longrightarrow 00:06:12.182$  So there's a big broad differential

NOTE Confidence: 0.892772734165192

 $00:06:12.182 \longrightarrow 00:06:14.917$  for this kind of thing at the very

 $00:06:14.917 \longrightarrow 00:06:16.837$  top of it is Athero Sclerosis.

NOTE Confidence: 0.892772734165192

 $00{:}06{:}16.840 --> 00{:}06{:}17.514 \ {\rm An \ inherited},$ 

NOTE Confidence: 0.892772734165192

 $00:06:17.514 \longrightarrow 00:06:19.199$  sudden death and coronary anomalies.

NOTE Confidence: 0.892772734165192

 $00:06:19.200 \longrightarrow 00:06:21.072$  So when you see someone who's

NOTE Confidence: 0.892772734165192

 $00:06:21.072 \longrightarrow 00:06:22.728$  Young was exercising the anomalous

NOTE Confidence: 0.892772734165192

 $00:06:22.728 \longrightarrow 00:06:25.157$  coronary artery has to be one of

NOTE Confidence: 0.892772734165192

 $00:06:25.157 \longrightarrow 00:06:26.950$  your differential diagnosis as well.

NOTE Confidence: 0.88308310508728

 $00:06:27.780 \longrightarrow 00:06:29.410$  Yeah, so this is yeah,

NOTE Confidence: 0.88308310508728

 $00{:}06{:}29.410 \dashrightarrow 00{:}06{:}31.040$  this is pretty interesting case.

NOTE Confidence: 0.88308310508728

00:06:31.040 --> 00:06:33.648 We created it so of course it's interesting,

NOTE Confidence: 0.88308310508728

 $00:06:33.650 \longrightarrow 00:06:34.628$  but it's perfect.

NOTE Confidence: 0.88308310508728

00:06:34.628 --> 00:06:35.932 Essentially syncope, you know,

NOTE Confidence: 0.88308310508728

 $00{:}06{:}35.932 \dashrightarrow 00{:}06{:}37.560$  and I always think syncope

NOTE Confidence: 0.88308310508728

 $00:06:37.560 \longrightarrow 00:06:39.190$  is like a great case.

NOTE Confidence: 0.88308310508728

 $00:06:39.190 \longrightarrow 00:06:40.800$  This white differential and wanted

 $00:06:40.800 \longrightarrow 00:06:43.093$  to kind of get your opinion on

NOTE Confidence: 0.88308310508728

 $00{:}06{:}43.093 \dashrightarrow 00{:}06{:}44.953$  the pro drum like water keywords

NOTE Confidence: 0.88308310508728

 $00:06:44.953 \longrightarrow 00:06:47.009$  that you hear where you're like.

NOTE Confidence: 0.88308310508728

 $00:06:47.010 \longrightarrow 00:06:48.858$  Red flags are going off in

NOTE Confidence: 0.88308310508728

 $00:06:48.858 \longrightarrow 00:06:50.930$  your like oh this is serious.

NOTE Confidence: 0.88308310508728

 $00:06:50.930 \longrightarrow 00:06:52.880$  You know this isn't a vasovagal.

NOTE Confidence: 0.88308310508728

 $00:06:52.880 \longrightarrow 00:06:54.836$  This is, you know something else.

NOTE Confidence: 0.88308310508728 $00:06:54.840 \longrightarrow 00:06:55.490$  Well, we NOTE Confidence: 0.88308310508728

 $00:06:55.490 \longrightarrow 00:06:57.527$  said one of them which is exercise

NOTE Confidence: 0.88308310508728

00:06:57.527 --> 00:06:59.236 so people don't have vasovagal

NOTE Confidence: 0.88308310508728

 $00:06:59.236 \longrightarrow 00:07:01.522$  episodes in the exercise. I mean,

NOTE Confidence: 0.88308310508728

 $00:07:01.522 \longrightarrow 00:07:03.718$  it's very unlikely immediately post exercise.

NOTE Confidence: 0.88308310508728

00:07:03.720 --> 00:07:06.648 You do see it. You can see someone,

NOTE Confidence: 0.88308310508728

 $00:07:06.650 \longrightarrow 00:07:09.938$  but in the middle of exercise, not as much.

NOTE Confidence: 0.88308310508728

 $00:07:09.938 \longrightarrow 00:07:12.134$  So exercise is a red flag.

NOTE Confidence: 0.88308310508728

00:07:12.140 --> 00:07:14.499 This guy reports a little bit of

00:07:14.499 --> 00:07:16.160 Lightheadedness and chest tightness,

NOTE Confidence: 0.88308310508728

 $00:07:16.160 \longrightarrow 00:07:19.232$  which is a program that makes you think

NOTE Confidence: 0.88308310508728

 $00:07:19.232 \longrightarrow 00:07:22.229$  that there could be a cardiac etiology.

NOTE Confidence: 0.88308310508728

 $00:07:22.230 \longrightarrow 00:07:23.490$  The light headedness alone.

NOTE Confidence: 0.88308310508728

00:07:23.490 --> 00:07:25.380 If you just have someone say

NOTE Confidence: 0.88308310508728

 $00:07:25.443 \longrightarrow 00:07:27.189$  Well and is not rocket science,

NOTE Confidence: 0.88308310508728

 $00:07:27.190 \longrightarrow 00:07:28.740$  we just have someone say,

NOTE Confidence: 0.88308310508728

 $00:07:28.740 \longrightarrow 00:07:30.600$  well I sort of got lightheaded.

NOTE Confidence: 0.88308310508728

 $00:07:30.600 \longrightarrow 00:07:32.770$  Everything started spinning and I went down.

NOTE Confidence: 0.88308310508728

 $00:07:32.770 \longrightarrow 00:07:33.918$  That could be vasovagal,

NOTE Confidence: 0.88308310508728

 $00{:}07{:}33.918 \dashrightarrow 00{:}07{:}36.180$  but usually the prodrome is pretty extensive.

NOTE Confidence: 0.88308310508728

 $00:07:36.180 \longrightarrow 00:07:37.420$  People feel not well,

NOTE Confidence: 0.88308310508728

 $00:07:37.420 \longrightarrow 00:07:39.280$  they start to sweat, you know,

NOTE Confidence: 0.88308310508728

 $00:07:39.280 \longrightarrow 00:07:40.520$  they realize that things

NOTE Confidence: 0.88308310508728

 $00:07:40.520 \longrightarrow 00:07:41.760$  aren't going well frequently.

 $00:07:41.760 \longrightarrow 00:07:43.310$  There's an opportunity to sit

NOTE Confidence: 0.88308310508728

 $00:07:43.310 \longrightarrow 00:07:44.860$  down that they don't take.

NOTE Confidence: 0.88308310508728

 $00:07:44.860 \longrightarrow 00:07:45.480$  That's common,

NOTE Confidence: 0.88308310508728

 $00:07:45.480 \longrightarrow 00:07:48.300$  but I have had patients who have what in the

NOTE Confidence: 0.88308310508728

00:07:48.300 --> 00:07:50.748 end turns out to be autonomic dysfunction,

NOTE Confidence: 0.88308310508728

 $00:07:50.750 \longrightarrow 00:07:51.386$  vasovagal syncope,

NOTE Confidence: 0.88308310508728

00:07:51.386 --> 00:07:52.340 nonagram, genic syncope.

NOTE Confidence: 0.88308310508728

00:07:52.340 --> 00:07:54.231 That happens really, really fast,

NOTE Confidence: 0.88308310508728

 $00:07:54.231 \longrightarrow 00:07:56.878$  so it's not a total rule out,

NOTE Confidence: 0.88308310508728

00:07:56.880 --> 00:07:59.136 and this guy, the chest pressure,

NOTE Confidence: 0.88308310508728

 $00:07:59.140 \longrightarrow 00:07:59.892$  the Lightheadedness,

NOTE Confidence: 0.88308310508728

 $00:07:59.892 \longrightarrow 00:08:02.524$  and then what I interpret as probably

NOTE Confidence: 0.88308310508728

00:08:02.524 --> 00:08:04.810 very rapid loss of consciousness is,

NOTE Confidence: 0.88308310508728 00:08:04.810 --> 00:08:05.498 I think, NOTE Confidence: 0.88308310508728

 $00:08:05.498 \longrightarrow 00:08:07.562$  end during exercise are all red

NOTE Confidence: 0.88308310508728

 $00:08:07.562 \longrightarrow 00:08:10.108$  flags for non vasovagal syncope for,

 $00:08:10.110 \longrightarrow 00:08:12.900$  or what we would batch as

NOTE Confidence: 0.88308310508728

 $00:08:12.900 \longrightarrow 00:08:14.295$  cardiovascular cardiac syncope.

NOTE Confidence: 0.88308310508728 00:08:14.300 --> 00:08:14.620 Alright, NOTE Confidence: 0.928680062294006

 $00:08:14.620 \longrightarrow 00:08:16.504$  so on further discussion he reports

NOTE Confidence: 0.928680062294006

 $00{:}08{:}16.504 \dashrightarrow 00{:}08{:}18.122$  mild worsening of exercise tolerance

NOTE Confidence: 0.928680062294006

 $00:08:18.122 \longrightarrow 00:08:19.976$  over the last year in discussing

NOTE Confidence: 0.928680062294006

00:08:19.976 --> 00:08:21.360 his family history reports,

NOTE Confidence: 0.928680062294006

 $00:08:21.360 \longrightarrow 00:08:23.358$  his father died in a drowning

NOTE Confidence: 0.928680062294006

00:08:23.358 --> 00:08:25.363 accident and a paternal uncle died

NOTE Confidence: 0.928680062294006

 $00{:}08{:}25.363 \dashrightarrow 00{:}08{:}27.779$  suddenly of a heart attack at age 45.

NOTE Confidence: 0.928680062294006

 $00:08:27.780 \longrightarrow 00:08:29.385$  Otherwise, he has two children

NOTE Confidence: 0.928680062294006

 $00:08:29.385 \longrightarrow 00:08:30.990$  who are in good health.

NOTE Confidence: 0.928680062294006

 $00:08:30.990 \longrightarrow 00:08:32.916$  So what is sudden cardiac death?

NOTE Confidence: 0.928680062294006

 $00:08:32.920 \longrightarrow 00:08:35.809$  An how do you kind of confirm or refute

NOTE Confidence: 0.904451807339986

 $00:08:35.810 \longrightarrow 00:08:38.390$  this? Well, this is very

 $00:08:38.390 \longrightarrow 00:08:40.090$  interesting piece of information.

NOTE Confidence: 0.904451807339986

00:08:40.090 --> 00:08:43.310 Do you ask your patients about drowning?

NOTE Confidence: 0.904451807339986

 $00:08:43.310 \longrightarrow 00:08:48.610$  Not know. Unexplained deaths I always

NOTE Confidence: 0.904451807339986

 $00:08:48.610 \longrightarrow 00:08:51.170$  ask my patients about this because when I

NOTE Confidence: 0.904451807339986

 $00:08:51.240 \longrightarrow 00:08:53.736$  first started practicing in this field.

NOTE Confidence: 0.904451807339986

00:08:53.740 --> 00:08:55.910 The guy who I was working with,

NOTE Confidence: 0.904451807339986

00:08:55.910 --> 00:08:57.460 this Ganim Professor William McKenna,

NOTE Confidence: 0.904451807339986

 $00:08:57.460 \longrightarrow 00:09:00.250$  who was a big huge figure in this field,

NOTE Confidence: 0.904451807339986

 $00:09:00.250 \longrightarrow 00:09:03.103$  would see all these patients with me and when

NOTE Confidence: 0.904451807339986

00:09:03.103 --> 00:09:05.514 patient would say the usual thing of yeah,

NOTE Confidence: 0.904451807339986

 $00{:}09{:}05.520 \dashrightarrow 00{:}09{:}06.808$  well my uncle died.

NOTE Confidence: 0.904451807339986

00:09:06.808 --> 00:09:09.858 You know he would say well how did he die?

NOTE Confidence: 0.904451807339986

 $00:09:09.860 \longrightarrow 00:09:12.030$  So we had a heart attack while

NOTE Confidence: 0.904451807339986

 $00:09:12.030 \longrightarrow 00:09:12.960$  describing what happened.

NOTE Confidence: 0.904451807339986

00:09:12.960 --> 00:09:14.132 Hardtack, well, he drowned.

NOTE Confidence: 0.904451807339986

00:09:14.132 --> 00:09:16.275 The doctor said he had a heart

00:09:16.275 --> 00:09:17.915 attack while he was swimming,

NOTE Confidence: 0.904451807339986

 $00:09:17.920 \longrightarrow 00:09:19.470$  and then the following question

NOTE Confidence: 0.904451807339986

 $00:09:19.470 \longrightarrow 00:09:21.020$  was he a good swimmer?

NOTE Confidence: 0.904451807339986

 $00:09:21.020 \longrightarrow 00:09:22.260$  Where was he swimming?

NOTE Confidence: 0.904451807339986

00:09:22.260 --> 00:09:24.120 Was swimming in the swimming pool?

NOTE Confidence: 0.904451807339986

00:09:24.120 --> 00:09:26.346 Was he in huge waves at Misquamicut?

NOTE Confidence: 0.90445180733998600:09:26.350 --> 00:09:26.976 You know,

NOTE Confidence: 0.904451807339986

00:09:26.976 --> 00:09:29.901 is he surfing 30 foot waves or was he

NOTE Confidence: 0.904451807339986

 $00:09:29.901 \dashrightarrow 00:09:32.330$  just like paddling around in a Lake?

NOTE Confidence: 0.904451807339986

 $00:09:32.330 \longrightarrow 00:09:34.100$  Because also drowning for adults

NOTE Confidence: 0.904451807339986

 $00:09:34.100 \longrightarrow 00:09:37.219$  who know how to swim who are not in

NOTE Confidence: 0.904451807339986

 $00:09:37.219 \longrightarrow 00:09:39.139$  a bad situation is extremely rare

NOTE Confidence: 0.904451807339986

 $00{:}09{:}39.214 \dashrightarrow 00{:}09{:}41.614$  and you get pulled out by a riptide.

NOTE Confidence: 0.904451807339986

 $00{:}09{:}41.620 \dashrightarrow 00{:}09{:}43.280$  OK you're surfing whatever you're

NOTE Confidence: 0.904451807339986

 $00:09:43.280 \longrightarrow 00:09:44.608$  trying to save somebody.

00:09:44.610 --> 00:09:44.909 Yes,

NOTE Confidence: 0.904451807339986

 $00:09:44.909 \longrightarrow 00:09:47.002$  you hear about those cases but for

NOTE Confidence: 0.904451807339986

00:09:47.002 --> 00:09:49.124 kids sadly or for people wearing

NOTE Confidence: 0.904451807339986

 $00:09:49.124 \longrightarrow 00:09:50.588$  driving alcohol it happens,

NOTE Confidence: 0.904451807339986

 $00:09:50.590 \longrightarrow 00:09:52.990$  but for grownups who know how to swim

NOTE Confidence: 0.904451807339986

 $00:09:52.990 \longrightarrow 00:09:55.769$  is a rare event to drown because you

NOTE Confidence: 0.904451807339986

 $00:09:55.769 \longrightarrow 00:09:58.609$  kind of know your limits and you get.

NOTE Confidence: 0.904451807339986

00:09:58.610 --> 00:10:00.926 You don't get into that situation,

NOTE Confidence: 0.904451807339986

 $00:10:00.930 \longrightarrow 00:10:03.240$  so the fact that his father

NOTE Confidence: 0.904451807339986

 $00:10:03.240 \longrightarrow 00:10:05.015$  died drowning is odd.

NOTE Confidence: 0.904451807339986

00:10:05.015 --> 00:10:07.070 That jumps that jumps out immediately,

NOTE Confidence: 0.904451807339986

 $00:10:07.070 \longrightarrow 00:10:09.051$  and there are certain sudden death syndrome

NOTE Confidence: 0.904451807339986

 $00:10:09.051 \longrightarrow 00:10:10.809$  that are associated with swimming fact.

NOTE Confidence: 0.904451807339986

 $00:10:10.810 \longrightarrow 00:10:12.436$  One of the long cuties I'm

NOTE Confidence: 0.904451807339986

 $00:10:12.436 \longrightarrow 00:10:13.980$  going to get it wrong.

NOTE Confidence: 0.904451807339986 00:10:13.980 --> 00:10:14.554 Which one?

00:10:14.554 --> 00:10:16.276 I don't know if it's 1,

NOTE Confidence: 0.904451807339986

00:10:16.280 --> 00:10:18.266 two or three is actually associated

NOTE Confidence: 0.904451807339986

00:10:18.266 --> 00:10:20.150 with sudden death during swimming.

NOTE Confidence: 0.904451807339986

 $00:10:20.150 \longrightarrow 00:10:21.770$  And so when you hear about

NOTE Confidence: 0.904451807339986

00:10:21.770 --> 00:10:23.410 sudden death with with drowning,

NOTE Confidence: 0.904451807339986

 $00:10:23.410 \longrightarrow 00:10:25.471$  it sets off a red flag and then the

NOTE Confidence: 0.904451807339986

00:10:25.471 --> 00:10:27.541 other thing that happens is paternal

NOTE Confidence: 0.904451807339986

 $00{:}10{:}27.541 \dashrightarrow 00{:}10{:}29.326$  uncle died suddenly heart attack.

NOTE Confidence: 0.904451807339986

 $00:10:29.330 \dashrightarrow 00:10:31.690$  We get this all the time because people,

NOTE Confidence: 0.904451807339986

00:10:31.690 --> 00:10:32.226 doctors, pathologist,

NOTE Confidence: 0.904451807339986

 $00:10:32.226 \longrightarrow 00:10:34.102$  so we have to give an answer

NOTE Confidence: 0.904451807339986

 $00:10:34.102 \longrightarrow 00:10:35.539$  to the struggling family.

NOTE Confidence: 0.904451807339986

 $00{:}10{:}35.540 \dashrightarrow 00{:}10{:}37.045$  And historically you either tell

NOTE Confidence: 0.904451807339986

 $00:10:37.045 \longrightarrow 00:10:39.175$  the person it was a stroke you

NOTE Confidence: 0.904451807339986

00:10:39.175 --> 00:10:40.867 tell him was a heart attack.

00:10:40.870 --> 00:10:42.616 So I always have the follow-up

NOTE Confidence: 0.904451807339986

00:10:42.616 --> 00:10:44.130 question what do you mean?

NOTE Confidence: 0.904451807339986

00:10:44.130 --> 00:10:45.610 What happened? Were you there?

NOTE Confidence: 0.904451807339986

00:10:45.610 --> 00:10:47.090 Do you know the details?

NOTE Confidence: 0.904451807339986

00:10:47.090 --> 00:10:49.426 Did he grab his chest with you have

NOTE Confidence: 0.904451807339986

 $00:10:49.426 \longrightarrow 00:10:50.789$  known atherosclerotic heart disease?

NOTE Confidence: 0.904451807339986

 $00:10:50.790 \longrightarrow 00:10:52.090$  Do you have an autopsy?

NOTE Confidence: 0.904451807339986

00:10:52.090 --> 00:10:53.710 Did he just die suddenly standing

NOTE Confidence: 0.904451807339986

 $00{:}10{:}53.710 \dashrightarrow 00{:}10{:}55.728$  at the bus stop in the Doc said,

NOTE Confidence: 0.904451807339986

00:10:55.730 --> 00:10:57.030 well, this is, you know,

NOTE Confidence: 0.904451807339986

 $00{:}10{:}57.030 \dashrightarrow 00{:}10{:}58.464$  the heart attack because you don't

NOTE Confidence: 0.904451807339986

 $00:10:58.464 \longrightarrow 00:10:59.890$  have any other explanation frequently.

NOTE Confidence: 0.904451807339986

 $00:10:59.890 \longrightarrow 00:11:01.786$  Also what you see is not to get

NOTE Confidence: 0.904451807339986

 $00:11:01.786 \longrightarrow 00:11:03.654$  too long winded about it, but.

NOTE Confidence: 0.904451807339986

 $00:11:03.654 \longrightarrow 00:11:05.958$  There is a very strong belief,

NOTE Confidence: 0.904451807339986

 $00:11:05.960 \longrightarrow 00:11:08.336$  probably by all of us in this room,

 $00:11:08.340 \longrightarrow 00:11:10.308$  even though we don't really probably

NOTE Confidence: 0.904451807339986

00:11:10.308 --> 00:11:12.232 obviously admit to it that somehow

NOTE Confidence: 0.904451807339986

00:11:12.232 --> 00:11:13.894 illness is a moral failure and

NOTE Confidence: 0.904451807339986

 $00:11:13.894 \longrightarrow 00:11:16.169$  we in the old days 2000 years ago

NOTE Confidence: 0.904451807339986

 $00{:}11{:}16.169 \dashrightarrow 00{:}11{:}17.876$  illness was totally a moral failure.

NOTE Confidence: 0.904451807339986

00:11:17.876 --> 00:11:19.068 If you got leprosy,

NOTE Confidence: 0.901687383651733

00:11:19.070 --> 00:11:20.858 it's 'cause you did something wrong.

NOTE Confidence: 0.901687383651733

 $00:11:20.860 \longrightarrow 00:11:23.236$  Now we've kind of gotten away from that,

NOTE Confidence: 0.901687383651733

00:11:23.240 --> 00:11:24.432 but not completely particularly

NOTE Confidence: 0.901687383651733

 $00:11:24.432 \longrightarrow 00:11:25.605$  important vascular disease, right?

NOTE Confidence: 0.901687383651733

00:11:25.605 --> 00:11:27.255 Are you a smoker You diabetic

NOTE Confidence: 0.901687383651733

00:11:27.255 --> 00:11:28.899 or you fat the exercise?

NOTE Confidence: 0.901687383651733

 $00:11:28.900 \longrightarrow 00:11:29.791$  You not exercise.

NOTE Confidence: 0.901687383651733

 $00:11:29.791 \longrightarrow 00:11:31.573$  There's this perception that if you

NOTE Confidence: 0.901687383651733

00:11:31.573 --> 00:11:33.384 do the right stuff, you shouldn't

 $00:11:33.384 \longrightarrow 00:11:35.498$  get something bad could happen to you.

NOTE Confidence: 0.901687383651733

 $00:11:35.500 \longrightarrow 00:11:36.445$  So very frequently,

NOTE Confidence: 0.901687383651733

00:11:36.445 --> 00:11:38.335 family will say my uncle died,

NOTE Confidence: 0.901687383651733

 $00:11:38.340 \longrightarrow 00:11:39.910$  but he was a drinker.

NOTE Confidence: 0.901687383651733

00:11:39.910 --> 00:11:41.800 I didn't take care of himself,

NOTE Confidence: 0.901687383651733

 $00:11:41.800 \longrightarrow 00:11:43.823$  but I take care of myself so

NOTE Confidence: 0.901687383651733

 $00:11:43.823 \longrightarrow 00:11:45.900$  you get that in families too.

NOTE Confidence: 0.901687383651733

00:11:45.900 --> 00:11:48.330 But you gotta sort of push that out to the

NOTE Confidence: 0.901687383651733

 $00:11:48.391 \longrightarrow 00:11:50.935$  side because everybody needs an explanation.

NOTE Confidence: 0.901687383651733

00:11:50.940 --> 00:11:52.510 So this history of two

NOTE Confidence: 0.901687383651733

00:11:52.510 --> 00:11:53.766 people with sudden death,

NOTE Confidence: 0.901687383651733

 $00:11:53.770 \longrightarrow 00:11:55.050$  presumably before age 50,

NOTE Confidence: 0.901687383651733

 $00:11:55.050 \longrightarrow 00:11:57.549$  we didn't get the age of the dad,

NOTE Confidence: 0.901687383651733

00:11:57.550 --> 00:11:59.806 but let's just say two people will send

NOTE Confidence: 0.901687383651733

00:11:59.806 --> 00:12:02.204 at a relatively young age is already

NOTE Confidence: 0.901687383651733

 $00:12:02.204 \longrightarrow 00:12:04.740$  jumping off the page as concerning.

00:12:04.740 --> 00:12:05.844 What is Sunday's son?

NOTE Confidence: 0.901687383651733

 $00:12:05.844 \longrightarrow 00:12:08.209$  Death is death within an hour of symptoms.

NOTE Confidence: 0.901687383651733

00:12:08.210 --> 00:12:10.226 Technically for like for like a trial,

NOTE Confidence: 0.901687383651733

00:12:10.230 --> 00:12:12.225 or you know that would be sudden

NOTE Confidence: 0.901687383651733

 $00:12:12.225 \longrightarrow 00:12:14.279$  death from within an hour of symptoms.

NOTE Confidence: 0.901687383651733

00:12:14.280 --> 00:12:16.008 But like you got your chest,

NOTE Confidence: 0.901687383651733

00:12:16.010 --> 00:12:18.026 your chest pain dead within an hour,

NOTE Confidence: 0.901687383651733

 $00:12:18.030 \longrightarrow 00:12:19.770$  that's pretty much like sudden death.

NOTE Confidence: 0.901687383651733

00:12:19.770 --> 00:12:22.675 But when we think of sudden death?

NOTE Confidence: 0.901687383651733

 $00{:}12{:}22.680 \dashrightarrow 00{:}12{:}24.633$  We think of it as like immediate

NOTE Confidence: 0.901687383651733

 $00{:}12{:}24.633 \dashrightarrow 00{:}12{:}26.499$  like I'm talking to you right now.

NOTE Confidence: 0.901687383651733

00:12:26.500 --> 00:12:28.413 Head goes down on the table, dead,

NOTE Confidence: 0.901687383651733

 $00{:}12{:}28.413 \dashrightarrow 00{:}12{:}30.870$  and that's what we see in the hospital too.

NOTE Confidence: 0.901687383651733

00:12:30.870 --> 00:12:32.235 When patient codes you know

NOTE Confidence: 0.901687383651733

00:12:32.235 --> 00:12:33.327 they're talking to you,

 $00:12:33.330 \longrightarrow 00:12:35.234$  and then they're not talking to you.

NOTE Confidence: 0.901687383651733

 $00:12:35.240 \longrightarrow 00:12:36.316$  So that sudden death.

NOTE Confidence: 0.901687383651733

 $00{:}12{:}36.316 \dashrightarrow 00{:}12{:}38.509$  It's really hard to confirm or refute it.

NOTE Confidence: 0.901687383651733

 $00:12:38.510 \longrightarrow 00:12:39.820$  I've got an autopsy papers

NOTE Confidence: 0.901687383651733

 $00:12:39.820 \longrightarrow 00:12:41.520$  from people a lot of times.

NOTE Confidence: 0.901687383651733

00:12:41.520 --> 00:12:43.152 Families do keep autopsies from their

NOTE Confidence: 0.901687383651733

 $00:12:43.152 \longrightarrow 00:12:45.606$  relatives, and you can get those sent to you.

NOTE Confidence: 0.901687383651733

00:12:45.610 --> 00:12:47.260 So it just depends how hard

NOTE Confidence: 0.901687383651733

 $00{:}12{:}47.260 \longrightarrow 00{:}12{:}48.620$  you want to dig in.

NOTE Confidence: 0.901687383651733

00:12:48.620 --> 00:12:50.517 I would go full blast on this

NOTE Confidence: 0.901687383651733

 $00:12:50.517 \longrightarrow 00:12:52.158$  guy because he's got two kids.

NOTE Confidence: 0.901687383651733 00:12:52.160 --> 00:12:52.656 He's alive. NOTE Confidence: 0.901687383651733

 $00:12:52.656 \longrightarrow 00:12:55.001$  Either tried to diet or just had a vasovagal

NOTE Confidence: 0.901687383651733

 $00:12:55.001 \longrightarrow 00:12:57.674$  'cause he drank too much in there before but.

NOTE Confidence: 0.901687383651733

 $00:12:57.680 \longrightarrow 00:12:58.910$  You don't care about that.

NOTE Confidence: 0.901687383651733

00:12:58.910 --> 00:13:00.130 If that happened, who cares?

00:13:00.130 --> 00:13:01.066 You care that he,

NOTE Confidence: 0.901687383651733

 $00:13:01.066 \longrightarrow 00:13:02.236$  you know someone who has

NOTE Confidence: 0.901687383651733

 $00:13:02.236 \longrightarrow 00:13:03.318$  this happened to him,

NOTE Confidence: 0.901687383651733

 $00:13:03.320 \longrightarrow 00:13:04.790$  is at risk of dropping dead.

NOTE Confidence: 0.901687383651733

 $00{:}13{:}04.790 \dashrightarrow 00{:}13{:}06.678$  So either and he's got two kids and

NOTE Confidence: 0.901687383651733

 $00:13:06.678 \longrightarrow 00:13:08.459$  they're going to be potentially at risk.

NOTE Confidence: 0.901687383651733

 $00:13:08.460 \longrightarrow 00:13:09.690$  If there's a genetic problem.

NOTE Confidence: 0.901687383651733

00:13:09.690 --> 00:13:10.915 So you're going to really

NOTE Confidence: 0.901687383651733

00:13:10.915 --> 00:13:12.140 dig into this family history.

NOTE Confidence: 0.901687383651733

 $00{:}13{:}12.140 \dashrightarrow 00{:}13{:}14.770$  I'll keep my next answer shorter.

NOTE Confidence: 0.579621076583862

00:13:14.770 --> 00:13:18.121 I mean, I say from steam. Proof.

NOTE Confidence: 0.579621076583862

 $00:13:18.121 \longrightarrow 00:13:21.547$  That was full of a we some information.

NOTE Confidence: 0.579621076583862

 $00:13:21.550 \longrightarrow 00:13:24.259$  I feel like we can end the episode there.

NOTE Confidence: 0.579621076583862

 $00:13:24.260 \longrightarrow 00:13:26.060$  No, I never thought it was.

NOTE Confidence: 0.579621076583862

 $00:13:26.060 \longrightarrow 00:13:28.470$  My wife is calling on the other line.

00:13:29.390 --> 00:13:31.250 Alright, so on physical exam his

NOTE Confidence: 0.91196072101593

 $00{:}13{:}31.250 \dashrightarrow 00{:}13{:}33.200$  PCP notices a systolic murmur along

NOTE Confidence: 0.91196072101593

 $00:13:33.200 \longrightarrow 00:13:35.144$  the left sternal border and Apex,

NOTE Confidence: 0.91196072101593

 $00:13:35.150 \longrightarrow 00:13:37.070$  which becomes louder with Valsalva maneuver.

NOTE Confidence: 0.91196072101593

00:13:37.070 --> 00:13:39.630 The murmur does not radiate to the Carotids,

NOTE Confidence: 0.91196072101593

 $00:13:39.630 \longrightarrow 00:13:41.550$  though there is a soft radiation

NOTE Confidence: 0.91196072101593

 $00:13:41.550 \longrightarrow 00:13:43.782$  to the excella. So doctor to Kobe.

NOTE Confidence: 0.91196072101593

00:13:43.782 --> 00:13:46.030 When you're approaching a patient like this,

NOTE Confidence: 0.91196072101593

 $00:13:46.030 \longrightarrow 00:13:47.794$  do you think you could take

NOTE Confidence: 0.91196072101593

 $00:13:47.794 \longrightarrow 00:13:49.550$  us through just in general?

NOTE Confidence: 0.91196072101593

 $00{:}13{:}49.550 \dashrightarrow 00{:}13{:}51.974$  I guess how you approach the physical exam

NOTE Confidence: 0.91196072101593

00:13:51.974 --> 00:13:54.668 and then specifically if you hear a murmur,

NOTE Confidence: 0.91196072101593

 $00:13:54.670 \longrightarrow 00:13:56.830$  how you practically go through these

NOTE Confidence: 0.91196072101593

 $00:13:56.830 \longrightarrow 00:13:58.875$  different maneuvers to try and figure

NOTE Confidence: 0.91196072101593

 $00:13:58.875 \longrightarrow 00:14:01.067$  out what the source of the murmur is.

NOTE Confidence: 0.890502452850342

00:14:01.100 --> 00:14:03.782 Oh yeah, Well, you know when you tell your

 $00:14:03.782 \longrightarrow 00:14:05.929$  patient that they have a heart murmur.

NOTE Confidence: 0.890502452850342

 $00:14:05.930 \longrightarrow 00:14:07.194$  They get very worried.

NOTE Confidence: 0.890502452850342

00:14:07.194 --> 00:14:09.859 Do you ever go through that you say Oh,

NOTE Confidence: 0.890502452850342

 $00:14:09.860 \longrightarrow 00:14:12.092$  I hear a little more than what remember

NOTE Confidence: 0.890502452850342

00:14:12.092 --> 00:14:14.347 what what is that so you know the

NOTE Confidence: 0.890502452850342

00:14:14.347 --> 00:14:16.183 problem with murmurs are that we

NOTE Confidence: 0.890502452850342

00:14:16.183 --> 00:14:17.888 now have echocardiography and the

NOTE Confidence: 0.890502452850342

 $00:14:17.888 \longrightarrow 00:14:19.901$  stethoscope is 100 year old technology.

NOTE Confidence: 0.890502452850342

 $00{:}14{:}19.901 \dashrightarrow 00{:}14{:}22.544$  So I'm not trying to say that's not

NOTE Confidence: 0.890502452850342

 $00:14:22.544 \longrightarrow 00:14:24.567$  important and I'm going to tell you

NOTE Confidence: 0.890502452850342

00:14:24.567 --> 00:14:27.144 what I think about it but I just my

NOTE Confidence: 0.890502452850342

00:14:27.144 --> 00:14:29.196 minute for like plugging point of care,

NOTE Confidence: 0.890502452850342

 $00{:}14{:}29.196 {\:{\mbox{--}}}{>} 00{:}14{:}30.412$ echo an advancing technology

NOTE Confidence: 0.890502452850342

 $00:14:30.412 \longrightarrow 00:14:31.310$  of physical exam.

NOTE Confidence: 0.890502452850342

 $00{:}14{:}31.310 \dashrightarrow 00{:}14{:}33.785$  And I think you know the day I teach

 $00:14:33.785 \longrightarrow 00:14:35.627$  cardiac physical exam to the PS.

NOTE Confidence: 0.890502452850342

 $00{:}14{:}35.630 \dashrightarrow 00{:}14{:}37.632$  I used to teach the medical students

NOTE Confidence: 0.890502452850342

 $00:14:37.632 \longrightarrow 00:14:40.096$  for many years and so I'm I'm in favor

NOTE Confidence: 0.890502452850342

 $00:14:40.096 \longrightarrow 00:14:41.969$  of knowing the cardiac physical exam.

NOTE Confidence: 0.890502452850342

 $00:14:41.970 \longrightarrow 00:14:43.930$  But I think we have to recognize that

NOTE Confidence: 0.890502452850342

 $00:14:43.930 \longrightarrow 00:14:45.733$  there are some significant limitations to

NOTE Confidence: 0.890502452850342

 $00:14:45.733 \longrightarrow 00:14:48.300$  it that can be resolved with very simple,

NOTE Confidence: 0.890502452850342

00:14:48.300 --> 00:14:49.468 readily available technology that

NOTE Confidence: 0.890502452850342

00:14:49.468 --> 00:14:51.759 you can get in your iPhone right now.

NOTE Confidence: 0.890502452850342

 $00:14:51.760 \longrightarrow 00:14:52.908$  So That being said,

NOTE Confidence: 0.890502452850342

 $00:14:52.908 \longrightarrow 00:14:54.056$  there's the overall gestalt.

NOTE Confidence: 0.890502452850342

 $00:14:54.060 \longrightarrow 00:14:56.388$  So you got to look at the patient

NOTE Confidence: 0.890502452850342

 $00:14:56.388 \longrightarrow 00:14:57.519$  from head to toe.

NOTE Confidence: 0.890502452850342

 $00{:}14{:}57.520 \to 00{:}14{:}59.529$  How do the years lock has nat Clock?

NOTE Confidence: 0.890502452850342

 $00:14:59.530 \longrightarrow 00:15:01.616$  Is there a shock of white hair?

NOTE Confidence: 0.890502452850342

 $00:15:01.620 \longrightarrow 00:15:03.085$  There are certain things that

00:15:03.085 --> 00:15:04.257 can trigger you're thinking.

NOTE Confidence: 0.890502452850342

 $00:15:04.260 \longrightarrow 00:15:06.304$  Oh, maybe this is a syndromic episode.

NOTE Confidence: 0.890502452850342

 $00:15:06.310 \longrightarrow 00:15:08.068$  I'm always looking to see whether

NOTE Confidence: 0.890502452850342

 $00:15:08.068 \longrightarrow 00:15:08.947$  there's underlying myopathy.

NOTE Confidence: 0.890502452850342

 $00{:}15{:}08.950 \dashrightarrow 00{:}15{:}11.036$  What's a muscle strength like as a

NOTE Confidence: 0.890502452850342

00:15:11.036 --> 00:15:13.339 person able to get up from the Chair,

NOTE Confidence: 0.890502452850342 00:15:13.340 --> 00:15:13.634 Easilly? NOTE Confidence: 0.890502452850342

00:15:13.634 --> 00:15:14.810 They have hypertrophied calves,

NOTE Confidence: 0.890502452850342

 $00{:}15{:}14.810 \dashrightarrow 00{:}15{:}16.270$  is there in muscular dystrophy

NOTE Confidence: 0.890502452850342

 $00:15:16.270 \longrightarrow 00:15:17.438$  there that's been missed,

NOTE Confidence: 0.890502452850342

00:15:17.440 --> 00:15:19.198 that they have normal grip strength?

NOTE Confidence: 0.890502452850342

 $00:15:19.200 \longrightarrow 00:15:20.007$  They have neuropathy,

NOTE Confidence: 0.890502452850342

 $00{:}15{:}20.007 \dashrightarrow 00{:}15{:}21.621$  I don't have a needle to

NOTE Confidence: 0.890502452850342

00:15:21.621 --> 00:15:22.720 prick for neuropathy,

NOTE Confidence: 0.890502452850342

 $00:15:22.720 \longrightarrow 00:15:24.370$  but usually they will tell

 $00:15:24.370 \longrightarrow 00:15:26.520$  you if they can feel stuff.

NOTE Confidence: 0.890502452850342

 $00:15:26.520 \longrightarrow 00:15:28.100$  And then for the cardiac

NOTE Confidence: 0.890502452850342

00:15:28.100 --> 00:15:29.048 specific physical exam,

NOTE Confidence: 0.890502452850342

 $00:15:29.050 \longrightarrow 00:15:31.534$  the right way to do it is to really

NOTE Confidence: 0.890502452850342

 $00:15:31.534 \longrightarrow 00:15:33.470$  have the patient lying down.

NOTE Confidence: 0.890502452850342

 $00:15:33.470 \longrightarrow 00:15:35.366$  Listen to them when they're free,

NOTE Confidence: 0.890502452850342

00:15:35.370 --> 00:15:37.260 breathing in all the usual places,

NOTE Confidence: 0.890502452850342

 $00{:}15{:}37.260 \dashrightarrow 00{:}15{:}39.156$  and then really take a careful

NOTE Confidence: 0.890502452850342

00:15:39.156 --> 00:15:40.104 listen during expiration.

NOTE Confidence: 0.890502452850342

00:15:40.110 --> 00:15:41.695 You're listening really hard for

NOTE Confidence: 0.890502452850342

 $00{:}15{:}41.695 \dashrightarrow 00{:}15{:}43.645$  any kind of murmurs over this

NOTE Confidence: 0.890502452850342

 $00:15:43.645 \longrightarrow 00:15:44.849$  sort of a ortic region,

NOTE Confidence: 0.890502452850342

 $00:15:44.850 \longrightarrow 00:15:46.746$  because you want to know whether

NOTE Confidence: 0.890502452850342

 $00:15:46.746 \longrightarrow 00:15:48.010$  there's any outflow obstruction.

NOTE Confidence: 0.890502452850342

 $00:15:48.010 \longrightarrow 00:15:49.438$  I think because one of the

NOTE Confidence: 0.890502452850342

 $00:15:49.438 \longrightarrow 00:15:50.944$  things that leads to syncope

00:15:50.944 --> 00:15:52.429 is hypertrophic cardiomyopathy,

NOTE Confidence: 0.890502452850342

 $00:15:52.430 \longrightarrow 00:15:54.010$  with left ventricular outflow obstruction,

NOTE Confidence: 0.890502452850342

 $00:15:54.010 \longrightarrow 00:15:56.586$  and this is pretty typical murmur for that.

NOTE Confidence: 0.890502452850342

 $00:15:56.590 \longrightarrow 00:15:58.798$  And it sounds a heck of a lot

NOTE Confidence: 0.890502452850342

 $00:15:58.798 \longrightarrow 00:16:00.030$  like a ortic stenosis.

NOTE Confidence: 0.890502452850342

 $00:16:00.030 \longrightarrow 00:16:01.824$  The difference between this murmur in

NOTE Confidence: 0.890502452850342

 $00:16:01.824 \longrightarrow 00:16:04.043$  aortic stenosis is that you can really

NOTE Confidence: 0.890502452850342

 $00{:}16{:}04.043 \dashrightarrow 00{:}16{:}05.663$  provoke an outflow obstruction murmur.

NOTE Confidence: 0.890502452850342

00:16:05.670 --> 00:16:07.464 There can be almost no outflow

NOTE Confidence: 0.890502452850342

 $00:16:07.464 \longrightarrow 00:16:09.044$  obstruction murmur when the person

NOTE Confidence: 0.890502452850342

 $00{:}16{:}09.044 \dashrightarrow 00{:}16{:}10.679$  is just lying comfortably free,

NOTE Confidence: 0.890502452850342

 $00:16:10.680 \longrightarrow 00:16:11.577$  breathing at rest.

NOTE Confidence: 0.890502452850342

 $00{:}16{:}11.577 \dashrightarrow 00{:}16{:}14.062$  But if you set them up and have

NOTE Confidence: 0.890502452850342

 $00:16:14.062 \longrightarrow 00:16:16.000$  them do a big chess valsalva,

NOTE Confidence: 0.890502452850342

 $00{:}16{:}16.000 \dashrightarrow 00{:}16{:}17.946$ you can almost always hear a murmur

00:16:17.946 --> 00:16:19.499 come up immediately after they've

NOTE Confidence: 0.890502452850342

 $00{:}16{:}19.499 \dashrightarrow 00{:}16{:}21.164$  released their breath and start

NOTE Confidence: 0.890502452850342

 $00:16:21.164 \longrightarrow 00:16:22.880$  breathing again with the Valsalva.

NOTE Confidence: 0.890502452850342

00:16:22.880 --> 00:16:25.697 An if you hear that kind of provokes murmur,

NOTE Confidence: 0.890502452850342

 $00:16:25.700 \longrightarrow 00:16:27.746$  it's really a hallmark of hypertrophic

NOTE Confidence: 0.890502452850342

00:16:27.746 --> 00:16:28.428 obstructive cardiomyopathy.

NOTE Confidence: 0.890502452850342

 $00:16:28.430 \longrightarrow 00:16:30.326$  And that can lead to syncope.

NOTE Confidence: 0.890502452850342

 $00{:}16{:}30.330 \dashrightarrow 00{:}16{:}32.535$  My drug rotation doesn't lead to syncope.

NOTE Confidence: 0.890502452850342

00:16:32.540 --> 00:16:33.716 Aortic stenosis, of course.

NOTE Confidence: 0.890502452850342

 $00:16:33.716 \longrightarrow 00:16:35.480$  We all know can lead to

NOTE Confidence: 0.88526177406311

 $00:16:35.547 \longrightarrow 00:16:37.798$  syncope, but it shouldn't be provoke Obel

NOTE Confidence: 0.88526177406311

 $00:16:37.798 \longrightarrow 00:16:39.810$  in that particular way with Valsalva.

NOTE Confidence: 0.88526177406311

 $00:16:39.810 \longrightarrow 00:16:42.022$  In fact, if you sort of reduce

NOTE Confidence: 0.88526177406311

00:16:42.022 --> 00:16:42.970 the ventricular filling,

NOTE Confidence: 0.88526177406311

00:16:42.970 --> 00:16:45.490 the aortic murmur can go down without Salve,

NOTE Confidence: 0.88526177406311

00:16:45.490 --> 00:16:47.386 as opposed to up with obstructive

00:16:47.386 --> 00:16:48.018 hypertrophic cardiomyopathy.

NOTE Confidence: 0.88526177406311

 $00:16:48.020 \longrightarrow 00:16:49.600$  So you can go through

NOTE Confidence: 0.88526177406311

 $00:16:49.600 \longrightarrow 00:16:50.548$  these various maneuvers.

NOTE Confidence: 0.88526177406311

00:16:50.550 --> 00:16:52.356 SWAT stand Valsalva and see whether

NOTE Confidence: 0.88526177406311

 $00:16:52.356 \longrightarrow 00:16:54.161$  you can provoke any kind of

NOTE Confidence: 0.88526177406311

00:16:54.161 --> 00:16:55.799 member that would make you think

NOTE Confidence: 0.88526177406311

 $00:16:55.799 \longrightarrow 00:16:57.500$  this left ventricular outflow.

NOTE Confidence: 0.88526177406311

 $00:16:57.500 \longrightarrow 00:16:59.438$  Tract obstruction radiation to the Carotids.

NOTE Confidence: 0.88526177406311

 $00:16:59.440 \longrightarrow 00:17:01.024$  Is any member that occurs near

NOTE Confidence: 0.88526177406311

 $00:17:01.024 \longrightarrow 00:17:02.080$  at the aortic valve,

NOTE Confidence: 0.88526177406311

00:17:02.080 --> 00:17:03.606 I would assume would be something will

NOTE Confidence: 0.88526177406311

 $00:17:03.606 \longrightarrow 00:17:05.510$  be hard to differentiate by radiation.

NOTE Confidence: 0.88526177406311

 $00{:}17{:}05.510 \dashrightarrow 00{:}17{:}07.100$  The crowd is and I'll be.

NOTE Confidence: 0.88526177406311

 $00:17:07.100 \longrightarrow 00:17:08.892$  Honestly, I don't use that as a

NOTE Confidence: 0.88526177406311

00:17:08.892 --> 00:17:10.528 significant factor in my physical exam,

 $00:17:10.530 \longrightarrow 00:17:12.080$  although historically I guess there

NOTE Confidence: 0.88526177406311

 $00{:}17{:}12.080 \dashrightarrow 00{:}17{:}14.075$  are certain things you can do and

NOTE Confidence: 0.88526177406311

00:17:14.075 --> 00:17:15.635 then I don't know if you can see

NOTE Confidence: 0.88526177406311

00:17:15.688 --> 00:17:17.386 this part of the physical example.

NOTE Confidence: 0.88526177406311

 $00:17:17.390 \longrightarrow 00:17:19.520$  You should always do ortho statics.

NOTE Confidence: 0.88526177406311

00:17:19.520 --> 00:17:22.828 Which is a real pain, but you got it.

NOTE Confidence: 0.84225982427597

00:17:22.840 --> 00:17:24.796 You can't build for that actually.

NOTE Confidence: 0.84225982427597

 $00:17:24.800 \longrightarrow 00:17:26.435$  Order it in the hospital

NOTE Confidence: 0.84225982427597

 $00:17:26.435 \longrightarrow 00:17:28.070$  and then never done it.

NOTE Confidence: 0.84225982427597

00:17:28.070 --> 00:17:30.686 After 2 liters of fluids you can start.

NOTE Confidence: 0.84225982427597

 $00:17:30.690 \longrightarrow 00:17:33.307$  You have to do it yourself exactly when

NOTE Confidence: 0.84225982427597

00:17:33.307 --> 00:17:35.590 we talk about this murmur that gets

NOTE Confidence: 0.84225982427597

 $00{:}17{:}35.590 \dashrightarrow 00{:}17{:}37.558$  invoked by the Valsalva and you.

NOTE Confidence: 0.84225982427597

 $00{:}17{:}37.560 \dashrightarrow 00{:}17{:}39.360$  Talk about doing this sort of

NOTE Confidence: 0.84225982427597

 $00:17:39.360 \longrightarrow 00:17:41.150$  sit forward big chest valsalva.

NOTE Confidence: 0.84225982427597

 $00:17:41.150 \longrightarrow 00:17:42.785$  What do you actually hearing

 $00:17:42.785 \longrightarrow 00:17:44.748$  there with the outflow tract that

NOTE Confidence: 0.84225982427597

 $00:17:44.750 \longrightarrow 00:17:47.040$  is coming up and more? Are you

NOTE Confidence: 0.84225982427597

 $00:17:47.040 \longrightarrow 00:17:48.129$  hearing that well?

NOTE Confidence: 0.84225982427597

00:17:48.129 --> 00:17:49.944 You've taken airplane flights before

NOTE Confidence: 0.84225982427597

 $00:17:49.944 \longrightarrow 00:17:52.207$  and the plane lifts off the runway

NOTE Confidence: 0.84225982427597

 $00:17:52.207 \longrightarrow 00:17:54.260$  for the same reason that you hear.

NOTE Confidence: 0.84225982427597

00:17:54.260 --> 00:17:56.260 A murmur during Valsalva with

NOTE Confidence: 0.84225982427597

 $00:17:56.260 \longrightarrow 00:17:57.060$  Hypertrophic Cardiomyopathy.

NOTE Confidence: 0.84225982427597

 $00:17:57.060 \longrightarrow 00:17:58.260$  Because there's something

NOTE Confidence: 0.84225982427597

 $00:17:58.260 \longrightarrow 00:17:59.860$  called the Bernoulli effect,

NOTE Confidence: 0.84225982427597

 $00:17:59.860 \longrightarrow 00:18:02.452$  an when a fluid or gas has to

NOTE Confidence: 0.84225982427597

 $00:18:02.452 \longrightarrow 00:18:04.672$  travel more rapidly next to

NOTE Confidence: 0.84225982427597

00:18:04.672 --> 00:18:06.660 one that's traveling slowly,

NOTE Confidence: 0.84225982427597

 $00{:}18{:}06.660 \dashrightarrow 00{:}18{:}09.257$  the pressure is decreased in the area

NOTE Confidence: 0.84225982427597

 $00:18:09.257 \longrightarrow 00:18:12.260$  where the broad is traveling more rapidly.

00:18:12.260 --> 00:18:14.175 So what happens with Hypertrophic

NOTE Confidence: 0.84225982427597

 $00:18:14.175 \longrightarrow 00:18:16.090$  cardiomyopathy is that the anterior

NOTE Confidence: 0.84225982427597

00:18:16.149 --> 00:18:18.645 mitral leaflet or leaflet apparatus is

NOTE Confidence: 0.84225982427597

 $00:18:18.645 \longrightarrow 00:18:20.309$  relatively closely approximating the

NOTE Confidence: 0.84225982427597

 $00:18:20.371 \longrightarrow 00:18:21.535$  hypertrophied interventricular septum

NOTE Confidence: 0.84225982427597

 $00:18:21.535 \longrightarrow 00:18:24.660$  an as the hard squeezes the plug out.

NOTE Confidence: 0.84225982427597

 $00:18:24.660 \longrightarrow 00:18:26.660$  The blood has to accelerate.

NOTE Confidence: 0.84225982427597

00:18:26.660 --> 00:18:28.464 Around this convex hypertrophic

NOTE Confidence: 0.84225982427597

 $00{:}18{:}28.464 \dashrightarrow 00{:}18{:}30.719$  overgrown piece of muscle that's

NOTE Confidence: 0.84225982427597

 $00:18:30.719 \longrightarrow 00:18:33.441$  close to the mitral valve and as the

NOTE Confidence: 0.84225982427597

 $00:18:33.441 \longrightarrow 00:18:35.503$  blood gets through there it decreases

NOTE Confidence: 0.84225982427597

00:18:35.503 --> 00:18:37.939 the pressure in that area and sucks

NOTE Confidence: 0.84225982427597

 $00:18:37.940 \longrightarrow 00:18:40.180$  the mitral leaflet apparatus over

NOTE Confidence: 0.84225982427597

 $00{:}18{:}40.180 \dashrightarrow 00{:}18{:}42.420$  to touch the intervent ricular septum

NOTE Confidence: 0.84225982427597

 $00:18:42.489 \longrightarrow 00:18:44.596$  and just like rocks in a stream

NOTE Confidence: 0.84225982427597

 $00:18:44.596 \longrightarrow 00:18:46.588$  that caused the water to gurgle,

00:18:46.590 --> 00:18:49.030 if you distort the Lamb and or blood

NOTE Confidence: 0.84225982427597

 $00:18:49.030 \longrightarrow 00:18:51.907$  flow you hear a murmur and so you're

NOTE Confidence: 0.84225982427597

00:18:51.907 --> 00:18:53.929 actually hearing the blood squirting

NOTE Confidence: 0.84225982427597

 $00:18:53.929 \longrightarrow 00:18:56.359$  passed in this turbulent fashion.

NOTE Confidence: 0.84225982427597

 $00:18:56.360 \longrightarrow 00:18:58.688$  This obstruction between the mitral valve.

NOTE Confidence: 0.84225982427597

 $00:18:58.690 \longrightarrow 00:19:00.294$  And the interventricular septum.

NOTE Confidence: 0.84225982427597

 $00:19:00.294 \longrightarrow 00:19:03.060$  And we refer to that as Sam,

NOTE Confidence: 0.84225982427597

 $00:19:03.060 \longrightarrow 00:19:04.648$  Systolic anterior motion of

NOTE Confidence: 0.84225982427597

 $00:19:04.648 \longrightarrow 00:19:05.839$  the mitral leaflet.

NOTE Confidence: 0.84225982427597

 $00:19:05.840 \longrightarrow 00:19:07.428$  There's many factors that

NOTE Confidence: 0.84225982427597

 $00:19:07.428 \longrightarrow 00:19:09.810$  kind of feed into having that,

NOTE Confidence: 0.84225982427597

 $00:19:09.810 \longrightarrow 00:19:12.197$  but with Valsalva one of the things

NOTE Confidence: 0.84225982427597

 $00:19:12.197 \longrightarrow 00:19:15.324$  that you see that happens is that you

NOTE Confidence: 0.84225982427597

00:19:15.324 --> 00:19:18.140 temporarily under fill your left ventricle,

NOTE Confidence: 0.84225982427597

 $00:19:18.140 \longrightarrow 00:19:20.130$  and so there's less preload,

 $00:19:20.130 \longrightarrow 00:19:22.476$  and so you get this increased

NOTE Confidence: 0.84225982427597

 $00:19:22.476 \longrightarrow 00:19:24.040$  approximation of the hypertrophic

NOTE Confidence: 0.84225982427597

 $00:19:24.109 \longrightarrow 00:19:25.686$  segment with mitral leaflets.

NOTE Confidence: 0.84225982427597

 $00:19:25.686 \longrightarrow 00:19:27.695$  And so you can actually

NOTE Confidence: 0.84225982427597

 $00:19:27.695 \longrightarrow 00:19:29.315$  provoke more bernoulli effect.

NOTE Confidence: 0.84225982427597

 $00:19:29.320 \longrightarrow 00:19:31.512$  Or make them do in fact more affected

NOTE Confidence: 0.84225982427597

 $00:19:31.512 \longrightarrow 00:19:33.493$  by bringing those two things closer

NOTE Confidence: 0.84225982427597

00:19:33.493 --> 00:19:35.203 together by having less filling

NOTE Confidence: 0.894334316253662

 $00:19:35.210 \longrightarrow 00:19:36.932$  of the left ventricle. And can

NOTE Confidence: 0.894334316253662

 $00:19:36.932 \longrightarrow 00:19:39.239$  we use that to explain why we're

NOTE Confidence: 0.894334316253662

 $00{:}19{:}39.240 \dashrightarrow 00{:}19{:}40.790$  seeing syncope in that patient

NOTE Confidence: 0.894334316253662

 $00:19:40.790 \longrightarrow 00:19:42.340$  population is a huge factor?

NOTE Confidence: 0.894334316253662

 $00:19:42.340 \longrightarrow 00:19:44.510$  I keep them. Glad you asked that,

NOTE Confidence: 0.894334316253662

 $00:19:44.510 \longrightarrow 00:19:45.750$  because there are many

NOTE Confidence: 0.894334316253662

00:19:45.750 --> 00:19:46.990 patients walking around today.

NOTE Confidence: 0.894334316253662

 $00:19:46.990 \longrightarrow 00:19:48.326$  Have defibrillators because they

00:19:48.326 --> 00:19:49.662 had hemodynamic syncope with

NOTE Confidence: 0.894334316253662

 $00{:}19{:}49.662 \dashrightarrow 00{:}19{:}50.710$  hypertrophic cardiomy opathy for sure,

NOTE Confidence: 0.894334316253662

00:19:50.710 --> 00:19:53.294 because you can have syncope just from that

NOTE Confidence: 0.894334316253662

 $00:19:53.294 \longrightarrow 00:19:55.666$  phenomenon and we don't know in this patient.

NOTE Confidence: 0.894334316253662

 $00:19:55.670 \longrightarrow 00:19:57.777$  Now again, we have all this other

NOTE Confidence: 0.894334316253662

 $00:19:57.777 \longrightarrow 00:19:59.971$  stuff is dad died, his uncle died.

NOTE Confidence: 0.894334316253662

 $00:19:59.971 \longrightarrow 00:20:01.159$  He died very young.

NOTE Confidence: 0.894334316253662

00:20:01.160 --> 00:20:02.310 He passed out very quickly,

NOTE Confidence: 0.894334316253662

 $00:20:02.310 \longrightarrow 00:20:05.064$  so if this turns out to be the diagnosis.

NOTE Confidence: 0.894334316253662

 $00{:}20{:}05.070 \dashrightarrow 00{:}20{:}06.722$  You know we would start to be

NOTE Confidence: 0.894334316253662

 $00{:}20{:}06.722 \dashrightarrow 00{:}20{:}08.030$  very suspicious of arrhythmia,

NOTE Confidence: 0.894334316253662

 $00:20:08.030 \longrightarrow 00:20:09.950$  but People do pass out.

NOTE Confidence: 0.894334316253662

 $00{:}20{:}09.950 \dashrightarrow 00{:}20{:}11.644$  I have patients who pass out all

NOTE Confidence: 0.894334316253662

 $00:20:11.644 \longrightarrow 00:20:13.635$  the time from this or get to near

NOTE Confidence: 0.894334316253662

00:20:13.635 --> 00:20:15.158 syncope from this and then they

00:20:15.158 --> 00:20:17.222 would get in my activity or not call

NOTE Confidence: 0.894334316253662

 $00:20:17.222 \longrightarrow 00:20:18.735$  blasian and they would feel better

NOTE Confidence: 0.894334316253662

 $00:20:18.735 \longrightarrow 00:20:19.990$  and they would stop happening.

NOTE Confidence: 0.894334316253662

 $00:20:19.990 \longrightarrow 00:20:21.523$  One of the things that you note

NOTE Confidence: 0.894334316253662

 $00:20:21.523 \longrightarrow 00:20:22.657$  about that though is there's

NOTE Confidence: 0.894334316253662

00:20:22.657 --> 00:20:24.155 almost always a lead in a program

NOTE Confidence: 0.894334316253662

 $00{:}20{:}24.155 \dashrightarrow 00{:}20{:}25.719$  and it's almost always associated

NOTE Confidence: 0.894334316253662

00:20:25.719 --> 00:20:27.015 postural change or activity.

NOTE Confidence: 0.894334316253662

 $00:20:27.020 \longrightarrow 00:20:28.280$  So the classic is Doc.

NOTE Confidence: 0.894334316253662

 $00:20:28.280 \longrightarrow 00:20:29.780$  I drove my car to work,

NOTE Confidence: 0.894334316253662

 $00:20:29.780 \longrightarrow 00:20:31.537$  there's a very it's an hour drive.

NOTE Confidence: 0.894334316253662

 $00:20:31.540 \longrightarrow 00:20:33.692$  Is it very slight Hill up to the

NOTE Confidence: 0.894334316253662

00:20:33.692 --> 00:20:35.759 stairs that I have to take up to

NOTE Confidence: 0.894334316253662

 $00:20:35.759 \longrightarrow 00:20:37.709$  the front door when I get to the

NOTE Confidence: 0.894334316253662

 $00:20:37.709 \longrightarrow 00:20:39.343$  top of the stairs of the front

NOTE Confidence: 0.894334316253662

 $00{:}20{:}39.343 \dashrightarrow 00{:}20{:}41.254$ door I always feel like I'm about

 $00:20:41.254 \longrightarrow 00:20:43.200$  to pass out and one time I did.

NOTE Confidence: 0.894334316253662

 $00:20:43.200 \longrightarrow 00:20:45.000$  Or I was I had a glass of

NOTE Confidence: 0.894334316253662

 $00:20:45.000 \longrightarrow 00:20:45.870$  wine Thanksgiving dinner.

NOTE Confidence: 0.894334316253662

 $00:20:45.870 \longrightarrow 00:20:47.430$  I sat and watched the football

NOTE Confidence: 0.894334316253662

 $00:20:47.430 \longrightarrow 00:20:49.179$  game for two hours and then I

NOTE Confidence: 0.894334316253662

 $00:20:49.179 \longrightarrow 00:20:50.487$  had to go to the bathroom.

NOTE Confidence: 0.894334316253662

00:20:50.490 --> 00:20:52.677 So I got up off the couch and boom,

NOTE Confidence: 0.894334316253662

00:20:52.680 --> 00:20:53.648 'cause you're always dilated.

NOTE Confidence: 0.894334316253662

00:20:53.648 --> 00:20:54.822 Glass of wine, big meal,

NOTE Confidence: 0.894334316253662

 $00:20:54.822 \longrightarrow 00:20:56.590$  but it's in your stomach to watch a

NOTE Confidence: 0.894334316253662

00:20:56.647 --> 00:20:58.743 football game and boom, you go down.

NOTE Confidence: 0.894334316253662

 $00:20:58.743 \longrightarrow 00:21:00.669$  So there are some environmental factors

NOTE Confidence: 0.894334316253662

 $00{:}21{:}00.669 \dashrightarrow 00{:}21{:}02.854$  that can kind of tell you what it is.

NOTE Confidence: 0.894334316253662

 $00:21:02.860 \longrightarrow 00:21:03.875$  Uh.

NOTE Confidence: 0.894334316253662

00:21:03.875 --> 00:21:05.255 OK, excellent,

00:21:05.255 --> 00:21:07.439 so enough of that stethoscope nonsense,

NOTE Confidence: 0.875196158885956

 $00{:}21{:}07.440 \dashrightarrow 00{:}21{:}09.630$  and we're going to complete garbage,

NOTE Confidence: 0.875196158885956

 $00:21:09.630 \longrightarrow 00:21:11.812$  not rubbish. It's a good decoration.

NOTE Confidence: 0.875196158885956

00:21:11.812 --> 00:21:14.360 Patients like it, but so we get

NOTE Confidence: 0.875196158885956

 $00:21:14.360 \longrightarrow 00:21:17.264$  an EKG on this guy in the office.

NOTE Confidence: 0.875196158885956

 $00:21:17.270 \longrightarrow 00:21:19.090$  It reveals increased record-eagle voltage

NOTE Confidence: 0.875196158885956

00:21:19.090 --> 00:21:20.546 with left ventricular hypertrophy,

NOTE Confidence: 0.875196158885956

00:21:20.550 --> 00:21:23.820 an prominent Q Waves in the inferior, and the

NOTE Confidence: 0.875196158885956

 $00:21:23.820 \longrightarrow 00:21:26.369$  lateral leads. We also get a little

NOTE Confidence: 0.875196158885956

 $00:21:26.370 \longrightarrow 00:21:28.548$  blood work right off the bat.

NOTE Confidence: 0.875196158885956

 $00{:}21{:}28.550 \dashrightarrow 00{:}21{:}30.664$  It's notable for an elevated BNP two

NOTE Confidence: 0.875196158885956

 $00:21:30.664 \longrightarrow 00:21:32.940$  800 and his primary care provider

NOTE Confidence: 0.875196158885956

 $00{:}21{:}32.940 \dashrightarrow 00{:}21{:}35.105$  then orders a transthoracic Echo.

NOTE Confidence: 0.875196158885956

 $00:21:35.110 \longrightarrow 00:21:36.940$  Anne refers to your office.

NOTE Confidence: 0.875196158885956

 $00:21:36.940 \longrightarrow 00:21:39.442$  So can we just unpack this a little bit

NOTE Confidence: 0.875196158885956

00:21:39.442 --> 00:21:41.815 will start off with the ECG an again,

 $00:21:41.820 \longrightarrow 00:21:43.620$  to reiterate that we're seeing LVMH

NOTE Confidence: 0.875196158885956

00:21:43.620 --> 00:21:44.820 or left ventricular hypertrophy

NOTE Confidence: 0.875196158885956

00:21:44.867 --> 00:21:46.343 prominent Q Waves in the inferior

NOTE Confidence: 0.875196158885956

 $00:21:46.343 \longrightarrow 00:21:48.021$  and lateral leads and then some

NOTE Confidence: 0.875196158885956

 $00:21:48.021 \longrightarrow 00:21:48.987$  increase recorded voltage.

NOTE Confidence: 0.893079400062561

 $00:21:49.670 \longrightarrow 00:21:51.446$  Yeah, Well you spelled it out.

NOTE Confidence: 0.893079400062561

 $00:21:51.450 \longrightarrow 00:21:53.313$  I mean this is this is looking a lot

NOTE Confidence: 0.893079400062561

 $00:21:53.313 \longrightarrow 00:21:55.000$  like Hypertrophic Cardiomyopathy.

NOTE Confidence: 0.893079400062561

 $00:21:55.000 \longrightarrow 00:21:57.256$  You have to be a little bit cautious

NOTE Confidence: 0.893079400062561

 $00:21:57.256 \longrightarrow 00:21:58.848$  'cause the guys in athlete.

NOTE Confidence: 0.893079400062561

 $00:21:58.850 \longrightarrow 00:22:00.330$  I'm assuming he played basketball.

NOTE Confidence: 0.893079400062561

00:22:00.330 --> 00:22:02.395 The relatively young guy, so you know,

NOTE Confidence: 0.893079400062561

 $00{:}22{:}02.400 \dashrightarrow 00{:}22{:}04.656$  if the guys on the basketball court 3

NOTE Confidence: 0.893079400062561

00:22:04.656 --> 00:22:06.840 four days a week if he's exercising,

NOTE Confidence: 0.893079400062561

 $00{:}22{:}06.840 \dashrightarrow 00{:}22{:}09.208$  he can have increased voltage. the Q waves.

 $00:22:09.208 \longrightarrow 00:22:11.569$  You said there in the inferior leads. Yeah.

NOTE Confidence: 0.893079400062561

 $00{:}22{:}11.570 \dashrightarrow 00{:}22{:}13.649$  Q Waves in fear leads are suspicious.

NOTE Confidence: 0.893079400062561

 $00:22:13.650 \longrightarrow 00:22:14.535$  Not they're not.

NOTE Confidence: 0.893079400062561

 $00:22:14.535 \longrightarrow 00:22:15.420$  Diagnostic could be.

NOTE Confidence: 0.893079400062561

 $00:22:15.420 \longrightarrow 00:22:17.778$  I don't know how how tall the guy is

NOTE Confidence: 0.893079400062561

00:22:17.778 --> 00:22:19.859 could be something about his body.

NOTE Confidence: 0.893079400062561

 $00:22:19.860 \longrightarrow 00:22:20.745$  Habitus could be.

NOTE Confidence: 0.893079400062561

 $00:22:20.745 \longrightarrow 00:22:22.810$  Doing that so LVH some QA is

NOTE Confidence: 0.893079400062561

 $00{:}22{:}22.882 \dashrightarrow 00{:}22{:}24.490$  in fairly I'm suspicious,

NOTE Confidence: 0.893079400062561

00:22:24.490 --> 00:22:26.458 but I'm not sure if you had told

NOTE Confidence: 0.893079400062561

 $00{:}22{:}26.458 \dashrightarrow 00{:}22{:}29.142$ me he's also got significant T wave

NOTE Confidence: 0.893079400062561

 $00:22:29.142 \longrightarrow 00:22:31.267$  inversion across the anterior precordium.

NOTE Confidence: 0.893079400062561

00:22:31.270 --> 00:22:33.298 Now I'm really worried about it,

NOTE Confidence: 0.893079400062561

 $00:22:33.300 \longrightarrow 00:22:34.700$  or even out laterally.

NOTE Confidence: 0.893079400062561

00:22:34.700 --> 00:22:36.450 Then I really think hypertrophic

NOTE Confidence: 0.893079400062561

 $00{:}22{:}36.450 \dashrightarrow 00{:}22{:}38.132$  cardiomy opathy is coming big into

00:22:38.132 --> 00:22:39.408 the differential diagnosis here,

NOTE Confidence: 0.893079400062561

 $00:22:39.410 \longrightarrow 00:22:41.438$  but this could be a hypertrophic

NOTE Confidence: 0.893079400062561

00:22:41.438 --> 00:22:42.120 cardiomyopathy, EKG,

NOTE Confidence: 0.893079400062561

 $00:22:42.120 \longrightarrow 00:22:44.490$  and then you said the BMP is

NOTE Confidence: 0.893079400062561

 $00:22:44.490 \longrightarrow 00:22:45.850$  elevated elevated 800 OK,

NOTE Confidence: 0.893079400062561

 $00:22:45.850 \longrightarrow 00:22:47.878$  so that's really really interesting fact.

NOTE Confidence: 0.893079400062561 $00:22:47.880 \longrightarrow 00:22:48.837$  So I mean, NOTE Confidence: 0.893079400062561

 $00:22:48.837 \longrightarrow 00:22:50.113$  we always associate elevated

NOTE Confidence: 0.893079400062561

 $00:22:50.113 \longrightarrow 00:22:51.610$  BNP with heart failure,

NOTE Confidence: 0.893079400062561

00:22:51.610 --> 00:22:52.762 reduced ejection fraction.

NOTE Confidence: 0.893079400062561

00:22:52.762 --> 00:22:54.298 Sometimes our fair preserved

NOTE Confidence: 0.893079400062561

 $00:22:54.298 \longrightarrow 00:22:55.066$  ejection fraction,

NOTE Confidence: 0.893079400062561

 $00:22:55.070 \longrightarrow 00:22:57.814$  but we you know it's not usually associated

NOTE Confidence: 0.893079400062561

 $00{:}22{:}57.814 \dashrightarrow 00{:}22{:}59.410$  with hypertrophic cardiomy opathy.

NOTE Confidence: 0.893079400062561

 $00:22:59.410 \longrightarrow 00:23:02.231$  I would guess that most people walking

00:23:02.231 --> 00:23:04.529 around don't necessarily think about BMP,

NOTE Confidence: 0.893079400062561

00:23:04.530 --> 00:23:06.106 asmark, fireproof, according me,

NOTE Confidence: 0.893079400062561

 $00:23:06.106 \longrightarrow 00:23:08.470$  but it is an we are.

NOTE Confidence: 0.893079400062561

00:23:08.470 --> 00:23:10.440 This is actually public data,

NOTE Confidence: 0.893079400062561

 $00:23:10.440 \longrightarrow 00:23:12.410$  so we presented at European

NOTE Confidence: 0.893079400062561

00:23:12.410 --> 00:23:14.380 side of Cardiology in August.

NOTE Confidence: 0.893079400062561

00:23:14.380 --> 00:23:17.359 The I think it was 36 week data from

NOTE Confidence: 0.893079400062561

00:23:17.359 --> 00:23:20.113 the pioneer study which was a phase

NOTE Confidence: 0.893079400062561

 $00:23:20.113 \longrightarrow 00:23:23.499$  two study of an ATP myosin modulator.

NOTE Confidence: 0.893079400062561

 $00:23:23.500 \longrightarrow 00:23:25.670$  That really is a negative on it.

NOTE Confidence: 0.893079400062561

00:23:25.670 --> 00:23:26.910 Rope used for obstructive

NOTE Confidence: 0.893079400062561

 $00{:}23{:}26.910 \dashrightarrow 00{:}23{:}27.530$  hypertrophic cardiomy opathy.

NOTE Confidence: 0.893079400062561

 $00:23:27.530 \longrightarrow 00:23:28.770$  We had 21 patients.

NOTE Confidence: 0.893079400062561

 $00:23:28.770 \longrightarrow 00:23:29.700$  The initial study,

NOTE Confidence: 0.893079400062561

 $00:23:29.700 \longrightarrow 00:23:31.494$  one who dropped out of the

NOTE Confidence: 0.893079400062561

 $00:23:31.494 \longrightarrow 00:23:33.110$  initial study because of A-fib.

 $00{:}23{:}33.110 \dashrightarrow 00{:}23{:}35.334$  Then I think it was six or Seven

NOTE Confidence: 0.893079400062561

 $00:23:35.334 \longrightarrow 00:23:37.185$  patients ended up going for surgical

NOTE Confidence: 0.893079400062561

 $00:23:37.185 \longrightarrow 00:23:39.424$  myectomy in between the end of that

NOTE Confidence: 0.893079400062561

 $00:23:39.424 \longrightarrow 00:23:41.410$  study and the initiation of the

NOTE Confidence: 0.893079400062561

00:23:41.410 --> 00:23:43.391 long-term access to the drug study.

NOTE Confidence: 0.893079400062561

 $00:23:43.391 \longrightarrow 00:23:45.353$  So there were 13 patients who

NOTE Confidence: 0.893079400062561

 $00:23:45.353 \longrightarrow 00:23:46.747$  continued on in this study.

NOTE Confidence: 0.893079400062561

 $00:23:46.750 \longrightarrow 00:23:49.109$  So the 13 pages to continue for

NOTE Confidence: 0.893079400062561

 $00:23:49.109 \longrightarrow 00:23:51.361$  36 months there BMP started an

NOTE Confidence: 0.893079400062561

 $00:23:51.361 \longrightarrow 00:23:52.917$  average of around 1500.

NOTE Confidence: 0.893079400062561

 $00:23:52.920 \longrightarrow 00:23:55.447$  These are patients who had class two

NOTE Confidence: 0.893079400062561

 $00:23:55.447 \longrightarrow 00:23:58.189$  or three hard failure type symptoms.

NOTE Confidence: 0.893079400062561

 $00{:}23{:}58.190 \dashrightarrow 00{:}24{:}00.098$  Some limitation from some limitation to

NOTE Confidence: 0.893079400062561

00:24:00.098 --> 00:24:02.644 a lot of limitation with obstructive

NOTE Confidence: 0.893079400062561

00:24:02.644 --> 00:24:03.858 hypertrophic cardiomyopathy.

 $00:24:03.860 \longrightarrow 00:24:05.075$  Normal hyperdynamic ventricles

NOTE Confidence: 0.893079400062561

00:24:05.075 --> 00:24:07.100 did not have volume overload,

NOTE Confidence: 0.893079400062561

00:24:07.100 --> 00:24:08.315 just obstructive hypertrophic

NOTE Confidence: 0.893079400062561

 $00:24:08.315 \longrightarrow 00:24:10.340$  cardiomyopathy and their BNP levels.

NOTE Confidence: 0.893079400062561

 $00:24:10.340 \longrightarrow 00:24:11.944$  Basically normalized on the

NOTE Confidence: 0.893079400062561

00:24:11.944 --> 00:24:13.949 therapy that also reduced their

NOTE Confidence: 0.893079400062561

00:24:13.949 --> 00:24:15.615 obstruction to basically normal

NOTE Confidence: 0.893079400062561

 $00:24:15.615 \longrightarrow 00:24:17.625$  without dropping the F substantially.

NOTE Confidence: 0.893079400062561

 $00{:}24{:}17.630 \dashrightarrow 00{:}24{:}20.048$  So my point in telling that

NOTE Confidence: 0.893079400062561

 $00:24:20.048 \longrightarrow 00:24:22.949$  long story is to say that BMP.

NOTE Confidence: 0.893079400062561

 $00{:}24{:}22.950 \dashrightarrow 00{:}24{:}24.728$  Looks at this point like a reasonable

NOTE Confidence: 0.893079400062561

 $00{:}24{:}24.728 \dashrightarrow 00{:}24{:}26.015$  marker of symptomatic obstruction

NOTE Confidence: 0.893079400062561

00:24:26.015 --> 00:24:27.440 and Hypertrophic Cardiomyopathy,

NOTE Confidence: 0.893079400062561

 $00:24:27.440 \longrightarrow 00:24:29.666$  so I don't know what to say

NOTE Confidence: 0.893079400062561

 $00:24:29.666 \longrightarrow 00:24:30.980$  exactly about the BNP.

NOTE Confidence: 0.893079400062561

 $00:24:30.980 \longrightarrow 00:24:32.898$  The BNP at this point that you

 $00:24:32.898 \longrightarrow 00:24:34.830$  going to be NPR nonspecific.

NOTE Confidence: 0.893079400062561

00:24:34.830 --> 00:24:36.114 The guys gotta murmur.

NOTE Confidence: 0.893079400062561

 $00:24:36.114 \longrightarrow 00:24:37.398$  I don't really know.

NOTE Confidence: 0.893079400062561

00:24:37.400 --> 00:24:39.738 I don't trust my physical exam enough

NOTE Confidence: 0.893079400062561

 $00:24:39.738 \longrightarrow 00:24:42.207$  to say conclusively whether this is ASM are.

NOTE Confidence: 0.898902952671051

 $00:24:42.210 \longrightarrow 00:24:44.100$  I don't know whether he had

NOTE Confidence: 0.898902952671051

 $00:24:44.100 \longrightarrow 00:24:46.065$  the Valsalva response or not at

NOTE Confidence: 0.898902952671051

00:24:46.065 --> 00:24:47.665 this point in my differential,

NOTE Confidence: 0.898902952671051

 $00:24:47.670 \longrightarrow 00:24:48.834$  diagnosis is still dilated.

NOTE Confidence: 0.898902952671051

 $00{:}24{:}48.834 \dashrightarrow 00{:}24{:}50.289$  Cardiomyopathy with Wi<br/>a versus

NOTE Confidence: 0.898902952671051

00:24:50.289 --> 00:24:51.200 hypertrophic cardiomyopathy.

NOTE Confidence: 0.898902952671051

00:24:51.200 --> 00:24:53.146 I don't think at this point he

NOTE Confidence: 0.898902952671051

 $00{:}24{:}53.146 \dashrightarrow 00{:}24{:}55.130$  has a primary rhythmic disease.

NOTE Confidence: 0.898902952671051

00:24:55.130 --> 00:24:57.434 Or like I don't think that was a

NOTE Confidence: 0.898902952671051

 $00:24:57.434 \longrightarrow 00:24:59.420$  seizure or something like that.

00:24:59.420 --> 00:25:01.070 Like I think you know,

NOTE Confidence: 0.898902952671051

 $00:25:01.070 \longrightarrow 00:25:03.471$  I think we're dealing with the structural

NOTE Confidence: 0.898902952671051

 $00:25:03.471 \longrightarrow 00:25:05.360$  heart disease here at this point,

NOTE Confidence: 0.898902952671051

 $00:25:05.360 \longrightarrow 00:25:07.425$  and probably I think top of the

NOTE Confidence: 0.898902952671051

 $00:25:07.425 \longrightarrow 00:25:08.762$  list is hypertrophic cardiomyopathy

NOTE Confidence: 0.898902952671051

 $00:25:08.762 \longrightarrow 00:25:10.306$  and after that some

NOTE Confidence: 0.899352610111237

00:25:10.310 --> 00:25:11.960 other version of Nonischemic Cardiomyopathy.

NOTE Confidence: 0.898516476154327

 $00:25:12.000 \longrightarrow 00:25:13.460$  Quick question that came to

NOTE Confidence: 0.898516476154327

00:25:13.460 --> 00:25:14.920 mind after discussing that EKG,

NOTE Confidence: 0.898516476154327

 $00:25:14.920 \longrightarrow 00:25:16.736$  so you talked a little bit about how

NOTE Confidence: 0.898516476154327

 $00{:}25{:}16.736 \dashrightarrow 00{:}25{:}19.352$  the key waves can point you in the

NOTE Confidence: 0.898516476154327

 $00{:}25{:}19.352 --> 00{:}25{:}20.756$  direction of Hypertrophic Cardiomyopathy.

NOTE Confidence: 0.898516476154327

00:25:20.760 --> 00:25:22.506 Though not definitely specific for that,

NOTE Confidence: 0.898516476154327

 $00{:}25{:}22.510 \dashrightarrow 00{:}25{:}24.830$  whi can you explain why you would get

NOTE Confidence: 0.898516476154327

00:25:24.830 --> 00:25:27.474 Q Waves on EKG and a patient like this?

NOTE Confidence: 0.898516476154327

 $00:25:27.480 \longrightarrow 00:25:29.100$  Is it because there's fibrosis in

00:25:29.100 --> 00:25:30.690 the area of hypertrophied ventricle,

NOTE Confidence: 0.898516476154327

 $00{:}25{:}30.690 \dashrightarrow 00{:}25{:}32.770$  or 'cause I CQ waves and I think

NOTE Confidence: 0.898516476154327

 $00:25:32.770 \longrightarrow 00:25:34.773$  of old infarct, that's you know.

NOTE Confidence: 0.898516476154327

 $00:25:34.773 \longrightarrow 00:25:35.646$  I've trained myself.

NOTE Confidence: 0.898516476154327

 $00:25:35.650 \longrightarrow 00:25:37.260$  So what makes you think that this

NOTE Confidence: 0.898516476154327

00:25:37.260 --> 00:25:38.480 could potentially point towards

NOTE Confidence: 0.898516476154327

00:25:38.480 --> 00:25:39.450 Hypertrophic cardiomyopathy?

NOTE Confidence: 0.898516476154327

 $00:25:39.450 \longrightarrow 00:25:39.740$  Well,

NOTE Confidence: 0.898516476154327

 $00:25:39.740 \longrightarrow 00:25:41.784$  you raise a good point and I

NOTE Confidence: 0.898516476154327

 $00:25:41.784 \longrightarrow 00:25:43.480$  didn't say that, but obviously.

NOTE Confidence: 0.898516476154327

00:25:43.480 --> 00:25:45.530 Ischemic heart disease is still

NOTE Confidence: 0.898516476154327

 $00{:}25{:}45.530 \dashrightarrow 00{:}25{:}47.454$  in the differential diagnosis as

NOTE Confidence: 0.898516476154327

 $00{:}25{:}47.454 \dashrightarrow 00{:}25{:}49.666$  our as is now most coronary artery

NOTE Confidence: 0.898516476154327

 $00:25:49.666 \longrightarrow 00:25:52.047$  and there is no way to be specific

NOTE Confidence: 0.898516476154327

 $00:25:52.047 \longrightarrow 00:25:54.166$  about that with regards to the EKG,

00:25:54.166 --> 00:25:56.050 I don't know physiologically why patients

NOTE Confidence: 0.898516476154327

00:25:56.109 --> 00:25:58.425 with hypertrophic cardiomyopathy get Q waves,

NOTE Confidence: 0.898516476154327

 $00:25:58.430 \longrightarrow 00:26:00.500$  and specifically needs, and some don't.

NOTE Confidence: 0.898516476154327

 $00:26:00.500 \longrightarrow 00:26:02.195$  There are some patients with

NOTE Confidence: 0.898516476154327

00:26:02.195 --> 00:26:04.300 recording app that have normal EKG's.

NOTE Confidence: 0.898516476154327

 $00:26:04.300 \longrightarrow 00:26:05.299$  It's not, though,

NOTE Confidence: 0.898516476154327

 $00:26:05.299 \longrightarrow 00:26:07.297$  for the same reason that patients

NOTE Confidence: 0.898516476154327

00:26:07.297 --> 00:26:09.569 for the schema cardiomyopathy get it

NOTE Confidence: 0.898516476154327

00:26:09.569 --> 00:26:12.144 because in those patients the QA can

NOTE Confidence: 0.898516476154327

 $00:26:12.144 \longrightarrow 00:26:14.356$  actually tell you where the infarct was.

NOTE Confidence: 0.898516476154327 00:26:14.360 --> 00:26:15.074 In this case,

NOTE Confidence: 0.898516476154327

00:26:15.074 --> 00:26:17.250 if you do an MRI in patient with

NOTE Confidence: 0.898516476154327

00:26:17.250 --> 00:26:19.480 hypertrophic cardiomyopathy with Q waves,

NOTE Confidence: 0.898516476154327

 $00:26:19.480 \longrightarrow 00:26:21.490$  you're not going to see transmural

NOTE Confidence: 0.898516476154327

 $00:26:21.490 \longrightarrow 00:26:23.177$  fibrosis in the inferior wall

NOTE Confidence: 0.898516476154327

00:26:23.177 --> 00:26:24.597 because of those Q waves.

 $00:26:24.600 \longrightarrow 00:26:26.520$  You may see fibrosis over 70%

NOTE Confidence: 0.898516476154327

00:26:26.520 --> 00:26:27.800 of patients with hypertrophic

NOTE Confidence: 0.898516476154327

00:26:27.800 --> 00:26:29.080 cardiomyopathy have fibrosis apparent.

NOTE Confidence: 0.898516476154327

 $00:26:29.080 \longrightarrow 00:26:31.320$  an MRI when you do the MRI,

NOTE Confidence: 0.898516476154327

 $00:26:31.320 \longrightarrow 00:26:33.240$  but it's in all kinds of

NOTE Confidence: 0.898516476154327

 $00:26:33.240 \longrightarrow 00:26:33.880$  different distributions.

NOTE Confidence: 0.898516476154327

00:26:33.880 --> 00:26:36.440 Most of it is not very, very severe,

NOTE Confidence: 0.898516476154327

 $00{:}26{:}36.440 \dashrightarrow 00{:}26{:}38.360$  and it's rare to see transmural.

NOTE Confidence: 0.898516476154327

 $00{:}26{:}38.360 \to 00{:}26{:}41.240$  You can see it, but it's much more rare,

NOTE Confidence: 0.898516476154327

 $00{:}26{:}41.240 \dashrightarrow 00{:}26{:}43.160$  and it doesn't distribute according to

NOTE Confidence: 0.889961242675781

 $00:26:43.160 \longrightarrow 00:26:44.760$  the EKG. OK, that was

NOTE Confidence: 0.884782856160944

 $00:26:44.760 \longrightarrow 00:26:46.132$  kind of my question.

NOTE Confidence: 0.884782856160944

 $00{:}26{:}46.132 \dashrightarrow 00{:}26{:}48.750$  Me if you see dagger Q waves,

NOTE Confidence: 0.884782856160944

 $00:26:48.750 \longrightarrow 00:26:50.016$  it's hypertrophic cardiomyopathy.

NOTE Confidence: 0.884782856160944

 $00:26:50.016 \longrightarrow 00:26:52.548$  Is that just like a Association

 $00:26:52.548 \longrightarrow 00:26:54.790$  that is like a knee jerk reaction?

NOTE Confidence: 0.884782856160944

 $00{:}26{:}54.790 \dashrightarrow 00{:}26{:}57.066$  Or is that something that holds

NOTE Confidence: 0.884782856160944

 $00:26:57.066 \longrightarrow 00:26:59.346$  weight send that person to me?

NOTE Confidence: 0.884782856160944

00:26:59.346 --> 00:27:01.928 I don't know. I've never heard of

NOTE Confidence: 0.89231377840042100:27:01.930 --> 00:27:02.664 that before.

NOTE Confidence: 0.892313778400421

 $00:27:02.664 \longrightarrow 00:27:04.499$  The dagger, the word Daggeron,

NOTE Confidence: 0.892313778400421

00:27:04.500 --> 00:27:05.232 hypertrophic cardiomyopathy,

NOTE Confidence: 0.892313778400421

 $00:27:05.232 \longrightarrow 00:27:06.696$  go together on echo.

NOTE Confidence: 0.892313778400421

00:27:06.700 --> 00:27:09.948 OK, so you see, these dagger shaped.

NOTE Confidence: 0.892313778400421

00:27:09.950 --> 00:27:11.625 Continuous wave Doppler tracings going

NOTE Confidence: 0.892313778400421

 $00:27:11.625 \longrightarrow 00:27:13.300$  through the left ventricular outflow

NOTE Confidence: 0.892313778400421

00:27:13.345 --> 00:27:15.109 tract because as sisterly progress is

NOTE Confidence: 0.892313778400421

 $00:27:15.109 \longrightarrow 00:27:16.650$  the obstruction becomes more severe,

NOTE Confidence: 0.892313778400421

 $00:27:16.650 \longrightarrow 00:27:19.202$  so the so instead of being a nice

NOTE Confidence: 0.892313778400421

 $00:27:19.202 \longrightarrow 00:27:21.136$  curves review, shape parabola like you

NOTE Confidence: 0.892313778400421

 $00:27:21.136 \longrightarrow 00:27:23.669$  get with them are where it goes up,

 $00:27:23.670 \longrightarrow 00:27:25.260$  and then it goes down.

NOTE Confidence: 0.892313778400421

 $00:27:25.260 \longrightarrow 00:27:27.804$  This one gets worse and worse and worse.

NOTE Confidence: 0.892313778400421

 $00:27:27.810 \longrightarrow 00:27:30.058$  So it kind of cuts out like a

NOTE Confidence: 0.892313778400421

00:27:30.058 --> 00:27:32.278 dagger on one side it's inverse,

NOTE Confidence: 0.892313778400421

 $00:27:32.280 \longrightarrow 00:27:34.188$  and then it goes straight down.

NOTE Confidence: 0.892313778400421

 $00:27:34.190 \longrightarrow 00:27:35.785$  So that's the dagger that

NOTE Confidence: 0.892313778400421

00:27:35.785 --> 00:27:37.380 I know about in HCM,

NOTE Confidence: 0.892313778400421

 $00:27:37.380 \longrightarrow 00:27:38.340$  but you know,

NOTE Confidence: 0.892313778400421

 $00:27:38.340 \longrightarrow 00:27:39.620$  I'm open to new

NOTE Confidence: 0.774741768836975

 $00:27:39.620 \longrightarrow 00:27:42.860$  information. I might be getting that

NOTE Confidence: 0.774741768836975

 $00:27:42.860 \longrightarrow 00:27:47.420$  wrong and mix the old echo with the kids.

NOTE Confidence: 0.774741768836975

 $00:27:47.420 \longrightarrow 00:27:50.030$  Yeah, yeah. So here we are.

NOTE Confidence: 0.774741768836975

 $00{:}27{:}50.030 \dashrightarrow 00{:}27{:}52.541$  We got this case and you know it sounds

NOTE Confidence: 0.774741768836975

 $00:27:52.541 \longrightarrow 00:27:55.420$  a lot like hypertrophic cardiomyopathy.

NOTE Confidence: 0.774741768836975

00:27:55.420 --> 00:27:57.350 I'm not a steam diagnostician,

 $00:27:57.350 \longrightarrow 00:27:59.270$  but does sound like that,

NOTE Confidence: 0.774741768836975

 $00:27:59.270 \longrightarrow 00:28:02.662$  and that is the title of the episode, but.

NOTE Confidence: 0.774741768836975

 $00:28:02.662 \longrightarrow 00:28:04.534$  So doctor Kobe suspend your disbelief

NOTE Confidence: 0.774741768836975

 $00:28:04.540 \longrightarrow 00:28:06.572$  so you know they come to you.

NOTE Confidence: 0.774741768836975

00:28:06.572 --> 00:28:08.300 They probably already have an echo

NOTE Confidence: 0.774741768836975

 $00:28:08.361 \longrightarrow 00:28:10.157$  before they get referred to you,

NOTE Confidence: 0.774741768836975

00:28:10.157 --> 00:28:11.640 but I'm sure you're going

NOTE Confidence: 0.774741768836975

 $00:28:11.640 \longrightarrow 00:28:13.115$  to be looking at this.

NOTE Confidence: 0.774741768836975

 $00:28:13.120 \longrightarrow 00:28:14.608$  Echo yourself and like.

NOTE Confidence: 0.774741768836975

00:28:14.608 --> 00:28:16.096 What specifically like you're

NOTE Confidence: 0.774741768836975

 $00{:}28{:}16.096 \dashrightarrow 00{:}28{:}17.798$  sitting down at the computer?

NOTE Confidence: 0.774741768836975

 $00:28:17.800 \longrightarrow 00:28:19.360$  What are you looking for

NOTE Confidence: 0.774741768836975

 $00:28:19.360 \longrightarrow 00:28:20.920$  and what is important to

NOTE Confidence: 0.911399722099304

 $00:28:20.920 \longrightarrow 00:28:22.480$  you is the key thing,

NOTE Confidence: 0.911399722099304

 $00:28:22.480 \longrightarrow 00:28:23.724$  because the diagnosis of

NOTE Confidence: 0.911399722099304

 $00:28:23.724 \longrightarrow 00:28:24.346$  hypertrophic cardiomyopathy,

 $00:28:24.350 \longrightarrow 00:28:25.910$  it's an image in diagnosis.

NOTE Confidence: 0.911399722099304

 $00:28:25.910 \longrightarrow 00:28:28.406$  So whether you look at echo or MRI,

NOTE Confidence: 0.911399722099304

 $00:28:28.410 \longrightarrow 00:28:30.615$  you need a picture of the heart to make

NOTE Confidence: 0.911399722099304

00:28:30.615 --> 00:28:32.458 diagnosis of Hypertrophic Cardiomyopathy.

NOTE Confidence: 0.911399722099304

00:28:32.460 --> 00:28:34.644 If you really want to be sure,

NOTE Confidence: 0.911399722099304

 $00:28:34.650 \longrightarrow 00:28:36.380$  because the diagnostic criteria are

NOTE Confidence: 0.911399722099304

00:28:36.380 --> 00:28:38.430 dependent upon finding greater than 15

NOTE Confidence: 0.911399722099304

 $00{:}28{:}38.430 \dashrightarrow 00{:}28{:}40.038$  millimeter wall thickness in at least

NOTE Confidence: 0.911399722099304

00:28:40.038 --> 00:28:41.820 one segment in the left ventricle,

NOTE Confidence: 0.911399722099304

 $00{:}28{:}41.820 \dashrightarrow 00{:}28{:}43.686$  in the absence of abnormal after loader,

NOTE Confidence: 0.911399722099304

 $00:28:43.690 \longrightarrow 00:28:45.194$  other stimulus for hypertrophy.

NOTE Confidence: 0.911399722099304

 $00:28:45.194 \longrightarrow 00:28:47.450$  So finding 50 millimeter wall segment

NOTE Confidence: 0.911399722099304

 $00{:}28{:}47.514 \dashrightarrow 00{:}28{:}49.383$  and some will severe IIS not good

NOTE Confidence: 0.911399722099304

 $00{:}28{:}49.383 \dashrightarrow 00{:}28{:}51.009$  enough can give the diagnosis.

NOTE Confidence: 0.911399722099304

 $00{:}28{:}51.010 \dashrightarrow 00{:}28{:}53.390$  Persons blood pressure is 180 over 110

 $00:28:53.390 \longrightarrow 00:28:55.677$  every time they come to the office.

NOTE Confidence: 0.911399722099304

00:28:55.680 --> 00:28:58.004 Not good enough, can't give the diagnosis,

NOTE Confidence: 0.911399722099304

 $00:28:58.010 \longrightarrow 00:29:00.334$  but person comes in even mild hypertension.

NOTE Confidence: 0.911399722099304

 $00:29:00.340 \longrightarrow 00:29:01.504$  Even mild aortic stenosis.

NOTE Confidence: 0.911399722099304

 $00:29:01.504 \longrightarrow 00:29:03.250$  No real good reason to have

NOTE Confidence: 0.911399722099304

 $00:29:03.306 \longrightarrow 00:29:04.330$  severe hypertrophy.

NOTE Confidence: 0.911399722099304

 $00:29:04.330 \longrightarrow 00:29:06.148$  You find 50 millimeters of wall

NOTE Confidence: 0.911399722099304

 $00{:}29{:}06.148 \dashrightarrow 00{:}29{:}08.000$  thickness in the left ventricle.

NOTE Confidence: 0.911399722099304

00:29:08.000 --> 00:29:11.108 You have pretty good case for diagnosis.

NOTE Confidence: 0.911399722099304

00:29:11.110 --> 00:29:13.686 So that's the first thing I'm looking for.

NOTE Confidence: 0.911399722099304

 $00{:}29{:}13.690 \dashrightarrow 00{:}29{:}16.014$  The other thing that I'm looking for

NOTE Confidence: 0.911399722099304

 $00:29:16.014 \longrightarrow 00:29:18.456$  is anything in terms of making the

NOTE Confidence: 0.911399722099304

 $00:29:18.456 \longrightarrow 00:29:20.526$  diagnosis that's going to be what

NOTE Confidence: 0.911399722099304

 $00{:}29{:}20.591 \dashrightarrow 00{:}29{:}22.735$  I would call a fino copy of this,

NOTE Confidence: 0.911399722099304

 $00:29:22.740 \longrightarrow 00:29:24.522$  so there's lots of things that

NOTE Confidence: 0.911399722099304

 $00:29:24.522 \longrightarrow 00:29:26.105$  can cause hypertrophy that aren't

00:29:26.105 --> 00:29:27.820 dependent on after load abnormality

NOTE Confidence: 0.911399722099304

 $00:29:27.820 \longrightarrow 00:29:29.192$  that can also employed.

NOTE Confidence: 0.911399722099304

00:29:29.200 --> 00:29:29.850 For instance,

NOTE Confidence: 0.911399722099304

 $00:29:29.850 \longrightarrow 00:29:31.150$  can cause severe hypertrophy

NOTE Confidence: 0.911399722099304

 $00:29:31.150 \longrightarrow 00:29:32.750$  with no elevated after load,

NOTE Confidence: 0.911399722099304

 $00:29:32.750 \longrightarrow 00:29:35.030$  and they get wall thickness.

NOTE Confidence: 0.911399722099304

 $00:29:35.030 \longrightarrow 00:29:36.906$  You know greater than 15 and then

NOTE Confidence: 0.911399722099304

 $00{:}29{:}36.906 \dashrightarrow 00{:}29{:}39.363$  there are some other sort of fino

NOTE Confidence: 0.911399722099304

00:29:39.363 --> 00:29:40.955 copies of Hypertrophic Cardiomyopathy.

NOTE Confidence: 0.911399722099304

 $00:29:40.960 \longrightarrow 00:29:43.040$  Some people call them subtypes.

NOTE Confidence: 0.911399722099304

00:29:43.040 --> 00:29:43.936 Mitochondrial disease,

NOTE Confidence: 0.911399722099304

 $00:29:43.936 \longrightarrow 00:29:44.832$  syndromic diseases,

NOTE Confidence: 0.911399722099304

 $00{:}29{:}44.832 \dashrightarrow 00{:}29{:}46.624$ infiltrative diseases like glycogen

NOTE Confidence: 0.911399722099304

00:29:46.624 --> 00:29:48.686 storage diseases that can cause

NOTE Confidence: 0.911399722099304

00:29:48.686 --> 00:29:49.430 hypertrophic cardiomyopathy

00:29:49.430 --> 00:29:50.918 like Physiology and imaging,

NOTE Confidence: 0.911399722099304

 $00:29:50.920 \longrightarrow 00:29:53.410$  but without being sort of the

NOTE Confidence: 0.911399722099304

 $00:29:53.410 \longrightarrow 00:29:54.655$  classic hypertrophic cardiomyopathy.

NOTE Confidence: 0.911399722099304

 $00:29:54.660 \longrightarrow 00:29:57.558$  So I'm looking for all that stuff.

NOTE Confidence: 0.911399722099304

 $00:29:57.560 \longrightarrow 00:30:00.272$  One of the big clues is if you

NOTE Confidence: 0.911399722099304

 $00:30:00.272 \longrightarrow 00:30:02.088$  see increased wall thickness

NOTE Confidence: 0.911399722099304

 $00:30:02.088 \longrightarrow 00:30:04.196$  but decreased wall motion,

NOTE Confidence: 0.911399722099304

 $00:30:04.200 \longrightarrow 00:30:06.064$  it's probably not straightforward

NOTE Confidence: 0.911399722099304

 $00{:}30{:}06.064 \dashrightarrow 00{:}30{:}07.928$  hypertrophic cardiomy opathy and I've

NOTE Confidence: 0.911399722099304

 $00:30:07.928 \longrightarrow 00:30:10.387$  seen that mistake made before someone

NOTE Confidence: 0.911399722099304

 $00{:}30{:}10.387 \dashrightarrow 00{:}30{:}12.589$  coming in with a cute Sarcoid Oasys.

NOTE Confidence: 0.911399722099304

 $00:30:12.590 \longrightarrow 00:30:14.138$  Leading to inflammation.

NOTE Confidence: 0.911399722099304

00:30:14.138 --> 00:30:15.170 Severe hypertrophy,

NOTE Confidence: 0.911399722099304

 $00:30:15.170 \longrightarrow 00:30:17.740$  but with focal wall motion

NOTE Confidence: 0.911399722099304

 $00:30:17.740 \longrightarrow 00:30:19.796$  abnormality in that area.

NOTE Confidence: 0.911399722099304

 $00:30:19.800 \dashrightarrow 00:30:21.965$  Given the diagnosis of Hypertrophic

00:30:21.965 --> 00:30:23.697 cardiomyopathy treated for as

NOTE Confidence: 0.911399722099304

 $00{:}30{:}23.697 \dashrightarrow 00{:}30{:}25.980$  if hypertrophic cardiomy opathy,

NOTE Confidence: 0.911399722099304

 $00:30:25.980 \longrightarrow 00:30:28.560$  treated as if burnt out.

NOTE Confidence: 0.911399722099304

00:30:28.560 --> 00:30:29.964 Hypertrophic cardiomyopathy later

NOTE Confidence: 0.911399722099304

 $00:30:29.964 \longrightarrow 00:30:31.836$  with poorly functioning ventricle

NOTE Confidence: 0.911399722099304

 $00:30:31.836 \longrightarrow 00:30:34.220$  sent for heart transplantation.

NOTE Confidence: 0.911399722099304

00:30:34.220 --> 00:30:35.765 Diagnosis post transplant

NOTE Confidence: 0.911399722099304

 $00:30:35.765 \longrightarrow 00:30:38.330$  circling so that happens.

NOTE Confidence: 0.911399722099304

00:30:38.330 --> 00:30:39.442 But that's to say,

NOTE Confidence: 0.911399722099304

 $00:30:39.442 \longrightarrow 00:30:41.110$  like you can't just put your

NOTE Confidence: 0.911399722099304

00:30:41.173 --> 00:30:42.948 Blinders on and see thickness,

NOTE Confidence: 0.911399722099304

 $00:30:42.950 \dashrightarrow 00:30:44.798$  and I get patients with fabreeze.

NOTE Confidence: 0.911399722099304

 $00{:}30{:}44.800 \dashrightarrow 00{:}30{:}47.230$  Disease is one in about 1 in 500 patients

NOTE Confidence: 0.911399722099304

 $00:30:47.230 \longrightarrow 00:30:48.799$  referred by bridge overcrowding.

NOTE Confidence: 0.911399722099304

 $00:30:48.800 \longrightarrow 00:30:50.032$  Map of fabreeze disease

00:30:50.032 --> 00:30:51.264 amyloid much more common.

NOTE Confidence: 0.911399722099304

 $00:30:51.270 \longrightarrow 00:30:53.062$  You see it all the time people

NOTE Confidence: 0.911399722099304

00:30:53.062 --> 00:30:54.631 referred for HTM actually totally

NOTE Confidence: 0.911399722099304

00:30:54.631 --> 00:30:56.794 different treatment by the way, right?

NOTE Confidence: 0.911399722099304

 $00:30:56.794 \longrightarrow 00:30:57.676$  We know that.

NOTE Confidence: 0.911399722099304

00:30:57.676 --> 00:31:00.200 And then you're looking at the HL findings.

NOTE Confidence: 0.911399722099304

00:31:00.200 --> 00:31:01.740 They'll vote gradient mitral valve,

NOTE Confidence: 0.911399722099304

 $00:31:01.740 \longrightarrow 00:31:02.661$  the right ventricle.

NOTE Confidence: 0.911399722099304

 $00:31:02.661 \longrightarrow 00:31:03.889$  Whether there's an infusion,

NOTE Confidence: 0.911399722099304

 $00:31:03.890 \longrightarrow 00:31:05.430$  all the usual echo stuff.

NOTE Confidence: 0.781199991703033

00:31:06.220 --> 00:31:09.426 That's why you keep your differential broad.

NOTE Confidence: 0.781199991703033

00:31:09.430 --> 00:31:12.092 Yeah, could be sarcoid on pathology.

NOTE Confidence: 0.781199991703033

 $00:31:12.092 \longrightarrow 00:31:15.490$  No one wants to look like you to do it.

NOTE Confidence: 0.781199991703033

00:31:15.490 --> 00:31:18.130 Yeah wow, that is crazy. Yeah yeah, if

NOTE Confidence: 0.87654754290214

 $00:31:18.130 \longrightarrow 00:31:20.890$  you like so. I live on the Safari

NOTE Confidence: 0.87654754290214

 $00:31:20.890 \longrightarrow 00:31:23.110$  in Africa like that's where,

 $00:31:23.110 \longrightarrow 00:31:24.860$  so it's easy for Maine.

NOTE Confidence: 0.87654754290214

 $00:31:24.860 \longrightarrow 00:31:26.948$  I cursed myself out this space

NOTE Confidence: 0.87654754290214

 $00:31:26.948 \longrightarrow 00:31:29.099$  of practice where I I'm looking

NOTE Confidence: 0.87654754290214

 $00:31:29.099 \longrightarrow 00:31:31.139$  for the zebra all the time.

NOTE Confidence: 0.87654754290214

00:31:31.140 --> 00:31:32.880 'cause That's my comfort zone.

NOTE Confidence: 0.87654754290214

00:31:32.880 --> 00:31:35.664 That's why I got made fun of in

NOTE Confidence: 0.901830964618259

 $00:31:35.670 \longrightarrow 00:31:36.934$  residency that one time.

NOTE Confidence: 0.901830964618259

 $00{:}31{:}36.934 \dashrightarrow 00{:}31{:}39.040$ I feel like you know, like doctors

NOTE Confidence: 0.901830964618259

 $00:31:39.040 \longrightarrow 00:31:41.120$  have this muscle in their skill is like

NOTE Confidence: 0.901830964618259

 $00:31:41.170 \dashrightarrow 00:31:42.870$  when something doesn't make sense.

NOTE Confidence: 0.901830964618259

 $00:31:42.870 \longrightarrow 00:31:45.134$  You need to have that alarm that go

NOTE Confidence: 0.901830964618259

 $00:31:45.134 \longrightarrow 00:31:47.611$  off and be like I gotta stop and I

NOTE Confidence: 0.901830964618259

 $00{:}31{:}47.611 \dashrightarrow 00{:}31{:}50.117$  gotta look at this a little bit harder.

NOTE Confidence: 0.901830964618259

 $00{:}31{:}50.120 \dashrightarrow 00{:}31{:}51.570$  Yeah, what's the environment that

NOTE Confidence: 0.911922693252563

 $00:31:51.570 \longrightarrow 00:31:53.600$  allows you to do that? We don't

 $00:31:53.600 \longrightarrow 00:31:55.630$  really have an environment like that. You

NOTE Confidence: 0.911922693252563

 $00:31:55.630 \longrightarrow 00:31:57.660$  have to carve yourself out that environment.

NOTE Confidence: 0.911922693252563

00:31:57.660 --> 00:31:59.940 I mean, that's one of the things that

NOTE Confidence: 0.911922693252563

 $00:31:59.940 \longrightarrow 00:32:02.006$  you need to do as an individual.

NOTE Confidence: 0.911922693252563

 $00:32:02.010 \longrightarrow 00:32:03.460$  I think that's the key.

NOTE Confidence: 0.911922693252563

00:32:03.460 --> 00:32:05.518 If all the drivers in your practice

NOTE Confidence: 0.911922693252563

 $00:32:05.518 \longrightarrow 00:32:07.186$  environment are telling you, don't stop.

NOTE Confidence: 0.911922693252563

00:32:07.186 --> 00:32:08.526 Don't listen to that voice,

NOTE Confidence: 0.911922693252563

00:32:08.530 --> 00:32:10.078 then you're eventually going to Cave.

NOTE Confidence: 0.911922693252563

00:32:10.080 --> 00:32:11.886 Most people are going to Cave 'cause

NOTE Confidence: 0.911922693252563

 $00:32:11.886 \longrightarrow 00:32:13.900$  it's really hard, but if the drivers

NOTE Confidence: 0.911922693252563

 $00:32:13.900 \longrightarrow 00:32:15.760$  in your environment are telling you.

NOTE Confidence: 0.911922693252563

00:32:15.760 --> 00:32:16.888 Bonus, you found it,

NOTE Confidence: 0.911922693252563

 $00{:}32{:}16.888 \dashrightarrow 00{:}32{:}18.810$  you didn't let that patient go by,

NOTE Confidence: 0.911922693252563

 $00:32:18.810 \longrightarrow 00:32:20.190$  you did the right thing.

NOTE Confidence: 0.911922693252563

 $00:32:20.190 \longrightarrow 00:32:21.580$  Then you will do that.

 $00:32:21.580 \longrightarrow 00:32:23.519$  I think that yeah we do that.

NOTE Confidence: 0.911922693252563

 $00:32:23.520 \longrightarrow 00:32:24.905$  I think we create environment

NOTE Confidence: 0.911922693252563

 $00:32:24.905 \longrightarrow 00:32:26.560$  where we do tell people hey,

NOTE Confidence: 0.911922693252563 00:32:26.560 --> 00:32:27.114 great job. NOTE Confidence: 0.911922693252563

 $00{:}32{:}27.114 \dashrightarrow 00{:}32{:}28.776$  You didn't make the wrong diagnosis,

NOTE Confidence: 0.911922693252563

00:32:28.780 --> 00:32:30.436 both in training and in practice,

NOTE Confidence: 0.911922693252563

00:32:30.440 --> 00:32:32.204 but you gotta watch out in modern

NOTE Confidence: 0.911922693252563

 $00{:}32{:}32.204 \longrightarrow 00{:}32{:}33.875$  Medison you can plug yourself into

NOTE Confidence: 0.911922693252563

00:32:33.875 --> 00:32:35.603 an environment where you might end

NOTE Confidence: 0.911922693252563

 $00:32:35.603 \longrightarrow 00:32:37.635$  up feeling like that's a tough thing

NOTE Confidence: 0.908439834912618 00:32:37.640 --> 00:32:39.320 to do. So NOTE Confidence: 0.893550753593445

 $00:32:39.320 \longrightarrow 00:32:41.944$  we're going to actually take a pause here.

NOTE Confidence: 0.893550753593445

 $00{:}32{:}41.950 \dashrightarrow 00{:}32{:}44.246$  Will break this episode into two parts,

NOTE Confidence: 0.893550753593445

 $00:32:44.250 \longrightarrow 00:32:45.900$  and so will stop here.

NOTE Confidence: 0.893550753593445

 $00:32:45.900 \longrightarrow 00:32:47.846$  In next time we'll be back with

 $00{:}32{:}47.846 \dashrightarrow 00{:}32{:}49.955$  Doctor Jacobi to focus on management

NOTE Confidence: 0.893550753593445

 $00{:}32{:}49.955 \dashrightarrow 00{:}32{:}51.910$  accounts like these patients. Thanks

NOTE Confidence: 0.819315612316132

 $00{:}32{:}51.910 \dashrightarrow 00{:}32{:}53.860$  for listening to the moon liners.

NOTE Confidence: 0.819315612316132

00:32:53.860 --> 00:32:55.490 We'll see you next time.