WEBVTT

 $00:00:00.000 \longrightarrow 00:00:02.380$ Support for Yale Cancer Answers

NOTE Confidence: 0.8552833

 $00{:}00{:}02.380 \dashrightarrow 00{:}00{:}04.760$ comes from AstraZeneca providing

NOTE Confidence: 0.8552833

 $00:00:04.842 \longrightarrow 00:00:07.552$ important treatment options for women

NOTE Confidence: 0.8552833

 $00:00:07.552 \longrightarrow 00:00:10.262$ living with advanced ovarian cancer.

NOTE Confidence: 0.8552833

 $00{:}00{:}10.270 \dashrightarrow 00{:}00{:}12.310$ Learn more at a strazeneca-us.com.

NOTE Confidence: 0.84806246

 $00:00:14.360 \longrightarrow 00:00:15.808$ Welcome to Yale Cancer

NOTE Confidence: 0.84806246

 $00:00:15.808 \longrightarrow 00:00:17.256$ Answers with your host

NOTE Confidence: 0.84806246

 $00{:}00{:}17.260 \dashrightarrow 00{:}00{:}19.070$ Doctor Anees Chagpar.

NOTE Confidence: 0.84806246

 $00:00:19.070 \longrightarrow 00:00:21.000$ Yale Cancer Answers features the

NOTE Confidence: 0.84806246

 $00:00:21.000 \longrightarrow 00:00:23.373$ latest information on cancer care by

NOTE Confidence: 0.84806246

 $00{:}00{:}23.373 \dashrightarrow 00{:}00{:}24.893$ welcoming on cologists and specialists

NOTE Confidence: 0.84806246

 $00:00:24.893 \longrightarrow 00:00:27.442$ who are on the forefront of the

NOTE Confidence: 0.84806246

 $00:00:27.442 \longrightarrow 00:00:29.194$ battle to fight cancer. This week

NOTE Confidence: 0.84806246

 $00{:}00{:}29.200 \dashrightarrow 00{:}00{:}31.010$ it's a conversation about ovarian

NOTE Confidence: 0.84806246

 $00:00:31.010 \longrightarrow 00:00:32.820$ cancer with doctor Elena Ratner.

 $00:00:32.820 \longrightarrow 00:00:34.806$ Doctor Ratner is an associate professor

NOTE Confidence: 0.84806246

 $00:00:34.806 \longrightarrow 00:00:36.800$ in the Department of obstetrics,

NOTE Confidence: 0.84806246

00:00:36.800 --> 00:00:37.184 gynecology,

NOTE Confidence: 0.84806246

 $00:00:37.184 \longrightarrow 00:00:38.720$ and Reproductive Sciences at

NOTE Confidence: 0.84806246

 $00:00:38.720 \longrightarrow 00:00:40.640$ the Yale School of Medicine

NOTE Confidence: 0.84806246

 $00:00:40.703 \longrightarrow 00:00:42.701$ where doctor Chagpar is a

NOTE Confidence: 0.84806246

00:00:42.701 --> 00:00:44.033 professor of surgical oncology.

NOTE Confidence: 0.88827705

00:00:45.220 --> 00:00:47.300 Maybe you could start off by telling

NOTE Confidence: 0.88827705

 $00:00:47.300 \longrightarrow 00:00:50.066$ us a little bit more about ovarian cancer.

NOTE Confidence: 0.88827705

00:00:50.070 --> 00:00:52.815 I know that a lot of people have heard

NOTE Confidence: 0.88827705

00:00:52.815 --> 00:00:55.213 about it, but they may not know as much

NOTE Confidence: 0.88827705

 $00:00:55.213 \longrightarrow 00:00:57.949$ about it as they know about other cancers.

NOTE Confidence: 0.88827705

 $00:00:57.950 \longrightarrow 00:00:59.460$ So what exactly is it?

NOTE Confidence: 0.88827705

 $00:00:59.460 \longrightarrow 00:01:01.278$ How common is it, and who

NOTE Confidence: 0.88827705

 $00:01:01.280 \longrightarrow 00:01:03.098$ gets it?

NOTE Confidence: 0.88827705

 $00:01:03.100 \longrightarrow 00:01:04.756$ Perfect questions to start with

 $00{:}01{:}04.756 \dashrightarrow 00{:}01{:}07.157$ and it is so wonderful to be able

NOTE Confidence: 0.88827705

 $00{:}01{:}07.157 \dashrightarrow 00{:}01{:}09.373$ to discuss this with you today and

NOTE Confidence: 0.88827705

 $00:01:09.373 \longrightarrow 00:01:11.564$ with our listeners as it is ovarian

NOTE Confidence: 0.88827705

 $00:01:11.564 \longrightarrow 00:01:13.594$ cancer month and we're trying to

NOTE Confidence: 0.88827705

 $00:01:13.594 \longrightarrow 00:01:15.349$ raise awareness for this cancer.

NOTE Confidence: 0.88827705

 $00:01:15.350 \longrightarrow 00:01:17.590$ Ovarian cancer overall

NOTE Confidence: 0.88827705

 $00:01:17.590 \longrightarrow 00:01:19.820$ is not very common,

NOTE Confidence: 0.88827705

 $00:01:19.820 \longrightarrow 00:01:22.050$ only 1.4% of lifetime risk

NOTE Confidence: 0.88827705

 $00:01:22.050 \longrightarrow 00:01:23.834$ of getting the cancer,

NOTE Confidence: 0.88827705

 $00{:}01{:}23.840 \dashrightarrow 00{:}01{:}26.522$ and this cancer is more prevalent

NOTE Confidence: 0.88827705

 $00{:}01{:}26.522 \dashrightarrow 00{:}01{:}27.863$ in certain groups.

NOTE Confidence: 0.88827705

 $00:01:27.870 \longrightarrow 00:01:30.155$ Genetic predisposition plays a very

NOTE Confidence: 0.88827705

 $00{:}01{:}30.155 \dashrightarrow 00{:}01{:}32.892$ important role as to some other

NOTE Confidence: 0.88827705

 $00{:}01{:}32.892 \dashrightarrow 00{:}01{:}35.884$ factors that I'm sure you and I will

NOTE Confidence: 0.88827705

 $00:01:35.884 \longrightarrow 00:01:39.036$ discuss today during our conversation.

00:01:39.040 --> 00:01:41.465 But the important thing about

NOTE Confidence: 0.88827705

 $00:01:41.465 \longrightarrow 00:01:43.890$ ovarian cancer is that unfortunately

NOTE Confidence: 0.88827705

 $00:01:43.963 \longrightarrow 00:01:45.798$ it still continues to be

NOTE Confidence: 0.88827705

 $00:01:45.800 \longrightarrow 00:01:47.129$ a very deadly cancer.

NOTE Confidence: 0.88827705

00:01:47.129 --> 00:01:49.787 24,000 women get this cancer yearly

NOTE Confidence: 0.88827705

 $00:01:49.787 \longrightarrow 00:01:52.925$ in the United States and as high as

NOTE Confidence: 0.88827705

 $00:01:52.925 \longrightarrow 00:01:55.318$ 16,000 women die from this cancer

NOTE Confidence: 0.88827705

 $00:01:55.318 \longrightarrow 00:01:58.097$ and the reason for that is because,

NOTE Confidence: 0.88827705

00:01:58.100 --> 00:01:58.484 unfortunately,

NOTE Confidence: 0.88827705

 $00:01:58.484 \longrightarrow 00:02:01.172$ this is a cancer that is very

NOTE Confidence: 0.88827705

 $00:02:01.172 \longrightarrow 00:02:03.019$ difficult to diagnose early.

NOTE Confidence: 0.88827705

 $00:02:03.020 \longrightarrow 00:02:06.710$ We used to say that this is the cancer

NOTE Confidence: 0.88827705

 $00:02:06.710 \longrightarrow 00:02:07.662$ that whispers,

NOTE Confidence: 0.88827705

00:02:07.662 --> 00:02:10.042 and during our conversation today

NOTE Confidence: 0.88827705

 $00:02:10.042 \longrightarrow 00:02:13.189$ I would like to prove to you that

NOTE Confidence: 0.88827705

 $00{:}02{:}13.189 \dashrightarrow 00{:}02{:}15.364$ is not the case, but nevertheless,

 $00:02:15.364 \longrightarrow 00:02:16.660$ these cancers, unfortunately

NOTE Confidence: 0.88827705

 $00{:}02{:}16.660 \to 00{:}02{:}20.128$ are frequently diagnosed at a later stage.

NOTE Confidence: 0.88827705

 $00:02:20.130 \longrightarrow 00:02:22.216$ And even though most of them respond

NOTE Confidence: 0.88827705

00:02:22.216 --> 00:02:24.400 very nicely to chemotherapy upfront,

NOTE Confidence: 0.88827705

 $00:02:24.400 \longrightarrow 00:02:26.180$ this is a very, very smart

NOTE Confidence: 0.88827705

 $00:02:26.180 \longrightarrow 00:02:27.716$ cancer and unfortunately they

NOTE Confidence: 0.88827705

 $00:02:27.716 \longrightarrow 00:02:30.020$ learn how to resist the treatment

NOTE Confidence: 0.88827705

 $00:02:30.088 \longrightarrow 00:02:31.168$ that we give them.

NOTE Confidence: 0.88827705

00:02:31.170 --> 00:02:33.300 And again, during our conversation today,

NOTE Confidence: 0.88827705

 $00{:}02{:}33.300 \dashrightarrow 00{:}02{:}35.281$ I would like to discuss with you

NOTE Confidence: 0.88827705

 $00:02:35.281 \longrightarrow 00:02:37.953$ as to how the treatment for this

NOTE Confidence: 0.88827705

 $00:02:37.953 \longrightarrow 00:02:39.705$ cancer is really improving,

NOTE Confidence: 0.88827705

 $00{:}02{:}39.710 \dashrightarrow 00{:}02{:}41.798$ and there's so many new treatments

NOTE Confidence: 0.88827705

 $00:02:41.798 \longrightarrow 00:02:43.985$ and new ways of management that

NOTE Confidence: 0.88827705

 $00:02:43.985 \longrightarrow 00:02:46.519$ we are using now that we didn't

00:02:46.519 --> 00:02:48.967 have six months ago, two years ago.

NOTE Confidence: 0.88827705

 $00:02:48.970 \longrightarrow 00:02:49.760$ So the

NOTE Confidence: 0.88827705

00:02:49.760 --> 00:02:52.525 outlook for this cancer looks very bright,

NOTE Confidence: 0.88827705

 $00:02:52.530 \longrightarrow 00:02:54.426$ but this is a very important

NOTE Confidence: 0.88827705

 $00:02:54.426 \longrightarrow 00:02:56.700$ cancer to be aware of because we,

NOTE Confidence: 0.88827705

 $00{:}02{:}56.700 \dashrightarrow 00{:}02{:}58.710$ as women are our best advocates

NOTE Confidence: 0.88827705

 $00{:}02{:}58.710 \dashrightarrow 00{:}03{:}01.000$ and we are fighters for our own

NOTE Confidence: 0.88827705

 $00:03:01.000 \longrightarrow 00:03:02.475$ lives and our own bodies.

NOTE Confidence: 0.88827705

 $00{:}03{:}02.480 \dashrightarrow 00{:}03{:}05.048$ And that's why it's very important to know

NOTE Confidence: 0.88827705

 $00:03:05.050 \longrightarrow 00:03:06.982$ about this cancer and to know

NOTE Confidence: 0.88827705

 $00{:}03{:}06.982 \dashrightarrow 00{:}03{:}08.580$ what symptoms to look out for.

NOTE Confidence: 0.87350696

 $00:03:09.280 \longrightarrow 00:03:11.935$ A lot to cover

NOTE Confidence: 0.87350696

 $00:03:11.935 \longrightarrow 00:03:14.519$ in this show and I'm really

NOTE Confidence: 0.87350696

 $00:03:14.519 \longrightarrow 00:03:16.714$ excited to talk about this.

NOTE Confidence: 0.87350696

 $00{:}03{:}16.720 \dashrightarrow 00{:}03{:}18.946$ So let's start with risk factors.

NOTE Confidence: 0.87350696

 $00:03:18.950 \longrightarrow 00:03:20.810$ Who gets ovarian cancer?

 $00:03:20.810 \longrightarrow 00:03:23.242$ Are all women equally at risk or are

NOTE Confidence: 0.87350696

 $00{:}03{:}23.242 \to 00{:}03{:}25.647$ there some things that really predispose

NOTE Confidence: 0.87350696

00:03:25.647 --> 00:03:28.245 some women to getting ovarian cancer?

NOTE Confidence: 0.87350696

00:03:28.250 --> 00:03:30.110 You mentioned for example, genetics.

NOTE Confidence: 0.8655727

 $00:03:31.600 \longrightarrow 00:03:33.705$ Yes, there's definitely factors that

NOTE Confidence: 0.8655727

 $00{:}03{:}33.705 \dashrightarrow 00{:}03{:}36.839$ increase your risk of getting ovarian cancer.

NOTE Confidence: 0.8655727

 $00:03:36.840 \longrightarrow 00:03:39.095$ We now understand that genetics

NOTE Confidence: 0.8655727

00:03:39.095 --> 00:03:41.830 play such an important role in

NOTE Confidence: 0.8655727

 $00:03:41.830 \longrightarrow 00:03:43.835$ the old cancers most likely,

NOTE Confidence: 0.8655727

 $00:03:43.840 \longrightarrow 00:03:46.456$ but definitely for ovarian cancer,

NOTE Confidence: 0.8655727

 $00:03:46.460 \longrightarrow 00:03:49.724$ and it's not just for women who have

NOTE Confidence: 0.8655727

 $00:03:49.724 \longrightarrow 00:03:52.138$ family history of ovarian cancers.

NOTE Confidence: 0.8655727

 $00:03:52.140 \longrightarrow 00:03:54.672$ We know that there's genetic mutations

NOTE Confidence: 0.8655727

 $00:03:54.672 \longrightarrow 00:03:57.268$ that increase your risk of ovarian

NOTE Confidence: 0.8655727

 $00:03:57.268 \longrightarrow 00:03:59.764$ cancer and breast cancer and pancreatic

 $00:03:59.764 \longrightarrow 00:04:02.708$ cancer and melanoma and prostate cancer in men.

NOTE Confidence: 0.8655727

 $00:04:02.710 \longrightarrow 00:04:05.798$ When we talk about genetic

NOTE Confidence: 0.8655727

 $00{:}04{:}05.798 \dashrightarrow 00{:}04{:}07.655$ predisposition and when I talk

NOTE Confidence: 0.8655727

 $00:04:07.655 \longrightarrow 00:04:09.677$ to women about their risks,

NOTE Confidence: 0.8655727

 $00:04:09.680 \longrightarrow 00:04:11.690 \text{ I don't just ask whether somebody}$

NOTE Confidence: 0.8655727

00:04:11.690 --> 00:04:14.089 in the family had ovarian cancer,

NOTE Confidence: 0.8655727

 $00{:}04{:}14.090 \dashrightarrow 00{:}04{:}16.292$ even though of course that itself

NOTE Confidence: 0.8655727

00:04:16.292 --> 00:04:17.760 would be a risk factor,

NOTE Confidence: 0.8655727

 $00:04:17.760 \longrightarrow 00:04:19.896$ but it's more what other cancers

NOTE Confidence: 0.8655727

 $00:04:19.896 \longrightarrow 00:04:22.874$ run in the family. Is there a

NOTE Confidence: 0.8655727

 $00{:}04{:}22.874 \longrightarrow 00{:}04{:}25.094$ family member who had breast cancer?

NOTE Confidence: 0.8655727

 $00:04:25.100 \longrightarrow 00:04:27.460$ Is there anybody who is a male who

NOTE Confidence: 0.8655727

 $00:04:27.460 \longrightarrow 00:04:29.742$ had breast cancer and those

NOTE Confidence: 0.8655727

 $00:04:29.742 \longrightarrow 00:04:32.178$ cancers are suspicious for BRCA

NOTE Confidence: 0.8655727

 $00:04:32.251 \longrightarrow 00:04:33.169$ gene mutation.

NOTE Confidence: 0.8655727

 $00{:}04{:}33.170 \dashrightarrow 00{:}04{:}35.634$ There's been quite a bit in the

 $00:04:35.634 \longrightarrow 00:04:37.720$ news about the BRCA gene mutation over

NOTE Confidence: 0.8655727

 $00:04:37.720 \longrightarrow 00:04:40.060$ the past five years or so,

NOTE Confidence: 0.8655727

 $00:04:40.060 \longrightarrow 00:04:41.230$ as you remember,

NOTE Confidence: 0.8655727

00:04:41.230 --> 00:04:42.010 Angelina Jolie,

NOTE Confidence: 0.8655727

 $00:04:42.010 \longrightarrow 00:04:44.086$ who has one of these mutations

NOTE Confidence: 0.8655727

 $00:04:44.086 \longrightarrow 00:04:46.446$ and a number of different

NOTE Confidence: 0.8655727

00:04:46.446 --> 00:04:48.246 New York Times Editorials,

NOTE Confidence: 0.8655727

00:04:48.250 --> 00:04:49.810 talking about her experience

NOTE Confidence: 0.8655727

 $00:04:49.810 \longrightarrow 00:04:50.980$ with the Mutation.

NOTE Confidence: 0.8655727

 $00{:}04{:}50.980 \dashrightarrow 00{:}04{:}53.710$ So it's called the Angelina Jolie effect.

NOTE Confidence: 0.8655727

00:04:53.710 --> 00:04:56.286 And now there's much more known about

NOTE Confidence: 0.8655727

 $00:04:56.286 \longrightarrow 00:04:58.886$ this mutation and about how women with

NOTE Confidence: 0.8655727

 $00{:}04{:}58.886 \dashrightarrow 00{:}05{:}01.538$ this mutation have a higher risk of

NOTE Confidence: 0.8655727

 $00:05:01.538 \longrightarrow 00:05:04.238$ developing ovarian cancer and breast cancer,

NOTE Confidence: 0.8655727

 $00:05:04.240 \longrightarrow 00:05:04.956$ for example.

 $00:05:04.956 \longrightarrow 00:05:06.746$ But there's a mutation is

NOTE Confidence: 0.8655727

 $00:05:06.746 \longrightarrow 00:05:09.040$ just one of those mutations.

NOTE Confidence: 0.8655727

 $00:05:09.040 \longrightarrow 00:05:11.025$ There's many other mutations that

NOTE Confidence: 0.8655727

 $00:05:11.025 \longrightarrow 00:05:13.570$ predispose you to getting these cancers.

NOTE Confidence: 0.8655727

 $00:05:13.570 \longrightarrow 00:05:16.286$ That's why nowadays it is so important

NOTE Confidence: 0.8655727

00:05:16.286 --> 00:05:19.435 to know your family history and to

NOTE Confidence: 0.8655727

 $00{:}05{:}19.435 \dashrightarrow 00{:}05{:}22.771$ know where you come from and to know

NOTE Confidence: 0.8655727

 $00:05:22.771 \longrightarrow 00:05:25.021$ what possible genetic mutations you

NOTE Confidence: 0.8655727

 $00{:}05{:}25.021 \dashrightarrow 00{:}05{:}27.578$ might have that might predispose you

NOTE Confidence: 0.8655727

 $00:05:27.578 \longrightarrow 00:05:30.050$ to having higher risk of different

NOTE Confidence: 0.875941

 $00:05:30.050 \longrightarrow 00:05:32.110$ cancers. In particular, ovarian cancer.

NOTE Confidence: 0.875941

 $00:05:32.110 \longrightarrow 00:05:34.170$ So that's important.

NOTE Confidence: 0.875941

00:05:34.170 --> 00:05:36.564 But you know, for women who may

NOTE Confidence: 0.875941

 $00:05:36.564 \longrightarrow 00:05:39.175$ not have a BRCA gene mutation

NOTE Confidence: 0.875941

 $00:05:39.175 \longrightarrow 00:05:41.511$ running in their family, or

NOTE Confidence: 0.875941

 $00:05:41.511 \longrightarrow 00:05:44.159$ who may not have a family history of

00:05:44.159 --> 00:05:47.043 any cancers or for those who really

NOTE Confidence: 0.875941

 $00:05:47.043 \longrightarrow 00:05:49.380$ don't know their family history,

NOTE Confidence: 0.875941

 $00:05:49.380 \longrightarrow 00:05:51.366$ maybe they were adopted

NOTE Confidence: 0.875941

00:05:51.366 --> 00:05:53.617 or have come from families where

NOTE Confidence: 0.875941

00:05:53.617 --> 00:05:56.173 they really haven't gotten any of

NOTE Confidence: 0.875941

00:05:56.173 --> 00:05:58.629 that knowledge passed on to them

NOTE Confidence: 0.875941

 $00:05:58.629 \longrightarrow 00:06:00.544$ before people passed away,

NOTE Confidence: 0.875941

 $00:06:00.550 \longrightarrow 00:06:02.710$ are there other risk factors that

NOTE Confidence: 0.875941

 $00:06:02.710 \longrightarrow 00:06:05.169$ also play into your ovarian cancer

NOTE Confidence: 0.883674632 00:06:05.170 --> 00:06:07.930 risk?

NOTE Confidence: 0.883674632

 $00{:}06{:}07.930 \dashrightarrow 00{:}06{:}09.946$ Yes, and so much of this

 $00:06:14.288 \longrightarrow 00:06:15.347$ is truly individualized.

NOTE Confidence: 0.883674632

 $00:06:15.350 \longrightarrow 00:06:17.110$ You know there's no formula.

NOTE Confidence: 0.883674632

 $00:06:17.110 \longrightarrow 00:06:19.228$ There's no specific check list.

NOTE Confidence: 0.883674632

00:06:19.230 --> 00:06:21.598 It is really just talking to women and

NOTE Confidence: 0.883674632

 $00:06:21.598 \longrightarrow 00:06:24.517$ kind of understanding what are their risks.

 $00:06:24.520 \longrightarrow 00:06:26.806$ What are the protective things that

NOTE Confidence: 0.883674632

 $00{:}06{:}26.806 \dashrightarrow 00{:}06{:}29.883$ they bring to the table when we

NOTE Confidence: 0.883674632

 $00:06:29.883 \longrightarrow 00:06:32.640$ look for the risks of ovarian cancer.

NOTE Confidence: 0.883674632

 $00:06:32.640 \longrightarrow 00:06:33.585$ So for example,

NOTE Confidence: 0.883674632

00:06:33.585 --> 00:06:36.530 women who have had a lot of children,

NOTE Confidence: 0.883674632

 $00:06:36.530 \longrightarrow 00:06:38.318$ it is very protective.

NOTE Confidence: 0.883674632

00:06:38.318 --> 00:06:41.880 For anybody who has had five children,

NOTE Confidence: 0.883674632

 $00:06:41.880 \longrightarrow 00:06:44.760$ that decreases their risk to 50%.

NOTE Confidence: 0.883674632

 $00{:}06{:}44.760 \dashrightarrow 00{:}06{:}47.598$ Anybody who breastfed each one

NOTE Confidence: 0.883674632

00:06:47.598 --> 00:06:50.573 of their five children for five

NOTE Confidence: 0.883674632

 $00:06:50.573 \longrightarrow 00:06:53.063$ years cumulatively has a decreased

NOTE Confidence: 0.883674632

 $00:06:53.063 \longrightarrow 00:06:55.829$ risk of ovarian cancer by 50%.

NOTE Confidence: 0.883674632

 $00:06:55.830 \longrightarrow 00:06:58.710$ Women who use birth control pills, those

NOTE Confidence: 0.883674632

 $00:07:00.153 \longrightarrow 00:07:03.039$ are incredibly protective for ovarian cancer.

NOTE Confidence: 0.883674632

00:07:03.040 --> 00:07:05.445 Every opportunity I get and every

 $00:07:05.445 \longrightarrow 00:07:07.850$ girlfriend that I talk to,

NOTE Confidence: 0.883674632

00:07:07.850 --> 00:07:09.038 I always tell

NOTE Confidence: 0.883674632

00:07:09.038 --> 00:07:11.414 my listeners and my patients and

NOTE Confidence: 0.883674632

 $00:07:11.414 \longrightarrow 00:07:14.612$ my friends

NOTE Confidence: 0.883674632

 $00:07:14.612 \longrightarrow 00:07:17.415$ try to use birth control

NOTE Confidence: 0.883674632

 $00{:}07{:}17.415 \dashrightarrow 00{:}07{:}20.121$ pills for five years if they can.

NOTE Confidence: 0.883674632

 $00:07:20.121 \longrightarrow 00:07:22.347$ Anybody who uses birth control pills

NOTE Confidence: 0.883674632

 $00:07:22.347 \longrightarrow 00:07:24.242$ for five years decreases their

NOTE Confidence: 0.883674632

 $00:07:24.242 \longrightarrow 00:07:26.720$ risk of ovarian cancer by 50%.

NOTE Confidence: 0.883674632

 $00:07:26.720 \longrightarrow 00:07:29.429$ Anybody who uses it for 10 years

NOTE Confidence: 0.883674632

 $00:07:29.429 \longrightarrow 00:07:31.858$ decreases it for as high as 80%.

NOTE Confidence: 0.883674632

 $00:07:31.860 \longrightarrow 00:07:34.122$ Anybody who uses for 15 years

NOTE Confidence: 0.883674632

 $00:07:34.122 \longrightarrow 00:07:36.628$ decreases it for as high as 90%.

NOTE Confidence: 0.883674632

 $00:07:36.630 \longrightarrow 00:07:39.282$ So the benefit is really quite

NOTE Confidence: 0.883674632

 $00:07:39.282 \longrightarrow 00:07:41.988$ astounding as to what we can do.

NOTE Confidence: 0.883674632

 $00:07:41.990 \longrightarrow 00:07:44.342$ Women who had their

 $00{:}07{:}44.342 --> 00{:}07{:}46.184 \ {\rm fallopian \ tubes \ removed},$

NOTE Confidence: 0.883674632

 $00:07:46.184 \longrightarrow 00:07:48.508$ in the older days we used to

NOTE Confidence: 0.883674632

 $00:07:48.508 \longrightarrow 00:07:50.219$ do tubal ligations.

NOTE Confidence: 0.883674632 00:07:50.220 --> 00:07:50.570 Now, NOTE Confidence: 0.883674632

 $00:07:50.570 \longrightarrow 00:07:52.670$ in many cases we actually would

NOTE Confidence: 0.883674632

 $00:07:52.670 \longrightarrow 00:07:55.173$ take out the fallopian tube and

NOTE Confidence: 0.883674632

 $00:07:55.173 \longrightarrow 00:07:57.005$ that significantly decreases your

NOTE Confidence: 0.883674632

 $00:07:57.005 \longrightarrow 00:07:59.602$ risk for as high as 70%.

NOTE Confidence: 0.883674632

 $00:07:59.602 \longrightarrow 00:08:00.326$ The hysterectomy,

NOTE Confidence: 0.883674632

 $00:08:00.326 \longrightarrow 00:08:02.860$ even if there is some left behind

NOTE Confidence: 0.883674632

00:08:02.922 --> 00:08:05.117 that significantly decreases their risk,

NOTE Confidence: 0.883674632

 $00{:}08{:}05.120 \dashrightarrow 00{:}08{:}07.856$ so there's a number of different

NOTE Confidence: 0.883674632

 $00{:}08{:}07.856 \dashrightarrow 00{:}08{:}10.091$ protective factors that one can

NOTE Confidence: 0.883674632

 $00{:}08{:}10.091 \dashrightarrow 00{:}08{:}12.415$ do to try to decrease the risk.

NOTE Confidence: 0.883674632

 $00:08:17.484 \longrightarrow 00:08:19.194$ There's two different ways that

00:08:19.194 --> 00:08:21.549 we now think about ovarian cancer,

NOTE Confidence: 0.883674632

 $00{:}08{:}21.550 \dashrightarrow 00{:}08{:}23.415$ the traditional theory of ovarian

NOTE Confidence: 0.883674632

 $00{:}08{:}23.415 \dashrightarrow 00{:}08{:}26.006$ cancer was that the more times that

NOTE Confidence: 0.883674632

 $00:08:26.006 \longrightarrow 00:08:27.980$ the woman ovulates, the more

NOTE Confidence: 0.883674632

 $00:08:27.980 \longrightarrow 00:08:30.218$ risk of developing cancer of the

NOTE Confidence: 0.883674632

 $00:08:30.218 \longrightarrow 00:08:32.492$ ovaries and that's why anytime when

NOTE Confidence: 0.883674632

 $00:08:32.500 \longrightarrow 00:08:34.690$ you are not ovulating whether

NOTE Confidence: 0.883674632

 $00:08:34.690 \longrightarrow 00:08:36.146$ it's pregnancy or breastfeeding

NOTE Confidence: 0.883674632

00:08:36.146 --> 00:08:37.966 or your birth control pills,

NOTE Confidence: 0.883674632

 $00:08:37.970 \longrightarrow 00:08:39.434$ that decreases your risk.

NOTE Confidence: 0.883674632

 $00:08:39.434 \longrightarrow 00:08:41.630$ The newer thought is that ovarian

NOTE Confidence: 0.883674632

00:08:41.697 --> 00:08:43.157 cancers might not actually

NOTE Confidence: 0.883674632

00:08:43.157 --> 00:08:44.982 be ovarian cancers at all.

NOTE Confidence: 0.883674632

 $00{:}08{:}44.990 \dashrightarrow 00{:}08{:}46.890$ They actually might be fall opian

NOTE Confidence: 0.883674632

 $00:08:46.890 \longrightarrow 00:08:48.780$ tube cancers that then subsequently

NOTE Confidence: 0.883674632

 $00:08:48.780 \longrightarrow 00:08:51.060$ spread to the ovaries and that's

 $00{:}08{:}51.060 \dashrightarrow 00{:}08{:}52.986$ why it is so important that

NOTE Confidence: 0.883674632

 $00{:}08{:}52.986 \dashrightarrow 00{:}08{:}54.840$ if you're having hysterectomy,

NOTE Confidence: 0.883674632

 $00{:}08{:}54.840 \dashrightarrow 00{:}08{:}57.500$ fallopian tubes do not have a purpose.

NOTE Confidence: 0.883674632

 $00:08:57.500 \longrightarrow 00:08:57.878$ Ovaries,

NOTE Confidence: 0.883674632

00:08:57.878 --> 00:09:00.902 of course do because they give you hormones,

NOTE Confidence: 0.883674632

 $00:09:00.910 \longrightarrow 00:09:01.999$ but fallopian tubes,

NOTE Confidence: 0.883674632

 $00:09:01.999 \longrightarrow 00:09:04.177$ the only purpose

NOTE Confidence: 0.883674632

 $00:09:04.177 \longrightarrow 00:09:06.482$ is for pregnancy so many times

NOTE Confidence: 0.883674632

00:09:06.482 --> 00:09:07.982 where women have hysterectomies

NOTE Confidence: 0.883674632

 $00:09:07.982 \longrightarrow 00:09:10.000$ their ovaries left behind.

NOTE Confidence: 0.883674632

 $00:09:10.000 \longrightarrow 00:09:11.182$ It is very,

NOTE Confidence: 0.883674632

 $00:09:11.182 \longrightarrow 00:09:13.152$ very important that the fallopian

NOTE Confidence: 0.883674632

00:09:13.152 --> 00:09:15.159 tubes are removed as well.

NOTE Confidence: 0.883674632

 $00:09:15.160 \longrightarrow 00:09:17.876$ Or, if the fallopian tubes are tied,

NOTE Confidence: 0.883674632

 $00:09:17.880 \longrightarrow 00:09:19.880$ that it gets

 $00:09:19.880 \longrightarrow 00:09:21.880$ removed rather than just tying

NOTE Confidence: 0.83647716

 $00:09:21.949 \longrightarrow 00:09:24.457$ it, because we now know that a great

NOTE Confidence: 0.83647716

 $00:09:24.457 \longrightarrow 00:09:26.463$ number of these cancers originate

NOTE Confidence: 0.83647716

 $00:09:26.463 \longrightarrow 00:09:29.520$ in the fallopian tubes. So if those

NOTE Confidence: 0.83647716

 $00:09:29.520 \longrightarrow 00:09:31.455$ are removed, then the risk

NOTE Confidence: 0.83647716

 $00:09:31.455 \longrightarrow 00:09:32.616$ is significantly decreased.

NOTE Confidence: 0.83647716

 $00:09:32.620 \longrightarrow 00:09:33.814$ All great information.

NOTE Confidence: 0.83647716

 $00:09:33.814 \longrightarrow 00:09:36.202$ Now let's suppose you've tried to

NOTE Confidence: 0.83647716

 $00{:}09{:}36.202 \longrightarrow 00{:}09{:}38.006$ minimize your risk, but still,

NOTE Confidence: 0.83647716

 $00:09:38.006 \longrightarrow 00:09:40.910$ one of the things that you

NOTE Confidence: 0.83647716

00:09:40.997 --> 00:09:44.091 mentioned is that the part of ovarian

NOTE Confidence: 0.83647716

 $00:09:44.091 \longrightarrow 00:09:46.849$ cancer that causes death is because

NOTE Confidence: 0.83647716

 $00:09:46.850 \longrightarrow 00:09:49.636$ it's caught late, and

NOTE Confidence: 0.83647716

 $00:09:49.640 \longrightarrow 00:09:52.433$ we know for many cancers that there

NOTE Confidence: 0.83647716

 $00:09:52.433 \longrightarrow 00:09:54.030$ is effective screening, right?

NOTE Confidence: 0.83647716

 $00{:}09{:}54.030 \dashrightarrow 00{:}09{:}55.630$ We're heading into October.

 $00{:}09{:}55.630 \dashrightarrow 00{:}09{:}56.818$ Breast cancer awareness.

NOTE Confidence: 0.83647716

 $00:09:56.818 \longrightarrow 00:10:00.120$ We all know that mammograms help us find

NOTE Confidence: 0.83647716

 $00:10:00.120 \longrightarrow 00:10:01.788$ breast cancer early.

NOTE Confidence: 0.83647716

 $00:10:01.788 \longrightarrow 00:10:03.456$ What do we have

NOTE Confidence: 0.83647716

 $00:10:03.460 \longrightarrow 00:10:06.106$ or do we have anything in terms

NOTE Confidence: 0.83647716

 $00:10:06.106 \longrightarrow 00:10:08.707$ of screening to help women to

NOTE Confidence: 0.83647716

 $00:10:08.707 \longrightarrow 00:10:10.547$ find ovarian cancer early?

NOTE Confidence: 0.83647716

 $00:10:10.550 \longrightarrow 00:10:11.380$ So that's

NOTE Confidence: 0.8865762

 $00:10:11.380 \longrightarrow 00:10:13.876$ exactly the trouble with ovarian cancer,

NOTE Confidence: 0.8865762

 $00{:}10{:}13.880 \dashrightarrow 00{:}10{:}16.498$ and that's why we talk so much

NOTE Confidence: 0.8865762

 $00{:}10{:}16.498 \dashrightarrow 00{:}10{:}18.623$ about ovarian cancer prevention with

NOTE Confidence: 0.8865762

 $00:10:18.623 \dashrightarrow 00:10:21.395$ identifying risks and trying to do

NOTE Confidence: 0.8865762

 $00{:}10{:}21.395 \dashrightarrow 00{:}10{:}24.310$ anything you can to decrease your risk,

NOTE Confidence: 0.8865762

00:10:24.310 --> 00:10:25.118 because unfortunately,

NOTE Confidence: 0.8865762

00:10:25.118 --> 00:10:27.946 we do not have as good of

 $00:10:27.946 \longrightarrow 00:10:30.378$ a test for ovarian cancer

NOTE Confidence: 0.8865762

 $00:10:30.380 \longrightarrow 00:10:33.418$ as we do for breast cancer with

NOTE Confidence: 0.8865762

00:10:33.418 --> 00:10:36.480 mammograms and there

NOTE Confidence: 0.8865762

 $00:10:36.480 \longrightarrow 00:10:40.199$ is a lot of literature that shows that

NOTE Confidence: 0.8865762

 $00:10:40.199 \longrightarrow 00:10:43.583$ there's really no benefit to doing

NOTE Confidence: 0.8865762

 $00:10:43.583 \longrightarrow 00:10:46.316$ routine ultrasounds for normal risk

NOTE Confidence: 0.8865762

00:10:46.316 --> 00:10:48.444 population because unfortunately

NOTE Confidence: 0.8865762

 $00:10:48.444 \longrightarrow 00:10:50.952$ ultrasounds even in combination with

NOTE Confidence: 0.8865762

 $00{:}10{:}50.952 \dashrightarrow 00{:}10{:}54.280$ a tumor marker blood test called CA 125,

NOTE Confidence: 0.8865762

 $00:10:54.280 \longrightarrow 00:10:56.870$ there's literature that in the

NOTE Confidence: 0.8865762

 $00{:}10{:}56.870 \dashrightarrow 00{:}10{:}59.460$ normal population that does not

NOTE Confidence: 0.8865762

 $00{:}10{:}59.553 \longrightarrow 00{:}11{:}01.978$ help you detect cancer early.

NOTE Confidence: 0.8865762

00:11:01.980 --> 00:11:03.768 And on the contrary,

NOTE Confidence: 0.8865762

 $00:11:03.768 \longrightarrow 00:11:06.003$ pushes women to have more

NOTE Confidence: 0.8865762

 $00:11:06.003 \longrightarrow 00:11:07.150$ unnecessary surgery.

NOTE Confidence: 0.8865762

 $00{:}11{:}07.150 \dashrightarrow 00{:}11{:}11.380$ But that's not the case for high risk women.

 $00:11:11.380 \longrightarrow 00:11:14.980$ For women who are at higher risk for whatever

NOTE Confidence: 0.8865762

 $00{:}11{:}14.980 \dashrightarrow 00{:}11{:}18.426$ risk factors that we discussed previously,

NOTE Confidence: 0.8865762

 $00:11:18.430 \longrightarrow 00:11:20.895$ then ultrasounds combined with this

NOTE Confidence: 0.8865762

00:11:20.895 --> 00:11:24.538 blood test called CA 125 are a benefit,

NOTE Confidence: 0.8865762

 $00:11:24.540 \longrightarrow 00:11:27.360$ but unfortunately still very limited.

NOTE Confidence: 0.8865762

 $00:11:27.360 \longrightarrow 00:11:30.622$ That's why it is so important for

NOTE Confidence: 0.8865762

 $00:11:30.622 \longrightarrow 00:11:32.990$ this ovarian cancer awareness

NOTE Confidence: 0.8865762

 $00:11:32.990 \longrightarrow 00:11:35.496$ to exist and for women to know

NOTE Confidence: 0.8865762

00:11:35.496 --> 00:11:37.390 the signs and symptoms for

NOTE Confidence: 0.8865762

 $00{:}11{:}37.390 \dashrightarrow 00{:}11{:}39.355$ ovarian cancer because that is

NOTE Confidence: 0.8865762

 $00{:}11{:}39.355 \dashrightarrow 00{:}11{:}41.816$ really the best screening or the

NOTE Confidence: 0.8865762

00:11:41.816 --> 00:11:43.946 best early detection and risk

NOTE Confidence: 0.8865762

 $00:11:43.946 \longrightarrow 00:11:46.439$ reduction is through awareness of the

NOTE Confidence: 0.8865762

 $00:11:46.439 \longrightarrow 00:11:48.587$ symptoms and listening to your body.

NOTE Confidence: 0.8865762

 $00:11:48.590 \longrightarrow 00:11:50.990$ And so one of the things

 $00:11:50.990 \longrightarrow 00:11:53.678$ that you said at the outset is that

NOTE Confidence: 0.8691988

 $00{:}11{:}53.678 \dashrightarrow 00{:}11{:}56.169$ for many years ovarian cancer was

NOTE Confidence: 0.8691988

 $00:11:56.169 \longrightarrow 00:11:58.779$ thought about as the cancer that

NOTE Confidence: 0.8691988

 $00:11:58.863 \longrightarrow 00:12:01.747$ whispers because so many of the signs

NOTE Confidence: 0.8691988

 $00:12:01.747 \longrightarrow 00:12:04.214$ and symptoms may be things that

NOTE Confidence: 0.8691988

00:12:04.214 --> 00:12:05.846 women may shrug off,

NOTE Confidence: 0.8691988

 $00:12:05.850 \longrightarrow 00:12:08.838$ but they may not be really aware of as

NOTE Confidence: 0.8691988

00:12:08.838 --> 00:12:12.198 being potential red flags for ovarian cancer.

NOTE Confidence: 0.8691988

 $00{:}12{:}12.200 \longrightarrow 00{:}12{:}15.232$ So tell us more about those signs and

NOTE Confidence: 0.8691988

00:12:15.232 --> 00:12:17.620 symptoms that women should be aware

NOTE Confidence: 0.8691988

 $00:12:17.620 \longrightarrow 00:12:20.540$ of to be thinking about.

NOTE Confidence: 0.8691988

 $00:12:20.540 \longrightarrow 00:12:22.922$ And when should they be going

NOTE Confidence: 0.8691988

 $00:12:22.922 \longrightarrow 00:12:24.510$ in and seeing their gynecologist?

NOTE Confidence: 0.87092036

 $00:12:24.510 \longrightarrow 00:12:27.678$ For generations we used to say,

NOTE Confidence: 0.87092036

 $00:12:27.680 \longrightarrow 00:12:30.459$ there's just nothing you can

NOTE Confidence: 0.87092036

 $00{:}12{:}30.459 \dashrightarrow 00{:}12{:}33.050$ do for ovarian cancer. It's what it is.

00:12:33.050 --> 00:12:35.150 You just cannot diagnose it early

NOTE Confidence: 0.87092036

 $00:12:35.226 \longrightarrow 00:12:37.606$ because there's no early symptoms,

NOTE Confidence: 0.87092036

 $00:12:37.610 \longrightarrow 00:12:39.362$ but we know that

NOTE Confidence: 0.87092036

 $00:12:39.362 \longrightarrow 00:12:41.552$ that is not the case.

NOTE Confidence: 0.87092036

00:12:41.560 --> 00:12:43.880 Multiple very good studies have

NOTE Confidence: 0.87092036

00:12:43.880 --> 00:12:46.600 been published to show that yes,

NOTE Confidence: 0.87092036

00:12:46.600 --> 00:12:49.270 the majority of women, 97\% percent of

NOTE Confidence: 0.87092036

00:12:49.270 --> 00:12:51.640 women with advanced ovarian cancer,

NOTE Confidence: 0.87092036

00:12:51.640 --> 00:12:53.014 will have symptoms,

NOTE Confidence: 0.87092036

 $00:12:53.014 \longrightarrow 00:12:57.647$ but 89% of women with stage one and two

NOTE Confidence: 0.87092036

 $00:12:57.647 \longrightarrow 00:13:01.419$ cancers will also have have symptoms.

NOTE Confidence: 0.87092036

 $00:13:01.420 \longrightarrow 00:13:04.596$ The trouble is exactly how you said

NOTE Confidence: 0.87092036

 $00:13:04.596 \longrightarrow 00:13:08.142$ that these are also normal symptoms that

NOTE Confidence: 0.87092036

 $00:13:08.142 \longrightarrow 00:13:10.812$ these are symptoms of perimenopause.

NOTE Confidence: 0.87092036

00:13:10.820 --> 00:13:14.580 Is this a symptom of having a period?

 $00:13:14.580 \longrightarrow 00:13:17.172$ There's hormonal changes so the

NOTE Confidence: 0.87092036

00:13:17.172 --> 00:13:20.339 majority of the women who have the

NOTE Confidence: 0.87092036

 $00:13:20.339 \longrightarrow 00:13:22.609$ symptoms are actually completely normal

NOTE Confidence: 0.87092036

00:13:22.609 --> 00:13:25.629 and the symptoms that we're talking

NOTE Confidence: 0.87092036

00:13:25.629 --> 00:13:28.671 about is bloating,

NOTE Confidence: 0.87092036

 $00:13:28.680 \longrightarrow 00:13:29.620$ some Constipation,

NOTE Confidence: 0.87092036

 $00:13:29.620 \longrightarrow 00:13:32.410$ some diarrhea, bladder symptoms, weight gain.

NOTE Confidence: 0.87092036

 $00:13:32.410 \longrightarrow 00:13:34.230$ Clothes not fitting well.

NOTE Confidence: 0.87092036

 $00{:}13{:}34.230 \dashrightarrow 00{:}13{:}36.330$ Feeling like you need to get

NOTE Confidence: 0.87092036

 $00:13:36.330 \longrightarrow 00:13:37.730$ bigger clothes because they're

NOTE Confidence: 0.87092036

 $00{:}13{:}37.792 \dashrightarrow 00{:}13{:}39.808$ not fitting well around the waist.

NOTE Confidence: 0.87092036

00:13:39.810 --> 00:13:41.086 The important thing again,

NOTE Confidence: 0.87092036

 $00:13:41.086 \longrightarrow 00:13:43.818$ and this is I think the most important

NOTE Confidence: 0.87092036

 $00{:}13{:}43.818 \dashrightarrow 00{:}13{:}46.074$ thing of our conversation today is

NOTE Confidence: 0.87092036

00:13:46.074 --> 00:13:48.586 the great majority of the women

NOTE Confidence: 0.87092036

 $00{:}13{:}48.586 \dashrightarrow 00{:}13{:}51.327$ who are listening to this today we all

00:13:51.327 --> 00:13:53.770 experience symptoms and a great majority of

NOTE Confidence: 0.87092036

 $00{:}13{:}53.770 {\:{\circ}{\circ}{\circ}}>00{:}13{:}55.520$ these symptoms are completely normal.

NOTE Confidence: 0.87092036

 $00:13:55.520 \longrightarrow 00:13:58.000$ The symptoms that we need to pay attention

NOTE Confidence: 0.87092036

 $00:13:58.000 \longrightarrow 00:14:00.580$ to are the symptoms that don't just

NOTE Confidence: 0.87092036

 $00:14:00.580 \longrightarrow 00:14:03.180$ happen during periods or during ovulation.

NOTE Confidence: 0.87092036

 $00:14:03.180 \longrightarrow 00:14:05.538$ Those are the symptoms that happen

NOTE Confidence: 0.87092036

00:14:05.538 --> 00:14:07.899 every single day for two weeks,

NOTE Confidence: 0.87092036

 $00:14:07.900 \longrightarrow 00:14:09.860$ and also symptoms

NOTE Confidence: 0.87092036

 $00:14:09.860 \longrightarrow 00:14:11.036$ that happen together,

NOTE Confidence: 0.87092036

00:14:11.040 --> 00:14:13.398 let's say bowel and bladder symptoms,

NOTE Confidence: 0.87092036

00:14:13.400 --> 00:14:15.436 bloating and bladder symptoms.

NOTE Confidence: 0.87092036

 $00:14:15.436 \longrightarrow 00:14:19.679$ Those are the symptoms to pay attention to.

NOTE Confidence: 0.8758898

 $00:14:20.460 \longrightarrow 00:14:23.022$ We are going to dig into all of those

NOTE Confidence: 0.8758898

 $00:14:23.022 \longrightarrow 00:14:25.410$ symptoms and how we can actually

NOTE Confidence: 0.8758898

00:14:25.410 --> 00:14:28.238 make a diagnosis right after we take

 $00:14:28.325 \longrightarrow 00:14:31.048$ a short break for a medical minute.

NOTE Confidence: 0.8758898

00:14:31.050 --> 00:14:33.234 Please stay tuned to learn more

NOTE Confidence: 0.8758898

 $00:14:33.234 \longrightarrow 00:14:35.750$ about the treatment and diagnosis of

NOTE Confidence: 0.8758898

 $00:14:35.750 \longrightarrow 00:14:37.318$ ovarian cancer with my

NOTE Confidence: 0.8758898

00:14:37.318 --> 00:14:38.886 guest doctor Elena Ratner.

NOTE Confidence: 0.8758898

00:14:38.890 --> 00:14:41.134 Support for Yale Cancer Answers comes

NOTE Confidence: 0.8758898

 $00:14:41.134 \longrightarrow 00:14:43.098$ from AstraZeneca providing important

NOTE Confidence: 0.8758898

 $00:14:43.098 \longrightarrow 00:14:45.113$ treatment options for patients with

NOTE Confidence: 0.8758898

 $00{:}14{:}45.113 \dashrightarrow 00{:}14{:}47.121$ different types of lung, bladder,

NOTE Confidence: 0.8758898

00:14:47.121 --> 00:14:49.076 ovarian, breast and blood cancers.

NOTE Confidence: 0.8758898

 $00:14:49.080 \longrightarrow 00:14:51.828$ More information at astrazeneca-us.com.

NOTE Confidence: 0.8758898

00:14:51.830 --> 00:14:55.046 This is a medical minute about breast cancer,

NOTE Confidence: 0.8758898

00:14:55.050 --> 00:14:57.055 the most common cancer in

NOTE Confidence: 0.8758898

 $00:14:57.055 \longrightarrow 00:14:58.659$ women. In Connecticut alone

NOTE Confidence: 0.8758898

 $00:14:58.660 \longrightarrow 00:15:00.690$ approximately 3000 women will be

NOTE Confidence: 0.8758898

 $00:15:00.690 \longrightarrow 00:15:03.090$ diagnosed with breast cancer this year,

 $00:15:03.090 \longrightarrow 00:15:05.100$ but thanks to earlier detection,

NOTE Confidence: 0.8758898

 $00:15:05.100 \longrightarrow 00:15:06.303$ non invasive treatments,

NOTE Confidence: 0.8758898

 $00:15:06.303 \longrightarrow 00:15:07.506$ and novel therapies,

NOTE Confidence: 0.8758898

 $00:15:07.510 \longrightarrow 00:15:10.296$ there are more options for patients to

NOTE Confidence: 0.8758898

 $00:15:10.296 \longrightarrow 00:15:12.729$ fight breast cancer than ever before.

NOTE Confidence: 0.8758898

 $00:15:12.730 \longrightarrow 00:15:14.745$ Women should schedule a baseline

NOTE Confidence: 0.8758898

00:15:14.745 --> 00:15:17.208 mammogram beginning at age 40 or

NOTE Confidence: 0.8758898

00:15:17.208 --> 00:15:19.506 earlier if they have risk factors

NOTE Confidence: 0.8758898

 $00{:}15{:}19.506 \dashrightarrow 00{:}15{:}21.180$ associated with breast cancer.

NOTE Confidence: 0.8758898

 $00{:}15{:}21.180 \dashrightarrow 00{:}15{:}23.544$ Digital breast tomosynthesis or 3D

NOTE Confidence: 0.8758898

 $00{:}15{:}23.544 \dashrightarrow 00{:}15{:}25.740$ mammography is transforming breast screening

NOTE Confidence: 0.8758898

 $00:15:25.740 \longrightarrow 00:15:27.956$ by significantly reducing unnecessary

NOTE Confidence: 0.8758898

 $00{:}15{:}27.956 {\:{\mbox{--}}\!>}\ 00{:}15{:}30.172$ procedures while picking up

NOTE Confidence: 0.8758898

00:15:30.172 --> 00:15:32.462 more cancers and eliminating

NOTE Confidence: 0.8758898

 $00:15:32.462 \longrightarrow 00:15:34.682$ some of the fear and anxiety,

 $00:15:34.690 \longrightarrow 00:15:36.103$ many women experience.

NOTE Confidence: 0.8758898

00:15:36.103 --> 00:15:37.987 More information is available

NOTE Confidence: 0.8758898

 $00:15:37.987 \longrightarrow 00:15:38.929$ at yale cancercenter.org.

NOTE Confidence: 0.8758898

00:15:38.930 --> 00:15:42.986 You're listening to Connecticut public radio.

NOTE Confidence: 0.8758898

 $00:15:42.990 \longrightarrow 00:15:43.340$ Welcome

NOTE Confidence: 0.87982106

 $00:15:43.340 \longrightarrow 00:15:45.070$ back to Yale Cancer Answers.

NOTE Confidence: 0.87982106

 $00{:}15{:}45.070 \dashrightarrow 00{:}15{:}46.942$ This is doctor Anees Chagpar

NOTE Confidence: 0.87982106

 $00:15:46.942 \longrightarrow 00:15:49.031$ and I'm joined tonight by

NOTE Confidence: 0.87982106

 $00{:}15{:}49.031 \dashrightarrow 00{:}15{:}50.966$ my guest doctor Elena Ratner.

NOTE Confidence: 0.87982106

00:15:50.970 --> 00:15:52.680 We're talking about ovarian cancer

NOTE Confidence: 0.87982106

 $00{:}15{:}52.680 \dashrightarrow 00{:}15{:}54.790$ and right before the break Elena,

NOTE Confidence: 0.87982106

 $00{:}15{:}54.790 \dashrightarrow 00{:}15{:}56.841$ you started to tell us some of

NOTE Confidence: 0.87982106

 $00:15:56.841 \longrightarrow 00:15:58.873$ the signs and symptoms that women

NOTE Confidence: 0.87982106

 $00:15:58.873 \longrightarrow 00:16:01.393$ should really be aware of in terms

NOTE Confidence: 0.87982106

 $00:16:01.463 \longrightarrow 00:16:03.701$ of trying to find ovarian cancer

NOTE Confidence: 0.87982106

00:16:03.701 --> 00:16:05.894 early because we simply do not

 $00:16:05.894 \longrightarrow 00:16:07.629$ have really good screening tests.

NOTE Confidence: 0.87982106

 $00:16:07.630 \longrightarrow 00:16:09.856$ So it's really up to women to

NOTE Confidence: 0.87982106

 $00:16:09.856 \longrightarrow 00:16:11.789$ pay attention to their bodies.

NOTE Confidence: 0.87982106

 $00:16:11.790 \longrightarrow 00:16:14.028$ But one of the things that

NOTE Confidence: 0.87982106

 $00:16:14.028 \longrightarrow 00:16:15.520$ struck me was that

NOTE Confidence: 0.87982106

00:16:15.520 --> 00:16:17.816 many of the symptoms you mentioned,

NOTE Confidence: 0.87982106

00:16:17.820 --> 00:16:19.460 a little bit of bloating,

NOTE Confidence: 0.87982106

 $00:16:19.460 \longrightarrow 00:16:21.095$ a little change in bowel

NOTE Confidence: 0.87982106

00:16:21.095 --> 00:16:22.403 habits or bladder function,

NOTE Confidence: 0.87982106

 $00:16:22.410 \longrightarrow 00:16:23.722$ a little bit of weight

NOTE Confidence: 0.87982106

 $00{:}16{:}23.722 \dashrightarrow 00{:}16{:}25.690$ gain, your pants not fitting,

NOTE Confidence: 0.87982106

 $00:16:25.690 \longrightarrow 00:16:27.502$ I mean those happen to all

NOTE Confidence: 0.87982106

 $00:16:27.502 \longrightarrow 00:16:29.619$ of us all the time right?

NOTE Confidence: 0.87982106

 $00{:}16{:}29.620 \dashrightarrow 00{:}16{:}32.095$ You go out for a big meal and you

NOTE Confidence: 0.87982106

 $00:16:32.095 \longrightarrow 00:16:34.538$ feel a little bloated after that.

 $00:16:34.540 \longrightarrow 00:16:36.508$ You might have a little bit

NOTE Confidence: 0.87982106

 $00{:}16{:}36.508 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}} 00{:}16{:}37.820$ of Constipation or diarrhea.

NOTE Confidence: 0.87982106

00:16:37.820 --> 00:16:39.770 Your pants don't fit right and

NOTE Confidence: 0.87982106

00:16:39.770 --> 00:16:41.430 you think Oh my God,

NOTE Confidence: 0.87982106

 $00:16:41.430 \longrightarrow 00:16:43.950$ I'm gaining weight.

NOTE Confidence: 0.87982106

00:16:43.950 --> 00:16:45.580 But should women be going

NOTE Confidence: 0.87982106

 $00:16:45.580 \longrightarrow 00:16:46.558$ to their gynecologist

NOTE Confidence: 0.87982106

 $00:16:46.560 \longrightarrow 00:16:48.528$ every time one of those things

NOTE Confidence: 0.87982106

 $00{:}16{:}48.528 \operatorname{--}{>} 00{:}16{:}50.649$ happens? Tell us more about

NOTE Confidence: 0.87982106

 $00:16:50.649 \longrightarrow 00:16:52.494$ what are really the triggers

NOTE Confidence: 0.87982106

 $00:16:52.494 \longrightarrow 00:16:54.737$ that you would say you know what

NOTE Confidence: 0.87982106

 $00:16:54.737 \longrightarrow 00:16:56.992$ this has gone on a bit too long,

NOTE Confidence: 0.87982106

00:16:56.992 --> 00:16:59.600 you really need to get to your gynecologist,

 $00{:}16{:}59.910 \dashrightarrow 00{:}17{:}01.460$ you need to advocate for

NOTE Confidence: 0.87982106

 $00:17:01.460 \longrightarrow 00:17:03.105$ yourself that this is something

NOTE Confidence: 0.87982106

 $00:17:03.105 \longrightarrow 00:17:05.139$ that needs to be looked into.

 $00:17:06.630 \longrightarrow 00:17:08.710$ Yes, that's exactly correct.

NOTE Confidence: 0.83766365

00:17:08.710 --> 00:17:11.310 You really nailed it

NOTE Confidence: 0.83766365

00:17:11.310 --> 00:17:13.648 when we discussed before

 $00:17:14.763 \longrightarrow 00:17:16.618$ all of us experiencing it.

NOTE Confidence: 0.83766365

 $00:17:16.620 \longrightarrow 00:17:17.643$ It's totally normal.

NOTE Confidence: 0.83766365

 $00{:}17{:}17.643 \dashrightarrow 00{:}17{:}20.485$ The key is to know what is normal

NOTE Confidence: 0.83766365

 $00:17:20.485 \longrightarrow 00:17:23.124$ for you and then be aware when

NOTE Confidence: 0.83766365

 $00:17:23.124 \longrightarrow 00:17:25.101$ something happens is not

NOTE Confidence: 0.83766365

00:17:25.101 --> 00:17:27.006 within what's norm for you.

NOTE Confidence: 0.83766365

 $00{:}17{:}27.010 \dashrightarrow 00{:}17{:}29.257$ So usually what I tell women

NOTE Confidence: 0.83766365

 $00:17:29.257 \longrightarrow 00:17:31.127$ is pretty much consistent symptoms

NOTE Confidence: 0.83766365

00:17:31.127 --> 00:17:34.053 when you wake up every single day,

NOTE Confidence: 0.83766365

 $00:17:34.060 \longrightarrow 00:17:36.370$ and it's something that you are

NOTE Confidence: 0.83766365

 $00:17:36.370 \longrightarrow 00:17:38.320$ aware of constantly and that

NOTE Confidence: 0.83766365

 $00:17:38.320 \longrightarrow 00:17:40.360$ lasts for two to three weeks.

NOTE Confidence: 0.83766365

 $00:17:40.360 \longrightarrow 00:17:43.807$ That is the time to just get checked out.

 $00:17:44.478 \longrightarrow 00:17:46.482$ I'm a huge proponent that just

 $00:17:46.482 \longrightarrow 00:17:48.743$ talking to somebody or getting things

NOTE Confidence: 0.83766365

 $00:17:48.743 \longrightarrow 00:17:51.023$ checked out is of such benefit.

NOTE Confidence: 0.83766365

00:17:51.030 --> 00:17:52.725 The interesting thing is when

NOTE Confidence: 0.83766365

00:17:52.725 --> 00:17:55.185 I speak to women with ovarian

NOTE Confidence: 0.83766365

00:17:55.185 --> 00:17:57.607 cancer and then in their minds they

NOTE Confidence: 0.83766365

00:17:57.607 --> 00:18:00.058 go back to when everything began.

 $00:18:06.190 \longrightarrow 00:18:07.890$ It just wasn't considered by

NOTE Confidence: 0.83766365

 $00:18:07.890 \longrightarrow 00:18:10.043$ them to be anything that they

NOTE Confidence: 0.83766365

 $00:18:10.043 \longrightarrow 00:18:11.968$ should really pay attention to.

 $00:18:14.120 \longrightarrow 00:18:15.560$ The other important thing

NOTE Confidence: 0.83766365

 $00:18:15.560 \longrightarrow 00:18:17.720$ is that a lot of women,

NOTE Confidence: 0.83766365

 $00:18:17.720 \longrightarrow 00:18:19.160$ when these things happen,

NOTE Confidence: 0.83766365

 $00:18:19.160 \longrightarrow 00:18:21.320$ actually do not go to gynecologist.

NOTE Confidence: 0.83766365

 $00{:}18{:}21.320 \dashrightarrow 00{:}18{:}23.480$ Most women go to urologists because

NOTE Confidence: 0.83766365

 $00:18:23.480 \longrightarrow 00:18:24.920$ they having bladder symptoms.

NOTE Confidence: 0.83766365

 $00:18:24.920 \longrightarrow 00:18:27.139$ They go to a gastroenterologist because

00:18:27.139 --> 00:18:29.239 they're getting bowel symptoms, interestingly

NOTE Confidence: 0.83766365

 $00:18:29.588 \longrightarrow 00:18:31.676$ a lot of women go to chiropractors

NOTE Confidence: 0.83766365

 $00:18:31.676 \longrightarrow 00:18:33.512$ because they having this discomfort

NOTE Confidence: 0.83766365

 $00:18:33.512 \longrightarrow 00:18:36.074$ and they're trying to make that better.

NOTE Confidence: 0.83766365

 $00:18:36.080 \longrightarrow 00:18:38.162$ So we actually do

NOTE Confidence: 0.83766365

 $00:18:38.162 \longrightarrow 00:18:40.040$ education not just to women,

NOTE Confidence: 0.83766365

 $00:18:40.040 \longrightarrow 00:18:41.192$ but to providers.

NOTE Confidence: 0.83766365

00:18:41.192 --> 00:18:43.880 I actually do tons of talks

NOTE Confidence: 0.83766365

 $00:18:43.963 \longrightarrow 00:18:46.267$ in the state of Connecticut to

NOTE Confidence: 0.83766365

00:18:46.270 --> 00:18:48.460 different physicians and different providers.

NOTE Confidence: 0.83766365

 $00:18:48.460 \longrightarrow 00:18:50.884$ We have this designation that

NOTE Confidence: 0.83766365

 $00:18:50.884 \longrightarrow 00:18:53.428$ we created to certify physicians and

NOTE Confidence: 0.83766365

00:18:53.428 --> 00:18:56.410 providers who know how to

NOTE Confidence: 0.83766365

 $00{:}18{:}56.410 \to 00{:}18{:}58.968$ identify symptoms for varying cancer,

NOTE Confidence: 0.83766365

 $00:18:58.970 \longrightarrow 00:19:00.722$ because unfortunately not all

NOTE Confidence: 0.83766365

 $00:19:00.722 \longrightarrow 00:19:03.350$ of this is just women symptoms.

00:19:03.350 --> 00:19:04.238 Many times,

NOTE Confidence: 0.83766365

 $00:19:04.238 \longrightarrow 00:19:06.458$ women go to the physicians

NOTE Confidence: 0.83766365

 $00:19:06.458 \longrightarrow 00:19:08.699$ appropriately because they know that what

NOTE Confidence: 0.83766365

00:19:08.699 --> 00:19:10.794 they are experiencing is not normal,

NOTE Confidence: 0.83766365

 $00:19:10.800 \longrightarrow 00:19:13.422$ and that provider checks out this

NOTE Confidence: 0.83766365

 $00:19:13.422 \longrightarrow 00:19:16.084$ area, and clears that up.

NOTE Confidence: 0.83766365

00:19:16.084 --> 00:19:17.428 But unfortunately they don't

NOTE Confidence: 0.83766365

00:19:17.428 --> 00:19:18.650 piece things together,

NOTE Confidence: 0.83766365

00:19:18.650 --> 00:19:20.420 and this delay in diagnosis continues,

NOTE Confidence: 0.83766365

00:19:20.420 --> 00:19:22.478 and this is actually a very persistent problem,

NOTE Confidence: 0.83766365

 $00:19:22.480 \longrightarrow 00:19:24.632$ and something that a lot of women

NOTE Confidence: 0.83766365

00:19:24.632 --> 00:19:26.557 feel so passionate about

NOTE Confidence: 0.83766365

 $00:19:26.557 \longrightarrow 00:19:28.543$ that we started this whole program

NOTE Confidence: 0.83766365

00:19:28.605 --> 00:19:30.733 where we are doing a lot of Education,

NOTE Confidence: 0.83766365

 $00:19:30.740 \longrightarrow 00:19:31.856$ not just for women,

 $00:19:31.856 \longrightarrow 00:19:33.530$ but for providers to make sure

NOTE Confidence: 0.83766365

 $00{:}19{:}33.589 \rightarrow 00{:}19{:}35.149$ that they know exactly what

NOTE Confidence: 0.83766365

00:19:35.149 --> 00:19:36.940 symptoms and how to identify it,

NOTE Confidence: 0.83766365

 $00:19:36.940 \longrightarrow 00:19:39.108$ and when to refer and

NOTE Confidence: 0.83766365

 $00:19:39.108 \longrightarrow 00:19:41.069$ when to order an ultrasound.

NOTE Confidence: 0.83766365

00:19:41.070 --> 00:19:41.829 But you know,

NOTE Confidence: 0.83766365

 $00:19:41.829 \longrightarrow 00:19:43.984$ at the end of the day this should

NOTE Confidence: 0.83766365

 $00:19:43.984 \longrightarrow 00:19:45.880$ not be yet another thing that

NOTE Confidence: 0.83766365

 $00{:}19{:}45.880 --> 00{:}19{:}47.848$ we don't have to worry about.

NOTE Confidence: 0.83766365

00:19:47.850 --> 00:19:49.686 You know it's important to know

NOTE Confidence: 0.83766365

 $00{:}19{:}49.690 \dashrightarrow 00{:}19{:}52.354$ your body and listen to your body.

NOTE Confidence: 0.83766365

00:19:52.360 --> 00:19:54.148 It's important to be your advocate,

NOTE Confidence: 0.83766365

 $00:19:54.150 \longrightarrow 00:19:56.215$ but at the end of the day

NOTE Confidence: 0.83766365

 $00:19:56.220 \longrightarrow 00:19:58.122$ we need to assure that providers

NOTE Confidence: 0.83766365

 $00:19:58.122 \longrightarrow 00:20:00.200$ also know the symptoms and know how

NOTE Confidence: 0.83766365

 $00:20:00.200 \longrightarrow 00:20:02.090$ to piece things together and

 $00:20:02.090 \longrightarrow 00:20:03.224$ take best care.

 $00:20:04.542 \longrightarrow 00:20:06.510$ But I can imagine that many

NOTE Confidence: 0.8524233

 $00:20:06.585 \longrightarrow 00:20:08.890$ providers are thinking

NOTE Confidence: 0.8524233

 $00:20:08.890 \longrightarrow 00:20:11.445$ hings are common and so really

NOTE Confidence: 0.8524233

00:20:11.445 --> 00:20:14.226 having patients say,

NOTE Confidence: 0.8524233

 $00{:}20{:}14.226 \to 00{:}20{:}16.872$ I agree that things are common,

NOTE Confidence: 0.8524233

00:20:16.880 --> 00:20:19.148 but this isn't common for me,

NOTE Confidence: 0.8524233

00:20:19.150 --> 00:20:21.790 so I think that while you're quite

NOTE Confidence: 0.8524233

 $00:20:21.790 \longrightarrow 00:20:24.203$ right that it's important that providers

NOTE Confidence: 0.8524233

00:20:24.203 --> 00:20:26.729 really know the signs and symptoms,

NOTE Confidence: 0.8524233

 $00:20:26.730 \longrightarrow 00:20:28.620$ it's also really critical that

NOTE Confidence: 0.8524233

 $00:20:28.620 \longrightarrow 00:20:30.132$ women advocate for themselves.

NOTE Confidence: 0.8524233

 $00:20:30.140 \longrightarrow 00:20:33.164$ So Elena is the first step in diagnosis

NOTE Confidence: 0.8524233

 $00:20:33.170 \longrightarrow 00:20:35.200$ getting an ultrasound or CT?

NOTE Confidence: 0.8524233

 $00:20:35.200 \longrightarrow 00:20:37.186$ What should women expect

NOTE Confidence: 0.8524233

 $00:20:37.186 \longrightarrow 00:20:39.854$ when they go to their family doctor

 $00:20:39.854 \longrightarrow 00:20:41.969$ or their gynecologist or their

NOTE Confidence: 0.8524233

 $00:20:41.970 \longrightarrow 00:20:44.978$ GI doc or somebody

NOTE Confidence: 0.8524233

 $00:20:44.980 \longrightarrow 00:20:47.230$ with these vague symptoms and we're

NOTE Confidence: 0.8524233

 $00:20:47.230 \longrightarrow 00:20:49.487$ trying to rule out ovarian cancer.

NOTE Confidence: 0.8524233

 $00:20:49.487 \longrightarrow 00:20:50.618$ Yeah, so the important

NOTE Confidence: 0.8576847

 $00:20:50.620 \longrightarrow 00:20:53.580$ part is to be seen by a gynecologist

NOTE Confidence: 0.8576847

 $00:20:53.580 \longrightarrow 00:20:55.878$ and to do a pelvic exam.

NOTE Confidence: 0.8576847

 $00{:}20{:}55.880 \rightarrow 00{:}20{:}57.610$ Those are always very important

NOTE Confidence: 0.8576847

 $00:20:57.610 \longrightarrow 00:20:59.741$ and there's a lot of information

NOTE Confidence: 0.8576847

 $00:20:59.741 \longrightarrow 00:21:01.697$ that we as providers can get

NOTE Confidence: 0.8576847

 $00{:}21{:}01.697 \dashrightarrow 00{:}21{:}04.149$ out of a physical examination.

NOTE Confidence: 0.8576847

 $00{:}21{:}04.150 \dashrightarrow 00{:}21{:}07.106$ Pelvic examination. Second step would

NOTE Confidence: 0.8576847

 $00{:}21{:}07.106 \dashrightarrow 00{:}21{:}08.766$ be together just an ultrasound.

NOTE Confidence: 0.8576847

00:21:08.770 --> 00:21:11.185 You know cat scans and mris are

NOTE Confidence: 0.8576847

00:21:11.185 --> 00:21:12.909 usually not necessary and actually

 $00:21:12.909 \longrightarrow 00:21:15.405$ not the best test for these at all.

NOTE Confidence: 0.8576847

 $00:21:15.410 \longrightarrow 00:21:17.727$ So we would get as a trans

NOTE Confidence: 0.8576847

 $00:21:17.727 \longrightarrow 00:21:18.389$ vaginal ultrasound.

NOTE Confidence: 0.8576847

 $00:21:18.390 \longrightarrow 00:21:21.118$ And usually we would not do tumor marker

NOTE Confidence: 0.8576847

 $00:21:21.118 \longrightarrow 00:21:23.710$ unless we have two 2 markerS called CA

NOTE Confidence: 0.8576847

 $00:21:23.710 \longrightarrow 00:21:25.696$ 125 and it is not a great test.

NOTE Confidence: 0.8576847

 $00:21:25.700 \longrightarrow 00:21:27.940$ There's a lot of times that is

NOTE Confidence: 0.8576847

00:21:27.940 --> 00:21:29.642 falsely positives or false negative

NOTE Confidence: 0.8576847

00:21:29.642 --> 00:21:31.664 so we won't order it always.

NOTE Confidence: 0.8576847

00:21:31.670 --> 00:21:32.998 We order it in circumstances,

NOTE Confidence: 0.8576847

 $00{:}21{:}32.998 \dashrightarrow 00{:}21{:}34.658$ but only after the ultrasound.

NOTE Confidence: 0.8576847

 $00:21:34.660 \longrightarrow 00:21:36.646$ So that's what you would expect.

NOTE Confidence: 0.8761242

 $00:21:37.540 \longrightarrow 00:21:38.605$ Great and

NOTE Confidence: 0.8761242

 $00:21:38.605 \longrightarrow 00:21:40.380$ let's suppose you do that.

NOTE Confidence: 0.8761242

 $00:21:40.380 \longrightarrow 00:21:42.510$ You've been having these vague symptoms.

NOTE Confidence: 0.8761242

 $00:21:42.510 \longrightarrow 00:21:44.290$ You go to your doctor.

00:21:44.290 --> 00:21:46.420 Your doctor says, you know,

NOTE Confidence: 0.8761242

00:21:46.420 --> 00:21:48.544 maybe we ought to send you

NOTE Confidence: 0.8761242

 $00:21:48.544 \longrightarrow 00:21:49.606$ to your gynecologist.

NOTE Confidence: 0.8761242

00:21:49.610 --> 00:21:51.205 The gynecologist does a pelvic

NOTE Confidence: 0.8761242

00:21:51.205 --> 00:21:53.520 exam and a trans vaginal ultrasound,

NOTE Confidence: 0.8761242

 $00:21:53.520 \longrightarrow 00:21:55.245$ and they think that they

NOTE Confidence: 0.8761242

 $00:21:55.245 \longrightarrow 00:21:56.970$ feel something or they

NOTE Confidence: 0.8761242

 $00:21:57.044 \longrightarrow 00:21:58.839$ see something in the ovary.

NOTE Confidence: 0.8761242

 $00:21:58.840 \longrightarrow 00:21:59.908$ Now, what happens?

NOTE Confidence: 0.8414045

 $00:22:01.490 \longrightarrow 00:22:03.570$ So women with ovarian cancer,

NOTE Confidence: 0.8414045

 $00{:}22{:}03.570 \dashrightarrow 00{:}22{:}06.475$ women for whom we suspect of having cancer,

NOTE Confidence: 0.8414045

 $00:22:06.480 \longrightarrow 00:22:09.385$ are managed usually by team of doctors.

NOTE Confidence: 0.8414045

00:22:09.390 --> 00:22:11.058 You know, the gynecologist,

NOTE Confidence: 0.8414045

 $00{:}22{:}11.058 \dashrightarrow 00{:}22{:}13.560$ of course plays a very important role

NOTE Confidence: 0.8414045

 $00:22:13.628 \longrightarrow 00:22:16.010$ and then works together with other

00:22:16.010 --> 00:22:18.130 colleagues like myself,

NOTE Confidence: 0.8414045

 $00:22:18.130 \longrightarrow 00:22:20.560$ who specializes in treatment and surgeries

NOTE Confidence: 0.8414045

 $00:22:20.560 \longrightarrow 00:22:22.710$ and chemotherapy for these cancers.

NOTE Confidence: 0.8414045

 $00:22:22.710 \longrightarrow 00:22:25.630$ So the point I wanted to make is

NOTE Confidence: 0.8414045

00:22:25.630 --> 00:22:28.231 how much better things are today

NOTE Confidence: 0.8414045

 $00:22:28.231 \longrightarrow 00:22:31.440$ than they have been in the past.

NOTE Confidence: 0.8414045

 $00:22:31.440 \longrightarrow 00:22:33.184$ We now truly provide

NOTE Confidence: 0.8414045

 $00:22:33.184 \longrightarrow 00:22:34.496$ personalized care.

NOTE Confidence: 0.8414045

 $00{:}22{:}42.750 \dashrightarrow 00{:}22{:}45.240$ I now can do surgeries la paroscopically

NOTE Confidence: 0.8414045

 $00:22:45.240 \longrightarrow 00:22:47.330$ or robotically where women

NOTE Confidence: 0.8414045

 $00{:}22{:}47.330 \dashrightarrow 00{:}22{:}50.381$ can go home the same day whereas four

NOTE Confidence: 0.8414045

 $00:22:50.381 \longrightarrow 00:22:53.426$ years ago they will stay in the

NOTE Confidence: 0.8414045

 $00{:}22{:}53.426 \rightarrow 00{:}22{:}55.999$ hospital for a week if not longer.

NOTE Confidence: 0.8414045

 $00{:}22{:}56.000 \dashrightarrow 00{:}22{:}56.936$ So surgically

NOTE Confidence: 0.8414045

 $00:22:56.936 \longrightarrow 00:22:59.744$ if you were concerned about ovarian

NOTE Confidence: 0.8414045

 $00{:}22{:}59.744 \dashrightarrow 00{:}23{:}02.420$ cancer you would have a hysterectomy

 $00{:}23{:}02.420 \dashrightarrow 00{:}23{:}05.340$ and then you would get a

NOTE Confidence: 0.8414045

 $00:23:05.340 \longrightarrow 00:23:08.140$ biopsy and we would look

NOTE Confidence: 0.8414045

00:23:08.140 --> 00:23:08.858 under a microscope,

NOTE Confidence: 0.8414045

 $00:23:08.858 \longrightarrow 00:23:11.371$ to try to identify the cells and

NOTE Confidence: 0.8414045

00:23:11.371 --> 00:23:13.560 that's how a diagnosis would be made,

NOTE Confidence: 0.8414045

 $00:23:13.560 \longrightarrow 00:23:15.750$ but everything now starts

NOTE Confidence: 0.8414045

 $00:23:15.750 \longrightarrow 00:23:17.969$ from that first step where you

NOTE Confidence: 0.8414045

00:23:17.969 --> 00:23:20.384 have surgery and again now we do

NOTE Confidence: 0.8414045

 $00:23:20.384 \longrightarrow 00:23:22.234$ everything truly in the personalized

NOTE Confidence: 0.8414045

 $00{:}23{:}22.234 \dashrightarrow 00{:}23{:}24.382$ fashion where most women are

NOTE Confidence: 0.8414045

 $00:23:24.390 \longrightarrow 00:23:26.195$ now great candidates for this

NOTE Confidence: 0.8414045

00:23:26.195 --> 00:23:28.360 robotic surgery and they

NOTE Confidence: 0.8414045

 $00{:}23{:}28.360 \dashrightarrow 00{:}23{:}30.484$ go home

NOTE Confidence: 0.8414045

 $00:23:30.484 \longrightarrow 00:23:33.302$ same day and they go back to work

NOTE Confidence: 0.8414045

 $00:23:33.302 \longrightarrow 00:23:35.753$ within a week and then extending to

 $00:23:35.753 \longrightarrow 00:23:38.039$ chemotherapy where we no longer treat

NOTE Confidence: 0.8414045

 $00{:}23{:}38.039 \dashrightarrow 00{:}23{:}41.440$ women the same way that we used to treat.

NOTE Confidence: 0.8414045

 $00:23:41.440 \longrightarrow 00:23:43.708$ We no longer treat somebody the

NOTE Confidence: 0.8414045

 $00:23:43.708 \longrightarrow 00:23:46.066$ same way just because they have

NOTE Confidence: 0.8414045

 $00:23:46.066 \longrightarrow 00:23:48.370$ the same cancer as somebody else.

NOTE Confidence: 0.8414045

 $00:23:48.370 \longrightarrow 00:23:49.567$ We truly study

NOTE Confidence: 0.8414045

 $00:23:49.567 \longrightarrow 00:23:51.961$ their mutations and truly understand what

NOTE Confidence: 0.8414045

 $00:23:51.961 \longrightarrow 00:23:54.916$ is driving and causing the cancer in

NOTE Confidence: 0.8414045

 $00:23:54.920 \longrightarrow 00:23:55.688$ particular women,

NOTE Confidence: 0.8414045

 $00:23:55.688 \longrightarrow 00:23:58.376$ and then the treatment that we recommend

NOTE Confidence: 0.8414045

 $00:23:58.380 \longrightarrow 00:24:00.305$ and then we provide is

NOTE Confidence: 0.8414045

 $00:24:00.305 \longrightarrow 00:24:01.845$ based specifically on that.

NOTE Confidence: 0.8414045

 $00:24:01.850 \longrightarrow 00:24:04.930$ So we use a lot of targeted therapies.

NOTE Confidence: 0.8414045

 $00:24:04.930 \longrightarrow 00:24:07.618$ We use a lot of pills nowadays.

NOTE Confidence: 0.8414045

00:24:07.620 --> 00:24:09.316 You know some chemotherapies

NOTE Confidence: 0.8414045

 $00:24:09.316 \longrightarrow 00:24:13.127$ are still through IV how they used to be.

 $00:24:13.130 \longrightarrow 00:24:16.037$ But a lot of them now are just oral

NOTE Confidence: 0.8414045

00:24:16.037 --> 00:24:18.329 pills that you don't even have

NOTE Confidence: 0.8414045

 $00:24:18.329 \longrightarrow 00:24:20.849$ to come into the office to get.

NOTE Confidence: 0.8414045

 $00:24:20.850 \longrightarrow 00:24:22.610$ You can get from home.

NOTE Confidence: 0.8414045

 $00:24:22.610 \longrightarrow 00:24:23.663$ There's immunotherapy.

NOTE Confidence: 0.8414045

 $00:24:23.663 \longrightarrow 00:24:26.120$ There's a lot of these targeted achievements,

NOTE Confidence: 0.8414045

00:24:26.120 --> 00:24:27.870 again specifically for that patient,

NOTE Confidence: 0.8414045

 $00:24:27.870 \longrightarrow 00:24:30.678$ and I think that's the key to success.

NOTE Confidence: 0.8414045

 $00:24:30.680 \longrightarrow 00:24:32.440$ And more and more

NOTE Confidence: 0.87080103

 $00:24:32.440 \longrightarrow 00:24:35.240$ of these cancers are going to be cured.

NOTE Confidence: 0.87080103

 $00{:}24{:}35.240 \to 00{:}24{:}36.584$ So that's really encouraging.

NOTE Confidence: 0.87080103

00:24:36.584 --> 00:24:39.459 I want to take a step back though,

NOTE Confidence: 0.87080103

 $00{:}24{:}39.460 \dashrightarrow 00{:}24{:}41.917$ so at the point where you've gone

NOTE Confidence: 0.87080103

 $00:24:41.917 \longrightarrow 00:24:43.814$ to the gynecologist, they felt

NOTE Confidence: 0.87080103

 $00:24:43.814 \longrightarrow 00:24:45.924$ something they've done an ultrasound.

 $00:24:45.930 \longrightarrow 00:24:48.100$ in many of the cancers

NOTE Confidence: 0.87080103

 $00:24:48.100 \longrightarrow 00:24:50.408$ that we talk about on this show,

NOTE Confidence: 0.87080103

 $00:24:50.410 \longrightarrow 00:24:52.330$ the next step is a biopsy,

NOTE Confidence: 0.87080103

 $00:24:52.330 \longrightarrow 00:24:54.402$ but it sounds like that might not

NOTE Confidence: 0.87080103

 $00:24:54.402 \longrightarrow 00:24:56.807$ always be the case in ovarian cancer.

NOTE Confidence: 0.87080103

 $00:24:56.810 \longrightarrow 00:24:57.695$ Is that right?

NOTE Confidence: 0.87080103

 $00:24:57.695 \longrightarrow 00:25:00.330$ Do we always get a biopsy before surgery?

NOTE Confidence: 0.87080103

 $00:25:00.330 \longrightarrow 00:25:02.890$ Or do we kind of sometimes just say,

NOTE Confidence: 0.87080103

 $00{:}25{:}02.890 --> 00{:}25{:}05.450$ well you're at a certain age.

NOTE Confidence: 0.87080103

 $00:25:05.450 \longrightarrow 00:25:07.120$ You can have a hysterectomy

NOTE Confidence: 0.87080103

 $00{:}25{:}07.120 \dashrightarrow 00{:}25{:}08.790$ instead and that will accomplish

NOTE Confidence: 0.87080103

 $00:25:08.855 \longrightarrow 00:25:10.250$ two goals with one stone.

NOTE Confidence: 0.87080103

 $00:25:10.250 \longrightarrow 00:25:11.530$ How does that work?

NOTE Confidence: 0.87080103

 $00:25:11.530 \longrightarrow 00:25:12.490$ That's an excellent

NOTE Confidence: 0.8699896

 $00:25:12.490 \longrightarrow 00:25:13.770$ question because

NOTE Confidence: 0.8699896

 $00:25:13.770 \longrightarrow 00:25:15.370$ in many other cancers

 $00:25:15.370 \longrightarrow 00:25:17.610$ we would not proceed to surgery directly.

NOTE Confidence: 0.8699896

00:25:17.610 --> 00:25:20.546 We usually will try to get a biopsy.

NOTE Confidence: 0.8699896

 $00:25:20.550 \longrightarrow 00:25:22.855$ Ovarian cancer is the exception

NOTE Confidence: 0.8699896

 $00:25:22.855 \longrightarrow 00:25:25.631$ to that because of where the

NOTE Confidence: 0.8699896

 $00:25:25.631 \longrightarrow 00:25:27.959$ ovaries are and how they are.

NOTE Confidence: 0.8699896

 $00:25:27.960 \longrightarrow 00:25:30.105$ We never biopsy ovaries because

NOTE Confidence: 0.8699896

 $00:25:30.105 \longrightarrow 00:25:32.250$ you can rupture an ovary and

NOTE Confidence: 0.8699896

00:25:32.323 --> 00:25:34.939 potentially you can make that worse

NOTE Confidence: 0.8699896

 $00:25:34.940 \longrightarrow 00:25:37.120$ if cancer cells are present,

NOTE Confidence: 0.8699896

00:25:37.120 --> 00:25:39.731 so most of the time if something

NOTE Confidence: 0.8699896

 $00{:}25{:}39.731 \dashrightarrow 00{:}25{:}42.021$ looks suspicious on the ultrasound

NOTE Confidence: 0.8699896

00:25:42.021 --> 00:25:43.659 and pelvic examination,

NOTE Confidence: 0.8699896

 $00{:}25{:}43.660 {\:{\mbox{--}}}{>} 00{:}25{:}47.575$ or if women get a cat scan and MRI,

NOTE Confidence: 0.8699896

 $00:25:47.580 \longrightarrow 00:25:50.130$ or there's some sort of imaging

NOTE Confidence: 0.8699896

 $00:25:50.130 \longrightarrow 00:25:52.750$ that shows us especially suspicious

 $00:25:52.750 \longrightarrow 00:25:54.736$ we would just remove it.

NOTE Confidence: 0.8699896

 $00:25:54.740 \longrightarrow 00:25:56.896$ We would just take out the ovary

NOTE Confidence: 0.8699896

 $00:25:56.896 \longrightarrow 00:25:59.295$ and then be able to look at

NOTE Confidence: 0.8699896

 $00:25:59.295 \longrightarrow 00:26:01.045$ it at the microscope directly

NOTE Confidence: 0.87949574

 $00:26:01.050 \longrightarrow 00:26:02.046$ without the biopsy.

NOTE Confidence: 0.87949574

 $00:26:02.046 \longrightarrow 00:26:03.706$ And so when that's done,

NOTE Confidence: 0.87949574

00:26:03.710 --> 00:26:05.034 is a hysterectomy always

NOTE Confidence: 0.87949574

 $00:26:05.034 \longrightarrow 00:26:06.689$ done at the same time?

NOTE Confidence: 0.87949574

 $00:26:06.690 \longrightarrow 00:26:08.556$ Or does it matter where the

NOTE Confidence: 0.87949574

 $00:26:08.556 \longrightarrow 00:26:10.680$ woman is in her life cycle?

NOTE Confidence: 0.87949574

00:26:10.680 --> 00:26:12.335 So young woman versus an

NOTE Confidence: 0.87949574

 $00:26:12.335 \longrightarrow 00:26:13.672$ older woman, for example?

NOTE Confidence: 0.87949574

 $00:26:13.672 \longrightarrow 00:26:16.650$ Or is that just part and parcel of the

NOTE Confidence: 0.87949574

00:26:16.650 --> 00:26:17.568 same surgery?

NOTE Confidence: 0.87949574

 $00:26:17.568 \longrightarrow 00:26:20.639$ Exactly the same as what we talked before,

NOTE Confidence: 0.87949574

 $00:26:20.640 \longrightarrow 00:26:22.080$ everything is truly individualized.

 $00:26:22.080 \longrightarrow 00:26:24.632$ I have a lot of women in their

NOTE Confidence: 0.87949574

 $00{:}26{:}24.632 \dashrightarrow 00{:}26{:}26.618$ 30s who have had this diagnosis

NOTE Confidence: 0.87949574

 $00:26:26.620 \longrightarrow 00:26:28.860$ and I would never remove the ovaries

NOTE Confidence: 0.87949574

 $00:26:28.860 \longrightarrow 00:26:31.420$ I always allow them to continue

NOTE Confidence: 0.87949574

 $00:26:31.420 \longrightarrow 00:26:33.660$ how it was meant to be,

NOTE Confidence: 0.87949574

 $00:26:33.660 \longrightarrow 00:26:36.270$ and we certainly can do a lot of these

NOTE Confidence: 0.87949574

 $00:26:36.270 \longrightarrow 00:26:38.351$ surgeries and

NOTE Confidence: 0.87949574

 $00:26:38.351 \longrightarrow 00:26:40.448$ remove that normal ovary

NOTE Confidence: 0.87949574

 $00:26:40.448 \longrightarrow 00:26:42.618$ other things that we have to remove,

NOTE Confidence: 0.87949574

 $00{:}26{:}42.620 \dashrightarrow 00{:}26{:}44.396$ but allow them to continue their

NOTE Confidence: 0.87949574

 $00:26:44.396 \longrightarrow 00:26:46.321$ normal lives and have normal fertility

NOTE Confidence: 0.87949574

 $00:26:46.321 \longrightarrow 00:26:48.373$ and be able to carry pregnancies.

NOTE Confidence: 0.87949574

 $00{:}26{:}48.380 \dashrightarrow 00{:}26{:}50.300$ There's times where that's not possible,

NOTE Confidence: 0.87949574

 $00:26:50.300 \longrightarrow 00:26:53.288$ but most times with the young

NOTE Confidence: 0.87949574

00:26:53.288 --> 00:26:56.057 women we find a way to make it happen.

 $00:26:56.060 \longrightarrow 00:26:58.090$ If the woman is older

NOTE Confidence: 0.87949574

 $00:26:58.090 \longrightarrow 00:27:00.785$ then yes,

NOTE Confidence: 0.87949574

 $00:27:00.790 \longrightarrow 00:27:03.233$ of course we would remove the uterus

NOTE Confidence: 0.87949574

 $00:27:03.233 \longrightarrow 00:27:05.810$ as well and do a total hysterectomy

NOTE Confidence: 0.8774368

 $00:27:05.810 \longrightarrow 00:27:07.740$ but not the younger women.

NOTE Confidence: 0.8774368

 $00:27:07.740 \longrightarrow 00:27:10.435$ And so when you do that surgery,

NOTE Confidence: 0.8774368

 $00:27:10.440 \longrightarrow 00:27:12.684$ you had mentioned

NOTE Confidence: 0.8774368

 $00:27:12.684 \longrightarrow 00:27:15.043$ that many of these

NOTE Confidence: 0.8774368

00:27:15.043 --> 00:27:16.998 cancers are not caught early

NOTE Confidence: 0.8774368

 $00:27:17.000 \longrightarrow 00:27:19.082$ unfortunately and that's one of the

NOTE Confidence: 0.8774368

 $00{:}27{:}19.082 \dashrightarrow 00{:}27{:}21.815$ things that leads to the high mortality

NOTE Confidence: 0.8774368

 $00:27:21.815 \longrightarrow 00:27:23.945$ rate associated with ovarian cancer.

NOTE Confidence: 0.8774368

 $00:27:23.950 \longrightarrow 00:27:26.194$ How many of these cancers have

NOTE Confidence: 0.8774368

 $00:27:26.194 \longrightarrow 00:27:28.182$ spread outside the ovary when

NOTE Confidence: 0.8774368

 $00:27:28.182 \longrightarrow 00:27:29.866$ their first diagnosed?

NOTE Confidence: 0.8774368

 $00:27:29.870 \longrightarrow 00:27:32.294$ What impact does that have in

00:27:32.294 --> 00:27:34.770 terms of treatment and prognosis?

NOTE Confidence: 0.87316656

 $00:27:36.070 \longrightarrow 00:27:38.828$ So at this point a lot of them,

NOTE Confidence: 0.87316656

 $00:27:38.830 \longrightarrow 00:27:41.818$ the great majority of them 75% or so

NOTE Confidence: 0.87316656

 $00:27:41.818 \longrightarrow 00:27:44.330$ spread to outside of the ovary at

NOTE Confidence: 0.87316656

 $00{:}27{:}44.414 \dashrightarrow 00{:}27{:}47.046$ the time of diagnosis and because of

NOTE Confidence: 0.87316656

 $00:27:47.046 \longrightarrow 00:27:49.676$ that once we complete their surgery

NOTE Confidence: 0.87316656

 $00:27:49.676 \longrightarrow 00:27:53.001$ women need some sort of additional

NOTE Confidence: 0.87316656

 $00:27:53.010 \longrightarrow 00:27:55.285$ treatment which is usually chemotherapy

NOTE Confidence: 0.87316656

00:27:55.285 --> 00:27:58.434 or some sort of targeted therapy but

NOTE Confidence: 0.87316656

 $00:27:58.434 \longrightarrow 00:28:00.822$ myself among with many other experts

NOTE Confidence: 0.87316656

 $00:28:00.822 \longrightarrow 00:28:03.888$ who now spend so much of our

NOTE Confidence: 0.87316656

 $00:28:03.888 \longrightarrow 00:28:06.406$ time just doing surgery and not

NOTE Confidence: 0.87316656

 $00{:}28{:}06.406 \dashrightarrow 00{:}28{:}08.370$ just doing chemotherapy, but really

NOTE Confidence: 0.87316656

 $00:28:08.370 \longrightarrow 00:28:11.100$ providing education to women.

NOTE Confidence: 0.87316656

 $00:28:14.530 \longrightarrow 00:28:16.588$ The future will be that more and

 $00:28:16.588 \longrightarrow 00:28:18.747$ more of these cancers will be

NOTE Confidence: 0.87316656

 $00{:}28{:}18.747 \dashrightarrow 00{:}28{:}20.355$ found earlier and localized and

NOTE Confidence: 0.87316656

 $00{:}28{:}20.360 \dashrightarrow 00{:}28{:}23.104$ surgery will be able to cure them.

NOTE Confidence: 0.87316656

 $00:28:23.110 \longrightarrow 00:28:24.109$ The key again,

NOTE Confidence: 0.87316656

00:28:24.109 --> 00:28:26.107 is just knowing your body and

NOTE Confidence: 0.87316656

 $00{:}28{:}26.107 \dashrightarrow 00{:}28{:}28.212$ listening to your body and then

NOTE Confidence: 0.87316656

 $00:28:28.212 \longrightarrow 00:28:30.318$ seeing the physicians and seeing the

NOTE Confidence: 0.87316656

00:28:30.318 --> 00:28:32.370 providers and getting the

NOTE Confidence: 0.87316656

 $00{:}28{:}32.370 \dashrightarrow 00{:}28{:}35.184$ care that you deserve, not turning away.

NOTE Confidence: 0.87316656

 $00:28:44.192 \longrightarrow 00:28:46.530$ And with that more and more of

NOTE Confidence: 0.87316656

 $00:28:46.604 \longrightarrow 00:28:48.872$ these cancers will be found early

NOTE Confidence: 0.87316656

 $00:28:48.872 \longrightarrow 00:28:50.384$ and the nature of

NOTE Confidence: 0.87208885

 $00:28:50.390 \longrightarrow 00:28:51.738$ this disease will change.

NOTE Confidence: 0.87208885

 $00:28:51.738 \longrightarrow 00:28:53.760$ Doctor Elena Ratner is an associate

NOTE Confidence: 0.87208885

 $00:28:53.824 \longrightarrow 00:28:56.146$ professor in the Department of obstetrics,

NOTE Confidence: 0.87208885

00:28:56.150 --> 00:28:57.590 gynecology, and Reproductive Sciences

 $00:28:57.590 \longrightarrow 00:28:59.750$ at the Yale School of Medicine.

NOTE Confidence: 0.87208885

 $00:28:59.750 \longrightarrow 00:29:01.194$ If you have questions,

NOTE Confidence: 0.87208885

 $00{:}29{:}01.194 \dashrightarrow 00{:}29{:}02.638$ the address is canceranswers@yale.edu

NOTE Confidence: 0.87208885

 $00:29:02.638 \longrightarrow 00:29:04.634$ and past editions of the program

NOTE Confidence: 0.87208885

 $00:29:04.634 \longrightarrow 00:29:06.458$ are available in audio and written

NOTE Confidence: 0.87208885

 $00{:}29{:}06.510 \dashrightarrow 00{:}29{:}08.028$ form at Yale cancercenter.org.

NOTE Confidence: 0.87208885

 $00{:}29{:}08.030 \dashrightarrow 00{:}29{:}10.946$ We hope you'll join us next week to learn

NOTE Confidence: 0.87208885

 $00:29:10.946 \longrightarrow 00:29:13.540$ more about the fight against cancer.

NOTE Confidence: 0.87208885

 $00:29:13.540 \longrightarrow 00:29:15.864$ Here on Connecticut public radio.