WEBVTT

 $00:00:00.000 \longrightarrow 00:00:02.485$ Support for Yale Cancer Answers

NOTE Confidence: 0.85685986

 $00:00:02.485 \longrightarrow 00:00:04.970$ comes from AstraZeneca, dedicated

NOTE Confidence: 0.85685986

 $00:00:05.047 \longrightarrow 00:00:07.417$ to advancing options and providing

NOTE Confidence: 0.85685986

00:00:07.417 --> 00:00:10.400 hope for people living with cancer.

NOTE Confidence: 0.85685986

 $00:00:10.400 \longrightarrow 00:00:14.220$ More information at astrazeneca-us.com.

NOTE Confidence: 0.85685986

 $00:00:14.220 \longrightarrow 00:00:15.672$ Welcome to Yale Cancer

NOTE Confidence: 0.85685986

00:00:15.672 --> 00:00:17.124 Answers with your host,

NOTE Confidence: 0.85685986

 $00:00:17.130 \dashrightarrow 00:00:19.638$ Doctor Anees Chagpar. Yale Cancer Answers

NOTE Confidence: 0.85685986

00:00:19.638 --> 00:00:21.736 features the latest information on

NOTE Confidence: 0.85685986

 $00:00:21.736 \longrightarrow 00:00:23.932$ cancer care by welcoming oncologists and

NOTE Confidence: 0.85685986

 $00{:}00{:}23.932 \dashrightarrow 00{:}00{:}26.272$ specialists who are on the forefront of

NOTE Confidence: 0.85685986

 $00:00:26.272 \longrightarrow 00:00:28.403$ the battle to fight cancer. This week,

NOTE Confidence: 0.85685986

 $00{:}00{:}28.403 \dashrightarrow 00{:}00{:}30.168$ it's a conversation about lung

NOTE Confidence: 0.85685986

 $00:00:30.168 \dashrightarrow 00:00:32.060$ cancer with Doctor Roy Herbst.

NOTE Confidence: 0.85685986

 $00:00:32.060 \longrightarrow 00:00:32.786$ Doctor Herbst is

 $00{:}00{:}32.786 \dashrightarrow 00{:}00{:}34.238$ Ensign Professor of Medicine

NOTE Confidence: 0.85685986

00:00:34.238 --> 00:00:35.327 and medical Oncology,

NOTE Confidence: 0.85685986

00:00:35.330 --> 00:00:37.150 an professor of pharmacology at

NOTE Confidence: 0.85685986

00:00:37.150 --> 00:00:38.970 the Yale School of Medicine,

NOTE Confidence: 0.85685986

00:00:38.970 --> 00:00:41.838 where Doctor Chagpar is a

NOTE Confidence: 0.85685986

00:00:41.838 --> 00:00:43.750 professor of surgical oncology.

 $00{:}00{:}44.090 \dashrightarrow 00{:}00{:}46.674$ Maybe we can start off by talking

NOTE Confidence: 0.88338166

00:00:46.674 --> 00:00:48.714 a little bit about the Epidemiology

NOTE Confidence: 0.88338166

 $00:00:48.714 \longrightarrow 00:00:51.160$ of lung cancer, is it still

NOTE Confidence: 0.88338166

 $00:00:51.160 \longrightarrow 00:00:52.930$ one of the leading

NOTE Confidence: 0.88338166

 $00:00:52.930 \longrightarrow 00:00:54.571$ cancers and the leading

NOTE Confidence: 0.88338166

 $00:00:54.571 \longrightarrow 00:00:56.556$ cause of cancer related death?

NOTE Confidence: 0.82722974

 $00:00:57.460 \longrightarrow 00:00:59.320$ Lung cancer still is

NOTE Confidence: 0.82722974

 $00:00:59.320 \longrightarrow 00:01:01.973$ unfortunately the number one cause of cancer

NOTE Confidence: 0.82722974

 $00:01:01.973 \longrightarrow 00:01:04.159$ death worldwide with maybe 1.6, 1.7

NOTE Confidence: 0.82722974

 $00:01:04.160 \longrightarrow 00:01:06.386$ deaths a year by incidence.

 $00:01:06.390 \longrightarrow 00:01:09.008$ It's not the number one cancer diagnosed

NOTE Confidence: 0.82722974

 $00{:}01{:}09.008 \operatorname{--}{>} 00{:}01{:}11.598$ more breast cancer is diagnosed in women,

NOTE Confidence: 0.82722974

 $00:01:11.600 \longrightarrow 00:01:13.460$ and prostate cancer in men,

NOTE Confidence: 0.82722974

 $00:01:13.460 \longrightarrow 00:01:16.444$ but by death, it certainly is the major

NOTE Confidence: 0.82722974

 $00:01:16.444 \longrightarrow 00:01:18.986$ killer because it tends to present in

NOTE Confidence: 0.82722974

 $00{:}01{:}18.986 \to 00{:}01{:}21.270$ a metastatic way, already having spread.

NOTE Confidence: 0.82722974

 $00{:}01{:}21.270 \dashrightarrow 00{:}01{:}23.734$ But you know, we're making great in roads

NOTE Confidence: 0.82722974

 $00:01:23.734 \longrightarrow 00:01:26.415$ now with early screening for lung cancer

NOTE Confidence: 0.82722974

 $00{:}01{:}26.415 \dashrightarrow 00{:}01{:}28.755$ and hopefully will find it earlier.

NOTE Confidence: 0.82722974

00:01:28.760 --> 00:01:30.938 And we have seen improvements in

NOTE Confidence: 0.82722974

 $00:01:30.938 \longrightarrow 00:01:32.850$ survival but there is still work to do.

NOTE Confidence: 0.8599249

 $00:01:32.850 \longrightarrow 00:01:35.721$ I wanted to start off there and

NOTE Confidence: 0.8599249

 $00:01:35.721 \longrightarrow 00:01:38.198$ certainly will get into some of the recent

NOTE Confidence: 0.8599249

 $00{:}01{:}38.198 \dashrightarrow 00{:}01{:}40.698$ advances in screening and treatment.

NOTE Confidence: 0.8599249

 $00:01:40.700 \longrightarrow 00:01:43.300$ But you know, lung cancer used to be

NOTE Confidence: 0.8599249

 $00:01:43.300 \longrightarrow 00:01:46.462$ the number one cancer, and we saw that

 $00{:}01{:}46.462 \dashrightarrow 00{:}01{:}48.970$ breast cancer and prostate cancer kind

NOTE Confidence: 0.8599249

 $00{:}01{:}49.048 \dashrightarrow 00{:}01{:}51.676$ of pulled ahead several years ago.

NOTE Confidence: 0.8599249

00:01:51.680 --> 00:01:54.424 And in part, I think that that was

NOTE Confidence: 0.8599249

 $00{:}01{:}54.424 \dashrightarrow 00{:}01{:}56.853$ related to some advances that were

NOTE Confidence: 0.8599249

 $00:01:56.853 \longrightarrow 00:01:59.337$ made in terms of lung cancer.

NOTE Confidence: 0.8599249

 $00:01:59.340 \longrightarrow 00:02:00.108$ Primary prevention.

NOTE Confidence: 0.8599249

 $00:02:00.108 \longrightarrow 00:02:01.260$ In other words,

NOTE Confidence: 0.8599249

00:02:01.260 --> 00:02:03.934 not getting lung cancer to begin with.

NOTE Confidence: 0.8599249

 $00:02:03.940 \longrightarrow 00:02:06.509$ Do you want to kind of talk

NOTE Confidence: 0.8599249

 $00:02:06.509 \longrightarrow 00:02:08.150$ about some of that?

NOTE Confidence: 0.8599249

 $00{:}02{:}08.150 \dashrightarrow 00{:}02{:}09.678$ Particularly where it

NOTE Confidence: 0.8599249

 $00:02:09.678 \longrightarrow 00:02:11.206$ pertains to smoking cessation?

NOTE Confidence: 0.8338106

 $00:02:12.020 \longrightarrow 00:02:14.748$ Right, the best way to

NOTE Confidence: 0.8338106

 $00:02:14.748 \longrightarrow 00:02:17.636$ treat lung cancer still is to prevent it,

NOTE Confidence: 0.8338106

00:02:17.640 --> 00:02:19.345 and certainly even though there

 $00:02:19.345 \longrightarrow 00:02:21.830$ is a very real group of patients

NOTE Confidence: 0.8338106

 $00{:}02{:}21.830 \dashrightarrow 00{:}02{:}23.948$ with a non smoking lung cancer,

NOTE Confidence: 0.8338106

 $00:02:23.950 \longrightarrow 00:02:26.930$ as many as 15% or more of patients in the

NOTE Confidence: 0.8338106

00:02:27.008 --> 00:02:29.920 United States about double that in Asia,

NOTE Confidence: 0.8338106

 $00:02:29.920 \longrightarrow 00:02:32.504$ still smoking is one of the primary

NOTE Confidence: 0.8338106

 $00:02:32.504 \longrightarrow 00:02:34.837$ reasons for causation and lung cancer.

NOTE Confidence: 0.8338106

 $00:02:34.840 \longrightarrow 00:02:37.094$ So major efforts have been underway over

NOTE Confidence: 0.8338106

 $00:02:37.094 \longrightarrow 00:02:39.977$ the last 50-60 years in the United States

NOTE Confidence: 0.8338106

 $00:02:39.977 \longrightarrow 00:02:42.310$ since the initial Surgeon General's report

NOTE Confidence: 0.8338106

 $00:02:42.310 \longrightarrow 00:02:45.256$ to stem the tide of smoking.

NOTE Confidence: 0.8338106

 $00{:}02{:}45.256 \to 00{:}02{:}47.826$ We've gone down from 50% of Americans

NOTE Confidence: 0.8338106

 $00:02:47.826 \longrightarrow 00:02:50.034$ smoking, perhaps to less than 20%,

NOTE Confidence: 0.8338106

 $00:02:50.040 \longrightarrow 00:02:51.472$ maybe 18% or so,

NOTE Confidence: 0.8338106

00:02:51.472 --> 00:02:52.904 differing among different groups

NOTE Confidence: 0.8338106

 $00:02:52.904 \longrightarrow 00:02:54.090$ in different states,

NOTE Confidence: 0.8338106

 $00:02:54.090 \longrightarrow 00:02:56.286$ but we still need to do better.

 $00:02:56.290 \longrightarrow 00:02:59.323$ But smoking clearly is a cause and now we

NOTE Confidence: 0.8338106

 $00:02:59.323 \longrightarrow 00:03:02.180$ worry as we've really worked on smoking

NOTE Confidence: 0.8338106

 $00:03:02.180 \longrightarrow 00:03:04.015$ both with education and

NOTE Confidence: 0.8338106

 $00:03:04.015 \longrightarrow 00:03:05.483$ with medications, with counseling.

NOTE Confidence: 0.8338106

00:03:05.490 --> 00:03:07.898 Now we see this big surge in E-

NOTE Confidence: 0.8338106

 $00:03:07.898 \longrightarrow 00:03:10.354$ cigarette use and we worry and I'm

NOTE Confidence: 0.8338106

 $00:03:10.354 \longrightarrow 00:03:12.134$ very involved with the American

NOTE Confidence: 0.8338106

 $00:03:12.206 \longrightarrow 00:03:14.661$ Association of Cancer Research, actually.

NOTE Confidence: 0.8338106

 $00:03:14.661 \longrightarrow 00:03:16.978$ The task force on tobacco control.

NOTE Confidence: 0.8338106

 $00:03:16.980 \longrightarrow 00:03:18.730$ We're actually looking very carefully

NOTE Confidence: 0.8338106

 $00{:}03{:}18.730 \dashrightarrow 00{:}03{:}20.810$ at E-cigarettes because we worry

NOTE Confidence: 0.8338106

 $00:03:20.810 \longrightarrow 00:03:22.994$ that these are being used now by

NOTE Confidence: 0.8338106

00:03:22.994 --> 00:03:24.747 children and young adults

NOTE Confidence: 0.8338106

00:03:24.750 --> 00:03:26.310 and they're filled with nicotine,

NOTE Confidence: 0.8338106

 $00:03:26.310 \longrightarrow 00:03:27.865$ and nicotine is the addictive

 $00:03:27.865 \longrightarrow 00:03:29.109$ substance in cigarettes,

NOTE Confidence: 0.8338106

 $00:03:29.110 \longrightarrow 00:03:31.280$ so people are getting addicted to nicotine.

NOTE Confidence: 0.8338106

 $00:03:31.280 \longrightarrow 00:03:33.135$ And then they go to what's

NOTE Confidence: 0.8338106

 $00:03:33.135 \longrightarrow 00:03:35.314$ called dual use and start to use

NOTE Confidence: 0.8338106

 $00:03:35.314 \longrightarrow 00:03:36.642$ combustible cigarettes, the

NOTE Confidence: 0.8338106

 $00{:}03{:}36.642 \dashrightarrow 00{:}03{:}38.440$ type we're most familiar with.

NOTE Confidence: 0.8338106

 $00:03:38.440 \longrightarrow 00:03:40.138$ And then of course

NOTE Confidence: 0.8338106

 $00:03:40.138 \longrightarrow 00:03:42.170$ the story is all too familiar,

NOTE Confidence: 0.8338106

00:03:42.170 --> 00:03:44.655 and this is important

NOTE Confidence: 0.8338106

 $00{:}03{:}44.655 \to 00{:}03{:}47.850$ to tell you here in New Haven where we live

NOTE Confidence: 0.8338106

 $00:03:47.850 \longrightarrow 00:03:50.454$ the rates are probably a

NOTE Confidence: 0.8338106

 $00:03:50.454 \longrightarrow 00:03:52.766$ bit higher than the national average

NOTE Confidence: 0.8338106

00:03:52.766 --> 00:03:55.830 and we're doing a lot of work

NOTE Confidence: 0.8338106

 $00:03:55.830 \longrightarrow 00:03:57.730$ with community programs

NOTE Confidence: 0.8338106

 $00:03:57.730 \longrightarrow 00:04:00.682$ as part of our long funded research

NOTE Confidence: 0.8338106

00:04:00.682 --> 00:04:03.048 through the National Cancer Institute,

 $00:04:03.050 \longrightarrow 00:04:05.591$ we just completed a large trial when

NOTE Confidence: 0.8338106

 $00{:}04{:}05.591 \dashrightarrow 00{:}04{:}07.609$ patients came into the hospital,

NOTE Confidence: 0.8338106

 $00:04:07.610 \longrightarrow 00:04:09.890$ some with problems, some for screening.

NOTE Confidence: 0.8338106

 $00:04:09.890 \longrightarrow 00:04:12.752$ We tried to use new methods to help them

NOTE Confidence: 0.8338106

00:04:12.752 --> 00:04:15.587 to stop smoking, new messaging tools,

NOTE Confidence: 0.8338106

 $00:04:15.590 \longrightarrow 00:04:18.355$ so that's still such an important part

NOTE Confidence: 0.8338106

 $00:04:18.360 \longrightarrow 00:04:21.006$ of this field to not smoke also we have

NOTE Confidence: 0.8338106

 $00:04:21.006 \longrightarrow 00:04:23.546$ to worry about other risk factors.

NOTE Confidence: 0.8338106

 $00:04:23.550 \longrightarrow 00:04:24.570$ Asbestos,

NOTE Confidence: 0.8338106

 $00:04:24.570 \longrightarrow 00:04:26.610$ radon gas is something we all

NOTE Confidence: 0.8338106

 $00:04:26.610 \longrightarrow 00:04:27.699$ think about here

NOTE Confidence: 0.8338106

00:04:27.700 --> 00:04:28.654 living in Connecticut,

NOTE Confidence: 0.8338106

 $00{:}04{:}28.654 \dashrightarrow 00{:}04{:}31.322$ all these things can be a risk

NOTE Confidence: 0.8338106

 $00:04:31.322 \longrightarrow 00:04:33.578$ factor for future development of this

NOTE Confidence: 0.85348016

 $00:04:33.580 \longrightarrow 00:04:36.630$ disease. So I want to pick up on a couple

00:04:36.711 --> 00:04:39.469 of things that you said just quickly.

NOTE Confidence: 0.85348016

 $00:04:39.470 \longrightarrow 00:04:41.626$ So the first was your study looking

NOTE Confidence: 0.85348016

 $00:04:41.626 \longrightarrow 00:04:43.962$ at new messaging techniques.

NOTE Confidence: 0.85348016

00:04:47.078 --> 00:04:50.230 Roughly 20% of the population smoke

NOTE Confidence: 0.85348016

 $00:04:50.230 \longrightarrow 00:04:52.918$ and for many of them it is

NOTE Confidence: 0.85348016

 $00:04:52.918 \longrightarrow 00:04:54.610$ very difficult to quit.

NOTE Confidence: 0.85348016

 $00:04:54.610 \longrightarrow 00:04:57.786$ There are all kinds of things out there.

NOTE Confidence: 0.85348016

 $00:04:57.790 \longrightarrow 00:04:58.586$ There's quitlines,

NOTE Confidence: 0.85348016

 $00{:}04{:}58.586 \rightarrow 00{:}05{:}00.178$ there's patches, there's gum,

NOTE Confidence: 0.85348016

 $00:05:00.180 \longrightarrow 00:05:01.386$ there's behavioral modification.

NOTE Confidence: 0.85348016

 $00{:}05{:}01.386 \dashrightarrow 00{:}05{:}02.994$ Some people even advocate

NOTE Confidence: 0.85348016

00:05:02.994 --> 00:05:04.960 paying people to quit smoking,

NOTE Confidence: 0.85348016

 $00:05:04.960 \longrightarrow 00:05:07.576$ and some people are even suggesting

NOTE Confidence: 0.85348016

 $00{:}05{:}07.576 \dashrightarrow 00{:}05{:}10.687$ that E cigarettes can be used as a

NOTE Confidence: 0.85348016

00:05:10.687 --> 00:05:13.310 bridge to help people to quit smoking.

NOTE Confidence: 0.85348016

 $00:05:13.310 \longrightarrow 00:05:15.698$ So for our listeners out there,

 $00:05:15.700 \longrightarrow 00:05:18.640$ the 20% who may be smoking

NOTE Confidence: 0.85348016

 $00:05:18.640 \longrightarrow 00:05:20.789$ as they listen to this,

NOTE Confidence: 0.85348016

 $00:05:20.790 \longrightarrow 00:05:22.806$ what's the best way to quit and

NOTE Confidence: 0.85348016

 $00:05:22.810 \longrightarrow 00:05:24.260$ where can they get help?

NOTE Confidence: 0.8290709

00:05:24.260 --> 00:05:25.416 Well, first of all,

NOTE Confidence: 0.8290709

 $00:05:25.416 \longrightarrow 00:05:27.150$ I would definitely ask for help.

NOTE Confidence: 0.8290709

 $00:05:27.150 \longrightarrow 00:05:28.590$ That could be your physician.

NOTE Confidence: 0.8290709

 $00:05:28.590 \longrightarrow 00:05:30.330$ That could be a nurse practitioner.

NOTE Confidence: 0.8290709

 $00:05:30.330 \longrightarrow 00:05:31.770$ Just whoever you see for

NOTE Confidence: 0.8290709

 $00:05:31.770 \longrightarrow 00:05:32.922$ your regular health checks.

NOTE Confidence: 0.8290709

 $00:05:32.930 \longrightarrow 00:05:34.370$ Some of these quit lines

NOTE Confidence: 0.8290709

 $00:05:34.370 \longrightarrow 00:05:35.522$ can be extremely helpful,

NOTE Confidence: 0.8290709

 $00:05:35.530 \longrightarrow 00:05:37.060$ and there are a number of

NOTE Confidence: 0.8290709

00:05:37.060 --> 00:05:38.710 ways to work on quitting,

NOTE Confidence: 0.8290709

 $00{:}05{:}38.710 \dashrightarrow 00{:}05{:}40.426$ and now this is an addiction

 $00:05:40.426 \longrightarrow 00:05:42.180$ and it is hard to quit,

NOTE Confidence: 0.8290709

00:05:42.180 --> 00:05:43.625 especially if you've been using

NOTE Confidence: 0.8290709

 $00:05:43.625 \longrightarrow 00:05:45.070$ cigarettes for a long time.

NOTE Confidence: 0.8290709

00:05:45.070 --> 00:05:47.086 The nicotine is really hard to beat,

NOTE Confidence: 0.8290709

 $00:05:47.090 \longrightarrow 00:05:49.510$ so there are a couple of ways to do it

NOTE Confidence: 0.8290709

 $00:05:49.579 \longrightarrow 00:05:51.937$ here in our smoking cessation clinic,

NOTE Confidence: 0.8290709

 $00{:}05{:}51.940 \dashrightarrow 00{:}05{:}53.560$ they will assess each person

NOTE Confidence: 0.8290709

 $00:05:53.560 \longrightarrow 00:05:54.856$ on an individual basis.

NOTE Confidence: 0.8290709

 $00{:}05{:}54.860 \dashrightarrow 00{:}05{:}56.756$ There are certainly ways to substitute

NOTE Confidence: 0.8290709

 $00:05:56.756 \longrightarrow 00:05:58.729$ for the nicotine other than a

NOTE Confidence: 0.8290709

 $00{:}05{:}58.729 \dashrightarrow 00{:}06{:}00.359$ combustible cigarette that you smoke.

 $00:06:02.310 \longrightarrow 00:06:04.578$ There are certain medications that can help,

NOTE Confidence: 0.8290709

 $00:06:04.580 \longrightarrow 00:06:05.872$ but then of course,

NOTE Confidence: 0.8290709

 $00{:}06{:}05.872 \dashrightarrow 00{:}06{:}07.164$ behavioral modification and counseling,

NOTE Confidence: 0.8290709

00:06:07.170 --> 00:06:10.077 which I think is so important here at Yale,

NOTE Confidence: 0.8290709

 $00:06:10.080 \longrightarrow 00:06:12.397$ where we have an amazing center of

 $00:06:12.397 \longrightarrow 00:06:13.760$ emotional intelligence and there

NOTE Confidence: 0.8290709

 $00:06:13.760 \longrightarrow 00:06:15.614$ have been studies done to show

NOTE Confidence: 0.8290709

 $00:06:15.614 \longrightarrow 00:06:17.243$ that different types of messaging

NOTE Confidence: 0.8290709

 $00:06:17.243 \longrightarrow 00:06:19.157$ can be more effective than others.

NOTE Confidence: 0.8290709

 $00:06:19.160 \longrightarrow 00:06:19.968$ For example,

NOTE Confidence: 0.8290709

 $00:06:19.968 \longrightarrow 00:06:22.392$ many of you have seen

NOTE Confidence: 0.8290709

 $00:06:22.392 \longrightarrow 00:06:23.200$ cigarette cartoons.

NOTE Confidence: 0.8290709

00:06:23.200 --> 00:06:25.146 Not so much in the United States,

NOTE Confidence: 0.8290709

 $00:06:25.150 \longrightarrow 00:06:26.776$ but around the world where there

NOTE Confidence: 0.8290709

 $00:06:26.776 \longrightarrow 00:06:28.467$ are these horrible images of people

NOTE Confidence: 0.8290709

 $00{:}06{:}28.467 \dashrightarrow 00{:}06{:}29.867$ and the consequences of smoking.

NOTE Confidence: 0.8290709

 $00:06:29.870 \longrightarrow 00:06:31.538$ Those are very negative type messages,

NOTE Confidence: 0.8290709

 $00{:}06{:}31.540 \dashrightarrow 00{:}06{:}32.925$ but they're intended to scare

NOTE Confidence: 0.8290709

 $00:06:32.925 \longrightarrow 00:06:34.033$ people from not smoking.

NOTE Confidence: 0.8290709

 $00:06:34.040 \longrightarrow 00:06:35.828$ There's been some thought that more

NOTE Confidence: 0.8290709

 $00:06:35.828 \longrightarrow 00:06:37.829$ gain framed messaging where you

00:06:37.829 --> 00:06:39.593 might show well if you don't smoke,

NOTE Confidence: 0.8290709

 $00{:}06{:}39.600 \dashrightarrow 00{:}06{:}41.546$ you'll feel better if you don't smoke,

NOTE Confidence: 0.8290709

 $00:06:41.550 \longrightarrow 00:06:42.940$ your skin will look better.

NOTE Confidence: 0.8290709

 $00:06:42.940 \longrightarrow 00:06:45.156$ That could be another way of doing it.

NOTE Confidence: 0.8290709

 $00:06:45.160 \longrightarrow 00:06:46.545$ We're testing some of those

NOTE Confidence: 0.8290709

 $00:06:46.545 \longrightarrow 00:06:47.653$ new methods here at Yale.

 $00:06:47.938 \longrightarrow 00:06:49.328$ The other thing we've done

NOTE Confidence: 0.8290709

00:06:49.328 --> 00:06:50.440 is a biofeedback approach,

NOTE Confidence: 0.8290709

 $00:06:50.440 \longrightarrow 00:06:52.610$ so we actually have an infrared

NOTE Confidence: 0.8290709

 $00:06:52.610 \longrightarrow 00:06:54.290$ device that can measure carotenoids

NOTE Confidence: 0.8290709

 $00{:}06{:}54.290 \dashrightarrow 00{:}06{:}56.928$ in the skin and the health of the

NOTE Confidence: 0.8290709

 $00:06:56.928 \longrightarrow 00:06:59.021$ skin which we know actually can

NOTE Confidence: 0.8290709

 $00:06:59.086 \longrightarrow 00:07:00.886$ get somewhat destroyed with tobacco

NOTE Confidence: 0.8290709

 $00:07:00.886 \longrightarrow 00:07:03.308$ use and we actually are using that

NOTE Confidence: 0.8290709

 $00:07:03.308 \longrightarrow 00:07:05.162$ sort of biofeedback with patients to

NOTE Confidence: 0.8290709

 $00:07:05.162 \longrightarrow 00:07:07.730$ try to maintain them from using tobacco.

00:07:07.730 --> 00:07:10.366 So we've been working very hard on this.

NOTE Confidence: 0.8290709

00:07:10.366 --> 00:07:12.214 Lisa Fucito leads this effort now

NOTE Confidence: 0.8290709

00:07:12.214 --> 00:07:14.532 in our clinic and we're trying to

NOTE Confidence: 0.8290709

00:07:14.532 --> 00:07:16.800 serve as many patients as possible.

NOTE Confidence: 0.8290709

 $00:07:16.800 \longrightarrow 00:07:18.144$ And by the way,

NOTE Confidence: 0.8290709

 $00:07:18.144 \longrightarrow 00:07:19.824$ it's not just lung cancer.

NOTE Confidence: 0.8290709

 $00:07:19.830 \longrightarrow 00:07:21.615$ About 20 different cancers that

NOTE Confidence: 0.8290709

 $00:07:21.615 \longrightarrow 00:07:23.043$ all can trace their

NOTE Confidence: 0.8290709

 $00:07:23.050 \longrightarrow 00:07:24.802$ origin back to smoking and

NOTE Confidence: 0.8290709

 $00:07:24.802 \longrightarrow 00:07:26.758$ we are really trying to work on this.

NOTE Confidence: 0.8290709

 $00:07:26.760 \longrightarrow 00:07:28.185$ It's something that's now as

NOTE Confidence: 0.8290709

00:07:28.185 --> 00:07:29.610 part of our medical record.

NOTE Confidence: 0.8290709

00:07:29.610 --> 00:07:30.746 Everyone's asked the question

NOTE Confidence: 0.8290709

 $00:07:30.746 \longrightarrow 00:07:31.598$ about to bacco use.

NOTE Confidence: 0.8290709

 $00:07:31.600 \longrightarrow 00:07:33.595$ And primary prevention is just so important,

 $00:07:33.600 \longrightarrow 00:07:35.532$ but even if someone has smoked

NOTE Confidence: 0.8290709

 $00:07:35.532 \longrightarrow 00:07:37.283$ and many people have and they

NOTE Confidence: 0.8290709

 $00:07:37.283 \longrightarrow 00:07:38.723$ stopped they are still at risk

NOTE Confidence: 0.8290709

 $00:07:38.730 \longrightarrow 00:07:40.458$ of developing lung

NOTE Confidence: 0.8290709

 $00:07:40.458 \longrightarrow 00:07:42.278$ cancer and this is where screening

NOTE Confidence: 0.8290709

 $00:07:42.278 \longrightarrow 00:07:44.378$ comes in and the idea

NOTE Confidence: 0.8290709

00:07:44.378 --> 00:07:46.515 that you can do a low dose CAT

NOTE Confidence: 0.8290709

 $00:07:46.515 \longrightarrow 00:07:48.060$ scan to screen for lung cancer.

NOTE Confidence: 0.8290709

 $00{:}07{:}48.060 \dashrightarrow 00{:}07{:}49.880$ And I'm very proud to say that

NOTE Confidence: 0.8290709

 $00:07:49.938 \longrightarrow 00:07:51.598$ even during this very difficult

NOTE Confidence: 0.8290709

00:07:51.598 --> 00:07:53.258 year with covid and clinics

NOTE Confidence: 0.8290709

 $00:07:53.260 \longrightarrow 00:07:54.244$ closed or moved,

NOTE Confidence: 0.8290709

 $00:07:54.244 \longrightarrow 00:07:56.212$ we've actually had a very strong

NOTE Confidence: 0.8290709

 $00:07:56.212 \longrightarrow 00:07:58.028$ year number wise in the

NOTE Confidence: 0.8290709

 $00:07:58.028 \longrightarrow 00:07:59.453$ number of patients in the

NOTE Confidence: 0.83123416

 $00:07:59.520 \longrightarrow 00:08:01.040$ area that we've screened.

 $00:08:05.570 \longrightarrow 00:08:07.026$ So screening patients and

NOTE Confidence: 0.83123416

 $00:08:07.026 \longrightarrow 00:08:08.846$ finding cancers early in people

NOTE Confidence: 0.83123416

 $00:08:08.846 \longrightarrow 00:08:10.760$ at high risk is also a very

NOTE Confidence: 0.83123416

 $00:08:10.760 \longrightarrow 00:08:12.380$ important tool that we're using.

 $00{:}08{:}13.596 \dashrightarrow 00{:}08{:}16.163$ I think the last question

NOTE Confidence: 0.83123416

 $00:08:16.163 \longrightarrow 00:08:18.529$ before we move on from smoking

NOTE Confidence: 0.83123416

 $00:08:18.530 \longrightarrow 00:08:20.474$ cessation is I wanted to get

NOTE Confidence: 0.83123416

 $00:08:20.474 \longrightarrow 00:08:21.770$ your thoughts on taxation.

NOTE Confidence: 0.83123416

 $00:08:21.770 \longrightarrow 00:08:23.410$ So certainly in

NOTE Confidence: 0.83123416

 $00:08:23.410 \longrightarrow 00:08:25.870$ some parts of the world they've

NOTE Confidence: 0.83123416

 $00:08:25.957 \longrightarrow 00:08:28.417$ found that making

NOTE Confidence: 0.83123416

00:08:28.417 --> 00:08:31.189 it hurt in people's pocketbooks

NOTE Confidence: 0.83123416

 $00{:}08{:}31.189 \dashrightarrow 00{:}08{:}34.327$ is often a deterrent to smoking.

NOTE Confidence: 0.83123416

 $00:08:34.330 \longrightarrow 00:08:37.550$ Where do you come down on that?

NOTE Confidence: 0.83123416

 $00:08:37.550 \longrightarrow 00:08:39.665$ Do you advocate that governments

NOTE Confidence: 0.83123416

 $00:08:39.665 \longrightarrow 00:08:42.363$ should put stiff taxes on cigarette

00:08:42.363 --> 00:08:45.369 purchases to make that less appealing?

NOTE Confidence: 0.8476964

 $00:08:46.400 \longrightarrow 00:08:47.604$ Well, that a

NOTE Confidence: 0.8476964

 $00:08:47.604 \longrightarrow 00:08:49.412$ tough one. You know,

NOTE Confidence: 0.8476964

 $00:08:49.412 \longrightarrow 00:08:50.917$ different states do different things.

NOTE Confidence: 0.8476964

 $00:08:50.920 \longrightarrow 00:08:53.216$ I still remember once being in a drug

NOTE Confidence: 0.8476964

 $00:08:53.216 \longrightarrow 00:08:55.225$ store in New York City and someone

NOTE Confidence: 0.8476964

 $00{:}08{:}55.225 \dashrightarrow 00{:}08{:}57.540$ came in for a pack of cigarettes.

NOTE Confidence: 0.8476964

00:08:57.540 --> 00:08:59.836 And it could cost up to \$15-20

NOTE Confidence: 0.8476964

00:08:59.836 --> 00:09:02.049 with some of the different taxes and 00:09:04.160 --> 00:09:06.519 I think people will find the cigarettes

NOTE Confidence: 0.8476964

 $00:09:06.519 \longrightarrow 00:09:09.169$ elsewhere.

NOTE Confidence: 0.8476964

00:09:09.169 --> 00:09:11.150 I think it's a useful technique but it would have

NOTE Confidence: 0.8476964

 $00{:}09{:}11.150 \dashrightarrow 00{:}09{:}13.187$ to be a universal sort of technique.

NOTE Confidence: 0.8476964

00:09:13.190 --> 00:09:14.695 Otherwise people will find

NOTE Confidence: 0.8476964

00:09:14.695 --> 00:09:15.899 ways of getting cigarettes.

NOTE Confidence: 0.8476964

 $00:09:15.900 \longrightarrow 00:09:16.905$ I'm much more

 $00:09:16.905 \longrightarrow 00:09:18.472$ in favor of

NOTE Confidence: 0.8476964

00:09:18.472 --> 00:09:20.158 some of the approaches I mentioned,

NOTE Confidence: 0.8476964

 $00:09:20.160 \longrightarrow 00:09:21.570$ whether it be counseling, medications.

NOTE Confidence: 0.8476964

 $00{:}09{:}23.530 \dashrightarrow 00{:}09{:}25.203$ I think that the E cigarettes as

NOTE Confidence: 0.8476964

00:09:25.203 --> 00:09:26.660 a substitute for someone who's

NOTE Confidence: 0.8476964

 $00{:}09{:}26.660 \dashrightarrow 00{:}09{:}28.028$ tried everything else could

NOTE Confidence: 0.8476964

 $00:09:28.030 \longrightarrow 00:09:29.716$ work in that way,

NOTE Confidence: 0.8476964

 $00:09:29.720 \longrightarrow 00:09:32.530$ but it has to be studied in a regulated way.

NOTE Confidence: 0.8476964

 $00:09:32.530 \longrightarrow 00:09:34.674$ You know there needs to be a clinical

NOTE Confidence: 0.8476964

00:09:34.674 --> 00:09:36.759 trial and we're actually trying to do

NOTE Confidence: 0.8476964

 $00{:}09{:}36.759 \dashrightarrow 00{:}09{:}38.988$ some of those here right now at Yale,

 $00{:}09{:}39.966 \dashrightarrow 00{:}09{:}41.430$ especially now with some of the

NOTE Confidence: 0.8476964

 $00:09:41.481 \longrightarrow 00:09:42.359$ covid regulations.

NOTE Confidence: 0.8476964

 $00:09:42.360 \longrightarrow 00:09:44.680$ But it would be nice to see if we can

NOTE Confidence: 0.8476964

 $00:09:44.749 \longrightarrow 00:09:47.199$ use these cigarettes in a measured way.

NOTE Confidence: 0.8476964

 $00:09:47.200 \longrightarrow 00:09:48.211$ With a prescribed dose,

 $00:09:48.211 \longrightarrow 00:09:50.908$ as a tool, but

 $00:09:51.920 \longrightarrow 00:09:53.605$ there are other forms of

NOTE Confidence: 0.8476964

 $00:09:53.605 \longrightarrow 00:09:54.279$ nicotine replacement,

NOTE Confidence: 0.8476964

00:09:54.280 --> 00:09:56.255 but clearly stopping people from

NOTE Confidence: 0.8476964

 $00{:}09{:}56.255 \dashrightarrow 00{:}09{:}58.230$ smoking whatever method is used

 $00{:}10{:}00.150 \dashrightarrow 00{:}10{:}01.714$ because it's a National emergency

NOTE Confidence: 0.8476964

00:10:01.714 --> 00:10:03.669 despite the fact that it's

NOTE Confidence: 0.8476964

 $00:10:03.669 \longrightarrow 00:10:05.777$ so much better than it was

NOTE Confidence: 0.8476964

 $00:10:05.780 \longrightarrow 00:10:08.400$ Really the only good level of

NOTE Confidence: 0.8547546

 $00:10:08.400 \longrightarrow 00:10:10.952$ to bacco use is none.

NOTE Confidence: 0.8547546

00:10:10.952 --> 00:10:13.640 And you worry also about the E cigarettes

NOTE Confidence: 0.8547546

 $00:10:13.706 \longrightarrow 00:10:15.711$ being yet another addictive substance

NOTE Confidence: 0.8547546

 $00:10:15.711 \longrightarrow 00:10:18.909$ and we don't really know long term what

NOTE Confidence: 0.8547546

 $00:10:18.909 \longrightarrow 00:10:21.147$ the health consequences are of that.

NOTE Confidence: 0.8547546

 $00{:}10{:}21.150 \dashrightarrow 00{:}10{:}24.198$ The other thing that you mentioned was that

NOTE Confidence: 0.8547546

 $00:10:24.198 \longrightarrow 00:10:27.259$ there are many lung cancers that happen

NOTE Confidence: 0.8547546

 $00:10:27.259 \longrightarrow 00:10:30.140$ for reasons outside of cigarette smoking.

00:10:30.140 --> 00:10:32.798 For example, you mentioned in Asia

NOTE Confidence: 0.8547546

 $00:10:32.798 \longrightarrow 00:10:35.466$ about 50% of lung cancers are

NOTE Confidence: 0.8547546

00:10:35.466 --> 00:10:37.686 not related to cigarette smoking,

NOTE Confidence: 0.8547546

 $00:10:37.690 \longrightarrow 00:10:40.343$ and I wonder whether you think

NOTE Confidence: 0.8547546

 $00:10:40.343 \longrightarrow 00:10:42.592$ that there are some environmental

NOTE Confidence: 0.8547546

 $00:10:42.592 \longrightarrow 00:10:45.676$ issues that we need to consider.

NOTE Confidence: 0.8547546

 $00:10:45.680 \longrightarrow 00:10:49.234$ I mean is this part of

NOTE Confidence: 0.8547546

 $00:10:49.234 \longrightarrow 00:10:51.469$ the pollution that

NOTE Confidence: 0.8547546

00:10:51.469 --> 00:10:53.670 we're seeing in terms of

NOTE Confidence: 0.8304425

 $00:10:55.820 \longrightarrow 00:10:58.333$ manufacturing and so on that might be

NOTE Confidence: 0.8304425

 $00{:}10{:}58.333 \dashrightarrow 00{:}11{:}00.418$ greater in some industrialized parts

NOTE Confidence: 0.8304425

 $00:11:00.418 \longrightarrow 00:11:03.214$ of Asia that promotes lung cancer.

NOTE Confidence: 0.8304425

 $00{:}11{:}03.220 \dashrightarrow 00{:}11{:}06.508$ Or do we not know why there's these

NOTE Confidence: 0.8304425

00:11:06.508 --> 00:11:08.560 disparities?

NOTE Confidence: 0.8304425

 $00:11:08.560 \longrightarrow 00:11:11.092$ We're talking about the non smoking lung

 $00:11:11.092 \longrightarrow 00:11:13.699$ cancer which initially was due to

NOTE Confidence: 0.8304425

 $00:11:13.699 \longrightarrow 00:11:15.809$ the epidermal growth factor receptor

NOTE Confidence: 0.8304425

 $00:11:15.809 \longrightarrow 00:11:17.897$ mutation that was discovered more

NOTE Confidence: 0.8304425

00:11:17.897 --> 00:11:20.889 than 20 years ago and those levels are

NOTE Confidence: 0.8304425

 $00:11:20.890 \longrightarrow 00:11:24.178$ much higher in Asia than in the US.

NOTE Confidence: 0.8304425

 $00:11:24.180 \longrightarrow 00:11:27.558$ About double. 30 to 40% versus 15 to 20%.

NOTE Confidence: 0.8304425

00:11:27.558 --> 00:11:29.430 I don't know that it's environment

NOTE Confidence: 0.8304425

00:11:29.499 --> 00:11:31.407 because if someone is born in

NOTE Confidence: 0.8304425

 $00:11:31.407 \longrightarrow 00:11:33.410$ Asia and moves to Southern California,

NOTE Confidence: 0.8304425

 $00:11:33.410 \longrightarrow 00:11:36.443$ it seems like they have the same higher risk.

NOTE Confidence: 0.8304425

 $00{:}11{:}36.450 \dashrightarrow 00{:}11{:}38.574$ So I think there's something genetic

NOTE Confidence: 0.8304425

 $00:11:38.574 \longrightarrow 00:11:41.005$ which amazes me with all the

NOTE Confidence: 0.8304425

00:11:41.005 --> 00:11:43.210 tools we have now to sequence

NOTE Confidence: 0.8304425

 $00:11:43.210 \longrightarrow 00:11:45.810$ genomes and we can sequence

NOTE Confidence: 0.8304425

00:11:45.810 --> 00:11:48.277 dozens and dozens of patients each day.

NOTE Confidence: 0.8304425

 $00:11:48.280 \longrightarrow 00:11:50.308$ We still have not found what

 $00:11:50.308 \longrightarrow 00:11:51.660$ the link there is.

NOTE Confidence: 0.8304425

 $00{:}11{:}51.660 \dashrightarrow 00{:}11{:}53.350$ What is the genetic factor?

NOTE Confidence: 0.8304425

 $00:11:53.350 \longrightarrow 00:11:55.378$ It's being looked at quite intensively.

NOTE Confidence: 0.8304425

 $00:11:55.380 \longrightarrow 00:11:56.832$ It's this cooperation between

NOTE Confidence: 0.8304425

 $00:11:56.832 \longrightarrow 00:11:58.284$ researchers around the world.

NOTE Confidence: 0.8304425

00:11:58.290 --> 00:12:00.036 But we still don't know exactly

NOTE Confidence: 0.8304425

 $00:12:00.036 \longrightarrow 00:12:01.579$ why these mutations in epidermal

NOTE Confidence: 0.8304425

 $00:12:01.579 \longrightarrow 00:12:03.487$ growth factor receptor are so much

NOTE Confidence: 0.8304425

 $00:12:03.487 \longrightarrow 00:12:05.418$ more common in Asia than the US,

NOTE Confidence: 0.8304425

 $00:12:05.420 \longrightarrow 00:12:07.506$ but we're looking for it and

NOTE Confidence: 0.8304425

 $00:12:07.506 \longrightarrow 00:12:09.563$ learning how to treat that type of

NOTE Confidence: 0.8304425

 $00:12:09.563 \longrightarrow 00:12:11.660$ cancer with oral agents.

NOTE Confidence: 0.8304425

 $00:12:11.660 \longrightarrow 00:12:13.140$ It's actually been historic.

NOTE Confidence: 0.8304425

 $00{:}12{:}13.140 --> 00{:}12{:}14.892$ I think that's part of the

NOTE Confidence: 0.8304425

00:12:14.892 --> 00:12:16.410 reason we're seeing

00:12:16.410 --> 00:12:18.634 a couple percent a year decreases in the

NOTE Confidence: 0.8304425

 $00{:}12{:}18.634 \dashrightarrow 00{:}12{:}20.486$ death rates from lung cancer because

NOTE Confidence: 0.8304425

 $00:12:20.486 \longrightarrow 00:12:22.346$ of what we call targeted therapy.

NOTE Confidence: 0.8304425

 $00:12:22.350 \longrightarrow 00:12:24.429$ But even when those drugs work,

NOTE Confidence: 0.8304425

 $00:12:24.430 \longrightarrow 00:12:26.509$ as you know, patients will become resistant.

NOTE Confidence: 0.8304425

00:12:26.510 --> 00:12:27.742 That's actually something we're

NOTE Confidence: 0.8304425

 $00:12:27.742 \longrightarrow 00:12:29.940$ studying very much here in our group. NOTE

Confidence: 0.8304425

 $00:12:30.335 \longrightarrow 00:12:32.310$ Katie Politi and Sarah Goldberg

NOTE Confidence: 0.8304425

00:12:32.310 --> 00:12:34.538 and Mark Lemon actually is one

NOTE Confidence: 0.8304425

 $00:12:34.538 \longrightarrow 00:12:36.568$ of the projects on our big lung

NOTE Confidence: 0.8304425

 $00:12:36.570 \longrightarrow 00:12:38.445$ Spore Grant looking

NOTE Confidence: 0.8304425

 $00{:}12{:}38.445 \rightarrow 00{:}12{:}40.320$ at mechanisms of sensitivity and

NOTE Confidence: 0.8304425

 $00:12:40.386 \longrightarrow 00:12:42.120$ resistance to these drugs so that

NOTE Confidence: 0.8304425

 $00:12:42.120 \longrightarrow 00:12:44.120$ we can help more patients develop

NOTE Confidence: 0.8304425

 $00:12:44.120 \longrightarrow 00:12:45.299$ newer and better,

NOTE Confidence: 0.8304425

 $00:12:45.300 \longrightarrow 00:12:46.338$ more effective and

 $00:12:46.340 \longrightarrow 00:12:48.790$ less toxic ways to treat this disease.

NOTE Confidence: 0.8416755

 $00:12:48.790 \longrightarrow 00:12:51.574$ Yeah, and as

NOTE Confidence: 0.8416755

 $00:12:51.580 \longrightarrow 00:12:53.715$ we kind of think about lung

NOTE Confidence: 0.8416755

 $00:12:53.715 \longrightarrow 00:12:55.983$ cancer and the fact that it no

NOTE Confidence: 0.8416755

00:12:55.983 --> 00:12:57.897 longer is the number one cancer

NOTE Confidence: 0.8416755

 $00:12:57.971 \longrightarrow 00:13:00.413$ in people thanks to reduction in

NOTE Confidence: 0.8416755

00:13:00.413 --> 00:13:02.444 smoking cessation and other things,

NOTE Confidence: 0.8416755

 $00:13:02.444 \longrightarrow 00:13:04.808$ it still remains the number one

NOTE Confidence: 0.8416755

00:13:04.808 --> 00:13:07.694 killer in terms of being the number

NOTE Confidence: 0.8416755

 $00:13:07.694 \longrightarrow 00:13:10.142$ one cause of cancer related morbidity

NOTE Confidence: 0.8416755

00:13:10.218 --> 00:13:12.624 and mortality. Has that reduced in

NOTE Confidence: 0.8416755

 $00:13:12.624 \longrightarrow 00:13:15.226$ recent years thanks to some of the

NOTE Confidence: 0.8416755

00:13:15.226 --> 00:13:17.550 things that we'll be talking about in

NOTE Confidence: 0.8416755

 $00:13:17.623 \longrightarrow 00:13:19.758$ terms of understanding the genomics

NOTE Confidence: 0.8416755

 $00:13:19.758 \longrightarrow 00:13:22.170$ and tailored therapy and so on.

00:13:22.170 --> 00:13:24.438 Are we seeing the needle move?

NOTE Confidence: 0.8569998

00:13:24.440 --> 00:13:27.079 Oh absolutely, and I've seen this myself,

NOTE Confidence: 0.8569998

 $00{:}13{:}27.080 \dashrightarrow 00{:}13{:}30.055$ so I started working in this field

NOTE Confidence: 0.8569998

 $00:13:30.055 \longrightarrow 00:13:33.258$ about 20-25 years ago as a young fellow

NOTE Confidence: 0.8569998

 $00:13:33.260 \longrightarrow 00:13:35.192$ at Dana

NOTE Confidence: 0.8569998

00:13:35.192 --> 00:13:36.480 Farber Cancer Institute actually,

NOTE Confidence: 0.8569998

 $00:13:36.480 \longrightarrow 00:13:39.700$ and no one even wanted to work in this field.

NOTE Confidence: 0.8569998

 $00:13:39.700 \longrightarrow 00:13:41.310$ Back then, it was really a death sentence

NOTE Confidence: 0.8569998

00:13:41.310 --> 00:13:43.557 if you had lung cancer,

NOTE Confidence: 0.8569998

 $00:13:43.560 \longrightarrow 00:13:45.814$ we had surgery and radiation techniques,

NOTE Confidence: 0.8569998

 $00:13:45.820 \longrightarrow 00:13:47.746$ but if it had spread

NOTE Confidence: 0.8569998

 $00:13:47.750 \longrightarrow 00:13:49.038$ the chemotherapy was OK,

NOTE Confidence: 0.8569998

00:13:49.038 --> 00:13:50.648 but really didn't do much.

NOTE Confidence: 0.8569998

 $00:13:50.650 \longrightarrow 00:13:52.897$ And I think over the years

NOTE Confidence: 0.8569998

 $00:13:52.900 \longrightarrow 00:13:54.766$ we've really taken the five year

NOTE Confidence: 0.8569998

00:13:54.766 --> 00:13:56.440 overall survival for lung cancer,

 $00:13:56.440 \longrightarrow 00:13:59.338$ which was in the low teens 10-11%.

NOTE Confidence: 0.8569998

 $00:13:59.340 \longrightarrow 00:14:02.242$ And now it's as high as 19% or more.

NOTE Confidence: 0.8569998

00:14:02.242 --> 00:14:04.168 Now that's all across all stages,

NOTE Confidence: 0.8569998

 $00:14:04.170 \longrightarrow 00:14:05.518$ stage 1,2,3 and four.

NOTE Confidence: 0.8569998

00:14:05.518 --> 00:14:07.203 Four being the most advanced,

NOTE Confidence: 0.8569998

 $00:14:07.210 \longrightarrow 00:14:08.245$ but that's progress.

NOTE Confidence: 0.8569998

 $00:14:08.245 \longrightarrow 00:14:10.315$ But the real progress that we're

NOTE Confidence: 0.8569998

 $00:14:10.315 \longrightarrow 00:14:12.169$ seeing is identifying a more

NOTE Confidence: 0.8569998

 $00:14:12.169 \longrightarrow 00:14:13.979$ personalized approach to this disease

NOTE Confidence: 0.8569998

 $00:14:13.979 \longrightarrow 00:14:16.025$ and learning how to treat it with

NOTE Confidence: 0.8569998

 $00{:}14{:}16.025 \dashrightarrow 00{:}14{:}17.770$ some of these new targeted the rapies.

NOTE Confidence: 0.8569998

 $00:14:17.770 \longrightarrow 00:14:20.080$ Learning how to treat it with immunotherapy.

NOTE Confidence: 0.8569998

 $00:14:20.080 \longrightarrow 00:14:20.786$ And yeah,

NOTE Confidence: 0.8569998

 $00:14:20.786 \longrightarrow 00:14:23.257$ I've seen

NOTE Confidence: 0.8569998

 $00:14:23.257 \longrightarrow 00:14:25.690$ patients now in 2021

 $00:14:26.320 \longrightarrow 00:14:28.210$ who now

 $00:14:29.980 \longrightarrow 00:14:32.620$ come here to our clinics

NOTE Confidence: 0.8569998

 $00:14:32.620 \longrightarrow 00:14:34.008$ and they either get standard

NOTE Confidence: 0.8569998

 $00:14:34.008 \longrightarrow 00:14:35.743$ of care or clinical trials.

NOTE Confidence: 0.8569998

 $00:14:35.750 \longrightarrow 00:14:37.345$ And a smaller proportion increasing

NOTE Confidence: 0.8569998

 $00:14:37.345 \longrightarrow 00:14:38.940$ every day are doing better,

NOTE Confidence: 0.8569998

 $00:14:38.940 \longrightarrow 00:14:40.535$ so there is definitely progress

NOTE Confidence: 0.8569998

 $00{:}14{:}40.535 \dashrightarrow 00{:}14{:}42.130$ visible progress in this field.

NOTE Confidence: 0.8569998

00:14:42.130 --> 00:14:43.720 And understanding the science,

00:14:46.272 --> 00:14:47.862 what drives the lung cancer,

NOTE Confidence: 0.8569998

 $00{:}14{:}47.870 \dashrightarrow 00{:}14{:}49.907$ what's causing it to grow and how

NOTE Confidence: 0.8569998

 $00:14:49.907 \longrightarrow 00:14:52.338$ to treat it in more effective ways.

 $00{:}14{:}52.660 \dashrightarrow 00{:}14{:}54.532$ We're going to talk all about

NOTE Confidence: 0.84198725

00:14:54.532 --> 00:14:56.803 that right after we take a short

NOTE Confidence: 0.84198725

 $00{:}14{:}56.803 \dashrightarrow 00{:}14{:}58.393$ break for a medical minute.

NOTE Confidence: 0.84198725

 $00:14:58.400 \longrightarrow 00:14:59.990$ Please stay tuned to learn

NOTE Confidence: 0.84198725

 $00:14:59.990 \longrightarrow 00:15:01.590$ more with my guest. Doctor

NOTE Confidence: 0.84198725

 $00:15:01.590 \longrightarrow 00:15:03.606$ Roy Herbst. Support for Yale Cancer

 $00:15:03.606 \longrightarrow 00:15:05.624$ Answers comes from AstraZeneca working

NOTE Confidence: 0.84198725

 $00{:}15{:}05.624 \dashrightarrow 00{:}15{:}08.088$ to eliminate cancer as a cause of death.

NOTE Confidence: 0.84198725

 $00:15:08.090 \longrightarrow 00:15:14.199$ Learnmore@astrazeneca-us.com. This

NOTE Confidence: 0.84198725

00:15:14.199 --> 00:15:16.713 is a medical minute about genetic

NOTE Confidence: 0.84198725

 $00{:}15{:}16.713 \dashrightarrow 00{:}15{:}19.259$ testing which can be useful for

NOTE Confidence: 0.84198725

 $00:15:19.259 \longrightarrow 00:15:21.683$ people with certain types of cancer

NOTE Confidence: 0.84198725

 $00:15:21.683 \longrightarrow 00:15:24.408$ that seem to run in their families.

NOTE Confidence: 0.84198725

 $00{:}15{:}24.410 \dashrightarrow 00{:}15{:}26.924$ Patients that are considered at risk

NOTE Confidence: 0.84198725

 $00{:}15{:}26.924 \dashrightarrow 00{:}15{:}29.401$ receive genetic counseling and testing so

NOTE Confidence: 0.84198725

 $00{:}15{:}29.401 \dashrightarrow 00{:}15{:}31.615$ informed medical decisions can be based

NOTE Confidence: 0.84198725

 $00:15:31.615 \longrightarrow 00:15:34.228$ on their own personal risk assessment.

NOTE Confidence: 0.84198725

 $00:15:34.230 \longrightarrow 00:15:36.045$ Resources for genetic counseling and

NOTE Confidence: 0.84198725

 $00{:}15{:}36.045 \dashrightarrow 00{:}15{:}37.860$ testing are available at federally

NOTE Confidence: 0.84198725

 $00:15:37.914 \longrightarrow 00:15:39.958$ designated comprehensive cancer centers.

NOTE Confidence: 0.84198725

00:15:39.960 --> 00:15:41.592 Interdisciplinary teams include geneticists,

00:15:41.592 --> 00:15:42.887 genetic counselors, physicians,

NOTE Confidence: 0.84198725

 $00:15:42.887 \longrightarrow 00:15:43.841$ and nurses

NOTE Confidence: 0.84198725

 $00:15:43.841 \longrightarrow 00:15:46.226$ who work together to provide

NOTE Confidence: 0.84198725

 $00:15:46.226 \longrightarrow 00:15:48.821$ risk assessment and steps to prevent

NOTE Confidence: 0.84198725

 $00:15:48.821 \longrightarrow 00:15:50.389$ the development of cancer.

NOTE Confidence: 0.84198725

 $00:15:50.390 \longrightarrow 00:15:52.142$ More information is available

NOTE Confidence: 0.84198725

 $00:15:52.142 \longrightarrow 00:15:53.018$ at yalecancercenter.org.

NOTE Confidence: 0.84198725

00:15:53.020 --> 00:15:55.648 You're listening to Connecticut Public Radio.

NOTE Confidence: 0.8599371

 $00:15:57.150 \longrightarrow 00:15:59.556$ Welcome back to Yale Cancer Answers.

NOTE Confidence: 0.8599371

00:15:59.560 --> 00:16:02.908 This is doctor Anees Chagpar and I'm

NOTE Confidence: 0.8599371

00:16:02.908 --> 00:16:06.364 joined tonight by my guest Doctor Roy Herbst.

NOTE Confidence: 0.8599371

 $00:16:06.370 \longrightarrow 00:16:09.156$ We're talking about recent advances in the

NOTE Confidence: 0.8599371

00:16:09.156 --> 00:16:11.990 management of lung cancer patients and Roy,

NOTE Confidence: 0.8599371

00:16:11.990 --> 00:16:14.454 right before the break you were telling

NOTE Confidence: 0.8599371

 $00:16:14.454 \longrightarrow 00:16:17.614$ us that you have seen visible progress in

NOTE Confidence: 0.8599371

 $00:16:17.614 \longrightarrow 00:16:20.410$ terms of reducing lung cancer mortality.

 $00:16:20.410 \longrightarrow 00:16:22.816$ This remains the number one cancer

NOTE Confidence: 0.8599371

 $00{:}16{:}22.816 \dashrightarrow 00{:}16{:}25.664$ killer of Americans, both men and women,

NOTE Confidence: 0.8599371

 $00:16:25.664 \longrightarrow 00:16:27.719$ but we're seeing progress.

NOTE Confidence: 0.8599371

 $00:16:27.720 \longrightarrow 00:16:30.443$ So there are so many different avenues

NOTE Confidence: 0.8599371

 $00:16:30.443 \longrightarrow 00:16:33.810$ that we've seen in terms of lung cancer

NOTE Confidence: 0.8599371

 $00:16:33.810 \longrightarrow 00:16:36.370$ management that have contributed to this.

NOTE Confidence: 0.8599371

 $00:16:36.370 \longrightarrow 00:16:39.254$ What do you think is the greatest

NOTE Confidence: 0.83056504

 $00:16:39.260 \longrightarrow 00:16:42.020$ driver?

NOTE Confidence: 0.83056504

 $00:16:42.020 \longrightarrow 00:16:44.612$ The ACS announced earlier this year a 2% de-

crease

NOTE Confidence: 0.83056504

00:16:44.612 --> 00:16:47.908 in deaths from lung cancer since 2013.

NOTE Confidence: 0.83056504

 $00:16:47.910 \longrightarrow 00:16:49.438$ So clearly something's happening.

NOTE Confidence: 0.83056504

00:16:49.438 --> 00:16:52.850 I think part of it is the prevention,

NOTE Confidence: 0.83056504

 $00:16:52.850 \longrightarrow 00:16:54.910$ either primary prevention by avoiding

NOTE Confidence: 0.83056504

 $00:16:54.910 \longrightarrow 00:16:57.529$ smoking and other toxins, or the screening.

NOTE Confidence: 0.83056504

 $00:16:57.529 \longrightarrow 00:17:00.220$ But I have to believe a lot of

 $00:17:00.220 \longrightarrow 00:17:02.332$ it's been the therapies that we've

NOTE Confidence: 0.83056504

 $00{:}17{:}02.332 \dashrightarrow 00{:}17{:}04.829$ seen in the last several years.

NOTE Confidence: 0.83056504

 $00:17:04.830 \longrightarrow 00:17:05.871$ Understanding the molecular

NOTE Confidence: 0.83056504

 $00:17:05.871 \longrightarrow 00:17:07.259$ basis of this disease.

 $00:17:09.690 \longrightarrow 00:17:11.078$ That's not really true.

 $00:17:12.812 \longrightarrow 00:17:15.234$ Everyone's cancer is a little bit different,

NOTE Confidence: 0.83056504

00:17:15.240 --> 00:17:16.980 caused by a different mechanism,

NOTE Confidence: 0.83056504

00:17:16.980 --> 00:17:18.292 a different genetic background.

NOTE Confidence: 0.83056504

 $00{:}17{:}18.292 \dashrightarrow 00{:}17{:}20.689$ So now what we're doing is we're

NOTE Confidence: 0.83056504

 $00:17:20.689 \longrightarrow 00:17:22.529$ taking the patients cancer and we're

NOTE Confidence: 0.83056504

 $00{:}17{:}22.530 {\:{\circ}{\circ}{\circ}}>00{:}17{:}23.568$ performing molecular techniques

NOTE Confidence: 0.83056504

 $00{:}17{:}23.568 \dashrightarrow 00{:}17{:}24.260$ for sequencing.

NOTE Confidence: 0.83056504

 $00:17:24.260 \longrightarrow 00:17:27.036$ We're looking at what makes it tick now.

NOTE Confidence: 0.83056504

 $00:17:27.040 \longrightarrow 00:17:28.960$ What is driving that cancer?

NOTE Confidence: 0.83056504

 $00:17:28.960 \longrightarrow 00:17:30.913$ And now there are about seven or

NOTE Confidence: 0.83056504

 $00:17:30.913 \longrightarrow 00:17:32.280$ eight different different mutations,

 $00:17:32.280 \longrightarrow 00:17:34.056$ different markers that we

NOTE Confidence: 0.83056504

 $00{:}17{:}34.056 \dashrightarrow 00{:}17{:}36.208$ can then pair with a specific drug.

NOTE Confidence: 0.83056504

00:17:36.210 --> 00:17:37.720 So we're personalizing the therapy,

NOTE Confidence: 0.83056504

 $00:17:37.720 \longrightarrow 00:17:38.928$ and that's nice

NOTE Confidence: 0.83056504

 $00:17:38.928 \longrightarrow 00:17:40.438$ because these are oral therapies,

NOTE Confidence: 0.83056504

 $00:17:40.440 \longrightarrow 00:17:43.149$ that you take by mouth and are

NOTE Confidence: 0.83056504

 $00:17:43.150 \longrightarrow 00:17:44.660$ much less toxic than the

NOTE Confidence: 0.83056504

 $00:17:44.660 \longrightarrow 00:17:46.170$ chemotherapy we used to use,

NOTE Confidence: 0.83056504

00:17:46.170 --> 00:17:48.186 and we see the tumors shrink in

NOTE Confidence: 0.83056504

 $00:17:48.186 \longrightarrow 00:17:49.799$ a large percentage of patients.

NOTE Confidence: 0.83056504

 $00:17:49.800 \longrightarrow 00:17:51.310$ So many of these started

NOTE Confidence: 0.83056504

 $00:17:51.310 \longrightarrow 00:17:52.518$ out as clinical trials,

NOTE Confidence: 0.83056504

 $00:17:52.520 \longrightarrow 00:17:53.724$ and now they're moving

NOTE Confidence: 0.83056504

 $00:17:53.724 \longrightarrow 00:17:55.229$ forward to standard of care.

NOTE Confidence: 0.83056504

 $00:17:55.230 \longrightarrow 00:17:57.646$ So I think that's having a great benefit.

NOTE Confidence: 0.83056504

 $00:17:57.650 \longrightarrow 00:17:58.866$ I've seen it myself.

 $00:17:58.866 \longrightarrow 00:18:00.386$ Over the last 15-20 years,

NOTE Confidence: 0.83056504

 $00:18:00.390 \longrightarrow 00:18:01.810$ certainly within the last decade,

NOTE Confidence: 0.83056504

00:18:01.810 --> 00:18:03.508 many approved drugs in this space,

NOTE Confidence: 0.83056504

 $00:18:03.510 \longrightarrow 00:18:05.526$ so you really want to make sure

NOTE Confidence: 0.83056504

 $00{:}18{:}05.526 \dashrightarrow 00{:}18{:}07.300$ that your cancer is analyzed in

NOTE Confidence: 0.83056504

 $00:18:07.300 \longrightarrow 00:18:09.274$ this way so that you have access

NOTE Confidence: 0.83056504

 $00:18:09.338 \longrightarrow 00:18:10.898$ to these drugs now.

NOTE Confidence: 0.83056504

 $00:18:10.900 \longrightarrow 00:18:11.755$ Like everything else,

NOTE Confidence: 0.83056504

 $00:18:11.755 \longrightarrow 00:18:13.465$ nothing is perfect with time

NOTE Confidence: 0.83056504

 $00:18:13.465 \longrightarrow 00:18:15.319$ the tumor will get smart and learn

NOTE Confidence: 0.83056504

 $00{:}18{:}15.319 \dashrightarrow 00{:}18{:}16.860$ how to override these blockages.

NOTE Confidence: 0.83056504

 $00:18:16.860 \longrightarrow 00:18:18.570$ But that's why we're doing research.

NOTE Confidence: 0.83056504

 $00:18:18.570 \longrightarrow 00:18:20.565$ All of us that are at different

NOTE Confidence: 0.83056504

00:18:20.565 --> 00:18:22.307 centers to try to figure out

NOTE Confidence: 0.83056504

 $00:18:22.307 \longrightarrow 00:18:23.957$ one of the next steps and,

00:18:23.960 --> 00:18:25.948 and we're continuing to raise the bar,

NOTE Confidence: 0.83056504

 $00:18:25.950 \longrightarrow 00:18:27.294$ but that's certainly been

NOTE Confidence: 0.83056504

 $00:18:27.294 \longrightarrow 00:18:28.974$ one of the major advances.

NOTE Confidence: 0.83056504

 $00:18:28.980 \longrightarrow 00:18:30.560$ The second has been immunotherapy,

NOTE Confidence: 0.83056504

 $00:18:30.560 \longrightarrow 00:18:32.536$ and the idea that we can

NOTE Confidence: 0.83056504

 $00:18:32.536 \longrightarrow 00:18:34.489$ use the body's own immune system

NOTE Confidence: 0.83056504

 $00:18:34.489 \longrightarrow 00:18:36.583$ to attack the cancer really began

NOTE Confidence: 0.83056504

00:18:36.651 --> 00:18:38.456 in Melanoma and kidney cancer.

NOTE Confidence: 0.83056504

 $00{:}18{:}38.460 \dashrightarrow 00{:}18{:}40.399$ But lung cancer being so common,

NOTE Confidence: 0.83056504

 $00:18:40.399 \longrightarrow 00:18:42.279$ we're seeing just amazing

NOTE Confidence: 0.83056504

 $00{:}18{:}42.279 \dashrightarrow 00{:}18{:}44.253$ results that we can now actually

NOTE Confidence: 0.83056504

 $00:18:44.253 \longrightarrow 00:18:46.290$ take a cancer that's already spread

NOTE Confidence: 0.83056504

 $00:18:46.290 \longrightarrow 00:18:48.572$ throughout the body and we can treat

NOTE Confidence: 0.83056504

 $00:18:48.572 \longrightarrow 00:18:50.468$ with one of these immunotherapy drugs.

NOTE Confidence: 0.83056504

 $00:18:50.470 \longrightarrow 00:18:52.050$ And we're doing that now.

NOTE Confidence: 0.83056504

 $00:18:52.050 \longrightarrow 00:18:53.630$ And when we do that,

 $00:18:53.630 \longrightarrow 00:18:55.526$ actually in about 20% of

NOTE Confidence: 0.83056504

 $00:18:55.526 \longrightarrow 00:18:56.790$ the patients we see

NOTE Confidence: 0.83056504

00:18:56.790 --> 00:18:58.415 amazing results and the rest

NOTE Confidence: 0.83056504

00:18:58.415 --> 00:19:00.040 sometimes we see some

NOTE Confidence: 0.83056504

 $00:19:00.040 \longrightarrow 00:19:01.768$ activity and others we don't,

NOTE Confidence: 0.83056504

 $00:19:01.770 \longrightarrow 00:19:04.380$ so we have to do a little bit more,

NOTE Confidence: 0.83056504

 $00:19:04.380 \longrightarrow 00:19:06.162$ but these are patients who never

NOTE Confidence: 0.83056504

 $00:19:06.162 \longrightarrow 00:19:08.233$ before would have had any hope of

NOTE Confidence: 0.83056504

 $00:19:08.233 \longrightarrow 00:19:10.158$ doing well on some of these therapies.

NOTE Confidence: 0.83056504

00:19:10.160 --> 00:19:12.464 And then if that all was not enough,

NOTE Confidence: 0.83056504

 $00:19:12.470 \longrightarrow 00:19:13.790$ we're taking all these therapies

NOTE Confidence: 0.83056504

 $00:19:13.790 \longrightarrow 00:19:15.455$ that work in the most advanced

NOTE Confidence: 0.83056504

 $00{:}19{:}15.455 \dashrightarrow 00{:}19{:}16.920$ stages and we're moving them

NOTE Confidence: 0.83056504

 $00:19:16.920 \longrightarrow 00:19:18.540$ earlier and earlier in disease.

NOTE Confidence: 0.83056504

 $00:19:18.540 \longrightarrow 00:19:20.046$ I can tell you one

 $00:19:20.046 \longrightarrow 00:19:21.050$ thing that I've seen

NOTE Confidence: 0.867884

 $00{:}19{:}21.107 \dashrightarrow 00{:}19{:}22.983$ over my career is the best drugs

NOTE Confidence: 0.867884

 $00:19:22.983 \longrightarrow 00:19:25.525$ work best when they are used in the

NOTE Confidence: 0.867884

00:19:25.525 --> 00:19:27.205 earliest possible stage after surgery,

NOTE Confidence: 0.867884

 $00:19:27.210 \longrightarrow 00:19:30.063$ when the burden of lung cancer is the lowest.

NOTE Confidence: 0.867884

 $00:19:30.070 \longrightarrow 00:19:31.695$ So now we're doing what's

NOTE Confidence: 0.867884

 $00:19:31.695 \longrightarrow 00:19:32.670$ called adjuvent therapy,

NOTE Confidence: 0.867884

 $00:19:32.670 \longrightarrow 00:19:34.952$ and I was very fortunate to actually

NOTE Confidence: 0.867884

00:19:34.952 --> 00:19:36.570 present last year

NOTE Confidence: 0.867884

 $00{:}19{:}36.570 \dashrightarrow 00{:}19{:}38.866$ some data where an EGFR inhibitor used

NOTE Confidence: 0.867884

 $00{:}19{:}38.866 \dashrightarrow 00{:}19{:}41.401$ after surgery had really high impact

NOTE Confidence: 0.867884

00:19:41.401 --> 00:19:43.720 on how patients did after that surgery,

NOTE Confidence: 0.867884

 $00:19:43.720 \longrightarrow 00:19:45.670$ so the sky is the limit.

NOTE Confidence: 0.867884

00:19:45.670 --> 00:19:47.945 Research in this area is paying off.

NOTE Confidence: 0.867884

 $00:19:47.950 \longrightarrow 00:19:49.302$ We're seeing tangible benefits,

NOTE Confidence: 0.867884

 $00:19:49.302 \longrightarrow 00:19:52.168$ but when I could also say and tell you,

 $00:19:52.170 \longrightarrow 00:19:53.916$ I'm sure many listening to this

NOTE Confidence: 0.867884

00:19:53.916 --> 00:19:55.750 notice from their own experience,

NOTE Confidence: 0.867884

 $00:19:55.750 \longrightarrow 00:19:58.018$ we still have to do even better,

NOTE Confidence: 0.867884

00:19:58.020 --> 00:20:00.190 and that's why research, science,

NOTE Confidence: 0.867884

 $00:20:00.190 \longrightarrow 00:20:01.582$ operative work working together

NOTE Confidence: 0.867884

 $00:20:01.582 \longrightarrow 00:20:03.670$ is going to be so important,

NOTE Confidence: 0.867884

 $00:20:03.670 \longrightarrow 00:20:06.110$ and that's the type of programs that

NOTE Confidence: 0.8120907

 $00:20:06.110 \longrightarrow 00:20:08.186$ we lead here at our center.

NOTE Confidence: 0.8120907

 $00:20:08.190 \longrightarrow 00:20:10.790$ Roy, let's dig into a few things

NOTE Confidence: 0.8120907

 $00:20:10.790 \longrightarrow 00:20:13.069$ that you talked about.

NOTE Confidence: 0.8120907

00:20:13.070 --> 00:20:14.810 So the first was targeted

NOTE Confidence: 0.8120907

 $00:20:14.810 \longrightarrow 00:20:15.986$ therapy and Genomics,

NOTE Confidence: 0.8120907

 $00:20:15.986 \longrightarrow 00:20:19.195$ and we've talked a lot on this show

NOTE Confidence: 0.8120907

 $00:20:19.195 \longrightarrow 00:20:21.547$ about kind of unpacking that concept

NOTE Confidence: 0.8120907

 $00:20:21.547 \longrightarrow 00:20:24.319$ in a variety of different cancers.

 $00:20:24.320 \longrightarrow 00:20:27.022$ and really trying to figure out what

NOTE Confidence: 0.8120907

00:20:27.022 --> 00:20:30.070 are the main drivers in lung cancer,

NOTE Confidence: 0.8120907

 $00:20:30.070 \longrightarrow 00:20:32.530$ so are all lung cancers kind

NOTE Confidence: 0.8120907

 $00:20:32.530 \longrightarrow 00:20:34.600$ of profiled in this way?

NOTE Confidence: 0.8120907

 $00:20:34.600 \longrightarrow 00:20:37.246$ And are there particular mutations that

NOTE Confidence: 0.8120907

00:20:37.246 --> 00:20:39.938 have druggable targets that you look for?

NOTE Confidence: 0.80851835

00:20:41.070 --> 00:20:42.775 Well, certainly all lung cancers

NOTE Confidence: 0.80851835

00:20:42.775 --> 00:20:44.139 when they've already spread

NOTE Confidence: 0.80851835

 $00{:}20{:}44.139 --> 00{:}20{:}46.077$ from the lungs are what we

NOTE Confidence: 0.80851835

00:20:46.077 --> 00:20:47.580 call non squamous lung cancers,

NOTE Confidence: 0.80851835

00:20:47.580 --> 00:20:49.130 which the majority should

NOTE Confidence: 0.80851835

 $00:20:49.130 \longrightarrow 00:20:50.680$ be profiled in this way.

NOTE Confidence: 0.80851835

 $00:20:50.680 \longrightarrow 00:20:53.018$ And actually it's my belief we actually

NOTE Confidence: 0.80851835

00:20:53.018 --> 00:20:54.710 should probably profile all of them

NOTE Confidence: 0.80851835

 $00:20:54.710 \longrightarrow 00:20:56.915$ to understand one of the

NOTE Confidence: 0.80851835

 $00{:}20{:}56.915 \dashrightarrow 00{:}20{:}58.531$ determinants that are causing that

00:20:58.531 --> 00:21:00.659 cancer to grow because that will allow

NOTE Confidence: 0.80851835

 $00{:}21{:}00.659 \dashrightarrow 00{:}21{:}02.769$ us to match with the best therapy.

NOTE Confidence: 0.80851835

00:21:02.770 --> 00:21:04.588 Now I'm concerned you know one

NOTE Confidence: 0.80851835

 $00:21:04.588 \longrightarrow 00:21:06.723$ of the big issues we have is

NOTE Confidence: 0.80851835

 $00{:}21{:}06.723 \dashrightarrow 00{:}21{:}08.711$ access to care and making sure all

NOTE Confidence: 0.80851835

 $00:21:08.782 \longrightarrow 00:21:10.867$ patients get this screening done.

NOTE Confidence: 0.80851835

 $00:21:10.870 \longrightarrow 00:21:14.090$ One thing we're doing a lot

NOTE Confidence: 0.80851835

 $00{:}21{:}14.090 \to 00{:}21{:}16.826$ of work on is to try to get navigators

NOTE Confidence: 0.80851835

 $00:21:16.826 \longrightarrow 00:21:19.898$ out to all the different areas of the city

NOTE Confidence: 0.80851835

 $00:21:19.900 \longrightarrow 00:21:20.872$ to build trust.

00:21:22.188 --> 00:21:24.192 Within Connecticut we want every patient

NOTE Confidence: 0.80851835

 $00:21:24.192 \longrightarrow 00:21:26.574$ to have access to coming to a center

NOTE Confidence: 0.80851835

 $00:21:26.574 \longrightarrow 00:21:28.949$ where they can have their tumor profiled.

NOTE Confidence: 0.80851835

00:21:28.950 --> 00:21:29.594 But yes,

NOTE Confidence: 0.80851835

 $00:21:29.594 \longrightarrow 00:21:31.204$ if you profile the tumor,

NOTE Confidence: 0.80851835

 $00{:}21{:}31.210 \dashrightarrow 00{:}21{:}33.142$ there's probably as much as a

00:21:33.142 --> 00:21:34.794 20% chance you'll find something

NOTE Confidence: 0.80851835

 $00:21:34.794 \longrightarrow 00:21:36.780$ that will allow you to match

NOTE Confidence: 0.80851835

00:21:36.839 --> 00:21:38.639 that patient with an oral drug,

NOTE Confidence: 0.80851835

 $00:21:38.640 \longrightarrow 00:21:40.474$ which in my opinion is certainly preferable

NOTE Confidence: 0.80851835

 $00:21:40.474 \longrightarrow 00:21:42.510$ to giving a nonspecific chemotherapy,

NOTE Confidence: 0.80851835

 $00:21:42.510 \longrightarrow 00:21:44.430$ so that's a huge advance.

NOTE Confidence: 0.80851835

00:21:44.430 --> 00:21:46.460 And we're continuing to find more of

NOTE Confidence: 0.80851835

 $00:21:46.460 \longrightarrow 00:21:49.136$ these and new combinations that can be used.

NOTE Confidence: 0.80851835

00:21:49.140 --> 00:21:49.768 So yes,

NOTE Confidence: 0.80851835

 $00:21:49.768 \longrightarrow 00:21:51.650$ that's what we call precision guided

NOTE Confidence: 0.8700885

 $00{:}21{:}51.650 \dashrightarrow 00{:}21{:}53.996$ therapy and for the patients who

NOTE Confidence: 0.8700885

00:21:53.996 --> 00:21:56.920 don't have one of these mutations,

NOTE Confidence: 0.8700885

 $00{:}21{:}56.920 \dashrightarrow 00{:}21{:}58.725$ do they get standard chemotherapy

NOTE Confidence: 0.8700885

 $00{:}21{:}58.725 \dashrightarrow 00{:}22{:}01.443$ and have there been any advances

NOTE Confidence: 0.8700885

00:22:01.443 --> 00:22:03.568 in terms of standard chemotherapy

00:22:03.570 --> 00:22:05.970 for those people who either don't

NOTE Confidence: 0.8700885

 $00{:}22{:}05.970 \dashrightarrow 00{:}22{:}08.729$ have a druggable target or who have

NOTE Confidence: 0.8700885

 $00:22:08.729 \longrightarrow 00:22:10.996$ a druggable target, and who recur?

NOTE Confidence: 0.8700885

 $00:22:10.996 \longrightarrow 00:22:12.170$ Well, incredibly, the

NOTE Confidence: 0.80644786

 $00:22:12.170 \longrightarrow 00:22:13.343$ answer is yes.

NOTE Confidence: 0.80644786

 $00{:}22{:}13.343 \dashrightarrow 00{:}22{:}15.298$ So I mentioned immunotherapy already.

NOTE Confidence: 0.80644786

 $00:22:15.300 \longrightarrow 00:22:17.255$ So if someone does not

NOTE Confidence: 0.80644786

 $00:22:17.255 \longrightarrow 00:22:19.210$ have one of those targets,

NOTE Confidence: 0.80644786

 $00{:}22{:}19.210 \longrightarrow 00{:}22{:}21.940$ we actually can look for another target,

NOTE Confidence: 0.80644786

00:22:21.940 --> 00:22:23.416 something called PDL1,

NOTE Confidence: 0.80644786

00:22:23.416 --> 00:22:26.153 now PDL1 actually was in part

NOTE Confidence: 0.80644786

00:22:26.153 --> 00:22:27.937 discovered by Lieping Chen, NOTE Confidence:

0.80644786

 $00:22:27.940 \longrightarrow 00:22:29.968$ a professor here at Yale,

NOTE Confidence: 0.80644786

 $00:22:29.970 \longrightarrow 00:22:32.010$ and he's one of our collaborators,

NOTE Confidence: 0.80644786

 $00:22:32.010 \longrightarrow 00:22:33.700$ but we actually can measure

NOTE Confidence: 0.80644786

 $00:22:33.700 \longrightarrow 00:22:35.052$ PDL one and tumors.

 $00:22:35.060 \longrightarrow 00:22:37.426$ And if the level is very high,

NOTE Confidence: 0.80644786

 $00:22:37.430 \longrightarrow 00:22:39.120$ that tells us that the

NOTE Confidence: 0.80644786

00:22:39.120 --> 00:22:40.472 immunotherapy might work alone.

NOTE Confidence: 0.80644786

 $00:22:40.480 \longrightarrow 00:22:42.520$ So we give those patients immunotherapy,

NOTE Confidence: 0.80644786

 $00:22:42.520 \longrightarrow 00:22:43.872$ assuming they don't have

NOTE Confidence: 0.80644786

 $00:22:43.872 \longrightarrow 00:22:45.224$ some reason we can't.

NOTE Confidence: 0.80644786

00:22:45.230 --> 00:22:47.085 Sometimes you can't reactivate the

NOTE Confidence: 0.80644786

00:22:47.085 --> 00:22:48.940 immune system because someone might

NOTE Confidence: 0.80644786

 $00:22:48.998 \longrightarrow 00:22:50.654$ already have some bad arthritis or

NOTE Confidence: 0.80644786

 $00:22:50.654 \longrightarrow 00:22:52.553$ know what we call an autoimmune

NOTE Confidence: 0.80644786

 $00:22:52.553 \longrightarrow 00:22:54.037$ disease that precludes that.

NOTE Confidence: 0.80644786

 $00:22:54.040 \longrightarrow 00:22:56.428$ But for the rest of these, again,

NOTE Confidence: 0.80644786

 $00{:}22{:}56.428 \dashrightarrow 00{:}22{:}58.168$ unless they have a contraindication,

NOTE Confidence: 0.80644786

00:22:58.170 --> 00:22:59.482 we're giving immunotherapy in

NOTE Confidence: 0.80644786

00:22:59.482 --> 00:23:00.466 combination with chemotherapy.

00:23:00.470 --> 00:23:02.675 Would have been what I would have

NOTE Confidence: 0.80644786

 $00{:}23{:}02.675 \dashrightarrow 00{:}23{:}05.049$ guessed would have been such an active

NOTE Confidence: 0.80644786

00:23:05.049 --> 00:23:06.646 therapy, but for whatever reason,

NOTE Confidence: 0.80644786

 $00:23:06.646 \longrightarrow 00:23:07.902$ when you give chemotherapy

NOTE Confidence: 0.80644786

 $00:23:07.902 \longrightarrow 00:23:08.990$ and immunotherapy together,

NOTE Confidence: 0.80644786

00:23:08.990 --> 00:23:11.286 you at least have an additive effect,

NOTE Confidence: 0.80644786

 $00:23:11.290 \longrightarrow 00:23:12.598$ meaning the chemotherapy kills

NOTE Confidence: 0.80644786

 $00:23:12.598 \longrightarrow 00:23:14.233$ some of the tumor cells,

NOTE Confidence: 0.80644786

 $00{:}23{:}14.240 \dashrightarrow 00{:}23{:}15.880$ releases some of the proteins

NOTE Confidence: 0.80644786

 $00:23:15.880 \longrightarrow 00:23:17.520$ that activate the immune system,

NOTE Confidence: 0.80644786

 $00{:}23{:}17.520 \mathrel{--}{>} 00{:}23{:}19.218$ and then use these drugs that

NOTE Confidence: 0.80644786

 $00:23:19.218 \longrightarrow 00:23:21.130$ we call a checkpoint

NOTE Confidence: 0.80644786

 $00{:}23{:}21.130 \dashrightarrow 00{:}23{:}22.730$ inhibitor that unleash the power

NOTE Confidence: 0.80644786

 $00:23:22.730 \longrightarrow 00:23:24.722$ of the immune system and that's

NOTE Confidence: 0.80644786

 $00:23:24.722 \longrightarrow 00:23:26.377$ become a standard of therapy.

NOTE Confidence: 0.80644786

 $00:23:26.380 \longrightarrow 00:23:28.180$ Now I'll tell you that

00:23:28.180 --> 00:23:29.820 those results are really

NOTE Confidence: 0.80644786

 $00:23:29.820 \longrightarrow 00:23:31.802$ good and much better than

NOTE Confidence: 0.80644786

 $00:23:31.802 \longrightarrow 00:23:33.470$ what we've had in the past.

NOTE Confidence: 0.80644786

 $00:23:33.470 \longrightarrow 00:23:35.312$ But in my opinion we still

NOTE Confidence: 0.80644786

 $00:23:35.312 \longrightarrow 00:23:36.890$ have to raise the bar,

NOTE Confidence: 0.80644786

 $00:23:36.890 \longrightarrow 00:23:39.067$ so that's where clinical trials come in,

NOTE Confidence: 0.80644786

00:23:39.070 --> 00:23:41.167 and it would be my my big hope that

NOTE Confidence: 0.80644786

00:23:41.167 --> 00:23:43.564 in that room when a patient and a

NOTE Confidence: 0.80644786

 $00{:}23{:}43.564 \dashrightarrow 00{:}23{:}45.305$ physician or nurse practitioner or

NOTE Confidence: 0.80644786

 $00:23:45.305 \longrightarrow 00:23:47.621$ whoever is there are meeting. someone

NOTE Confidence: 0.80644786

 $00:23:47.621 \longrightarrow 00:23:49.950$ brings up, is there a clinical trial?

NOTE Confidence: 0.80644786

 $00{:}23{:}49.950 \dashrightarrow 00{:}23{:}51.505$ Is there something new that's

NOTE Confidence: 0.80644786

00:23:51.505 --> 00:23:53.060 looking at a new agent?

NOTE Confidence: 0.80644786

00:23:53.060 --> 00:23:53.993 A new drug,

NOTE Confidence: 0.80644786

 $00:23:53.993 \longrightarrow 00:23:56.170$ something that might even be more active?

00:23:56.170 --> 00:23:57.106 And of course,

NOTE Confidence: 0.80644786

 $00:23:57.106 \longrightarrow 00:23:57.730$ that's investigation,

NOTE Confidence: 0.80644786

 $00:23:57.730 \longrightarrow 00:23:59.500$ but that's really how we

NOTE Confidence: 0.80644786

 $00:23:59.500 \longrightarrow 00:24:02.755$ continue to do better and better,

NOTE Confidence: 0.80644786

 $00:24:02.760 \longrightarrow 00:24:06.029$ and we're inching up the

NOTE Confidence: 0.80644786

 $00{:}24{:}06.029 \dashrightarrow 00{:}24{:}08.820$ benefits from the rapy in lung cancer.

NOTE Confidence: 0.89301807

 $00:24:11.270 \longrightarrow 00:24:12.614$ So certainly clinical trials.

NOTE Confidence: 0.89301807

 $00:24:12.614 \longrightarrow 00:24:15.522$ I mean, we've talked on this show a

NOTE Confidence: 0.89301807

 $00:24:15.522 \longrightarrow 00:24:17.912$ lot about clinical trials and the

NOTE Confidence: 0.89301807

00:24:17.912 --> 00:24:19.982 fact that people who participate

NOTE Confidence: 0.89301807

 $00{:}24{:}19.982 \dashrightarrow 00{:}24{:}22.353$ in clinical trials tend to do

NOTE Confidence: 0.89301807

 $00:24:22.353 \longrightarrow 00:24:24.108$ better than people who don't.

NOTE Confidence: 0.89301807

 $00{:}24{:}24.110 \dashrightarrow 00{:}24{:}26.749$ Are all of the clinical trials in

NOTE Confidence: 0.89301807

 $00:24:26.749 \longrightarrow 00:24:29.487$ lung cancer now really geared around

NOTE Confidence: 0.89301807

 $00:24:29.487 \longrightarrow 00:24:32.027$ targeted therapies and immunooncology

NOTE Confidence: 0.89301807

 $00:24:32.027 \longrightarrow 00:24:35.322$ or are there any clinical trials that

00:24:35.322 --> 00:24:37.940 are looking at advances in standard

NOTE Confidence: 0.89301807

 $00{:}24{:}37.940 \dashrightarrow 00{:}24{:}40.460$ chemotherapy for people who may not

NOTE Confidence: 0.89301807

 $00:24:40.460 \longrightarrow 00:24:43.329$ be eligible for those other therapies?

NOTE Confidence: 0.89301807

 $00:24:43.330 \longrightarrow 00:24:46.012$ Either because they don't have a

NOTE Confidence: 0.89301807

00:24:46.012 --> 00:24:48.758 target or because they don't have

NOTE Confidence: 0.89301807

 $00{:}24{:}48.758 \dashrightarrow 00{:}24{:}51.380$ a tumor that's expressing PDL 1.

NOTE Confidence: 0.80675936

 $00:24:52.060 \longrightarrow 00:24:53.140$ Well, standard chemotherapy

NOTE Confidence: 0.80675936

 $00:24:53.140 \longrightarrow 00:24:54.580$ clearly has its place,

NOTE Confidence: 0.80675936

 $00:24:54.580 \longrightarrow 00:24:56.608$ and certainly in earlier stages of

NOTE Confidence: 0.80675936

 $00:24:56.608 \longrightarrow 00:24:58.743$ disease before the tumors have spread

NOTE Confidence: 0.80675936

 $00:24:58.743 \longrightarrow 00:25:00.909$ from the lung we're using chemotherapy

NOTE Confidence: 0.80675936

 $00:25:00.909 \longrightarrow 00:25:02.860$ with radiation therapy, for example,

NOTE Confidence: 0.80675936

 $00{:}25{:}02.860 \dashrightarrow 00{:}25{:}05.380$ and that can be curative the rapy.

NOTE Confidence: 0.80675936

 $00:25:05.380 \longrightarrow 00:25:07.540$ We often add immunotherapy in afterwards,

NOTE Confidence: 0.80675936

00:25:07.540 --> 00:25:09.450 but I actually personally think

 $00:25:09.450 \longrightarrow 00:25:12.065$ we've pretty much come as far

NOTE Confidence: 0.80675936

 $00{:}25{:}12.065 \dashrightarrow 00{:}25{:}13.655$ as we can with chemotherapy.

NOTE Confidence: 0.80675936

00:25:13.660 --> 00:25:14.680 It's somewhat nonspecific.

NOTE Confidence: 0.80675936

 $00:25:14.680 \longrightarrow 00:25:17.620$ It can have a number of side effects.

NOTE Confidence: 0.80675936

00:25:17.620 --> 00:25:19.060 However, we're finding new

NOTE Confidence: 0.80675936

 $00:25:19.060 \longrightarrow 00:25:20.860$ targets like right now,

NOTE Confidence: 0.80675936

 $00:25:20.860 \longrightarrow 00:25:23.290$ just in the last several months,

NOTE Confidence: 0.80675936

 $00{:}25{:}23.290 \dashrightarrow 00{:}25{:}25.985$ there's been data on a new target

NOTE Confidence: 0.80675936

 $00{:}25{:}25.985 \dashrightarrow 00{:}25{:}27.689$ against something called Kras.

NOTE Confidence: 0.80675936

00:25:27.690 --> 00:25:30.259 Now Kras, which is an oncogene,

NOTE Confidence: 0.80675936

 $00{:}25{:}30.260 {\:{\mbox{--}}\!>}\ 00{:}25{:}32.829$ actually first came from a rat model.

 $00:25:33.955 \longrightarrow 00:25:35.830$ Kras actually is about

NOTE Confidence: 0.80675936

 $00:25:35.830 \longrightarrow 00:25:37.980$ 12 to 20% of lung tumors.

NOTE Confidence: 0.80675936

 $00:25:37.980 \longrightarrow 00:25:40.200$ The actual variant of this that

NOTE Confidence: 0.80675936

 $00:25:40.200 \longrightarrow 00:25:42.391$ now has multiple drugs that are

NOTE Confidence: 0.80675936

 $00:25:42.391 \longrightarrow 00:25:44.939$ out there is what we call G12C.

 $00:25:44.940 \longrightarrow 00:25:46.956$ Probably doesn't mean much to a

NOTE Confidence: 0.80675936

 $00:25:46.956 \longrightarrow 00:25:49.350$ lot of those who are listening,

NOTE Confidence: 0.80675936

 $00:25:49.350 \longrightarrow 00:25:51.546$ but it's a specific abnormality that

NOTE Confidence: 0.80675936

 $00{:}25{:}51.546 \to 00{:}25{:}54.062$ occurs in 12% of lung cancer patients.

NOTE Confidence: 0.80675936

 $00:25:54.062 \longrightarrow 00:25:55.827$ That's a lot of patients.

NOTE Confidence: 0.80675936

 $00:25:55.830 \longrightarrow 00:25:56.120$ Remember,

NOTE Confidence: 0.80675936

 $00:25:56.120 \longrightarrow 00:25:58.150$ I told you it's 1.6, 1.7

NOTE Confidence: 0.80675936

 $00:25:58.150 \longrightarrow 00:26:00.236$ worldwide and there are actually agents now,

NOTE Confidence: 0.80675936

 $00:26:00.240 \longrightarrow 00:26:01.062$ not approved yet,

NOTE Confidence: 0.80675936

 $00:26:01.062 \longrightarrow 00:26:02.706$ but that are in clinical trials

NOTE Confidence: 0.80675936

 $00:26:02.706 \longrightarrow 00:26:03.968$ showing positive results that

NOTE Confidence: 0.80675936

 $00:26:03.968 \longrightarrow 00:26:05.528$ can make those tumors shrink.

NOTE Confidence: 0.80675936

00:26:05.530 --> 00:26:07.588 So before I pull off some chemotherapy,

NOTE Confidence: 0.80675936

 $00:26:07.590 \longrightarrow 00:26:09.406$ which by the way we will do and

NOTE Confidence: 0.80675936

 $00{:}26{:}09.406 \dashrightarrow 00{:}26{:}11.508$ we do need to use and sometimes we

NOTE Confidence: 0.80675936

00:26:11.508 --> 00:26:14.222 even use it as we're waiting for a

 $00:26:14.222 \longrightarrow 00:26:15.818$ clinical trial to become available.

NOTE Confidence: 0.80675936

 $00:26:15.820 \longrightarrow 00:26:17.506$ We are beginning to study and

NOTE Confidence: 0.80675936

 $00:26:17.506 \longrightarrow 00:26:19.060$ use these Kras drugs,

NOTE Confidence: 0.80675936

00:26:19.060 --> 00:26:20.530 and I think that's going

NOTE Confidence: 0.80675936

 $00:26:20.530 \longrightarrow 00:26:22.000$ to be the next paradigm.

NOTE Confidence: 0.80675936

 $00:26:22.000 \longrightarrow 00:26:23.500$ So we've gone from chemotherapy

NOTE Confidence: 0.80675936

 $00:26:23.500 \longrightarrow 00:26:24.400$ to targeted therapy,

NOTE Confidence: 0.80675936

 $00{:}26{:}24.400 \longrightarrow 00{:}26{:}26.158$ to immunotherapy, and now Kras

NOTE Confidence: 0.80675936

 $00:26:26.160 \longrightarrow 00:26:27.372$ which is another target.

NOTE Confidence: 0.80675936

 $00:26:27.372 \longrightarrow 00:26:29.190$ But it's a broad target

NOTE Confidence: 0.80675936

 $00:26:29.250 \longrightarrow 00:26:30.278$ and it always was

NOTE Confidence: 0.80675936

 $00:26:30.280 \longrightarrow 00:26:31.750$ the Holy Grail,

NOTE Confidence: 0.80675936

00:26:31.750 --> 00:26:33.586 there's been so many

NOTE Confidence: 0.80675936

 $00:26:33.586 \longrightarrow 00:26:35.869$ approaches and ways to try to target it.

NOTE Confidence: 0.80675936

 $00:26:35.870 \longrightarrow 00:26:37.814$ It's a very difficult target for

 $00:26:37.814 \longrightarrow 00:26:40.169$ a cancer because I don't want

NOTE Confidence: 0.80675936

 $00:26:40.169 \longrightarrow 00:26:42.040$ to get into too much detail here,

NOTE Confidence: 0.80675936

 $00:26:42.040 \longrightarrow 00:26:44.424$ but just to say that the pocket that

NOTE Confidence: 0.80675936

 $00:26:44.424 \longrightarrow 00:26:47.130$ we have to block with a drug is so

NOTE Confidence: 0.80675936

 $00:26:47.130 \longrightarrow 00:26:49.468$ narrow that it's very hard to get a

NOTE Confidence: 0.80675936

00:26:49.468 --> 00:26:51.742 drug in there to block that.

NOTE Confidence: 0.80675936

 $00:26:51.742 \longrightarrow 00:26:53.212$ But scientists and chemists have

NOTE Confidence: 0.80675936

00:26:53.212 --> 00:26:54.828 figured that out. Another example of

NOTE Confidence: 0.80675936

00:26:54.830 --> 00:26:55.898 science drives innovation,

NOTE Confidence: 0.80675936

 $00:26:55.898 \longrightarrow 00:26:58.390$ science brings new agents to the clinic.

NOTE Confidence: 0.80675936

 $00{:}26{:}58.390 \dashrightarrow 00{:}27{:}00.490$ Then we test them in the clinic

NOTE Confidence: 0.80675936

 $00:27:00.490 \longrightarrow 00:27:02.550$ and we test them using samples

NOTE Confidence: 0.80675936

 $00:27:02.550 \longrightarrow 00:27:05.091$ from patients and a series of

NOTE Confidence: 0.80675936

00:27:05.161 --> 00:27:07.501 very careful studies to bring new

NOTE Confidence: 0.80675936

 $00:27:07.501 \longrightarrow 00:27:09.812$ new things to standard of care.

NOTE Confidence: 0.80675936

00:27:09.812 --> 00:27:11.667 So amazing progress but

 $00:27:11.667 \longrightarrow 00:27:12.990$ more that needs to

NOTE Confidence: 0.856393

 $00{:}27{:}12.990 --> 00{:}27{:}15.293$ happen. And this brings me

NOTE Confidence: 0.856393

 $00:27:15.293 \longrightarrow 00:27:17.967$ to the whole area of clinical trials.

NOTE Confidence: 0.856393

00:27:17.970 --> 00:27:20.220 For many patients historically

NOTE Confidence: 0.856393

 $00:27:20.220 \longrightarrow 00:27:22.462$ they always thought that clinical trials

NOTE Confidence: 0.856393

 $00{:}27{:}22.462 \dashrightarrow 00{:}27{:}25.182$ were what you tried when there was nothing

NOTE Confidence: 0.856393

00:27:25.190 --> 00:27:27.913 else left when you had exhausted all

NOTE Confidence: 0.856393

 $00:27:27.913 \longrightarrow 00:27:30.570$ other options when the cancer was metastatic

NOTE Confidence: 0.856393

 $00:27:30.570 \longrightarrow 00:27:33.634$ and had spread all over the body,

NOTE Confidence: 0.856393

00:27:33.640 --> 00:27:35.555 but you're really talking about

NOTE Confidence: 0.856393

 $00:27:35.555 \longrightarrow 00:27:37.858$ clinical trials as being

 $00:27:40.482 \longrightarrow 00:27:42.588$ state of the art medicine and

NOTE Confidence: 0.856393

00:27:42.588 --> 00:27:44.768 that might actually be helpful,

NOTE Confidence: 0.856393

00:27:44.770 --> 00:27:46.978 particularly in patients who are so

NOTE Confidence: 0.856393

 $00:27:46.978 \longrightarrow 00:27:49.307$ for tunate as to have detected their

NOTE Confidence: 0.856393

 $00:27:49.307 \longrightarrow 00:27:52.065$ cancer early when it's not metastatic.

00:27:52.070 --> 00:27:55.526 Can you talk a little bit more about that?

NOTE Confidence: 0.874614

 $00:27:58.880 \longrightarrow 00:28:02.750$ Clinical trials really are

NOTE Confidence: 0.874614

 $00:28:02.750 \longrightarrow 00:28:05.742$ the best way and in many cases

NOTE Confidence: 0.874614

00:28:05.742 --> 00:28:08.090 to you know, treating cancer,

NOTE Confidence: 0.874614

 $00{:}28{:}08.090 \dashrightarrow 00{:}28{:}10.715$ especially when you're dealing with

NOTE Confidence: 0.874614

 $00:28:10.715 \longrightarrow 00:28:13.814$ a situation where you know it is

NOTE Confidence: 0.874614

 $00:28:13.814 \longrightarrow 00:28:15.974$ incurable and you're not able to

NOTE Confidence: 0.874614

 $00:28:15.980 \longrightarrow 00:28:18.255$ treat with the standard of care,

NOTE Confidence: 0.874614

 $00:28:18.260 \longrightarrow 00:28:20.626$ I still remember the example of the

NOTE Confidence: 0.874614

00:28:20.626 --> 00:28:23.130 patient, has to be about 8 years ago,

NOTE Confidence: 0.874614

 $00:28:23.130 \longrightarrow 00:28:25.730$ we were studying a drug in clinical trial,

NOTE Confidence: 0.874614

 $00:28:25.730 \longrightarrow 00:28:27.572$ one of these immune checkpoint inhibitors

NOTE Confidence: 0.874614

 $00{:}28{:}27.572 \dashrightarrow 00{:}28{:}30.279$ and he came in with advanced lung cancer.

NOTE Confidence: 0.874614

 $00{:}28{:}30.280 \dashrightarrow 00{:}28{:}32.996$ He had already been to see several

NOTE Confidence: 0.874614

00:28:32.996 --> 00:28:34.511 other practitioners around

 $00:28:34.511 \longrightarrow 00:28:36.751$ the state and we had one slot left

NOTE Confidence: 0.874614

 $00{:}28{:}36.751 \dashrightarrow 00{:}28{:}39.150$ in this trial and you know we went

NOTE Confidence: 0.874614

 $00:28:39.150 \longrightarrow 00:28:41.306$ back and forth and he decided to

NOTE Confidence: 0.874614

 $00:28:41.306 \longrightarrow 00:28:43.930$ go on this study and he went on

NOTE Confidence: 0.874614

 $00:28:43.930 \longrightarrow 00:28:46.246$ this drug that is now approved and

NOTE Confidence: 0.874614

 $00:28:46.250 \longrightarrow 00:28:47.153$ did very well.

NOTE Confidence: 0.874614

00:28:47.153 --> 00:28:48.056 Eight years later,

NOTE Confidence: 0.874614

 $00:28:48.060 \longrightarrow 00:28:49.866$ I still get emails from him.

NOTE Confidence: 0.874614

00:28:49.870 --> 00:28:50.770 He's a photographer.

NOTE Confidence: 0.874614

 $00:28:50.770 \longrightarrow 00:28:53.200$ He sends me pictures from the wild.

NOTE Confidence: 0.874614

 $00{:}28{:}53.200 \dashrightarrow 00{:}28{:}55.006$ This is where a clinical trial

NOTE Confidence: 0.874614

 $00:28:55.006 \longrightarrow 00:28:56.520$ can really pay off now,

NOTE Confidence: 0.874614

00:28:56.520 --> 00:28:58.030 because now many years before

NOTE Confidence: 0.874614

 $00:28:58.030 \longrightarrow 00:28:59.238$ approval of a drug,

NOTE Confidence: 0.874614

 $00:28:59.240 \longrightarrow 00:29:01.291$ someone took a chance on this trial

NOTE Confidence: 0.874614

00:29:01.291 --> 00:29:02.836 that the alternative would have

 $00:29:02.836 \longrightarrow 00:29:04.366$ been standard of care therapy.

NOTE Confidence: 0.874614

 $00:29:04.370 \longrightarrow 00:29:05.880$ So we're not keeping anything

NOTE Confidence: 0.874614

 $00:29:05.880 \longrightarrow 00:29:06.786$ from this patient,

NOTE Confidence: 0.874614

 $00:29:06.790 \longrightarrow 00:29:08.799$ but bring that trial to bear

NOTE Confidence: 0.874614

 $00:29:08.799 \longrightarrow 00:29:10.652$ on that patient really helped him

NOTE Confidence: 0.874614

 $00:29:10.652 \longrightarrow 00:29:12.822$ and helped him live a quality life.

NOTE Confidence: 0.874614

 $00:29:12.830 \longrightarrow 00:29:14.636$ So that's what we hope for.

NOTE Confidence: 0.874614

 $00:29:14.640 \longrightarrow 00:29:16.957$ That's why clinical trials are so important.

NOTE Confidence: 0.874614

00:29:16.960 --> 00:29:19.208 And now I think, as you're alluding to,

NOTE Confidence: 0.874614

 $00{:}29{:}19.210 \dashrightarrow 00{:}29{:}20.550$ we're using these clinical trials

NOTE Confidence: 0.874614

 $00:29:20.550 \longrightarrow 00:29:22.300$ in the earliest stages of disease,

NOTE Confidence: 0.874614

 $00:29:22.300 \longrightarrow 00:29:23.986$ so I know you're a surgeon,

NOTE Confidence: 0.874614

 $00:29:23.990 \longrightarrow 00:29:26.221$ so you cut out tumors,

NOTE Confidence: 0.874614

00:29:26.221 --> 00:29:28.760 but still there's a chance it will recur

NOTE Confidence: 0.874614

00:29:28.760 --> 00:29:30.446 even if you've gotten everything out.

 $00:29:30.450 \longrightarrow 00:29:33.306$ So now what we're doing is we're taking

NOTE Confidence: 0.874614

00:29:33.306 --> 00:29:35.878 these best therapies in lung cancer,

NOTE Confidence: 0.874614

 $00:29:35.880 \longrightarrow 00:29:37.610$ the immunotherapy that targeted therapy

NOTE Confidence: 0.874614

 $00{:}29{:}37.610 \dashrightarrow 00{:}29{:}39.656$ when using them after surgery even

NOTE Confidence: 0.874614

 $00:29:39.656 \longrightarrow 00:29:41.455$ when we see that there's no disease.

NOTE Confidence: 0.874614

00:29:41.460 --> 00:29:43.308 Knowing that these are high risk

NOTE Confidence: 0.874614

 $00:29:43.308 \longrightarrow 00:29:44.870$ of recurrence and those data,

NOTE Confidence: 0.874614

 $00:29:44.870 \longrightarrow 00:29:47.714$ some of them are already showing

NOTE Confidence: 0.874614

 $00:29:47.714 \longrightarrow 00:29:49.136$ positive results so

NOTE Confidence: 0.874614

 $00{:}29{:}49.140 \dashrightarrow 00{:}29{:}50.982$ the field of research and clinical

NOTE Confidence: 0.874614

 $00{:}29{:}50.982 \dashrightarrow 00{:}29{:}53.054$ care are one and the bottom line

NOTE Confidence: 0.874614

00:29:53.054 --> 00:29:54.867 is we want to give the best

NOTE Confidence: 0.874614

00:29:54.931 --> 00:29:56.677 care for patients at the best

NOTE Confidence: 0.84297264

 $00:29:56.680 \longrightarrow 00:29:58.594$ possible time.

NOTE Confidence: 0.84297264

 $00:29:58.594 \longrightarrow 00:30:00.269$ Dr. Roy Herbst is Ensign Professor of Medicine

in Medical Oncology

 $00{:}30{:}00.270 \longrightarrow 00{:}30{:}02.538$ and professor of Pharmacology

NOTE Confidence: 0.84297264

 $00:30:02.538 \longrightarrow 00:30:04.849$ at the Yale School of Medicine.

NOTE Confidence: 0.84297264

 $00:30:04.850 \longrightarrow 00:30:06.382$ If you have questions,

NOTE Confidence: 0.84297264

 $00:30:06.382 \dashrightarrow 00:30:07.914$ the address is canceranswers@yale.edu

NOTE Confidence: 0.84297264

 $00{:}30{:}07.914 \dashrightarrow 00{:}30{:}10.032$ and past editions of the program

NOTE Confidence: 0.84297264

 $00{:}30{:}10.032 \dashrightarrow 00{:}30{:}11.964$ are available in audio and written

NOTE Confidence: 0.84297264

 $00:30:12.027 \longrightarrow 00:30:13.638$ form at yale cancercenter.org.

NOTE Confidence: 0.84297264

00:30:13.640 --> 00:30:16.240 We hope you'll join us next week to

NOTE Confidence: 0.84297264

00:30:16.240 --> 00:30:18.782 learn more about the fight against

NOTE Confidence: 0.84297264

 $00:30:18.782 \dashrightarrow 00:30:21.500$ cancer here on Connecticut Public Radio.