WEBVTT

00:00:00.000 --> 00:00:02.490 Support for Yale Cancer Answers NOTE Confidence: 0.857268 00:00:02.490 --> 00:00:04.980 comes from AstraZeneca, dedicated NOTE Confidence: 0.857268 $00:00:05.057 \rightarrow 00:00:07.432$ to advancing options and providing NOTE Confidence: 0.857268 $00:00:07.432 \rightarrow 00:00:10.420$ hope for people living with cancer. NOTE Confidence: 0.857268 00:00:10.420 --> 00:00:14.080 More information at astrazeneca-us.com. NOTE Confidence: 0.857268 $00:00:14.080 \rightarrow 00:00:16.270$ Welcome to Yale Cancer Answers with NOTE Confidence: 0.857268 00:00:16.270 --> 00:00:18.669 your host doctor Anees Chagpar. NOTE Confidence: 0.857268 $00:00:18.670 \longrightarrow 00:00:20.650$ Yale Cancer Answers features the NOTE Confidence: 0.857268 $00:00:20.650 \rightarrow 00:00:23.084$ latest information on cancer care by NOTE Confidence: 0.857268 00:00:23.084 --> 00:00:24.644 welcoming oncologists and specialists NOTE Confidence: 0.857268 $00:00:24.644 \rightarrow 00:00:27.258$ who are on the forefront of the NOTE Confidence: 0.857268 $00:00:27.258 \longrightarrow 00:00:29.058$ battle to fight cancer. This week, NOTE Confidence: 0.857268 $00:00:29.060 \rightarrow 00:00:31.281$ it's a conversation about Hematologic NOTE Confidence: 0.857268 $00:00:31.281 \longrightarrow 00:00:33.136$ malignancies with Doctor Francesca Montanari. NOTE Confidence: 0.857268 00:00:33.140 --> 00:00:35.060 Doctor Montanari is an assistant NOTE Confidence: 0.857268

 $00:00:35.060 \rightarrow 00:00:36.980$ professor of clinical medicine and

NOTE Confidence: 0.857268

00:00:37.041 --> 00:00:39.449 hematology at the Yale School of Medicine,

NOTE Confidence: 0.857268

 $00{:}00{:}39{.}450 \dashrightarrow 00{:}00{:}41.676$ where Doctor Chagpar is a

NOTE Confidence: 0.857268

00:00:41.676 --> 00:00:43.160 professor of surgical oncology.

NOTE Confidence: 0.857268

00:00:43.160 --> 00:00:43.530 Francesca, can we

 $00:00:43.900 \longrightarrow 00:00:46.049$ start off by you telling

NOTE Confidence: 0.8311995

 $00{:}00{:}46.049 \dashrightarrow 00{:}00{:}48.391$ us a little bit about Hematologic

NOTE Confidence: 0.8311995

 $00:00:48.391 \rightarrow 00:00:50.626$ malignancies, what they are,

NOTE Confidence: 0.8311995

 $00:00:50.630 \rightarrow 00:00:54.185$ how common they are, and how people who have

NOTE Confidence: 0.8311995

 $00:00:54.185 \rightarrow 00:00:57.918$ a hematological malignancy can present?

NOTE Confidence: 0.8118239

00:00:57.920 --> 00:00:59.483 Hematological malignancies

NOTE Confidence: 0.8118239

 $00:00:59.483 \rightarrow 00:01:02.609$ include all types of blood cancers.

NOTE Confidence: 0.8118239

 $00{:}01{:}02.610 \dashrightarrow 00{:}01{:}06.738$ So these are cancers that can affect the

NOTE Confidence: 0.8118239

 $00:01:06.738 \rightarrow 00:01:10.950$ bone marrow where the blood cells are made,

NOTE Confidence: 0.8118239

 $00{:}01{:}10.950 \dashrightarrow 00{:}01{:}13.584$ blood cells, lymph nodes and other

NOTE Confidence: 0.8118239

 $00:01:13.584 \rightarrow 00:01:16.626$ parts of the lymphatic system and

- 00:01:16.626 --> 00:01:18.429 typical hematological malignancies
- NOTE Confidence: 0.8118239
- 00:01:18.429 --> 00:01:21.434 or blood cancers are leukemias,
- NOTE Confidence: 0.8118239
- 00:01:21.440 --> 00:01:22.424 lymphomas, Myelomas,
- NOTE Confidence: 0.8118239
- $00{:}01{:}22.424 \dashrightarrow 00{:}01{:}26.369$ and others that are rare, such as
- NOTE Confidence: 0.8118239
- 00:01:26.369 --> 00:01:28.834 myelodysplastic and Myeloproliferative disorders,
- NOTE Confidence: 0.8118239
- $00{:}01{:}28.840 \dashrightarrow 00{:}01{:}31.300$ and these diseases represent less
- NOTE Confidence: 0.8118239
- $00:01:31.300 \longrightarrow 00:01:34.262$ than 10% of all the cancers,
- NOTE Confidence: 0.8118239
- $00:01:34.262 \longrightarrow 00:01:36.727$ and there are approximately 1.8
- NOTE Confidence: 0.8118239
- 00:01:36.727 --> 00:01:39.773 million new cases of cancer per year
- NOTE Confidence: 0.8118239
- $00:01:39.773 \rightarrow 00:01:42.670$ in the United States and approximately
- NOTE Confidence: 0.8118239
- $00:01:42.670 \longrightarrow 00:01:45.600$ 180,000 cases of blood cancers.
- NOTE Confidence: 0.8118239
- $00:01:45.600 \rightarrow 00:01:47.392$ So every 3 minutes,
- NOTE Confidence: 0.8118239
- $00{:}01{:}47.392 \dashrightarrow 00{:}01{:}50.773$ one person in the US is diagnosed
- NOTE Confidence: 0.8118239
- $00:01:50.773 \longrightarrow 00:01:53.109$ with one of these diseases.
- NOTE Confidence: 0.8118239
- 00:01:53.110 --> 00:01:56.547 Approximately half of the blood
- NOTE Confidence: 0.8118239
- $00:01:56.550 \rightarrow 00:01:58.975$ cancers are lymphomas which account

- NOTE Confidence: 0.8118239
- $00{:}01{:}58{.}975 \dashrightarrow 00{:}02{:}01{.}970$ for 86,000 cases per year.

 $00:02:01.970 \longrightarrow 00:02:04.425$ They are further divided in Hodgkin

NOTE Confidence: 0.8118239

 $00:02:04.425 \longrightarrow 00:02:05.898$ and non Hodgkin,

NOTE Confidence: 0.8118239

 $00:02:05.900 \longrightarrow 00:02:08.360$ which are the most common

NOTE Confidence: 0.8118239

 $00{:}02{:}08.360 \dashrightarrow 00{:}02{:}10.328$ and then Hodgkin is

NOTE Confidence: 0.8118239

 $00:02:10.330 \longrightarrow 00:02:13.767$ classified into over 60 distinct subtypes.

NOTE Confidence: 0.8118239

 $00:02:13.770 \longrightarrow 00:02:16.230$ So as you can imagine,

NOTE Confidence: 0.8118239

 $00{:}02{:}16.230 \dashrightarrow 00{:}02{:}19.800$ numbers tend to become very very small

NOTE Confidence: 0.8118239

 $00:02:19.800 \longrightarrow 00:02:23.737$ for the most rare of these subtypes.

NOTE Confidence: 0.8118239

00:02:27.090 --> 00:02:29.550 Leukemia is approximately 60,000 cases

NOTE Confidence: 0.8118239

 $00:02:29.550 \rightarrow 00:02:33.302$ per year and less than 10% are myelomas,

NOTE Confidence: 0.8118239

 $00{:}02{:}33{.}302 \dashrightarrow 00{:}02{:}35{.}226$ so symptoms and manifestation

NOTE Confidence: 0.8118239

 $00:02:35.226 \longrightarrow 00:02:37.600$ of these diseases can vary.

NOTE Confidence: 0.8118239

 $00{:}02{:}37{.}600 \dashrightarrow 00{:}02{:}40{.}645$ There is a very wide range of

NOTE Confidence: 0.8118239

 $00{:}02{:}40.645 \dashrightarrow 00{:}02{:}43.084$ symptoms that can be associated

 $00:02:43.084 \rightarrow 00:02:46.204$ with any of these blood cancers,

NOTE Confidence: 0.8118239

 $00:02:46.210 \longrightarrow 00:02:48.595$ which depends on the specific

NOTE Confidence: 0.8118239

 $00{:}02{:}48.595 \dashrightarrow 00{:}02{:}50.503$ disease and the localization.

NOTE Confidence: 0.8118239

 $00:02:50.510 \longrightarrow 00:02:51.378$ For instance,

NOTE Confidence: 0.8118239

 $00{:}02{:}51{.}378 \dashrightarrow 00{:}02{:}53{.}982$ lymphoma can present with the so-called

NOTE Confidence: 0.8118239

 $00:02:53.982 \rightarrow 00:02:56.720$ constitutional symptoms,

NOTE Confidence: 0.8118239

 $00:02:56.720 \longrightarrow 00:02:58.493$ which are very

NOTE Confidence: 0.8118239

00:02:58.493 --> 00:03:00.857 specific, fever, chills,

NOTE Confidence: 0.8118239

 $00{:}03{:}00{.}860 \dashrightarrow 00{:}03{:}02{.}740$ night sweats,

NOTE Confidence: 0.8118239

 $00:03:02.740 \longrightarrow 00:03:05.560$ unintentional weight loss.

NOTE Confidence: 0.8118239

 $00:03:05.560 \longrightarrow 00:03:08.185$ But there are a lot of other

NOTE Confidence: 0.8118239

 $00:03:08.185 \rightarrow 00:03:10.809$ symptoms which depend on the specific

NOTE Confidence: 0.8118239

 $00{:}03{:}10.809 \dashrightarrow 00{:}03{:}12.697$ localization of the disease.

NOTE Confidence: 0.8118239

 $00:03:12.700 \longrightarrow 00:03:13.408$ For instance,

NOTE Confidence: 0.8118239

 $00{:}03{:}13.408 \dashrightarrow 00{:}03{:}15.532$ there are lymphomas that like to

NOTE Confidence: 0.8118239

 $00{:}03{:}15{.}532 \dashrightarrow 00{:}03{:}17{.}739$ affect the gas trointestinal tract,

- NOTE Confidence: 0.8118239
- $00:03:17.740 \rightarrow 00:03:19.840$ and they cause gastrointestinal disturbances.

 $00:03:19.840 \rightarrow 00:03:21.905$ Other lymphoma can involve the

NOTE Confidence: 0.8118239

 $00:03:21.905 \longrightarrow 00:03:24.460$ eye or the structures around the

NOTE Confidence: 0.8118239

 $00:03:24.460 \longrightarrow 00:03:26.560$ eye causing trouble with vision,

NOTE Confidence: 0.8118239

 $00:03:26.560 \longrightarrow 00:03:29.080$ or they can affect the skin.

NOTE Confidence: 0.8118239

 $00{:}03{:}29{.}080 \dashrightarrow 00{:}03{:}31{.}180$ And as you can imagine,

NOTE Confidence: 0.8118239

 $00:03:31.180 \rightarrow 00:03:34.120$ depending upon the organ that is involved,

NOTE Confidence: 0.8118239

 $00:03:34.120 \longrightarrow 00:03:37.330$ you can have very different symptoms.

NOTE Confidence: 0.8118239

 $00{:}03{:}37{.}330 \dashrightarrow 00{:}03{:}39{.}365$ Leukemia tends to present with

NOTE Confidence: 0.8118239

 $00:03:39.365 \rightarrow 00:03:41.912$ symptoms related to the bone marrow

NOTE Confidence: 0.8118239

 $00:03:41.912 \longrightarrow 00:03:44.087$ involvement and the cytopenias such

NOTE Confidence: 0.8118239

 $00{:}03{:}44.087 \dashrightarrow 00{:}03{:}46.660$ as fatigue from the anemia,

NOTE Confidence: 0.8118239

00:03:46.660 --> 00:03:48.400 bleeding from low platelets,

NOTE Confidence: 0.8118239

 $00{:}03{:}48{.}400 \dashrightarrow 00{:}03{:}51{.}010$ infection from low blood white cell

NOTE Confidence: 0.8118239

 $00{:}03{:}51{.}087 \dashrightarrow 00{:}03{:}53{.}493$ count and multiple myeloma also

 $00:03:53.493 \rightarrow 00:03:55.989$ can present with fatigue from anemia,

NOTE Confidence: 0.8118239

 $00{:}03{:}55{.}990 \dashrightarrow 00{:}03{:}57{.}542$ infection and bone pain.

NOTE Confidence: 0.8118239

 $00{:}03{:}57{.}542 \dashrightarrow 00{:}04{:}01{.}069$ But bone pain is a more distinct

NOTE Confidence: 0.8118239

 $00:04:01.070 \longrightarrow 00:04:03.737$ sign of a multiple myeloma as

NOTE Confidence: 0.8118239

 $00:04:03.737 \dashrightarrow 00:04:06.655$ it involves the bone structure and

NOTE Confidence: 0.8118239

 $00{:}04{:}06.655 \dashrightarrow 00{:}04{:}08.919$ can cause pathological fractures.

NOTE Confidence: 0.8118239

00:04:08.920 --> 00:04:11.536 Lethargy and other gastrointestinal

NOTE Confidence: 0.8118239

 $00:04:11.536 \rightarrow 00:04:13.871$ symptoms related to the hypercalcemia

NOTE Confidence: 0.8118239

 $00{:}04{:}13.871 \dashrightarrow 00{:}04{:}16.937$ also can be present at presentation.

 $00{:}04{:}17{.}420 \dashrightarrow 00{:}04{:}20{.}372$ That seems like just an amazing

NOTE Confidence: 0.8141835

00:04:20.372 --> 00:04:23.421 potpourri of symptoms and

NOTE Confidence: 0.8141835

 $00:04:23.421 \longrightarrow 00:04:26.373$ sites that these blood cancers

NOTE Confidence: 0.8141835

00:04:26.373 --> 00:04:29.220 can harbor in so how

NOTE Confidence: 0.8141835

 $00{:}04{:}29{.}220 \dashrightarrow 00{:}04{:}32{.}993$ do patients find out that they have

NOTE Confidence: 0.8141835

 $00{:}04{:}32{.}993 \dashrightarrow 00{:}04{:}35{.}348$ one of these hematologic malignancies?

NOTE Confidence: 0.8141835

 $00:04:35.350 \longrightarrow 00:04:39.270$ It seems like they can be

 $00:04:39.270 \rightarrow 00:04:43.190$ anywhere from your bone marrow to your eyes,

NOTE Confidence: 0.8141835

00:04:43.190 --> 00:04:44.990 to your gastrointestinal tract,

NOTE Confidence: 0.8141835

 $00:04:44.990 \rightarrow 00:04:47.690$ and the symptoms can be completely

NOTE Confidence: 0.8141835

00:04:47.761 --> 00:04:50.630 nonspecific, like a little bit of

NOTE Confidence: 0.8141835

 $00:04:50.630 \longrightarrow 00:04:53.400$ fatigue to having visual loss

NOTE Confidence: 0.8141835

 $00{:}04{:}53{.}400 \dashrightarrow 00{:}04{:}55{.}928$ or gas trointestinal problems.

NOTE Confidence: 0.8141835

 $00:04:55.930 \rightarrow 00:05:01.117$ So how is the diagnosis actually made?

NOTE Confidence: 0.8141835

 $00:05:06.230 \longrightarrow 00:05:09.527$ It depends on the various scenarios.

NOTE Confidence: 0.8347193

 $00{:}05{:}11.036 \dashrightarrow 00{:}05{:}13.546$ Some of these blood cancers

NOTE Confidence: 0.8347193

 $00{:}05{:}13.546 \dashrightarrow 00{:}05{:}16.138$ tend to be

NOTE Confidence: 0.8347193

 $00{:}05{:}16{.}140 \dashrightarrow 00{:}05{:}19{.}916$ very slow growing and might be picked up

NOTE Confidence: 0.8347193

 $00:05:19.920 \longrightarrow 00:05:20.428$ incidentally,

NOTE Confidence: 0.8347193

 $00:05:20.428 \rightarrow 00:05:22.968$ just performing some routine blood

NOTE Confidence: 0.8347193

 $00:05:22.968 \rightarrow 00:05:25.924$ work by the primary care physician

NOTE Confidence: 0.8347193

 $00{:}05{:}25{.}924 \dashrightarrow 00{:}05{:}28{.}885$ on occasion of the well being visit.

NOTE Confidence: 0.8347193

 $00:05:28.890 \longrightarrow 00:05:32.173$ So finding a new presence of

- NOTE Confidence: 0.8347193
- $00{:}05{:}32{.}173 \dashrightarrow 00{:}05{:}34{.}655$ increased protein in the blood

 $00{:}05{:}34.655 \dashrightarrow 00{:}05{:}37.120$ might raise the suspicion of myeloma

NOTE Confidence: 0.8347193

 $00{:}05{:}37{.}120 \dashrightarrow 00{:}05{:}41{.}008$ and determine additional

NOTE Confidence: 0.8347193

 $00:05:41.008 \rightarrow 00:05:43.600$ testing that eventually lead

NOTE Confidence: 0.8347193

 $00{:}05{:}43.701 \dashrightarrow 00{:}05{:}46.809$ to the diagnosis and in other

NOTE Confidence: 0.8347193

 $00{:}05{:}46.809 \dashrightarrow 00{:}05{:}50.062$ cases the symptoms can be more

NOTE Confidence: 0.8347193

 $00{:}05{:}50{.}062 \dashrightarrow 00{:}05{:}52{.}752$ prominent and therefore as part

NOTE Confidence: 0.8347193

 $00:05:52.752 \rightarrow 00:05:56.016$ of the initial investigation by

NOTE Confidence: 0.8347193

00:05:56.016 --> 00:05:59.308 the primary care physician,

NOTE Confidence: 0.8347193

 $00:05:59.310 \longrightarrow 00:06:01.266$ certain signs and symptoms

NOTE Confidence: 0.8347193

 $00{:}06{:}01.266 \dashrightarrow 00{:}06{:}04.200$ might be detected that raise a

NOTE Confidence: 0.8347193

 $00:06:04.290 \longrightarrow 00:06:06.350$ flag for this condition,

NOTE Confidence: 0.8347193

 $00{:}06{:}06{.}350 \dashrightarrow 00{:}06{:}07{.}859$ and further evaluation

NOTE Confidence: 0.8347193

 $00{:}06{:}07.859 \dashrightarrow 00{:}06{:}09.368$ include imaging studies and

NOTE Confidence: 0.8347193

 $00{:}06{:}09{.}370 \dashrightarrow 00{:}06{:}12{.}970$ more in depth blood work

 $00:06:12.970 \longrightarrow 00:06:15.623$ and eventually valuation by a blood

NOTE Confidence: 0.8347193

 $00{:}06{:}15.623 \dashrightarrow 00{:}06{:}18.929$ cancer specialist and so once that

NOTE Confidence: 0.8347369

 $00:06:18.930 \longrightarrow 00:06:22.038$ happens, once they come to

NOTE Confidence: 0.8347369

00:06:22.038 --> 00:06:26.470 you as a blood cancer specialist,

NOTE Confidence: 0.8347369

 $00:06:26.470 \longrightarrow 00:06:29.680$ what's the next thing that happens?

NOTE Confidence: 0.8347369

 $00:06:29.680 \longrightarrow 00:06:31.108$ So typically we

NOTE Confidence: 0.8417714

 $00:06:31.110 \longrightarrow 00:06:34.393$ do really need to run a

NOTE Confidence: 0.8417714

 $00:06:34.393 \longrightarrow 00:06:36.810$ little bit more of a work up,

NOTE Confidence: 0.8417714

 $00{:}06{:}36{.}810 \dashrightarrow 00{:}06{:}39{.}180$ and that includes imaging studies,

NOTE Confidence: 0.8417714

 $00:06:39.180 \dashrightarrow 00:06:43.455$ which can be anything from MRI or CT scan,

NOTE Confidence: 0.8417714

 $00{:}06{:}43.460 \dashrightarrow 00{:}06{:}46.956$ even a newer form of CAT scan

NOTE Confidence: 0.8417714

 $00{:}06{:}46.956 \dashrightarrow 00{:}06{:}50.479$ that is called PET Scan where we

NOTE Confidence: 0.8417714

 $00{:}06{:}50{.}479 \dashrightarrow 00{:}06{:}54{.}046$ use glucose to track down in the

NOTE Confidence: 0.8417714

 $00{:}06{:}54.046 \dashrightarrow 00{:}06{:}57.252$ body where there is an increase in

NOTE Confidence: 0.8417714

 $00:06:57.252 \rightarrow 00:06:59.950$ the metabolic activity that may

NOTE Confidence: 0.8417714

 $00:06:59.950 \longrightarrow 00:07:03.310$ reveal the presence of a cancer.

- NOTE Confidence: 0.8417714
- $00:07:03.310 \dashrightarrow 00:07:05.582$ And ultimately the diagnosis

 $00:07:05.582 \rightarrow 00:07:08.422$ is made through a pathology,

NOTE Confidence: 0.8417714

 $00:07:08.430 \longrightarrow 00:07:13.334$ so we would need a tissue sample either

NOTE Confidence: 0.8417714

 $00:07:13.334 \rightarrow 00:07:19.357$ from a lymph node or from the bone marrow.

NOTE Confidence: 0.8417714

 $00:07:19.360 \longrightarrow 00:07:23.217$ Or sometimes a blood sample is

NOTE Confidence: 0.8417714

 $00:07:23.217 \rightarrow 00:07:26.599$ sufficient where we do run specific

NOTE Confidence: 0.8417714

 $00{:}07{:}26.599 \dashrightarrow 00{:}07{:}30.386$ tests to detect these diseases and

NOTE Confidence: 0.8417714

 $00:07:30.493 \rightarrow 00:07:34.213$ once we have a pathological confirmation

NOTE Confidence: 0.8417714

 $00{:}07{:}34.213 \dashrightarrow 00{:}07{:}37.752$ then other tests might be warranted

NOTE Confidence: 0.8417714

 $00{:}07{:}37.752 \dashrightarrow 00{:}07{:}41.434$ depending on the nature of the disease

NOTE Confidence: 0.8417714

 $00:07:41.434 \rightarrow 00:07:45.777$ and typically this test helps us with

NOTE Confidence: 0.8417714

 $00{:}07{:}45.777$ --> $00{:}07{:}48.257$ prognostication and with staging.

NOTE Confidence: 0.86975926

 $00{:}07{:}49{.}220 \dashrightarrow 00{:}07{:}51{.}746$ Let's talk about that.

NOTE Confidence: 0.86975926

 $00:07:51.750 \dashrightarrow 00:07:53.850$ How do we determine prognosis?

NOTE Confidence: 0.86975926

 $00:07:53.850 \longrightarrow 00:07:55.890$ And in general, what is the

 $00:07:55.890 \rightarrow 00:07:57.250$ prognosis of these hematological

NOTE Confidence: 0.86975926

 $00{:}07{:}57{.}315 \dashrightarrow 00{:}07{:}58{.}899$ malignancies, understanding,

NOTE Confidence: 0.86975926

 $00:07:58.900 \longrightarrow 00:08:01.372$ however, that this is a

NOTE Confidence: 0.86975926

 $00:08:01.372 \rightarrow 00:08:03.525$ varied group of diseases that

NOTE Confidence: 0.86975926

 $00{:}08{:}03.525 \dashrightarrow 00{:}08{:}06.057$ are lumped into this basket term.

NOTE Confidence: 0.8768639

 $00:08:07.450 \rightarrow 00:08:11.522$ Right, so there is a lot of variability

NOTE Confidence: 0.8768639

00:08:11.522 - 00:08:15.650 in the behavior of these diseases,

NOTE Confidence: 0.8768639

 $00:08:15.650 \dashrightarrow 00:08:19.857$ and as we have improved our knowledge

NOTE Confidence: 0.8768639

 $00{:}08{:}19.857 \dashrightarrow 00{:}08{:}23.366$ in the biology and mechanism

NOTE Confidence: 0.8768639

 $00:08:23.366 \longrightarrow 00:08:26.530$ that drives these diseases,

NOTE Confidence: 0.8768639

 $00:08:26.530 \longrightarrow 00:08:31.549$ we have a very complex way to

NOTE Confidence: 0.8768639

 $00{:}08{:}31{.}549 \dashrightarrow 00{:}08{:}35{.}280$ assess prognosis and prognosis

NOTE Confidence: 0.8768639

 $00:08:35.280 \rightarrow 00:08:40.670$ typically depends on very general

NOTE Confidence: 0.8768639

 $00:08:40.670 \longrightarrow 00:08:42.176$ information

NOTE Confidence: 0.8768639

 $00{:}08{:}42.176 \dashrightarrow 00{:}08{:}45.188$ such as the burden of

NOTE Confidence: 0.8768639

 $00:08:45.188 \rightarrow 00:08:47.220$ disease at presentation, and

 $00:08:47.220 \longrightarrow 00:08:49.800$ the performance status of the NOTE Confidence: 0.8768639 $00{:}08{:}49{.}800 \dashrightarrow 00{:}08{:}53{.}586$ patient plays a big role and NOTE Confidence: 0.8768639 $00{:}08{:}53{.}586 \dashrightarrow 00{:}08{:}56{.}356$ the presence of comorbidities or NOTE Confidence: 0.8768639 $00:08:56.356 \rightarrow 00:08:59.778$ end organ damage from the disease, NOTE Confidence: 0.8768639 $00:08:59.780 \rightarrow 00:09:05.716$ and then there are other markers that we NOTE Confidence: 0.8768639 $00{:}09{:}05{.}720 \dashrightarrow 00{:}09{:}09{.}170$ gather from the pathology evaluation NOTE Confidence: 0.8768639 $00:09:09.170 \rightarrow 00:09:12.735$ and from the genetic makeup through NOTE Confidence: 0.8768639 $00:09:12.735 \rightarrow 00:09:16.239$ molecular studies and based on each NOTE Confidence: 0.8768639 $00:09:16.239 \longrightarrow 00:09:19.536$ disease as a specific list of NOTE Confidence: 0.8768639 $00:09:19.536 \rightarrow 00:09:22.572$ features that we pay attention to NOTE Confidence: 0.8768639 $00:09:22.580 \longrightarrow 00:09:25.310$ when we determine the risk NOTE Confidence: 0.8768639 $00:09:25.310 \longrightarrow 00:09:26.948$ stratification and ultimately

NOTE Confidence: 0.8768639

NOTE Confidence: 0.8768639

 $00:09:26.948 \longrightarrow 00:09:29.890$ based on all this information,

NOTE Confidence: 0.8768639

 $00{:}09{:}29{.}890 \dashrightarrow 00{:}09{:}32{.}695$ we determine what is the

NOTE Confidence: 0.8768639

 $00:09:32.695 \longrightarrow 00:09:34.378$ best treatment approach.

- $00:09:35.670 \longrightarrow 00:09:39.065$ What is the treatment
- NOTE Confidence: 0.816629
- 00:09:39.065 --> 00:09:41.290 approach for these cancers
- NOTE Confidence: 0.816629
- $00:09:41.290 \longrightarrow 00:09:42.826$ in general?
- NOTE Confidence: 0.816629
- $00:09:42.826 \rightarrow 00:09:46.400$ The type of approach is very variable.
- NOTE Confidence: 0.816629
- $00:09:46.400 \dashrightarrow 00:09:51.026$ So first of all, the most important
- NOTE Confidence: 0.816629
- $00:09:51.026 \dashrightarrow 00:09:55.593$ point that I'd like to make is that,
- NOTE Confidence: 0.816629
- $00{:}09{:}55{.}600 \dashrightarrow 00{:}09{:}58{.}426$ as I mentioned, the behavior of
- NOTE Confidence: 0.816629
- 00:09:58.426 --> 00:10:01.220 blood cancer is very variable.
- NOTE Confidence: 0.816629
- $00{:}10{:}01{.}220 \dashrightarrow 00{:}10{:}04{.}148$ There are blood cancers that are
- NOTE Confidence: 0.816629
- $00:10:04.148 \rightarrow 00:10:06.900$ very indolent and slow growing.
- NOTE Confidence: 0.816629
- $00{:}10{:}06{.}900 \dashrightarrow 00{:}10{:}09{.}890$ And we don't necessarily start
- NOTE Confidence: 0.816629
- $00:10:09.890 \longrightarrow 00:10:11.684$ treatment upon diagnosis.
- NOTE Confidence: 0.816629
- $00{:}10{:}11.690 \dashrightarrow 00{:}10{:}14.090$ These diseases are considered
- NOTE Confidence: 0.816629
- 00:10:14.090 --> 00:10:17.088 generally not curable, but very,
- NOTE Confidence: 0.816629
- $00:10:17.088 \rightarrow 00:10:19.484$ very manageable and treatable
- NOTE Confidence: 0.816629
- $00:10:19.484 \rightarrow 00:10:21.880$ with certain drugs.

- NOTE Confidence: 0.816629
- $00:10:21.880 \rightarrow 00:10:26.092$ And the most important thing upon

 $00{:}10{:}26.092 \dashrightarrow 00{:}10{:}30.909$ diagnosis is determining if a patient

NOTE Confidence: 0.816629

 $00:10:30.909 \rightarrow 00:10:34.683$ requires treatment or can be watched.

NOTE Confidence: 0.816629

 $00:10:34.690 \longrightarrow 00:10:36.870$ We call that

NOTE Confidence: 0.816629

00:10:36.870 --> 00:10:38.505 watchful monitoring,

NOTE Confidence: 0.816629

 $00{:}10{:}38{.}510 \dashrightarrow 00{:}10{:}41{.}780$ and once there is an indication

NOTE Confidence: 0.816629

 $00:10:41.780 \longrightarrow 00:10:43.960$ when therapy is warranted,

NOTE Confidence: 0.816629

 $00:10:43.960 \rightarrow 00:10:48.880$ then the decision of which kind of therapy

NOTE Confidence: 0.816629

 $00{:}10{:}48.880 \dashrightarrow 00{:}10{:}53.597$ depends on the specific type of disease,

NOTE Confidence: 0.816629

 $00:10:53.600 \rightarrow 00:10:55.825$ the staging of the disease,

NOTE Confidence: 0.816629

 $00:10:55.825 \longrightarrow 00:10:57.605$ and the predicted behavior,

NOTE Confidence: 0.816629

 $00:10:57.610 \rightarrow 00:11:00.396$ which is usually based on the genetic

NOTE Confidence: 0.816629

 $00:11:00.396 \rightarrow 00:11:03.388$ makeup of the specific blood cancer.

NOTE Confidence: 0.816629

 $00{:}11{:}03{.}390 \dashrightarrow 00{:}11{:}05{.}170$ Another important factor that

NOTE Confidence: 0.816629

 $00{:}11{:}05{.}170 \dashrightarrow 00{:}11{:}07{.}840$ helps the decision about the best

00:11:07.911 - 00:11:10.096 strategy is based on patients

NOTE Confidence: 0.816629

00:11:10.096 --> 00:11:12.281 characteristics such as the age,

NOTE Confidence: 0.816629

 $00:11:12.290 \longrightarrow 00:11:13.625$ the performance status,

NOTE Confidence: 0.816629

 $00:11:13.625 \rightarrow 00:11:15.850$ the presence of medical conditions

NOTE Confidence: 0.816629

 $00{:}11{:}15{.}850 \dashrightarrow 00{:}11{:}17{.}860$ which might have an impact

NOTE Confidence: 0.816629

 $00:11:17.860 \longrightarrow 00:11:19.870$ on the tolerability of the

NOTE Confidence: 0.816629

00:11:19.953 --> 00:11:22.077 treatment and if transplant,

NOTE Confidence: 0.816629

 $00:11:22.080 \rightarrow 00:11:25.428$ if bone marrow transplant can be

NOTE Confidence: 0.816629

 $00{:}11{:}25{.}430 \dashrightarrow 00{:}11{:}26{.}693$ used for that

NOTE Confidence: 0.816629

 $00:11:26.693 \longrightarrow 00:11:27.956$ specific patient,

NOTE Confidence: 0.816629

 $00:11:27.960 \rightarrow 00:11:30.480$ as part of the treatment strategy.

NOTE Confidence: 0.816629

 $00:11:30.480 \rightarrow 00:11:33.006$ Another factor that is very important is

NOTE Confidence: 0.816629

00:11:33.010 - 00:11:35.300 a patients preference now that

NOTE Confidence: 0.816629

 $00:11:35.300 \rightarrow 00:11:37.590$ we have multiple therapy options

NOTE Confidence: 0.816629

 $00{:}11{:}37.660 \dashrightarrow 00{:}11{:}39.600$ which offer similar results

NOTE Confidence: 0.816629

 $00:11:39.600 \rightarrow 00:11:42.821$ in the long term but differ in

- NOTE Confidence: 0.816629
- $00:11:42.821 \longrightarrow 00:11:44.831$ terms of administration

 $00{:}11{:}44.831 \dashrightarrow 00{:}11{:}47.071$ modality and side effects profile.

NOTE Confidence: 0.816629

 $00{:}11{:}47.071 \dashrightarrow 00{:}11{:}49.456$ Patient preference might play a

NOTE Confidence: 0.816629

 $00:11:49.456 \rightarrow 00:11:52.217$ big role in the final decision.

 $00:11:55.260 \rightarrow 00:11:58.490$ During the past year there is another

NOTE Confidence: 0.8295221

 $00{:}11{:}58{.}490 \dashrightarrow 00{:}12{:}01{.}806$ factor that has played

NOTE Confidence: 0.8295221

00:12:01.806 --> 00:12:05.026 a big role in our decision making,

NOTE Confidence: 0.8295221

 $00{:}12{:}05{.}030 \dashrightarrow 00{:}12{:}07{.}820$ which has been the COVID pandemic.

NOTE Confidence: 0.8295221

 $00{:}12{:}07.820 \dashrightarrow 00{:}12{:}10.898$ So having an aggressive blood cancer

NOTE Confidence: 0.8295221

 $00{:}12{:}10.898 \dashrightarrow 00{:}12{:}13.857$ that requires treatment and has not

NOTE Confidence: 0.8295221

 $00:12:13.857 \rightarrow 00:12:16.720$ had any variation.

NOTE Confidence: 0.8295221

 $00{:}12{:}16{.}720 \dashrightarrow 00{:}12{:}18{.}978$ But because of the presence of the COVID pandemic,

NOTE Confidence: 0.8295221

 $00:12:18.980 \longrightarrow 00:12:21.350$ for those diseases that are

NOTE Confidence: 0.8295221

00:12:21.350 --> 00:12:23.728 more indolent and not immediately

NOTE Confidence: 0.8295221

00:12:23.728 --> 00:12:25.170 life threatening,

 $00:12:25.170 \longrightarrow 00:12:28.182$ we have been shifted away from

NOTE Confidence: 0.8295221

00:12:28.182 --> 00:12:30.913 using certain drugs or certain

NOTE Confidence: 0.8295221

 $00{:}12{:}30{.}913 \dashrightarrow 00{:}12{:}34{.}663$ strategies to maintain the disease in NOTE Confidence: 0.8295221

 $00{:}12{:}34{.}663{\:}-{>}00{:}12{:}38{.}060$ remission for longer period of time.

NOTE Confidence: 0.8295221

 $00{:}12{:}38.060 \dashrightarrow 00{:}12{:}40.508$ Unless there was an overall survival NOTE Confidence: 0.8295221

 $00{:}12{:}40{.}508 \dashrightarrow 00{:}12{:}43{.}148$ benefit in order to minimize the NOTE Confidence: 0.8295221

 $00:12:43.148 \rightarrow 00:12:45.944$ risks of increasing the severity and NOTE Confidence: 0.8295221

 $00:12:45.944 \rightarrow 00:12:48.338$ mortality from the infection.

 $00{:}12{:}50.605 \dashrightarrow 00{:}12{:}53.790$ There's a few points there that you

NOTE Confidence: 0.84698224

 $00{:}12{:}53{.}882 \dashrightarrow 00{:}12{:}56{.}514$ mentioned that I want to pick up

NOTE Confidence: 0.84698224

 $00{:}12{:}56{.}514 \dashrightarrow 00{:}12{:}59{.}790$ on and the first is that some of

NOTE Confidence: 0.84698224

 $00{:}12{:}59{.}790 \dashrightarrow 00{:}13{:}01{.}840$ these diseases are fairly indolent

NOTE Confidence: 0.84698224

 $00:13:01.920 \longrightarrow 00:13:04.120$ and may not require treatment.

NOTE Confidence: 0.84698224

00:13:04.120 --> 00:13:05.816 This kind of expectant

NOTE Confidence: 0.84698224

 $00{:}13{:}05{.}816$ --> $00{:}13{:}07{.}088$ watchful waiting approach.

NOTE Confidence: 0.84698224

 $00{:}13{:}07{.}090 \dashrightarrow 00{:}13{:}09{.}215$ How do you determine whether

 $00:13:09.215 \longrightarrow 00:13:11.340$ that's the case for patients,

NOTE Confidence: 0.84698224

 $00:13:11.340 \rightarrow 00:13:13.610$ particularly when you mentioned that

NOTE Confidence: 0.84698224

 $00{:}13{:}13{.}610 \dashrightarrow 00{:}13{:}16{.}840$ many of these cancers are not quote NOTE Confidence: 0.84698224

 $00:13:16.840 \rightarrow 00:13:19.040$ curable but they are manageable?

NOTE Confidence: 0.84698224

00:13:19.040 --> 00:13:22.670 And do patients get some anxiety over

NOTE Confidence: 0.84698224

 $00{:}13{:}22.670 \dashrightarrow 00{:}13{:}26.660$ the idea that they may have a cancer NOTE Confidence: 0.84698224

 $00:13:26.660 \rightarrow 00:13:29.708$ that were simply watching?

NOTE Confidence: 0.878338200000001

 $00:13:29.710 \longrightarrow 00:13:32.770$ It's very important to have that

NOTE Confidence: 0.878338200000001

00:13:32.770 --> 00:13:35.405 clear communication with the patient

NOTE Confidence: 0.878338200000001

 $00:13:35.405 \rightarrow 00:13:37.445$ that initiating treatment earlier

NOTE Confidence: 0.87833820000001

 $00{:}13{:}37{.}445 \dashrightarrow 00{:}13{:}41{.}053$ for this kind of cancer does not

NOTE Confidence: 0.87833820000001

00:13:41.053 --> 00:13:43.488 necessarily translate in a prolongation

NOTE Confidence: 0.87833820000001

 $00:13:43.488 \longrightarrow 00:13:46.492$ of their life expectancy and the

NOTE Confidence: 0.87833820000001

 $00{:}13{:}46.492 \dashrightarrow 00{:}13{:}50.090$ goal of the treatment in their case

NOTE Confidence: 0.878338200000001

 $00:13:50.090 \rightarrow 00:13:52.826$ is to minimize the toxicity related

NOTE Confidence: 0.878338200000001

 $00:13:52.826 \longrightarrow 00:13:56.445$ to the use of certain agents and

- NOTE Confidence: 0.878338200000001
- $00:13:56.445 \rightarrow 00:13:59.847$ maximizing the effect in terms of
- NOTE Confidence: 0.87833820000001
- $00{:}13{:}59{.}847 \dashrightarrow 00{:}14{:}03{.}526$ allowing them to live their normal life
- NOTE Confidence: 0.878338200000001
- $00:14:03.526 \rightarrow 00:14:06.570$ without having any side effects from
- NOTE Confidence: 0.878338200000001
- $00{:}14{:}06{.}570 \dashrightarrow 00{:}14{:}09{.}660$ either the treatment or the disease.
- NOTE Confidence: 0.8480717
- $00:14:10.620 \longrightarrow 00:14:12.610$ So important to
- NOTE Confidence: 0.8480717
- $00:14:12.610 \longrightarrow 00:14:13.804$ have good communication.
- NOTE Confidence: 0.8480717
- $00:14:13.810 \longrightarrow 00:14:16.216$ We're going to learn a
- NOTE Confidence: 0.8480717
- $00:14:16.216 \longrightarrow 00:14:17.820$ lot more about hematological
- NOTE Confidence: 0.8480717
- 00:14:17.889 --> 00:14:20.043 malignancies right after we take a
- NOTE Confidence: 0.8480717
- $00{:}14{:}20.043 \dashrightarrow 00{:}14{:}22.589$ short break for a medical minute.
- NOTE Confidence: 0.8480717
- $00:14:22.590 \rightarrow 00:14:25.376$ Please stay tuned to learn more with
- NOTE Confidence: 0.8480717
- 00:14:25.380 --> 00:14:26.706 my guest Doctor
- NOTE Confidence: 0.8480717
- 00:14:26.706 --> 00:14:28.474 Francesca Montanari.
- NOTE Confidence: 0.8480717
- $00{:}14{:}28{.}474 \dashrightarrow 00{:}14{:}30{.}600$ Support for Yale Cancer Answers comes from
- NOTE Confidence: 0.8480717
- 00:14:30.600 --> 00:14:32.420 AstraZeneca, working to eliminate
- NOTE Confidence: 0.8480717

- $00{:}14{:}32{.}420 \dashrightarrow 00{:}14{:}34{.}558$ cancer as a cause of death.
- NOTE Confidence: 0.8480717
- 00:14:34.560 -> 00:14:37.948 Learn more at astrazeneca-us.com.
- NOTE Confidence: 0.8480717
- $00{:}14{:}37{.}950 \dashrightarrow 00{:}14{:}39{.}805$ This is a medical minute
- NOTE Confidence: 0.8480717
- $00{:}14{:}39{.}805 \dashrightarrow 00{:}14{:}41{.}660$ about head and neck cancers,
- NOTE Confidence: 0.8480717
- 00:14:41.660 -> 00:14:43.575 although the percentage of oral
- NOTE Confidence: 0.8480717
- $00{:}14{:}43{.}575 \dashrightarrow 00{:}14{:}45{.}910$ and head and neck cancer patients NOTE Confidence: 0.8480717
- $00:14:45.910 \longrightarrow 00:14:48.353$ in the United States is only about
- NOTE Confidence: 0.8480717
- 00:14:48.353 --> 00:14:50.302 5% of all diagnosed cancers,
- NOTE Confidence: 0.8480717
- $00{:}14{:}50{.}302 \dashrightarrow 00{:}14{:}52{.}292$ there are challenging side effects
- NOTE Confidence: 0.8480717
- $00{:}14{:}52{.}292 \dashrightarrow 00{:}14{:}53{.}739$ associated with these types
- NOTE Confidence: 0.8480717
- $00:14:53.739 \longrightarrow 00:14:55.384$ of cancer and their treatment.
- NOTE Confidence: 0.8480717
- 00:14:55.390 --> 00:14:57.006 Clinical trials are currently
- NOTE Confidence: 0.8480717
- 00:14:57.006 --> 00:14:59.026 underway to test innovative new
- NOTE Confidence: 0.8480717
- $00:14:59.026 \rightarrow 00:15:00.950$ treatments for head and neck cancers,
- NOTE Confidence: 0.8480717
- $00{:}15{:}00{.}950 \dashrightarrow 00{:}15{:}02{.}960$ and in many cases less radical
- NOTE Confidence: 0.8480717
- $00:15:02.960 \rightarrow 00:15:05.400$ surgeries are able to preserve nerves,

- NOTE Confidence: 0.8480717
- $00:15:05.400 \rightarrow 00:15:07.626$ arteries and muscles in the neck,

 $00{:}15{:}07.630 \dashrightarrow 00{:}15{:}09.600$ enabling patients to move, speak,

NOTE Confidence: 0.8480717

 $00:15:09.600 \rightarrow 00:15:12.576$ breathe and eat normally after surgery.

NOTE Confidence: 0.8480717

 $00:15:12.580 \longrightarrow 00:15:14.564$ More information is available

NOTE Confidence: 0.8480717

00:15:14.564 --> 00:15:15.556 at yalecancercenter.org.

NOTE Confidence: 0.8480717

00:15:15.560 --> 00:15:18.548 You're listening to Connecticut Public Radio.

NOTE Confidence: 0.82719344

 $00{:}15{:}19.530 \dashrightarrow 00{:}15{:}21.888$ Welcome back to Yale Cancer Answers.

NOTE Confidence: 0.82719344

00:15:21.890 --> 00:15:24.256 This is doctor Anees Chagpar

NOTE Confidence: 0.82719344

 $00{:}15{:}24{.}256 \dashrightarrow 00{:}15{:}26{.}622$ and I'm joined to night by my

NOTE Confidence: 0.82719344

 $00{:}15{:}26.622 \dashrightarrow 00{:}15{:}28.194$ guest doctor Francesca Montanari.

NOTE Confidence: 0.82719344

 $00:15:28.200 \rightarrow 00:15:31.161$ We're talking about the care of patients

NOTE Confidence: 0.82719344

 $00{:}15{:}31{.}161 \dashrightarrow 00{:}15{:}32{.}840$ with hematologic malignacies and

NOTE Confidence: 0.82719344

 $00:15:32.840 \longrightarrow 00:15:34.940$ Francesca right before the break we

NOTE Confidence: 0.82719344

 $00{:}15{:}34{.}940 \dashrightarrow 00{:}15{:}37{.}639$ were talking about the fact that these

NOTE Confidence: 0.82719344

 $00:15:37.639 \rightarrow 00:15:39.619$ hematologic malignancies are so varied,

 $00:15:39.620 \rightarrow 00:15:42.780$ varied in terms of where they present,

NOTE Confidence: 0.82719344

 $00:15:42.780 \longrightarrow 00:15:45.924$ some being in the bone marrow,

NOTE Confidence: 0.82719344

 $00:15:45.930 \rightarrow 00:15:47.900$ some being in the lymph nodes,

NOTE Confidence: 0.82719344

 $00:15:47.900 \longrightarrow 00:15:50.648$ some being organs like

NOTE Confidence: 0.82719344

 $00{:}15{:}50.650 \dashrightarrow 00{:}15{:}53.586$ eyes and GI track and bone and other

NOTE Confidence: 0.82719344

 $00{:}15{:}53{.}586 \dashrightarrow 00{:}15{:}56{.}288$ places, they are varied in terms of

NOTE Confidence: 0.82719344

 $00{:}15{:}56.288 \dashrightarrow 00{:}15{:}58.648$ their clinical presentation and the

NOTE Confidence: 0.82719344

 $00:15:58.648 \rightarrow 00:16:01.300$ symptoms that they cause

NOTE Confidence: 0.82719344

 $00{:}16{:}01{.}300 \dashrightarrow 00{:}16{:}03{.}777$ in terms of their clinical course.

NOTE Confidence: 0.82719344

 $00{:}16{:}03.777 \dashrightarrow 00{:}16{:}06.039$ Some being very indolent and slow

NOTE Confidence: 0.82719344

 $00{:}16{:}06{.}039 \dashrightarrow 00{:}16{:}08{.}565$ growing such that they wouldn't even NOTE Confidence: 0.82719344

 $00{:}16{:}08{.}565 \dashrightarrow 00{:}16{:}10{.}329$ warrant necessarily treatment and

NOTE Confidence: 0.82719344

 $00:16:10.329 \rightarrow 00:16:12.749$ others being far more aggressive.

NOTE Confidence: 0.82719344

 $00:16:12.750 \longrightarrow 00:16:15.459$ Can you tell us a little bit

NOTE Confidence: 0.82719344

 $00:16:15.459 \longrightarrow 00:16:17.430$ more about the cancers,

NOTE Confidence: 0.82719344

 $00:16:17.430 \longrightarrow 00:16:18.854$ specifically what you treat?

- NOTE Confidence: 0.82719344
- $00:16:18.854 \rightarrow 00:16:20.990$ Is there a certain type of
- NOTE Confidence: 0.82719344
- $00:16:21.063 \rightarrow 00:16:23.010$ these hematologic malignancies
- NOTE Confidence: 0.82719344
- $00:16:23.010 \longrightarrow 00:16:24.230$ that you specialize in?
- NOTE Confidence: 0.82052094
- $00:16:25.430 \longrightarrow 00:16:29.830$ Yes, so in terms of blood cancer
- NOTE Confidence: 0.82052094
- $00:16:29.830 \longrightarrow 00:16:32.830$ my research interest has
- NOTE Confidence: 0.82052094
- $00:16:32.830 \rightarrow 00:16:36.430$ always been on the lymphoma side.
- NOTE Confidence: 0.82052094
- $00:16:36.430 \longrightarrow 00:16:39.200$ So lymphomas by themselves
- NOTE Confidence: 0.82052094
- 00:16:39.200 --> 00:16:41.970 constitute the
- NOTE Confidence: 0.82052094
- $00{:}16{:}42.073 \dashrightarrow 00{:}16{:}45.229$ biggest part of the blood cancer.
- NOTE Confidence: 0.82052094
- 00:16:45.230 --> 00:16:46.880 They are approximately half
- NOTE Confidence: 0.82052094
- $00:16:46.880 \longrightarrow 00:16:49.630$ of all the blood cancers,
- NOTE Confidence: 0.82052094
- $00:16:49.630 \rightarrow 00:16:52.708$ but they are very diverse themselves
- NOTE Confidence: 0.82052094
- $00:16:52.708 \longrightarrow 00:16:56.499$ and we do typically
- NOTE Confidence: 0.82052094
- $00{:}16{:}56{.}500 \dashrightarrow 00{:}17{:}00{.}308$ divide them into big categories,
- NOTE Confidence: 0.82052094
- 00:17:00.310 --> 00:17:02.810 Hodgkin and non Hodgkin,
- NOTE Confidence: 0.82052094

 $00:17:02.810 \longrightarrow 00:17:05.310$ and then furthermore into

NOTE Confidence: 0.82052094

 $00:17:05.310 \longrightarrow 00:17:08.322$ aggressive and indolent in the

NOTE Confidence: 0.82052094

 $00{:}17{:}08{.}322 \dashrightarrow 00{:}17{:}11{.}087$ non Hodgkin lymphoma type and

NOTE Confidence: 0.82052094

 $00{:}17{:}11.090 \dashrightarrow 00{:}17{:}14.394$ so the focus of my research

NOTE Confidence: 0.82052094

 $00:17:14.394 \longrightarrow 00:17:17.817$ has been in trying to better

NOTE Confidence: 0.82052094

 $00{:}17{:}17{.}817 \dashrightarrow 00{:}17{:}21{.}597$ understand the biology of the more NOTE Confidence: 0.82052094

00:17:21.597 -> 00:17:25.040 rare of these lymphoma types.

NOTE Confidence: 0.82052094

 $00:17:25.040 \longrightarrow 00:17:28.864$ And based on the insights in the

NOTE Confidence: 0.82052094

 $00{:}17{:}28.864 \dashrightarrow 00{:}17{:}32.452$ biology to develop new treatment

NOTE Confidence: 0.82052094

 $00{:}17{:}32{.}452 \dashrightarrow 00{:}17{:}34{.}976$ strategies that are targeted

NOTE Confidence: 0.82052094

 $00:17:34.976 \longrightarrow 00:17:38.380$ for these less known subtypes.

NOTE Confidence: 0.82052094

00:17:38.380 --> 00:17:39.328 In particular,

NOTE Confidence: 0.82052094

 $00:17:39.328 \longrightarrow 00:17:42.172$ the focus of my research over

NOTE Confidence: 0.82052094

 $00:17:42.172 \longrightarrow 00:17:47.334$ the past decade or so has been on

NOTE Confidence: 0.82052094

00:17:47.334 --> 00:17:49.392 posttransplant lymphoproliferative disorders,

NOTE Confidence: 0.82052094

 $00:17:49.400 \longrightarrow 00:17:52.837$ which are a rare lymphomas that arise

 $00:17:52.837 \rightarrow 00:17:56.550$ as potentially life threatening complication

NOTE Confidence: 0.82052094

 $00:17:56.550 \longrightarrow 00:17:58.582$ of solid organ transplant.

NOTE Confidence: 0.82052094

 $00{:}17{:}58.582 \dashrightarrow 00{:}18{:}02.315$ These are lymphomas that arise in the

NOTE Confidence: 0.82052094

 $00:18:02.315 \rightarrow 00:18:05.285$ setting of reactivation of infection

NOTE Confidence: 0.82052094

 $00{:}18{:}05{.}285 \dashrightarrow 00{:}18{:}08{.}263$ due to the immunosuppressive treatment

NOTE Confidence: 0.82052094

 $00{:}18{:}08{.}263 \dashrightarrow 00{:}18{:}11{.}311$ or due to the chronic dys regulation

NOTE Confidence: 0.82052094

 $00{:}18{:}11{.}311 \dashrightarrow 00{:}18{:}15{.}008$ of the immune system in the setting

NOTE Confidence: 0.82052094

00:18:15.008 --> 00:18:16.634 of chronic immunosuppression,

NOTE Confidence: 0.82052094

00:18:16.640 --> 00:18:17.750 and historically,

NOTE Confidence: 0.82052094

 $00:18:17.750 \rightarrow 00:18:21.080$ the prognosis of these lymphomas have

NOTE Confidence: 0.82052094

00:18:21.080 --> 00:18:24.449 been very poor because of inability

NOTE Confidence: 0.82052094

 $00{:}18{:}24{.}449 \dashrightarrow 00{:}18{:}27{.}154$ to deliver full dose treatment.

NOTE Confidence: 0.82052094

 $00{:}18{:}27.160 \dashrightarrow 00{:}18{:}29.904$ And due to the frailty and

NOTE Confidence: 0.82052094

 $00{:}18{:}29{.}904 \dashrightarrow 00{:}18{:}32{.}032$ risk of infectious complication

NOTE Confidence: 0.82052094

 $00{:}18{:}32{.}032 \dashrightarrow 00{:}18{:}36{.}100$ that this patients experience with a

 $00:18:36.100 \rightarrow 00:18:38.630$ regular conventional chemotherapy,

NOTE Confidence: 0.82052094

00:18:38.630 --> 00:18:41.600 the risk of dying of infection

NOTE Confidence: 0.82052094

 $00:18:41.600 \rightarrow 00:18:44.285$ during treatment in this population NOTE Confidence: 0.82052094

00:18:44.285 --> 00:18:47.360 has been estimated around 30%,

NOTE Confidence: 0.82052094

 $00{:}18{:}47{.}360 \dashrightarrow 00{:}18{:}49{.}675$ which is extraordinarily high and

NOTE Confidence: 0.82052094

 $00{:}18{:}49{.}675 \dashrightarrow 00{:}18{:}53{.}423$ in order to try to minimize the

NOTE Confidence: 0.82052094

 $00{:}18{:}53.423 \dashrightarrow 00{:}18{:}56.095$ complication from the treatment,

NOTE Confidence: 0.82052094

 $00:18:56.100 \longrightarrow 00:18:58.734$ I developed the

NOTE Confidence: 0.82052094

 $00{:}18{:}58{.}734 \dashrightarrow 00{:}19{:}02{.}246$ risk stratified treatment adapted

NOTE Confidence: 0.82052094

 $00{:}19{:}02{.}246 \dashrightarrow 00{:}19{:}07{.}609$ strategies which are based essentially on

NOTE Confidence: 0.82052094

 $00:19:07.610 \longrightarrow 00:19:08.108$ induction phase

NOTE Confidence: 0.82052094

 $00:19:08.108 \longrightarrow 00:19:11.096$ where we do

NOTE Confidence: 0.82052094

00:19:11.096 --> 00:19:13.910 not use cytotoxic chemotherapy but

NOTE Confidence: 0.82052094

 $00:19:13.910 \longrightarrow 00:19:16.985$ more a targeted antibody approach.

NOTE Confidence: 0.82052094

 $00{:}19{:}16{.}990 \dashrightarrow 00{:}19{:}20{.}230$ And then we do reserve escalation

NOTE Confidence: 0.82052094

 $00:19:20.230 \rightarrow 00:19:22.960$ to chemotherapy only to patients

- NOTE Confidence: 0.82052094
- $00:19:22.960 \rightarrow 00:19:26.271$ that do not achieve a full response

 $00{:}19{:}26{.}271 \dashrightarrow 00{:}19{:}29{.}688$ on the least invasive treatment.

NOTE Confidence: 0.82052094

 $00:19:29.690 \rightarrow 00:19:33.380$ And with these strategies we have

NOTE Confidence: 0.82052094

 $00:19:33.380 \longrightarrow 00:19:35.225$ been able to

NOTE Confidence: 0.82052094

 $00{:}19{:}35{.}230 \dashrightarrow 00{:}19{:}37{.}996$ limit the use of cytotoxic agent

NOTE Confidence: 0.82052094

 $00:19:37.996 \longrightarrow 00:19:41.406$ to less than half of the patient

NOTE Confidence: 0.82052094

 $00:19:41.406 \longrightarrow 00:19:43.358$ population that we do treat.

NOTE Confidence: 0.82052094

00:19:43.360 --> 00:19:46.228 Another area

NOTE Confidence: 0.82052094

 $00:19:46.228 \rightarrow 00:19:48.140$ where I've been conducting

NOTE Confidence: 0.82052094

 $00:19:48.140 \dashrightarrow 00:19:50.996$ research is in T cell lymphoma.

NOTE Confidence: 0.82052094

 $00{:}19{:}51{.}000 \dashrightarrow 00{:}19{:}53{.}868$ Those are also very rare lymphomas.

NOTE Confidence: 0.82052094

00:19:53.870 --> 00:19:57.198 They are much rarer than the B cell

NOTE Confidence: 0.82052094

00:19:57.198 --> 00:19:59.921 lymphoma which are the most common

NOTE Confidence: 0.82052094

00:19:59.921 --> 00:20:02.171 non Hodgkin lymphoma out there

NOTE Confidence: 0.82052094

 $00{:}20{:}02{.}171 \dashrightarrow 00{:}20{:}04.623$ and unfortunately historically we

- $00:20:04.623 \longrightarrow 00:20:06.540$ have been using
- NOTE Confidence: 0.82052094
- $00:20:06.540 \longrightarrow 00:20:08.376$ a treatment
- NOTE Confidence: 0.82052094
- $00{:}20{:}08{.}376 \dashrightarrow 00{:}20{:}10.671$ that has been extrapolated from

00:20:10.671 --> 00:20:12.639 the B cell counterparts,

NOTE Confidence: 0.82052094

 $00{:}20{:}12.640 \dashrightarrow 00{:}20{:}16.042$ so not really specific to these

NOTE Confidence: 0.82052094

00:20:16.042 $\operatorname{-->}$ 00:20:19.303 subtypes of lymphomas and the

NOTE Confidence: 0.82052094

 $00{:}20{:}19{.}303 \dashrightarrow 00{:}20{:}22{.}418$ results are not as optimal as in

NOTE Confidence: 0.82052094

 $00:20:22.418 \longrightarrow 00:20:24.966$ the B cell counterpart's.

NOTE Confidence: 0.82052094

 $00{:}20{:}24.966 \dashrightarrow 00{:}20{:}27.626$ Over the past few years,

NOTE Confidence: 0.82052094

 $00:20:27.630 \longrightarrow 00:20:30.262$ 4 new drugs have been approved in

NOTE Confidence: 0.82052094

 $00:20:30.262 \longrightarrow 00:20:32.302$ the space for this, specifically

NOTE Confidence: 0.82052094

 $00{:}20{:}32{.}302 \dashrightarrow 00{:}20{:}35{.}214$ for T cell lymphoma and one of

NOTE Confidence: 0.82052094

 $00:20:35.214 \rightarrow 00:20:38.020$ the challenges that we have now

NOTE Confidence: 0.82052094

 $00:20:38.020 \longrightarrow 00:20:39.868$ are trying to identify

NOTE Confidence: 0.82052094

 $00:20:39.870 \rightarrow 00:20:42.481$ what is the best sequencing of this

NOTE Confidence: 0.82052094

 $00:20:42.481 \rightarrow 00:20:45.391$ agent and what is the best way to

 $00:20:45.391 \longrightarrow 00:20:47.792$ combine them to improve the outcome

NOTE Confidence: 0.82052094

 $00{:}20{:}47.792 \dashrightarrow 00{:}20{:}50.837$ of patients with additional malignancies.

NOTE Confidence: 0.86671746

 $00:20:51.690 \longrightarrow 00:20:54.450$ It sounds like in both of those

NOTE Confidence: 0.86671746

 $00:20:54.450 \longrightarrow 00:20:56.660$ scenarios the overarching theme

NOTE Confidence: 0.86671746

 $00:20:56.660 \rightarrow 00:20:58.584$ is really personalizing treatment

NOTE Confidence: 0.86671746

 $00:20:58.584 \rightarrow 00:21:01.389$ to the patients individual disease,

NOTE Confidence: 0.86671746

 $00{:}21{:}01{.}390 \dashrightarrow 00{:}21{:}05{.}313$ so I wanted to just take a step back

NOTE Confidence: 0.86671746

 $00{:}21{:}05{.}313 \dashrightarrow 00{:}21{:}08{.}457$ and talk a little bit more about

NOTE Confidence: 0.86671746

 $00{:}21{:}08{.}457 \dashrightarrow 00{:}21{:}11{.}536$ the intricacies of each of these.

NOTE Confidence: 0.86671746

 $00{:}21{:}11{.}540 \dashrightarrow 00{:}21{:}14{.}361$ So with regards to the post transplant

NOTE Confidence: 0.86671746

 $00{:}21{:}14.361 \dashrightarrow 00{:}21{:}16.616$ lymphoma, help us to understand

NOTE Confidence: 0.86671746

00:21:16.616 --> 00:21:19.026 again how these lymphomas occur,

NOTE Confidence: 0.86671746

 $00:21:19.030 \longrightarrow 00:21:21.720$ 'cause certainly there are listeners

NOTE Confidence: 0.86671746

 $00{:}21{:}21{.}720 \dashrightarrow 00{:}21{:}25{.}216$ who may have gone through a solid organ

NOTE Confidence: 0.86671746

 $00{:}21{:}25{.}216$ --> $00{:}21{:}28{.}765$ transplant or may know someone who has and NOTE Confidence: 0.86671746

 $00:21:28.765 \rightarrow 00:21:32.640$ these patients are on immunosuppressives.

NOTE Confidence: 0.86671746

 $00{:}21{:}32.640 \dashrightarrow 00{:}21{:}34.746$ So does that immuno suppressive

NOTE Confidence: 0.86671746

 $00:21:34.746 \longrightarrow 00:21:36.328$ therapy automatically increase

NOTE Confidence: 0.86671746

 $00:21:36.328 \longrightarrow 00:21:38.440$ their risk of lymphoma?

NOTE Confidence: 0.86671746

 $00{:}21{:}38{.}440 \dashrightarrow 00{:}21{:}42{.}598$ And is there anything that they can do to

NOTE Confidence: 0.86671746

00:21:42.598 --> 00:21:46.336 reduce their risk of developing lymphoma

NOTE Confidence: 0.90054584

 $00:21:46.340 \longrightarrow 00:21:47.918$ in that setting?

NOTE Confidence: 0.90054584

00:21:47.918 --> 00:21:50.560 That's a really good question,

NOTE Confidence: 0.90054584

 $00{:}21{:}50{.}560 \dashrightarrow 00{:}21{:}54{.}592$ so we do after the transplant patient

NOTE Confidence: 0.90054584

 $00:21:54.592 \rightarrow 00:21:56.320$ received different immunosuppressive

NOTE Confidence: 0.90054584

 $00{:}21{:}56{.}401 \dashrightarrow 00{:}21{:}59{.}943$ treatment which are related to the different

NOTE Confidence: 0.90054584

 $00:21:59.943 \rightarrow 00:22:03.409$ kind of transplant that they have received.

NOTE Confidence: 0.90054584

 $00:22:03.410 \longrightarrow 00:22:04.546$ For transplant,

NOTE Confidence: 0.90054584

00:22:04.546 --> 00:22:06.818 such as intestinal transplant,

NOTE Confidence: 0.90054584

 $00{:}22{:}06{.}820 \dashrightarrow 00{:}22{:}08{.}593$ multi visceral transplant,

NOTE Confidence: 0.90054584

00:22:08.593 --> 00:22:11.548 immunosuppressive treatment is much tougher

- NOTE Confidence: 0.90054584
- $00:22:11.548 \rightarrow 00:22:15.358$ and much deeper than a patient that

 $00:22:15.360 \longrightarrow 00:22:19.128$ for instance receives renal transplant where

NOTE Confidence: 0.90054584

00:22:19.128 --> 00:22:21.012 immunosuppresant treatment required

NOTE Confidence: 0.90054584

 $00:22:21.012 \rightarrow 00:22:24.458$ for the recipient to accept the graft is much less.

 $00{:}22{:}33{.}460 \dashrightarrow 00{:}22{:}35{.}852$ And the reason we do see as a

NOTE Confidence: 0.90054584

 $00{:}22{:}35{.}852 \dashrightarrow 00{:}22{:}38{.}153$ consequence of the immune suppression

NOTE Confidence: 0.90054584

00:22:38.153 --> 00:22:40.329 reactivation of common infection,

NOTE Confidence: 0.90054584

 $00:22:40.330 \longrightarrow 00:22:41.539$ and most important,

NOTE Confidence: 0.90054584

00:22:41.539 --> 00:22:43.957 is the Epstein Barr virus,

NOTE Confidence: 0.90054584

 $00:22:43.960 \longrightarrow 00:22:46.788$ which is the virus that causes mononucleosis.

NOTE Confidence: 0.90054584

 $00:22:46.790 \longrightarrow 00:22:49.653$ Most of the adult population has been

NOTE Confidence: 0.90054584

 $00:22:49.653 \rightarrow 00:22:52.846$ exposed by adulthood to the virus,

NOTE Confidence: 0.90054584

 $00{:}22{:}52{.}850 \dashrightarrow 00{:}22{:}55{.}699$ and the virus is dormant in

NOTE Confidence: 0.90054584

 $00{:}22{:}55{.}699 \dashrightarrow 00{:}22{:}58{.}100$ a silent state in our body,

NOTE Confidence: 0.90054584

 $00:22:58.100 \rightarrow 00:23:01.736$ and is kept at bay by our immune system.

NOTE Confidence: 0.90054584

 $00:23:01.740 \rightarrow 00:23:03.860$ So conditions such as immunosupression where

- NOTE Confidence: 0.90054584
- $00:23:04.710 \longrightarrow 00:23:07.585$ our immune system defenses are lowered

 $00{:}23{:}07{.}585 \dashrightarrow 00{:}23{:}11{.}058$ allow the virus to thrive again

NOTE Confidence: 0.90054584

 $00:23:11.058 \longrightarrow 00:23:14.076$ and replicate and

NOTE Confidence: 0.90054584

 $00:23:14.080 \rightarrow 00:23:16.830$ this particular kind of virus,

NOTE Confidence: 0.90054584

 $00{:}23{:}16.830 \dashrightarrow 00{:}23{:}20.876$ in the absence of an immune system

NOTE Confidence: 0.90054584

 $00:23:20.876 \rightarrow 00:23:25.097$ that fights it and keeps it at bay,

NOTE Confidence: 0.90054584

 $00:23:25.100 \longrightarrow 00:23:29.330$ is able to transform the blood

NOTE Confidence: 0.90054584

 $00:23:29.330 \longrightarrow 00:23:32.660$ cells into lymphoma cells so

NOTE Confidence: 0.90054584

 $00:23:32.660 \longrightarrow 00:23:34.673$ typically in the first year

NOTE Confidence: 0.90054584

 $00:23:34.673 \rightarrow 00:23:35.876$ after the transplant,

NOTE Confidence: 0.90054584

 $00{:}23{:}35{.}880 \dashrightarrow 00{:}23{:}39{.}485$ most of the lymphoma that we do

NOTE Confidence: 0.90054584

 $00{:}23{:}39{.}485 \dashrightarrow 00{:}23{:}42{.}900$ see are related to Epstein Barr

NOTE Confidence: 0.90054584

 $00{:}23{:}42{.}900 \dashrightarrow 00{:}23{:}44{.}756$ reactivation in the

NOTE Confidence: 0.90054584

 $00{:}23{:}44.756 \dashrightarrow 00{:}23{:}47.076$ setting of the immune suppression,

NOTE Confidence: 0.90054584

 $00{:}23{:}47.080 \dashrightarrow 00{:}23{:}49.852$ the lymphoma that arise after one

- 00:23:49.852 --> 00:23:53.158 year still can be
- NOTE Confidence: 0.90054584
- $00{:}23{:}53{.}158 \dashrightarrow 00{:}23{:}55{.}882$ linked to the Epstein Barr virus,
- NOTE Confidence: 0.90054584
- $00{:}23{:}55{.}890 \dashrightarrow 00{:}23{:}58{.}584$ but approximately half of them happen
- NOTE Confidence: 0.90054584
- $00:23:58.584 \rightarrow 00:24:01.460$ without a reactivation of Epstein virus,
- NOTE Confidence: 0.90054584
- $00{:}24{:}01{.}460 \dashrightarrow 00{:}24{:}04{.}505$ and they do not hardwire the genetic
- NOTE Confidence: 0.90054584
- $00{:}24{:}04.505 \dashrightarrow 00{:}24{:}07.105$ material of the virus and are
- NOTE Confidence: 0.90054584
- 00:24:07.105 00:24:09.517 thought to arise in the setting
- NOTE Confidence: 0.90054584
- $00:24:09.517 \rightarrow 00:24:12.599$ of a chronic immune dysregulation
- NOTE Confidence: 0.90054584
- $00{:}24{:}12.600 \dashrightarrow 00{:}24{:}16.110$ due to the long standing immunosuppression.
- $00:24:16.560 \longrightarrow 00:24:18.530$ Is there anything that
- NOTE Confidence: 0.88250816
- $00:24:18.530 \longrightarrow 00:24:21.125$ people can do to limit that
- NOTE Confidence: 0.88250816
- 00:24:21.125 --> 00:24:23.810 reactivation of Epstein Barr virus?
- NOTE Confidence: 0.88250816
- $00{:}24{:}23.810 \dashrightarrow 00{:}24{:}26.516$ You mentioned that most adults have
- NOTE Confidence: 0.88250816
- 00:24:26.516 --> 00:24:28.790 already experienced Epstein Barr virus,
- NOTE Confidence: 0.88250816
- $00{:}24{:}28.790 \dashrightarrow 00{:}24{:}31.490$ and so should have some degree
- NOTE Confidence: 0.88250816
- 00:24:31.490 --> 00:24:34.230 of natural immunity to the virus,
- NOTE Confidence: 0.88250816

 $00:24:34.230 \rightarrow 00:24:35.990$ although they're on immunosuppresants.

NOTE Confidence: 0.88250816

 $00{:}24{:}35{.}990 \dashrightarrow 00{:}24{:}39{.}154$ So has any body looked at ways that

NOTE Confidence: 0.88250816

 $00:24:39.154 \rightarrow 00:24:41.449$ people who are on immunosuppresants

NOTE Confidence: 0.88250816

 $00:24:41.449 \longrightarrow 00:24:43.740$ can prevent that reactivation?

NOTE Confidence: 0.88250816

 $00:24:43.740 \longrightarrow 00:24:46.590$ That is a really good question, and

NOTE Confidence: 0.88250816

 $00:24:46.590 \longrightarrow 00:24:48.910$ indeed,

NOTE Confidence: 0.88250816

 $00:24:48.910 \longrightarrow 00:24:52.256$ a part of these

NOTE Confidence: 0.88250816

 $00:24:52.256 \rightarrow 00:24:56.078$ strategies in the period after transplant

NOTE Confidence: 0.88250816

 $00:24:56.080 \longrightarrow 00:24:58.800$ include close monitoring of the

NOTE Confidence: 0.88250816

 $00:24:58.800 \rightarrow 00:25:02.160 \text{ EBV}$ presence in the blood.

NOTE Confidence: 0.88250816

 $00:25:02.160 \longrightarrow 00:25:05.466$ So after a solid organ transplant,

NOTE Confidence: 0.88250816

 $00{:}25{:}05{.}470 \dashrightarrow 00{:}25{:}09{.}646$ depending on the kind of solid

NOTE Confidence: 0.88250816

 $00:25:09.646 \longrightarrow 00:25:12.430$ organ transplant there are

NOTE Confidence: 0.88250816

 $00:25:12.430 \longrightarrow 00:25:14.266$ algorithms

NOTE Confidence: 0.88250816

 $00:25:14.266 \longrightarrow 00:25:18.550$ and there is a monitoring of the

NOTE Confidence: 0.88250816

 $00:25:18.665 \rightarrow 00:25:22.788 \text{ EBV}$ which is done

- NOTE Confidence: 0.88250816
- $00{:}25{:}22.788 \dashrightarrow 00{:}25{:}26.260$ in certain cases twice a month.

 $00:25:26.260 \longrightarrow 00:25:28.920$ Other cases once a month,

NOTE Confidence: 0.88250816

 $00:25:28.920 \longrightarrow 00:25:32.136$ depending on the nature of the

NOTE Confidence: 0.88250816

 $00:25:32.136 \rightarrow 00:25:33.744$ immunosuppression and preemptive

NOTE Confidence: 0.88250816

 $00:25:33.744 \rightarrow 00:25:35.299$ strategies to intervene.

NOTE Confidence: 0.82128894

 $00{:}25{:}37{.}790 \dashrightarrow 00{:}25{:}40{.}742$ Treating the EBV before the lymphoma

NOTE Confidence: 0.82128894

 $00:25:40.742 \longrightarrow 00:25:43.148$ appears has been attempted,

NOTE Confidence: 0.82128894

 $00{:}25{:}43.148 \dashrightarrow 00{:}25{:}46.660$ but the results are not optimal

NOTE Confidence: 0.82128894

 $00{:}25{:}46.660 \dashrightarrow 00{:}25{:}50.108$ because there is a lot of variation in

NOTE Confidence: 0.82128894

 $00:25:50.108 \longrightarrow 00:25:54.020$ the levels of EBV that is noted

NOTE Confidence: 0.82128894

 $00{:}25{:}54.020 \dashrightarrow 00{:}25{:}57.154$ in patients post transplant and not

NOTE Confidence: 0.82128894

 $00{:}25{:}57{.}154 \dashrightarrow 00{:}25{:}59{.}839$ every body that experience a reactivation

NOTE Confidence: 0.82128894

 $00{:}25{:}59{.}839 \dashrightarrow 00{:}26{:}04{.}040$ of the virus end up developing a

NOTE Confidence: 0.82128894

 $00{:}26{:}04.040 \dashrightarrow 00{:}26{:}07.100$ lymphoma and therefore there is not

NOTE Confidence: 0.82128894

 $00:26:07.100 \rightarrow 00:26:10.010$ good guidance out there regarding

 $00:26:10.010 \longrightarrow 00:26:12.920$ who to treat preemptively

NOTE Confidence: 0.82128894

 $00:26:12.920 \longrightarrow 00:26:15.332$ and who to observe.

NOTE Confidence: 0.82128894

00:26:15.332 --> 00:26:19.610 When I was at Columbia University prior

NOTE Confidence: 0.82128894

00:26:19.610 - 00:26:23.978 to joining the group here at Yale

NOTE Confidence: 0.82128894

 $00{:}26{:}23.980 \dashrightarrow 00{:}26{:}28.372$ I was leading the effort to come up with

NOTE Confidence: 0.82128894

 $00{:}26{:}28{.}372 \dashrightarrow 00{:}26{:}33{.}078$ with guidelines to help clinician in the

NOTE Confidence: 0.82128894

 $00{:}26{:}33.078 \dashrightarrow 00{:}26{:}37.659$ solid organ transplant team to trouble shoot

NOTE Confidence: 0.82128894

 $00:26:37.660 \longrightarrow 00:26:39.499$ these problems,

NOTE Confidence: 0.82128894

 $00{:}26{:}39{.}499 \dashrightarrow 00{:}26{:}43{.}177$ meaning want to check the EBV

NOTE Confidence: 0.82128894

 $00{:}26{:}43.177 \dashrightarrow 00{:}26{:}46.585$ at what intervals and what

NOTE Confidence: 0.82128894

 $00{:}26{:}46.585 \dashrightarrow 00{:}26{:}50.738$ is the threshold of the

NOTE Confidence: 0.82128894

00:26:50.738 --> 00:26:54.118 virus to consider potentially

NOTE Confidence: 0.82128894

 $00:26:54.120 \longrightarrow 00:26:57.963$ leading to a lymphoma and when

NOTE Confidence: 0.82128894

 $00{:}26{:}57{.}963 \dashrightarrow 00{:}27{:}00{.}610$ to utilize treatment to reduce

NOTE Confidence: 0.82128894

 $00{:}27{:}00{.}610 \dashrightarrow 00{:}27{:}04{.}186$ that virus level and it is still a

NOTE Confidence: 0.82128894

 $00:27:04.294 \rightarrow 00:27:08.158$ discussion and a work in progress.

- NOTE Confidence: 0.84995484
- $00:27:09.020 \longrightarrow 00:27:11.480$ And do we know what factors
- NOTE Confidence: 0.84995484
- $00:27:11.480 \longrightarrow 00:27:14.113$ kind of trigger that EBV
- NOTE Confidence: 0.84995484
- $00:27:14.113 \longrightarrow 00:27:16.807$ to turn into a lymphoma?
- NOTE Confidence: 0.84995484
- $00:27:16.810 \rightarrow 00:27:18.542$ Because potentially that's another
- NOTE Confidence: 0.84995484
- $00{:}27{:}18.542 \dashrightarrow 00{:}27{:}21.140$ place to intervene in thinking about
- NOTE Confidence: 0.84995484
- $00{:}27{:}21{.}140 \dashrightarrow 00{:}27{:}24{.}060$ is there a way to
- NOTE Confidence: 0.84995484
- $00:27:24.060 \rightarrow 00:27:28.128$ potentially mitigate that transformation.
- NOTE Confidence: 0.84995484
- $00{:}27{:}28.130 \dashrightarrow 00{:}27{:}30.070$ That is an excellent
- NOTE Confidence: 0.7932247
- $00{:}27{:}30.070 \dashrightarrow 00{:}27{:}32.600$ question, and unfortunately the reason
- NOTE Confidence: 0.7932247
- 00:27:32.600 --> 00:27:37.070 why EBV can turner in vitro
- NOTE Confidence: 0.7932247
- $00{:}27{:}37.070 \dashrightarrow 00{:}27{:}39.390$ into malignant cells is because
- NOTE Confidence: 0.7932247
- $00{:}27{:}39{.}390 \dashrightarrow 00{:}27{:}42{.}728$ one side triggers
- NOTE Confidence: 0.7932247
- $00:27:42.728 \longrightarrow 00:27:45.616$ the proliferation of these cells and
- NOTE Confidence: 0.7932247
- $00{:}27{:}45.616 \dashrightarrow 00{:}27{:}48.694$ the other side blocks an important
- NOTE Confidence: 0.7932247
- $00:27:48.694 \rightarrow 00:27:51.849$ mechanism that is called apoptosis,
- NOTE Confidence: 0.7932247

 $00:27:51.850 \longrightarrow 00:27:55.458$ by which the cells die but alone is

NOTE Confidence: 0.7932247

 $00:27:55.458 \rightarrow 00:27:59.308$ not able to induce lymphoma in vivo.

NOTE Confidence: 0.7932247

 $00{:}27{:}59{.}310 \dashrightarrow 00{:}28{:}03{.}230$ And the thought is that there are,

NOTE Confidence: 0.7932247

 $00:28:03.230 \longrightarrow 00:28:08.147$ like in all the other kinds of cancer,

NOTE Confidence: 0.7932247

 $00{:}28{:}08{.}150 \dashrightarrow 00{:}28{:}11{.}832$ a multi step process where the

NOTE Confidence: 0.7932247

 $00{:}28{:}11{.}832 \dashrightarrow 00{:}28{:}14{.}220$ cells progressively gain additional

NOTE Confidence: 0.7932247

 $00:28:14.220 \longrightarrow 00:28:16.389$ mutation and overtime

NOTE Confidence: 0.7932247

 $00:28:16.390 \rightarrow 00:28:19.450$ the addition of this mutation together

NOTE Confidence: 0.7932247

 $00:28:19.450 \rightarrow 00:28:24.048$ sort of cause the transformation into cancer,

 $00:28:27.200 \longrightarrow 00:28:30.735$ but we are not able in 2021 to predict

NOTE Confidence: 0.7932247

 $00:28:30.735 \longrightarrow 00:28:33.689$ which mutation and when these

NOTE Confidence: 0.7932247

 $00:28:33.689 \longrightarrow 00:28:35.690$ mutations are acquired.

NOTE Confidence: 0.8649993

00:28:36.350 --> 00:28:38.395 Doctor Francesca Montanari is assistant

NOTE Confidence: 0.8649993

 $00{:}28{:}38{.}395 \dashrightarrow 00{:}28{:}40{.}440$ professor of clinical medicine and

NOTE Confidence: 0.8649993

 $00{:}28{:}40.504 \dashrightarrow 00{:}28{:}42.828$ hematology at the Yale School of Medicine.

NOTE Confidence: 0.8649993

 $00:28:42.830 \longrightarrow 00:28:44.358$ If you have questions,

00:28:44.358 --> 00:28:45.886 the address is canceranswers@yale.edu NOTE Confidence: 0.8649993 00:28:45.886 --> 00:28:47.995 and past editions of the program NOTE Confidence: 0.8649993 00:28:47.995 --> 00:28:49.921 are available in audio and written NOTE Confidence: 0.8649993 00:28:49.982 --> 00:28:51.590 form at yalecancercenter.org. NOTE Confidence: 0.8649993 00:28:51.590 --> 00:28:54.398 We hope you'll join us next week to NOTE Confidence: 0.8649993 00:28:54.398 --> 00:28:57.137 learn more about the fight against NOTE Confidence: 0.8649993

 $00{:}28{:}57{.}137 \dashrightarrow 00{:}29{:}00{.}071$ cancer here on Connecticut Public Radio.