WEBVTT

00:00:00.000 --> 00:00:02.520 Support for Yale Cancer Answers

NOTE Confidence: 0.7848418

 $00:00:02.520 \rightarrow 00:00:05.040$ comes from Smilow Cancer Hospital

NOTE Confidence: 0.7848418

 $00{:}00{:}05{.}127 \dashrightarrow 00{:}00{:}07{.}453$ and AstraZeneca.

NOTE Confidence: 0.7848418

00:00:07.453 --> 00:00:09.258 Welcome to Yale Cancer Answers with your host,

NOTE Confidence: 0.7848418

 $00:00:09.260 \longrightarrow 00:00:11.288$ Doctor Anees Chagpar.

NOTE Confidence: 0.7848418

 $00{:}00{:}11.288 \dashrightarrow 00{:}00{:}13.156$ Yale Cancer Answers features the latest

NOTE Confidence: 0.7848418

00:00:13.156 --> 00:00:15.391 information on cancer care by

NOTE Confidence: 0.7848418

 $00{:}00{:}15.391 \dashrightarrow 00{:}00{:}17.179$ welcoming on cologists and specialists

NOTE Confidence: 0.7848418

 $00:00:17.246 \longrightarrow 00:00:19.234$ who are on the forefront of the

NOTE Confidence: 0.7848418

00:00:19.234 --> 00:00:21.137 battle to fight cancer. This week,

NOTE Confidence: 0.7848418

 $00:00:21.137 \longrightarrow 00:00:22.882$ it's a conversation about radiation

NOTE Confidence: 0.7848418

 $00{:}00{:}22.882 \dashrightarrow 00{:}00{:}24.780$ on cology with Doctor Krishan Jethwa.

NOTE Confidence: 0.7848418

00:00:24.780 --> 00:00:26.934 Doctor Jethwa is an assistant professor

NOTE Confidence: 0.7848418

 $00{:}00{:}26{.}934 \dashrightarrow 00{:}00{:}28{.}787$ of the rapeutic radiology at the

NOTE Confidence: 0.7848418

00:00:28.787 --> 00:00:30.557 Yale University School of Medicine,

 $00:00:30.560 \longrightarrow 00:00:32.726$ where Doctor Chagpar is a

NOTE Confidence: 0.7848418

00:00:32.726 --> 00:00:34.170 professor of surgical oncology.

NOTE Confidence: 0.88365483

 $00{:}00{:}35{.}220 \dashrightarrow 00{:}00{:}38{.}217$ So maybe you can start off by telling us

NOTE Confidence: 0.88365483

 $00:00:38.217 \dashrightarrow 00:00:41.150$ what exactly is a radiation on cologist?

NOTE Confidence: 0.88365483

 $00{:}00{:}41.150 \dashrightarrow 00{:}00{:}43.782$ Often I find people confuse a

NOTE Confidence: 0.88365483

 $00:00:43.782 \rightarrow 00:00:45.889$ radiation oncologist with a radiologist.

NOTE Confidence: 0.88365483

 $00:00:45.890 \longrightarrow 00:00:48.648$ So can you tell us the difference?

NOTE Confidence: 0.88365483

00:00:48.650 --> 00:00:49.440 Radiation oncologists

NOTE Confidence: 0.88365483

00:00:49.440 --> 00:00:51.415 are cancer specialists who care

NOTE Confidence: 0.88365483

 $00{:}00{:}51{.}415 \dashrightarrow 00{:}00{:}53{.}390$ for a dult and pediatric patients.

NOTE Confidence: 0.88365483

 $00{:}00{:}53.390 \dashrightarrow 00{:}00{:}55.742$ We use radiation the rapy with the

NOTE Confidence: 0.88365483

 $00:00:55.742 \longrightarrow 00:00:58.471$ goal of curing cancer or to help

NOTE Confidence: 0.88365483

 $00{:}00{:}58{.}471 \dashrightarrow 00{:}01{:}00{.}649$ improve the quality of life for

NOTE Confidence: 0.88365483

 $00:01:00.649 \rightarrow 00:01:02.868$ symptoms for patients with cancer,

NOTE Confidence: 0.88365483

 $00:01:02.870 \longrightarrow 00:01:05.126$ and often that's part of the

NOTE Confidence: 0.88365483

 $00:01:05.126 \dashrightarrow 00:01:06.254$ multidisciplinary care which

 $00{:}01{:}06.254 \dashrightarrow 00{:}01{:}08.010$ includes many other specialists.

NOTE Confidence: 0.88581145

00:01:08.110 --> 00:01:10.456 The other question that I often

NOTE Confidence: 0.88581145

00:01:10.456 --> 00:01:12.749 get is the difference between

NOTE Confidence: 0.88581145

 $00:01:12.749 \longrightarrow 00:01:14.690$ radiation and chemotherapy.

NOTE Confidence: 0.88581145

00:01:14.690 --> 00:01:17.534 So when people are talking about

NOTE Confidence: 0.88581145

 $00{:}01{:}17.534 \dashrightarrow 00{:}01{:}19.967$ using various modalities to help

NOTE Confidence: 0.88581145

 $00:01:19.967 \rightarrow 00:01:22.207$ manage cancer or cure cancer,

NOTE Confidence: 0.88581145

 $00:01:22.210 \rightarrow 00:01:24.856$ people often get these mixed up

NOTE Confidence: 0.88581145

 $00{:}01{:}24.856 \dashrightarrow 00{:}01{:}28.318$ and also mix up the side effects.

NOTE Confidence: 0.88581145

00:01:28.320 --> 00:01:31.352 So can you tell us a little bit

NOTE Confidence: 0.88581145

 $00:01:31.352 \rightarrow 00:01:33.959$ about the differences between the two?

NOTE Confidence: 0.88581145

00:01:33.960 --> 00:01:36.335 Medical on cologists are

NOTE Confidence: 0.88581145

 $00{:}01{:}36{.}335 \dashrightarrow 00{:}01{:}38{.}710$ cancer specialists who use medications

NOTE Confidence: 0.88581145

 $00:01:38.710 \longrightarrow 00:01:42.259$ or drugs to treat the entire body,

NOTE Confidence: 0.88581145

 $00{:}01{:}42.260 \dashrightarrow 00{:}01{:}44.954$ some of which do include chemotherapy

 $00:01:44.954 \rightarrow 00:01:46.750$ and those specific medications

NOTE Confidence: 0.88581145

00:01:46.817 $\operatorname{-->}$ 00:01:48.833 they use can target the cancer

NOTE Confidence: 0.88581145

 $00:01:48.833 \rightarrow 00:01:50.780$ and help with cancer control.

NOTE Confidence: 0.88581145

 $00{:}01{:}50.780 \dashrightarrow 00{:}01{:}52.635$ Radiation therapy is different in

NOTE Confidence: 0.88581145

 $00:01:52.635 \dashrightarrow 00:01:55.010$ that we use typically high energy

NOTE Confidence: 0.88581145

 $00:01:55.010 \rightarrow 00:01:57.280$ radiation beams targeting the cancer

NOTE Confidence: 0.88581145

 $00{:}01{:}57{.}280 \dashrightarrow 00{:}01{:}59{.}710$ for a more local treatment effect,

NOTE Confidence: 0.88581145

 $00:01:59.710 \longrightarrow 00:02:02.146$ as opposed to a whole body

NOTE Confidence: 0.88581145

 $00{:}02{:}02{.}146 \dashrightarrow 00{:}02{:}03{.}364$ wide treatment effect.

NOTE Confidence: 0.88581145

 $00{:}02{:}03{.}370 \dashrightarrow 00{:}02{:}05{.}350$ Often we work together to

NOTE Confidence: 0.88581145

 $00:02:05.350 \longrightarrow 00:02:07.830$ help with the goals of care,

NOTE Confidence: 0.88581145

 $00:02:07.830 \longrightarrow 00:02:09.860$ whether it be curative or

NOTE Confidence: 0.88581145

 $00:02:09.860 \dashrightarrow 00:02:11.484$ supportive or symptom directed.

NOTE Confidence: 0.8887197

 $00{:}02{:}12.760 \dashrightarrow 00{:}02{:}15.000$ And so tell us a little bit

NOTE Confidence: 0.8887197

 $00{:}02{:}15{.}000 \dashrightarrow 00{:}02{:}17{.}258$ about the side effects of each.

NOTE Confidence: 0.8887197

00:02:17.260 --> 00:02:19.787 Very often people are worried

- NOTE Confidence: 0.8887197
- $00:02:19.787 \longrightarrow 00:02:22.448$ about will my hair fall out?
- NOTE Confidence: 0.8887197
- 00:02:22.450 --> 00:02:25.570 Will I get really sick?
- NOTE Confidence: 0.8887197
- $00:02:25.570 \longrightarrow 00:02:28.010$ And so can you talk a little bit
- NOTE Confidence: 0.8887197
- $00{:}02{:}28.010 \dashrightarrow 00{:}02{:}30.207$ about the differences between the
- NOTE Confidence: 0.8887197
- 00:02:30.207 --> 00:02:32.717 side effects of radiation therapy
- NOTE Confidence: 0.8887197
- $00:02:32.717 \rightarrow 00:02:35.180$ versus more whole body systemic therapies?
- NOTE Confidence: 0.8726783
- $00:02:35.180 \longrightarrow 00:02:37.952$ The side effects are really
- NOTE Confidence: 0.8726783
- $00:02:37.952 \longrightarrow 00:02:40.338$ dependent upon which medication is
- NOTE Confidence: 0.8726783
- $00{:}02{:}40{.}338 \dashrightarrow 00{:}02{:}42{.}190$ choosen for systemic the rapies.
- NOTE Confidence: 0.8726783
- 00:02:42.190 --> 00:02:44.326 And for radiation therapy
- NOTE Confidence: 0.8726783
- 00:02:44.330 > 00:02:45.940 it's very much dependent upon
- NOTE Confidence: 0.8726783
- $00:02:45.940 \longrightarrow 00:02:48.409$ which area of the body is treated
- NOTE Confidence: 0.8726783
- $00:02:48.409 \rightarrow 00:02:50.399$ with radiation therapy in general.
- NOTE Confidence: 0.8726783
- 00:02:50.400 --> 00:02:52.542 Some common side effects of radiation
- NOTE Confidence: 0.8726783
- $00:02:52.542 \rightarrow 00:02:53.970$ therapy would include fatigue,
- NOTE Confidence: 0.8726783

 $00:02:53.970 \longrightarrow 00:02:55.514$ people may feel tired.

NOTE Confidence: 0.8726783

 $00{:}02{:}55{.}514 \dashrightarrow 00{:}02{:}58{.}218$ And there can be some reaction of

NOTE Confidence: 0.8726783

 $00:02:58.218 \longrightarrow 00:03:00.666$ the skin similar to that of a very

NOTE Confidence: 0.8726783

 $00:03:00.666 \dashrightarrow 00:03:02.948$ mild sunburn in most instances.

NOTE Confidence: 0.8726783

 $00:03:02.950 \longrightarrow 00:03:04.966$ That is not always the case,

NOTE Confidence: 0.8726783

 $00{:}03{:}04{.}970 \dashrightarrow 00{:}03{:}07{.}376$ but it can be depending upon

NOTE Confidence: 0.8726783

 $00{:}03{:}07{.}376 \dashrightarrow 00{:}03{:}08{.}579$ what's treated.

NOTE Confidence: 0.8726783

 $00:03:08.580 \longrightarrow 00:03:10.722$ Apart from those more general side

NOTE Confidence: 0.8726783

00:03:10.722 --> 00:03:12.903 effects it is very much dependent upon

NOTE Confidence: 0.8726783

 $00{:}03{:}12{.}903 \dashrightarrow 00{:}03{:}15{.}311$ which area of the body is focused

NOTE Confidence: 0.8726783

 $00:03:15.311 \rightarrow 00:03:16.992$ with radiation therapy and part

NOTE Confidence: 0.8726783

 $00{:}03{:}16{.}992 \dashrightarrow 00{:}03{:}19{.}622$ of the art and care of a radiation

NOTE Confidence: 0.8726783

 $00:03:19.622 \rightarrow 00:03:21.427$ oncologist is guiding and supporting

NOTE Confidence: 0.8726783

 $00:03:21.427 \longrightarrow 00:03:23.185$ a specific patient through those

NOTE Confidence: 0.8726783

 $00{:}03{:}23.185 \dashrightarrow 00{:}03{:}25.027$ side effects and supporting them

NOTE Confidence: 0.8726783

 $00:03:25.027 \rightarrow 00:03:27.158$ as they recover from the treatment.

- NOTE Confidence: 0.8726783
- 00:03:27.160 --> 00:03:27.504 Similarly,
- NOTE Confidence: 0.8726783
- $00:03:27.504 \rightarrow 00:03:29.224$ with chemotherapy it's very much
- NOTE Confidence: 0.8726783
- $00:03:29.224 \rightarrow 00:03:30.600$ dependent upon the medication,
- NOTE Confidence: 0.8726783
- $00:03:30.600 \longrightarrow 00:03:33.029$ but there can be the more global
- NOTE Confidence: 0.8726783
- $00{:}03{:}33{.}029 \dashrightarrow 00{:}03{:}34{.}799$ general side effects of fatigue
- NOTE Confidence: 0.8726783
- $00:03:34.799 \rightarrow 00:03:36.439$ that come along with it,
- NOTE Confidence: 0.8726783
- $00:03:36.440 \longrightarrow 00:03:38.932$ but many of the other side effects
- NOTE Confidence: 0.8726783
- $00:03:38.932 \longrightarrow 00:03:39.644$ are dependent
- NOTE Confidence: 0.8726783
- $00:03:39.650 \longrightarrow 00:03:40.730$ on the medication.
- NOTE Confidence: 0.8899477
- $00:03:40.730 \longrightarrow 00:03:42.928$ I think that when
- NOTE Confidence: 0.8899477
- $00:03:42.928 \longrightarrow 00:03:44.714$ people think about radiation, they
- NOTE Confidence: 0.8899477
- $00{:}03{:}44.714 \dashrightarrow 00{:}03{:}46.659$ have seen movies where people
- NOTE Confidence: 0.8899477
- $00:03:46.659 \rightarrow 00:03:48.650$ were going through cancer care,
- NOTE Confidence: 0.8899477
- $00{:}03{:}48.650 \dashrightarrow 00{:}03{:}51.242$ lose their hair and so on and so forth
- NOTE Confidence: 0.8899477
- $00:03:51.242 \rightarrow 00:03:53.766$ that frequently is a side effect of
- NOTE Confidence: 0.8899477

 $00:03:53.766 \rightarrow 00:03:55.726$ chemotherapy and not so frequently

NOTE Confidence: 0.8899477

 $00:03:55.726 \rightarrow 00:03:58.366$ a side effect of radiation therapy.

NOTE Confidence: 0.8899477

 $00:03:58.370 \longrightarrow 00:03:59.450$ Is that right?

NOTE Confidence: 0.8681657

 $00{:}04{:}00{.}410 \dashrightarrow 00{:}04{:}02{.}170$ That's true when we're treating

NOTE Confidence: 0.8681657

 $00:04:02.170 \longrightarrow 00:04:04.440$ around the brain or head region

NOTE Confidence: 0.8681657

00:04:04.440 --> 00:04:06.265 there can be hair loss

NOTE Confidence: 0.8681657

00:04:06.265 --> 00:04:07.360 from radiation therapy,

NOTE Confidence: 0.8681657

 $00{:}04{:}07{.}360 \dashrightarrow 00{:}04{:}09{.}550$ but apart from that circumstance and

NOTE Confidence: 0.8681657

 $00{:}04{:}09{.}550 \dashrightarrow 00{:}04{:}12{.}118$ hair loss would not be expected from

NOTE Confidence: 0.8681657

 $00:04:12.120 \longrightarrow 00:04:12.964$ radiation therapy.

NOTE Confidence: 0.8681657

00:04:12.964 --> 00:04:16.340 The other question that I get a

NOTE Confidence: 0.8681657

 $00:04:16.421 \longrightarrow 00:04:19.076$ lot is if I take one or the other,

NOTE Confidence: 0.8681657

00:04:19.080 --> 00:04:20.910 can I avoid the other?

NOTE Confidence: 0.8681657

 $00:04:20.910 \longrightarrow 00:04:22.370$ So in other words,

NOTE Confidence: 0.8681657

00:04:22.370 --> 00:04:23.830 if I take radiation,

NOTE Confidence: 0.8681657

 $00:04:23.830 \rightarrow 00:04:25.294$ can I avoid chemotherapy?

- NOTE Confidence: 0.8681657
- 00:04:25.294 --> 00:04:27.124 Or if I take chemotherapy,
- NOTE Confidence: 0.8681657
- 00:04:27.130 --> 00:04:28.228 can I avoid radiation?
- NOTE Confidence: 0.8681657
- 00:04:28.230 --> 00:04:30.060 More often than not
- NOTE Confidence: 0.8681657
- $00{:}04{:}30{.}060 \dashrightarrow 00{:}04{:}31{.}731$ we combine both
- NOTE Confidence: 0.8681657
- 00:04:31.731 --> 00:04:33.959 systemic treatments like chemotherapy
- NOTE Confidence: 0.8681657
- 00:04:33.959 > 00:04:36.203 and radiation therapy together
- NOTE Confidence: 0.8681657
- $00:04:36.203 \longrightarrow 00:04:38.167$ because both have different
- NOTE Confidence: 0.8681657
- $00:04:38.167 \longrightarrow 00:04:40.622$ effects on the cancer control.
- NOTE Confidence: 0.8681657
- $00{:}04{:}40{.}630 \dashrightarrow 00{:}04{:}42{.}442$ Radiation the rapy specifically helps
- NOTE Confidence: 0.8681657
- $00:04:42.442 \longrightarrow 00:04:45.160$ to decrease the risk or control
- NOTE Confidence: 0.8681657
- $00:04:45.230 \longrightarrow 00:04:47.890$ the cancer at the site that it
- NOTE Confidence: 0.8681657
- $00:04:47.890 \longrightarrow 00:04:49.430$ originally grew from.
- NOTE Confidence: 0.8681657
- $00:04:49.430 \rightarrow 00:04:50.934$ Whereas systemic treatments target
- NOTE Confidence: 0.8681657
- $00:04:50.934 \longrightarrow 00:04:53.717$ the rest of the body to help
- NOTE Confidence: 0.8681657
- 00:04:53.717 --> 00:04:55.533 control any microscopic cancer
- NOTE Confidence: 0.8681657

 $00:04:55.533 \rightarrow 00:04:57.803$ that may be progressing elsewhere.

NOTE Confidence: 0.8681657

 $00:04:57.810 \longrightarrow 00:05:00.736$ So typically it's not an either or,

NOTE Confidence: 0.8681657

 $00:05:00.740 \longrightarrow 00:05:03.074$ but usually and often a combination

NOTE Confidence: 0.8681657

 $00:05:03.074 \longrightarrow 00:05:05.350$ of both to improve outcomes.

NOTE Confidence: 0.8681657

 $00:05:05.350 \longrightarrow 00:05:06.190$ Which brings

NOTE Confidence: 0.87606657

 $00:05:06.190 \rightarrow 00:05:09.534$ me to the question of surgery and radiation,

NOTE Confidence: 0.87606657

00:05:09.540 - 00:05:11.640 so surgery, similar to radiation,

NOTE Confidence: 0.87606657

 $00:05:11.640 \longrightarrow 00:05:13.296$ is a local treatment.

NOTE Confidence: 0.87606657

00:05:13.296 --> 00:05:15.780 Are there instances where you choose

NOTE Confidence: 0.87606657

 $00:05:15.860 \dashrightarrow 00:05:18.220$ between surgery versus radiation,

NOTE Confidence: 0.87606657

 $00{:}05{:}18.220 \dashrightarrow 00{:}05{:}20.340$ or are there circumstances in

NOTE Confidence: 0.87606657

 $00:05:20.340 \longrightarrow 00:05:22.460$ which the two are combined?

NOTE Confidence: 0.87606657

00:05:22.460 --> 00:05:25.428 And if so, can you explain why?

NOTE Confidence: 0.8841839

00:05:25.430 --> 00:05:27.550 Again, a very great question.

NOTE Confidence: 0.8841839

 $00{:}05{:}27{.}550 \dashrightarrow 00{:}05{:}30{.}022$ Often we're working with our surgical

NOTE Confidence: 0.8841839

 $00:05:30.022 \rightarrow 00:05:32.598$ colleagues to help improve the outcomes

- NOTE Confidence: 0.8841839
- $00:05:32.598 \rightarrow 00:05:34.758$ with radiation therapy or surgery.

 $00:05:34.760 \longrightarrow 00:05:35.951$ In some instances,

NOTE Confidence: 0.8841839

 $00:05:35.951 \rightarrow 00:05:38.333$ radiation therapy can be a very

NOTE Confidence: 0.8841839

 $00:05:38.333 \rightarrow 00:05:40.269$ appropriate alternative to surgery.

NOTE Confidence: 0.8841839

 $00:05:40.270 \longrightarrow 00:05:42.450$ For instance, for treatment of

NOTE Confidence: 0.8841839

 $00:05:42.450 \longrightarrow 00:05:44.630$ many head and neck cancers.

NOTE Confidence: 0.8841839

00:05:44.630 --> 00:05:46.250 Radiation therapy or surgery

NOTE Confidence: 0.8841839

 $00:05:46.250 \longrightarrow 00:05:48.275$ are very suitable options and

NOTE Confidence: 0.8841839

00:05:48.275 --> 00:05:50.058 similarly with prostate cancers,

NOTE Confidence: 0.8841839

00:05:50.060 - 00:05:52.052 radiation therapy or surgery,

NOTE Confidence: 0.8841839

 $00:05:52.052 \longrightarrow 00:05:54.044$ often very suitable options

NOTE Confidence: 0.8841839

 $00{:}05{:}54.044 \dashrightarrow 00{:}05{:}56.099$ with the goal of cure.

NOTE Confidence: 0.8841839

 $00{:}05{:}56{.}100 \dashrightarrow 00{:}05{:}58{.}095$ Although there are many other

NOTE Confidence: 0.8841839

 $00{:}05{:}58.095 \dashrightarrow 00{:}05{:}59.691$ circumstances where a radiation

NOTE Confidence: 0.8841839

 $00{:}05{:}59{.}691 \dashrightarrow 00{:}06{:}01{.}892$ therapy is either given before a

 $00:06:01.892 \rightarrow 00:06:03.280$ surgical operation or afterwards NOTE Confidence: 0.8841839 $00{:}06{:}03.280 \dashrightarrow 00{:}06{:}05.197$ to help improve the outcomes, NOTE Confidence: 0.8841839 $00{:}06{:}05{.}200 \dashrightarrow 00{:}06{:}08{.}128$ and a great example of that is breast NOTE Confidence: 0.8841839 $00:06:08.128 \rightarrow 00:06:10.877$ cancer where often we do surgery first, NOTE Confidence: 0.8841839 $00:06:10.880 \longrightarrow 00:06:12.900$ follow it with the radiation NOTE Confidence: 0.8841839 $00{:}06{:}12.900 \dashrightarrow 00{:}06{:}15.674$ the rapy to decrease the risk of the NOTE Confidence: 0.8841839 $00:06:15.674 \longrightarrow 00:06:17.696$ cancer coming back. NOTE Confidence: 0.894132 00:06:17.700 --> 00:06:18.738 And in terms of radiation therapy, NOTE Confidence: 0.894132 00:06:18.738 --> 00:06:21.160 can you talk a little bit about NOTE Confidence: 0.894132 $00:06:21.232 \longrightarrow 00:06:23.387$ the different kinds of radiation? NOTE Confidence: 0.894132 00:06:23.390 --> 00:06:24.958 I know people have NOTE Confidence: 0.894132 $00:06:24.958 \longrightarrow 00:06:26.526$ heard about things like NOTE Confidence: 0.894132 $00{:}06{:}26{.}530 \dashrightarrow 00{:}06{:}28{.}603$ photons and electrons, NOTE Confidence: 0.894132 $00:06:28.603 \rightarrow 00:06:30.676$ and now protons. NOTE Confidence: 0.894132 00:06:30.680 --> 00:06:32.870 How does one know what kind NOTE Confidence: 0.894132 $00:06:32.870 \longrightarrow 00:06:33.965$ of radiation therapy

 $00:06:33.965 \longrightarrow 00:06:35.668$ one should be getting?

NOTE Confidence: 0.894132

 $00:06:35.670 \longrightarrow 00:06:36.819$ What are the

NOTE Confidence: 0.8746281

 $00:06:36.820 \longrightarrow 00:06:38.850$ differences?

NOTE Confidence: 0.8746281

 $00{:}06{:}38.850$ --> $00{:}06{:}40.880$ There are a tremendous amount of differences between each

NOTE Confidence: 0.8746281

 $00:06:40.939 \dashrightarrow 00:06:42.967$ of those techniques and in general,

NOTE Confidence: 0.8746281

 $00:06:42.970 \rightarrow 00:06:45.268$ radiation therapy comes in many forms.

NOTE Confidence: 0.8746281

 $00:06:45.270 \rightarrow 00:06:47.741$ A way of differentiating the major forms

NOTE Confidence: 0.8746281

 $00:06:47.741 \longrightarrow 00:06:50.258$ would be external beam radiation therapy,

NOTE Confidence: 0.8746281

 $00:06:50.260 \rightarrow 00:06:53.340$ which is somewhat similar to standard X rays,

NOTE Confidence: 0.8746281

 $00:06:53.340 \rightarrow 00:06:55.716$ where the radiation beams are coming

NOTE Confidence: 0.8746281

 $00:06:55.716 \longrightarrow 00:06:58.095$ from the outside from a large

NOTE Confidence: 0.8746281

 $00{:}06{:}58.095 \dashrightarrow 00{:}07{:}00.249$ machine and directed to the tumor.

NOTE Confidence: 0.8746281

 $00{:}07{:}00{.}250 \dashrightarrow 00{:}07{:}02{.}405$ An alternative form to that

NOTE Confidence: 0.8746281

 $00{:}07{:}02.405 \dashrightarrow 00{:}07{:}04.129$ would be internal radiation.

NOTE Confidence: 0.8746281

 $00:07:04.130 \longrightarrow 00:07:06.085$ And that could include procedures

- NOTE Confidence: 0.8746281
- $00:07:06.085 \rightarrow 00:07:09.279$ such as what we call brachytherapy,

 $00:07:09.280 \longrightarrow 00:07:11.280$ which involves inserting the

NOTE Confidence: 0.8746281

 $00:07:11.280 \rightarrow 00:07:13.280$ radiation therapy device actually

NOTE Confidence: 0.8746281

 $00:07:13.280 \longrightarrow 00:07:16.276$ into or directly next to the tumor.

NOTE Confidence: 0.8746281

 $00{:}07{:}16.280 \dashrightarrow 00{:}07{:}18.785$ Or there are some circumstances

NOTE Confidence: 0.8746281

 $00:07:18.785 \rightarrow 00:07:21.290$ where we use radiotherapy releasing

NOTE Confidence: 0.8746281

 $00:07:21.365 \dashrightarrow 00:07:23.495$ isotopes into the bloodstream that

NOTE Confidence: 0.8746281

 $00:07:23.495 \longrightarrow 00:07:26.150$ can be targeted to the tumor.

NOTE Confidence: 0.8746281

 $00:07:26.150 \longrightarrow 00:07:29.129$ Part of the art and skill of a radiation oncologist

NOTE Confidence: 0.8746281

 $00:07:29.129 \longrightarrow 00:07:32.324$ is determining the most ideal

NOTE Confidence: 0.8746281

 $00{:}07{:}32{.}324 \dashrightarrow 00{:}07{:}34{.}610$ radiation therapy technique and plan

NOTE Confidence: 0.8746281

 $00{:}07{:}34.610 \dashrightarrow 00{:}07{:}36.920$ to help design and target the

NOTE Confidence: 0.8746281

 $00:07:36.920 \rightarrow 00:07:38.460$ cancer while minimizing radiation

NOTE Confidence: 0.8746281

 $00{:}07{:}38.521 \dashrightarrow 00{:}07{:}40.109$ exposure to normal organs,

NOTE Confidence: 0.8746281

 $00:07:40.110 \longrightarrow 00:07:42.384$ and so it's challenging to say

 $00:07:42.384 \rightarrow 00:07:44.806$ you know what questions might a

NOTE Confidence: 0.8746281

 $00:07:44.806 \longrightarrow 00:07:47.290$ patient ask to help direct which

NOTE Confidence: 0.8746281

 $00:07:47.290 \longrightarrow 00:07:48.759$ specific technique is used,

NOTE Confidence: 0.8746281

 $00{:}07{:}48.760 \dashrightarrow 00{:}07{:}51.703$ but I do think it's a fair question to

NOTE Confidence: 0.8746281

 $00{:}07{:}51.703 \dashrightarrow 00{:}07{:}54.363$ simply ask your radiation on cologist, what

NOTE Confidence: 0.8746281

 $00:07:54.363 \longrightarrow 00:07:57.010$ type of cancer treatment or radiation

NOTE Confidence: 0.8546323

00:07:57.010 --> 00:07:58.582 treatment am I receiving.

NOTE Confidence: 0.8546323

 $00:07:58.582 \rightarrow 00:08:00.154$ And so you know,

NOTE Confidence: 0.8546323

 $00{:}08{:}00{.}160 \dashrightarrow 00{:}08{:}03{.}178$ there are now

NOTE Confidence: 0.8546323

 $00:08:03.180 \rightarrow 00:08:05.735$ newer the rapies or newer the rapeutic

NOTE Confidence: 0.8546323

 $00:08:05.735 \longrightarrow 00:08:08.745$ modalities that are being considered

NOTE Confidence: 0.8546323

 $00:08:08.745 \longrightarrow 00:08:11.440$ in radiation for various tumors and so

NOTE Confidence: 0.8546323

 $00:08:11.440 \longrightarrow 00:08:14.310$ when patients want to get more information

NOTE Confidence: 0.8546323

 $00:08:14.310 \longrightarrow 00:08:17.348$ for example, breast

NOTE Confidence: 0.8546323

 $00{:}08{:}17{.}348 \dashrightarrow 00{:}08{:}19{.}964$ cancer patients who are often treated

NOTE Confidence: 0.8546323

 $00:08:19.964 \rightarrow 00:08:22.834$ with photons but who are now being

 $00{:}08{:}22{.}920 \dashrightarrow 00{:}08{:}25{.}764$ offered proton the rapy and are wondering

NOTE Confidence: 0.8546323

 $00:08:25.764 \rightarrow 00:08:28.548$ should I be getting proton therapy?

NOTE Confidence: 0.8546323

 $00:08:28.548 \longrightarrow 00:08:31.656$ Is that the right thing for me?

NOTE Confidence: 0.8546323

 $00{:}08{:}31.660 \dashrightarrow 00{:}08{:}33.940$ Where do you suggest that

NOTE Confidence: 0.8546323

 $00:08:33.940 \longrightarrow 00:08:35.764$ they get more information?

NOTE Confidence: 0.8546323

 $00{:}08{:}35{.}770 \dashrightarrow 00{:}08{:}38{.}578$ Or can you shed a bit of light on

NOTE Confidence: 0.8546323

 $00{:}08{:}38{.}578 \dashrightarrow 00{:}08{:}41{.}533$ in what circumstances different

NOTE Confidence: 0.8546323

 $00:08:41.533 \longrightarrow 00:08:44.089$ modalities might be better?

 $00{:}08{:}44{.}420 \dashrightarrow 00{:}08{:}46{.}045$ I love this question because it's

NOTE Confidence: 0.8650519

 $00:08:46.045 \longrightarrow 00:08:48.429$ one of my real areas of passion.

NOTE Confidence: 0.8650519

 $00:08:48.430 \rightarrow 00:08:50.722$ How can we use advanced radiation NOTE Confidence: 0.8650519

 $00{:}08{:}50{.}722 \dashrightarrow 00{:}08{:}52{.}632$ the rapy technologies to improve the

NOTE Confidence: 0.8650519

 $00{:}08{:}52.632 \dashrightarrow 00{:}08{:}54.570$ outcomes and reduce the side effects

NOTE Confidence: 0.8650519

 $00{:}08{:}54{.}570 \dashrightarrow 00{:}08{:}57{.}008$ of patients as they go through the rapy?

NOTE Confidence: 0.8650519

00:08:57.010 --> 00:08:58.651 Standard radiation therapy

NOTE Confidence: 0.8650519

 $00:08:58.651 \rightarrow 00:09:01.933$ uses high energy radiation beams and

- NOTE Confidence: 0.8650519
- $00:09:01.933 \rightarrow 00:09:04.813$ those often are called photons or X

00:09:04.813 --> 00:09:07.490 rays to be focused on the cancer.

NOTE Confidence: 0.8650519

 $00:09:07.490 \longrightarrow 00:09:10.034$ A downside of X rays is that they

NOTE Confidence: 0.8650519

 $00:09:10.034 \dashrightarrow 00:09:13.034$ enter the body and they actually pass

NOTE Confidence: 0.8650519

 $00:09:13.034 \dashrightarrow 00:09:15.324$ through the entire body deposit,

NOTE Confidence: 0.8650519

 $00{:}09{:}15{.}330 \dashrightarrow 00{:}09{:}16{.}894$ depositing radiation therapy through

NOTE Confidence: 0.8650519

 $00:09:16.894 \rightarrow 00:09:19.520$ their path, and this can include

NOTE Confidence: 0.8650519

 $00:09:19.520 \rightarrow 00:09:21.820$ normal organs in many circumstances.

NOTE Confidence: 0.8650519

 $00:09:21.820 \rightarrow 00:09:23.610$ Now, unfortunately we have developed

NOTE Confidence: 0.8650519

 $00{:}09{:}23.610 \dashrightarrow 00{:}09{:}26.179$ many methods to reduce the exposure of

NOTE Confidence: 0.8650519

 $00:09:26.179 \dashrightarrow 00:09:28.699$ normal organs and therefore the side effects.

NOTE Confidence: 0.8650519

 $00:09:28.700 \dashrightarrow 00:09:30.740$ And honestly the technological advances NOTE Confidence: 0.8650519

 $00:09:30.740 \longrightarrow 00:09:33.172$ in radiation therapy over the decades

NOTE Confidence: 0.8650519

 $00{:}09{:}33.172 \dashrightarrow 00{:}09{:}35.447$ have been so immense and very exciting

NOTE Confidence: 0.8650519

 $00{:}09{:}35{.}447 \dashrightarrow 00{:}09{:}37{.}880$ and this has resulted in dramatically

 $00:09:37.880 \longrightarrow 00:09:39.596$ better outcomes for patients.

NOTE Confidence: 0.8650519

 $00:09:39.600 \longrightarrow 00:09:41.232$ Proton therapy, for example,

NOTE Confidence: 0.8650519

 $00:09:41.232 \rightarrow 00:09:43.272$ is a real major advancement,

NOTE Confidence: 0.8650519

00:09:43.280 --> 00:09:45.330 and similarly to X rays,

NOTE Confidence: 0.8650519

 $00:09:45.330 \dashrightarrow 00:09:47.864$ proton beams do enter the body and

NOTE Confidence: 0.8650519

 $00:09:47.864 \rightarrow 00:09:50.229$ deliver some radiation exposure initially,

NOTE Confidence: 0.8650519

00:09:50.230 --> 00:09:50.772 however,

NOTE Confidence: 0.8650519

 $00:09:50.772 \longrightarrow 00:09:54.566$ that's where the key advantages is that

NOTE Confidence: 0.8650519

 $00{:}09{:}54{.}570 \dashrightarrow 00{:}09{:}57{.}013$ they can be designed to actually stop

NOTE Confidence: 0.8650519

 $00:09:57.013 \rightarrow 00:09:59.140$ shortly after the targeting tumor.

NOTE Confidence: 0.8650519

 $00{:}09{:}59{.}140 \dashrightarrow 00{:}10{:}00{.}199$ So in brief,

NOTE Confidence: 0.8650519

 $00{:}10{:}00{.}199 \dashrightarrow 00{:}10{:}02.670$ there is little to no radiation that

NOTE Confidence: 0.8650519

 $00{:}10{:}02{.}742 \dashrightarrow 00{:}10{:}05{.}465$ continues to pass beyond the tumor or

NOTE Confidence: 0.8650519

 $00:10:05.465 \rightarrow 00:10:08.289$ through the rest of the patient's body,

NOTE Confidence: 0.8650519

 $00:10:08.290 \longrightarrow 00:10:10.310$ and this theoretically may

NOTE Confidence: 0.8650519

 $00:10:10.310 \longrightarrow 00:10:11.320$ substantially improve

- NOTE Confidence: 0.8650519
- $00:10:11.320 \longrightarrow 00:10:12.952$ and benefit some patients.

00:10:12.952 --> 00:10:14.176 Not all patients,

NOTE Confidence: 0.8650519

 $00:10:14.180 \longrightarrow 00:10:15.845$ but some patients.

 $00:10:16.400 \rightarrow 00:10:17.836$ That sounds really exciting and

NOTE Confidence: 0.9000687

 $00:10:17.836 \longrightarrow 00:10:19.990$ certainly we know that there are

NOTE Confidence: 0.9000687

 $00{:}10{:}20.052 \dashrightarrow 00{:}10{:}21.817$ various proton facilities that have

NOTE Confidence: 0.9000687

 $00:10:21.817 \longrightarrow 00:10:24.130$ popped up all over the country.

NOTE Confidence: 0.9000687

 $00:10:24.130 \rightarrow 00:10:27.426$ If patients are not near a proton facility,

NOTE Confidence: 0.9000687

00:10:27.430 --> 00:10:30.302 should they be looking to go to a

NOTE Confidence: 0.9000687

 $00{:}10{:}30{.}302 \dashrightarrow 00{:}10{:}32{.}779$ facility that offers proton the rapy?

NOTE Confidence: 0.9000687

 $00{:}10{:}32.780 \dashrightarrow 00{:}10{:}35.594$ Or is that something that is pretty

NOTE Confidence: 0.9000687

 $00:10:35.594 \rightarrow 00:10:38.140$ specialized and still on clinical trial?

NOTE Confidence: 0.9000687

00:10:38.140 --> 00:10:41.848 Or does it really depend on the tumor type?

NOTE Confidence: 0.9000687

 $00:10:41.850 \longrightarrow 00:10:43.080$ It's highly dependent

NOTE Confidence: 0.8675426

 $00:10:43.080 \longrightarrow 00:10:45.140$ upon the tumor type and

NOTE Confidence: 0.8675426

 $00:10:45.140 \longrightarrow 00:10:46.376$ the individual patient.

- NOTE Confidence: 0.8675426
- $00:10:46.380 \longrightarrow 00:10:48.915$ I would encourage patients to

 $00{:}10{:}48.915 \dashrightarrow 00{:}10{:}50.943$ ask their radiation on cologists

NOTE Confidence: 0.8675426

 $00{:}10{:}50{.}943 \dashrightarrow 00{:}10{:}54{.}019$ just the question of what do you

NOTE Confidence: 0.8675426

 $00{:}10{:}54.019 \dashrightarrow 00{:}10{:}56.111$ think about proton the rapy and

NOTE Confidence: 0.8675426

 $00{:}10{:}56{.}111 \dashrightarrow 00{:}10{:}58{.}596$ do you think it would be nefit me?

NOTE Confidence: 0.8675426

 $00:10:58.600 \rightarrow 00:11:01.099$ And even if they don't live close

NOTE Confidence: 0.8675426

 $00:11:01.099 \rightarrow 00:11:03.449$ to a proton therapy center,

NOTE Confidence: 0.8675426

 $00{:}11{:}03{.}450 \dashrightarrow 00{:}11{:}06{.}271$ I do think that an individual radiation

NOTE Confidence: 0.8675426

 $00{:}11{:}06{.}271 \dashrightarrow 00{:}11{:}07{.}943$ on cologist would provide their

NOTE Confidence: 0.8675426

 $00{:}11{:}07{.}943 \dashrightarrow 00{:}11{:}10{.}319$ opinion or thoughts on that technique.

NOTE Confidence: 0.8675426

00:11:10.320 --> 00:11:12.707 I get asked that question actually

NOTE Confidence: 0.8675426

 $00{:}11{:}12{.}707 \dashrightarrow 00{:}11{:}15{.}117$ quite regularly and in many circumstances

NOTE Confidence: 0.8675426

 $00{:}11{:}15{.}117 \dashrightarrow 00{:}11{:}16.877$ standard radiation therapy would

NOTE Confidence: 0.8675426

 $00{:}11{:}16.877 \dashrightarrow 00{:}11{:}19.199$ be equivalent to proton the rapy,

NOTE Confidence: 0.8675426

00:11:19.200 --> 00:11:21.545 and I do think that we can

- $00:11:21.545 \longrightarrow 00:11:23.181$ deliver exceptional care with
- NOTE Confidence: 0.8675426
- $00{:}11{:}23.181 \dashrightarrow 00{:}11{:}24.858$ standard radiation treatment.
- NOTE Confidence: 0.8675426
- 00:11:24.860 --> 00:11:26.264 As I mentioned,
- NOTE Confidence: 0.8675426
- $00{:}11{:}26{.}264 \dashrightarrow 00{:}11{:}28{.}604$ tremendous advancements have been made
- NOTE Confidence: 0.8675426
- $00{:}11{:}28.604 \dashrightarrow 00{:}11{:}31.590$ even with standard X rays or photons.
- NOTE Confidence: 0.8675426
- $00{:}11{:}31{.}590 \dashrightarrow 00{:}11{:}35{.}238$ But in some circumstances I must say that
- NOTE Confidence: 0.8675426
- 00:11:35.240 --> 00:11:37.205 I have recommended patients
- NOTE Confidence: 0.8675426
- 00:11:37.205 --> 00:11:39.170 to receive a second opinion
- NOTE Confidence: 0.8675426
- $00{:}11{:}39{.}237 \dashrightarrow 00{:}11{:}40{.}937$ at a proton the rapy center
- NOTE Confidence: 0.8671422
- $00:11:40.940 \longrightarrow 00:11:43.188$ Can you talk a little bit
- NOTE Confidence: 0.8671422
- $00:11:43.188 \longrightarrow 00:11:45.471$ about some of the other techniques
- NOTE Confidence: 0.8671422
- 00:11:45.471 -> 00:11:47.531 that have been developed using
- NOTE Confidence: 0.8671422
- $00:11:47.531 \rightarrow 00:11:49.744$ standard radiation therapy that might
- NOTE Confidence: 0.8671422
- $00{:}11{:}49{.}744 \dashrightarrow 00{:}11{:}52{.}336$ minimize the dosage to normal organs.
- NOTE Confidence: 0.8671422
- $00:11:52.340 \rightarrow 00:11:54.620$ Many patients are always worried about,
- NOTE Confidence: 0.8671422
- $00:11:54.620 \rightarrow 00:11:56.475$ for example, if they're getting

- NOTE Confidence: 0.8671422
- $00:11:56.475 \rightarrow 00:11:58.800$ radiation therapy after a breast cancer,
- NOTE Confidence: 0.8671422
- $00:11:58.800 \longrightarrow 00:12:00.700$ let's say to their chest.
- NOTE Confidence: 0.8671422
- $00:12:00.700 \rightarrow 00:12:02.830$ They're worried about the radiation
- NOTE Confidence: 0.8671422
- $00:12:02.830 \rightarrow 00:12:05.420$ affecting their heart or their lungs.
- NOTE Confidence: 0.8671422
- $00{:}12{:}05{.}420 \dashrightarrow 00{:}12{:}07{.}230$ What advancements have been made
- NOTE Confidence: 0.8671422
- $00{:}12{:}07{.}230 \dashrightarrow 00{:}12{:}09{.}525$ to protect those organs and should
- NOTE Confidence: 0.8671422
- $00:12:09.525 \longrightarrow 00:12:11.610$ patients be worried about the
- NOTE Confidence: 0.8671422
- $00:12:11.610 \longrightarrow 00:12:13.278$ extra radiation hitting those
- NOTE Confidence: 0.8671422
- $00:12:13.280 \longrightarrow 00:12:15.632$ normal tissues?
- NOTE Confidence: 0.8671422
- $00:12:15.632 \longrightarrow 00:12:16.820$ As a radiation oncologist, these
- NOTE Confidence: 0.8422647
- $00:12:16.820 \longrightarrow 00:12:19.070$ are the things that are on
- NOTE Confidence: 0.8422647
- 00:12:19.070 --> 00:12:21.530 my mind each and every day.
- NOTE Confidence: 0.8422647
- $00{:}12{:}21{.}530 \dashrightarrow 00{:}12{:}23{.}784$ How do I design a radiation treatment
- NOTE Confidence: 0.8422647
- 00:12:23.784 --> 00:12:25.668 plan that can minimize effectively
- NOTE Confidence: 0.8422647
- $00:12:25.668 \rightarrow 00:12:28.212$ the dose of radiation therapy to
- NOTE Confidence: 0.8422647

 $00:12:28.212 \rightarrow 00:12:30.404$ normal organs and with standard

NOTE Confidence: 0.8422647

00:12:30.404 --> 00:12:32.539 radiation therapy for breast cancer

NOTE Confidence: 0.8422647

00:12:32.540 --> 00:12:35.764 we've come up with very nice ways to

NOTE Confidence: 0.8422647

00:12:35.770 $\operatorname{-->}$ 00:12:37.960 displace or move the heart or

NOTE Confidence: 0.8422647

00:12:37.960 --> 00:12:40.460 lungs away from the targeted breast

NOTE Confidence: 0.8422647

 $00{:}12{:}40.460 \dashrightarrow 00{:}12{:}42.855$ tissue and for other cancers

NOTE Confidence: 0.8422647

 $00:12:42.860 \rightarrow 00:12:44.396$ we've developed highly sophisticated

NOTE Confidence: 0.8422647

00:12:44.396 --> 00:12:46.700 X ray techniques such as intensity

NOTE Confidence: 0.8422647

 $00:12:46.762 \longrightarrow 00:12:48.280$ modulated radiation therapy,

NOTE Confidence: 0.8422647

 $00:12:48.280 \longrightarrow 00:12:50.420$ which, in simplified terms,

NOTE Confidence: 0.8422647

00:12:50.420 --> 00:12:52.560 involves advanced computer technology

NOTE Confidence: 0.8422647

 $00{:}12{:}52{.}560 \dashrightarrow 00{:}12{:}54{.}405$ and sophisticated radiation beam

NOTE Confidence: 0.8422647

 $00{:}12{:}54{.}405 \dashrightarrow 00{:}12{:}56{.}883$ design to better focus the high doses

NOTE Confidence: 0.8422647

 $00:12:56.883 \rightarrow 00:12:59.396$ of radiation therapy to the tumor

NOTE Confidence: 0.8422647

 $00{:}12{:}59{.}396 \dashrightarrow 00{:}13{:}02{.}354$ and spare the normal tissues so we do

NOTE Confidence: 0.8422647

 $00{:}13{:}02{.}354 \dashrightarrow 00{:}13{:}04{.}309$ have very effective alternatives to

- NOTE Confidence: 0.8422647
- $00:13:04.309 \rightarrow 00:13:06.698$ proton therapy that can effectively

 $00:13:06.700 \rightarrow 00:13:09.120$ and very well treat patients.

00:13:09.500 --> 00:13:10.868 That's really great to hear,

NOTE Confidence: 0.8489297

 $00:13:10.868 \rightarrow 00:13:13.395$ so we're going to pick up this

NOTE Confidence: 0.8489297

00:13:13.395 --> 00:13:15.795 conversation right after we take a

NOTE Confidence: 0.8489297

 $00{:}13{:}15.795 \dashrightarrow 00{:}13{:}18.308$ short break for a medical minute. NOTE Confidence: 0.8489297

00:13:18.310 --> 00:13:20.608 Please stay tuned to learn more

NOTE Confidence: 0.8489297

 $00:13:20.608 \rightarrow 00:13:22.140$ about radiation oncology with

NOTE Confidence: 0.8489297

00:13:22.140 --> 00:13:24.180 my guest Doctor Krishnan Jethwa.

NOTE Confidence: 0.8489297

 $00{:}13{:}24{.}180 \dashrightarrow 00{:}13{:}26{.}220$ Support for Yale Cancer Answers

NOTE Confidence: 0.8489297

 $00{:}13{:}26.286 \dashrightarrow 00{:}13{:}28.458$ comes from AstraZeneca, working to

NOTE Confidence: 0.8489297

00:13:28.458 --> 00:13:30.950 eliminate cancer as a cause of death.

NOTE Confidence: 0.8489297

 $00{:}13{:}30{.}950 \dashrightarrow 00{:}13{:}34{.}230$ Learn more at a strazeneca-us.com.

NOTE Confidence: 0.8489297

00:13:34.230 --> 00:13:37.646 This is a medical minute about survivorship.

NOTE Confidence: 0.8489297

00:13:37.650 --> 00:13:39.322 Completing treatment for cancer

NOTE Confidence: 0.8489297

 $00:13:39.322 \rightarrow 00:13:41.412$ is a very exciting milestone,

- NOTE Confidence: 0.8489297
- $00{:}13{:}41{.}420 \dashrightarrow 00{:}13{:}44{.}624$ but cancer and its treatment can be a life
- NOTE Confidence: 0.8489297
- $00{:}13{:}44{.}624 \dashrightarrow 00{:}13{:}47{.}290$ changing experience for cancer survivors.
- NOTE Confidence: 0.8489297
- $00:13:47.290 \longrightarrow 00:13:49.804$ The return to normal activities and
- NOTE Confidence: 0.8489297
- $00:13:49.804 \rightarrow 00:13:51.937$ relationships can be difficult and
- NOTE Confidence: 0.8489297
- $00{:}13{:}51{.}937 \dashrightarrow 00{:}13{:}54{.}259$ some survivors face long term side
- NOTE Confidence: 0.8489297
- $00{:}13{:}54{.}259 \dashrightarrow 00{:}13{:}56{.}509$ effects resulting from their treatment,
- NOTE Confidence: 0.8489297
- 00:13:56.510 --> 00:13:57.764 including heart problems,
- NOTE Confidence: 0.8489297
- 00:13:57.764 --> 00:13:59.018 osteoporosis, fertility issues,
- NOTE Confidence: 0.8489297
- $00{:}13{:}59{.}020 \dashrightarrow 00{:}14{:}01{.}946$ and an increased risk of second cancers.
- NOTE Confidence: 0.8489297
- $00:14:01.950 \longrightarrow 00:14:04.245$ Resources are available to help
- NOTE Confidence: 0.8489297
- 00:14:04.245 --> 00:14:06.081 keep cancer survivors well and
- NOTE Confidence: 0.8489297
- $00{:}14{:}06{.}081 \dashrightarrow 00{:}14{:}07{.}828$ focused on healthy living.
- NOTE Confidence: 0.8489297
- $00{:}14{:}07.830 \dashrightarrow 00{:}14{:}09.862$ More information is available
- NOTE Confidence: 0.8489297
- $00{:}14{:}09.862 \dashrightarrow 00{:}14{:}10.878$ at yale cancercenter.org.
- NOTE Confidence: 0.8489297
- 00:14:10.880 --> 00:14:15.038 You're listening to Connecticut public radio.
- NOTE Confidence: 0.8489297

- 00:14:15.040 --> 00:14:15.460 Welcome
- NOTE Confidence: 0.8349248
- $00:14:15.460 \longrightarrow 00:14:17.580$ back to Yale Cancer Answers.

 $00{:}14{:}17.580 \dashrightarrow 00{:}14{:}19.854$ This is doctor Anees Chagpar

NOTE Confidence: 0.8349248

 $00:14:19.854 \longrightarrow 00:14:22.400$ and I'm joined to night by

NOTE Confidence: 0.8349248

00:14:22.400 --> 00:14:24.770 my guest Doctor Krishan Jethwa.

NOTE Confidence: 0.8349248

00:14:24.770 --> 00:14:27.030 We're discussing radiation therapy in

NOTE Confidence: 0.8349248

 $00{:}14{:}27.030 \dashrightarrow 00{:}14{:}29.763$ the treatment of cancers and right

NOTE Confidence: 0.8349248

 $00{:}14{:}29{.}763 \dashrightarrow 00{:}14{:}32{.}542$ before the break we were talking about

NOTE Confidence: 0.8349248

 $00{:}14{:}32{.}542 \dashrightarrow 00{:}14{:}34{.}625$ some advanced techniques that have

NOTE Confidence: 0.8349248

 $00{:}14{:}34{.}625 \dashrightarrow 00{:}14{:}37{.}453$ been developed that can really help in

NOTE Confidence: 0.8349248

 $00{:}14{:}37{.}460 \dashrightarrow 00{:}14{:}39{.}998$ minimizing the side effects of radiation.

 $00{:}14{:}40{.}844 \dashrightarrow 00{:}14{:}43{.}798$ Before I dive into some specific cancers,

NOTE Confidence: 0.8349248

 $00{:}14{:}43{.}800 \dashrightarrow 00{:}14{:}46{.}845$ one question that we're always asked about

NOTE Confidence: 0.8349248

 $00{:}14{:}46.850 \dashrightarrow 00{:}14{:}48.233$ is secondary malignancies.

NOTE Confidence: 0.8349248

 $00{:}14{:}48.233 \dashrightarrow 00{:}14{:}50.540$ In other words,

NOTE Confidence: 0.8349248

 $00{:}14{:}50{.}540 \dashrightarrow 00{:}14{:}53{.}369$ people often say, well, radiation the rapy,

- $00:14:53.369 \longrightarrow 00:14:55.784$ it's kind of like radiation
- NOTE Confidence: 0.8349248
- $00{:}14{:}55{.}784 \dashrightarrow 00{:}14{:}57{.}450$ similar to the sun,
- NOTE Confidence: 0.8349248
- $00:14:57.450 \longrightarrow 00:15:00.216$ but we know that with radiation,
- NOTE Confidence: 0.8349248
- $00:15:00.220 \longrightarrow 00:15:02.525$ whether it's from sunlight or
- NOTE Confidence: 0.8349248
- $00:15:02.525 \rightarrow 00:15:04.830$ whether it's from nuclear explosions,
- NOTE Confidence: 0.8349248
- $00:15:04.830 \longrightarrow 00:15:06.240$ can cause cancers.
- NOTE Confidence: 0.8349248
- $00{:}15{:}06{.}240 \dashrightarrow 00{:}15{:}09{.}530$ So is there a risk of developing
- NOTE Confidence: 0.8349248
- 00:15:09.628 --> 00:15:12.253 a cancer from your radiation
- NOTE Confidence: 0.8349248
- $00{:}15{:}12.253 \dashrightarrow 00{:}15{:}14.878$ therapy which is designed to
- NOTE Confidence: 0.8349248
- 00:15:14.980 --> 00:15:17.836 help you get rid of the cancer?
- 00:15:18.200 --> 00:15:20.390 That's a really, really good question,
- NOTE Confidence: 0.9037382
- $00:15:20.390 \rightarrow 00:15:24.390$ one which I get asked from most patients.
- NOTE Confidence: 0.9037382
- $00{:}15{:}24{.}390 \dashrightarrow 00{:}15{:}25{.}822$ And you're exactly right.
- NOTE Confidence: 0.9037382
- $00:15:25.822 \longrightarrow 00:15:26.896$ With radiation therapy,
- NOTE Confidence: 0.9037382
- $00{:}15{:}26{.}900 \dashrightarrow 00{:}15{:}30{.}122$ while we focus it directly on to the tumor,
- NOTE Confidence: 0.9037382
- $00{:}15{:}30{.}130 \dashrightarrow 00{:}15{:}33{.}720$ and we do a very nice job at doing so,
- NOTE Confidence: 0.9037382

 $00:15:33.720 \longrightarrow 00:15:36.024$ there is theoretically a risk that

NOTE Confidence: 0.9037382

 $00:15:36.024 \rightarrow 00:15:38.257$ radiation therapy can increase the risk

NOTE Confidence: 0.9037382

 $00{:}15{:}38{.}257 \dashrightarrow 00{:}15{:}40{.}490$ of developing a new cancer within or NOTE Confidence: 0.9037382

00:15:40.490 --> 00:15:42.699 adjacent to the radiation therapy field.

NOTE Confidence: 0.9037382

00:15:42.700 --> 00:15:45.206 Thankfully, that risk is not very high.

NOTE Confidence: 0.9037382

 $00:15:45.210 \rightarrow 00:15:47.730$ In fact, it's far less than 1%,

NOTE Confidence: 0.9037382

 $00:15:47.730 \longrightarrow 00:15:49.878$ and if it is to happen,

NOTE Confidence: 0.9037382

 $00:15:49.880 \rightarrow 00:15:51.312$ it often takes many,

NOTE Confidence: 0.9037382

 $00{:}15{:}51{.}312 \dashrightarrow 00{:}15{:}54{.}295$ many years to develop and I mean

NOTE Confidence: 0.9037382

 $00:15:54.295 \rightarrow 00:15:56.665 5-10$, 30-40 years to develop.

NOTE Confidence: 0.9037382

 $00{:}15{:}56{.}670 \dashrightarrow 00{:}15{:}59{.}838$ So there is a relatively low risk of it

NOTE Confidence: 0.9037382

 $00{:}15{:}59{.}838 \dashrightarrow 00{:}16{:}02{.}130$ occurring and it's a more significant

NOTE Confidence: 0.9037382

 $00{:}16{:}02{.}130 \dashrightarrow 00{:}16{:}04{.}650$ risk in patients who are younger,

NOTE Confidence: 0.9037382

 $00:16:04.650 \rightarrow 00:16:06.330$ particularly our pediatric patients,

NOTE Confidence: 0.9037382

 $00:16:06.330 \longrightarrow 00:16:09.551$ but as a radiation oncologist it is

NOTE Confidence: 0.9037382

 $00:16:09.551 \rightarrow 00:16:11.447$ always something on my mind when

- NOTE Confidence: 0.9037382
- $00:16:11.447 \rightarrow 00:16:13.769$ I'm caring for those young patients.

 $00{:}16{:}13.770 \dashrightarrow 00{:}16{:}16{.}346$ And that is one of the benefits of

NOTE Confidence: 0.9037382

 $00:16:16.346 \longrightarrow 00:16:18.329$ advanced radiation therapy technologies.

NOTE Confidence: 0.9037382

00:16:18.330 --> 00:16:19.974 For instance, proton therapy,

NOTE Confidence: 0.9037382

 $00{:}16{:}19{.}974 \dashrightarrow 00{:}16{:}22{.}839$ that can theoretically decrease the risk

NOTE Confidence: 0.9037382

 $00:16:22.839 \rightarrow 00:16:25.163$ of what we call a secondary malignancy.

NOTE Confidence: 0.8558176

 $00:16:26.150 \longrightarrow 00:16:28.184$ And so during the break

NOTE Confidence: 0.8558176

 $00:16:28.184 \longrightarrow 00:16:30.314$ you were telling me that your

NOTE Confidence: 0.8558176

 $00{:}16{:}30{.}314 \dashrightarrow 00{:}16{:}32{.}426$ particular focus is on GI cancers.

NOTE Confidence: 0.8558176

00:16:32.430 --> 00:16:34.509 Can you tell us a little bit

NOTE Confidence: 0.8558176

 $00{:}16{:}34{.}509 \dashrightarrow 00{:}16{:}36{.}711$ more about the use of radiation

NOTE Confidence: 0.8558176

 $00:16:36.711 \longrightarrow 00:16:38.710$ therapy in those cancers?

NOTE Confidence: 0.8558176

00:16:38.710 --> 00:16:41.153 Radiation therapies are used in the vast majority

NOTE Confidence: 0.8558176

 $00{:}16{:}41{.}153 \dashrightarrow 00{:}16{:}43{.}948$ of GI cancer spanning head to toe.

NOTE Confidence: 0.8558176

 $00{:}16{:}43{.}950 \dashrightarrow 00{:}16{:}46{.}974$ It has a role in either the curative

 $00{:}16{:}46{.}974 \dashrightarrow 00{:}16{:}49{.}695$ intent treatment or in many it would

NOTE Confidence: 0.8558176

 $00:16:49.695 \dashrightarrow 00:16:51.585$ be the symptom directed treatment.

NOTE Confidence: 0.8558176

 $00{:}16{:}51{.}590 \dashrightarrow 00{:}16{:}54{.}299$ So that could be for esophagus cancers,

NOTE Confidence: 0.8558176

 $00:16:54.300 \rightarrow 00:16:55.844$ stomach cancers, liver, pancreas,

NOTE Confidence: 0.8558176

 $00{:}16{:}55{.}844 \dashrightarrow 00{:}16{:}58{.}170$ colon, rectal or even anal cancers.

NOTE Confidence: 0.8558176

 $00:16:58.170 \rightarrow 00:17:02.040$ And we have a very nice role in doing so,

NOTE Confidence: 0.8558176

 $00{:}17{:}02.040 \dashrightarrow 00{:}17{:}03.950$ often in combination with our

NOTE Confidence: 0.8558176

 $00:17:03.950 \rightarrow 00:17:05.478$ colleagues from medical oncology

NOTE Confidence: 0.8558176

 $00{:}17{:}05{.}478 \dashrightarrow 00{:}17{:}07{.}458$ and surgical on cology to help

NOTE Confidence: 0.8558176

 $00:17:07.458 \dashrightarrow 00:17:09.383$ improve the outcomes for patients.

NOTE Confidence: 0.877728

 $00{:}17{:}10.680 \dashrightarrow 00{:}17{:}13.479$ So let's go through each of those in a

NOTE Confidence: 0.877728

00:17:13.479 --> 00:17:16.476 bit more detail so that you can give us

NOTE Confidence: 0.877728

00:17:16.476 --> 00:17:19.423 a little bit of color of what radiation

NOTE Confidence: 0.877728

 $00:17:19.423 \longrightarrow 00:17:21.933$ therapy is like for each of those.

NOTE Confidence: 0.877728

 $00:17:21.933 \rightarrow 00:17:24.318$ I'd imagine that it's different, for example,

NOTE Confidence: 0.877728

 $00:17:24.318 \rightarrow 00:17:26.691$ in the esophagus versus in liver versus

- NOTE Confidence: 0.877728
- $00:17:26.691 \rightarrow 00:17:29.440$ in the pancreas versus in the anal canal.

 $00{:}17{:}29{.}440 \dashrightarrow 00{:}17{:}32{.}160$ How does radiation vary based on the site?

NOTE Confidence: 0.87571305

 $00:17:32.810 \longrightarrow 00:17:35.246$ So of course it is a different

NOTE Confidence: 0.87571305

 $00:17:35.246 \rightarrow 00:17:36.999$ anatomical site of the body,

NOTE Confidence: 0.87571305

 $00:17:37.000 \longrightarrow 00:17:38.800$ and in many of those different

NOTE Confidence: 0.87571305

00:17:38.800 --> 00:17:40.000 circumstances we use different

NOTE Confidence: 0.87571305

 $00:17:40.056 \rightarrow 00:17:41.886$ radiation technologies, which we

NOTE Confidence: 0.87571305

 $00:17:41.886 \rightarrow 00:17:44.322$ think are best for the specific site.

NOTE Confidence: 0.87571305

 $00:17:44.330 \longrightarrow 00:17:45.626$ So for instance,

NOTE Confidence: 0.87571305

 $00:17:45.626 \rightarrow 00:17:48.218$ when we treat an esophagus cancer,

NOTE Confidence: 0.87571305

 $00{:}17{:}48.220 \dashrightarrow 00{:}17{:}49.948$ what's always on our mind is

NOTE Confidence: 0.87571305

00:17:49.948 --> 00:17:52.635 how do we treat the tumor while

NOTE Confidence: 0.87571305

00:17:52.635 --> 00:17:54.105 minimizing radiation therapy

NOTE Confidence: 0.87571305

 $00{:}17{:}54{.}110 \dashrightarrow 00{:}17{:}56{.}318$ dose to organs like the heart,

NOTE Confidence: 0.87571305

 $00:17:56.320 \rightarrow 00:17:58.840$ lungs, liver or even kidneys?

 $00:17:58.840 \rightarrow 00:18:01.556$ Whereas when we're down in the pelvis

NOTE Confidence: 0.87571305

 $00{:}18{:}01{.}556 \dashrightarrow 00{:}18{:}04{.}560$ treating a rectal cancer or an anal cancer,

NOTE Confidence: 0.87571305

 $00:18:04.560 \longrightarrow 00:18:06.750$ we worry about the radiation effects

NOTE Confidence: 0.87571305

 $00:18:06.750 \longrightarrow 00:18:08.673$ on the bowel, bladder, genitalia

NOTE Confidence: 0.87571305

00:18:08.673 --> 00:18:10.648 and bones like the femur

NOTE Confidence: 0.87571305

 $00{:}18{:}10.650 \dashrightarrow 00{:}18{:}13.698$ which can be at risk of weakening or NOTE Confidence: 0.87571305

 $00:18:13.698 \rightarrow 00:18:15.508$ developing fractures as patients get

NOTE Confidence: 0.87571305

 $00:18:15.508 \rightarrow 00:18:18.290$ older and there's a lot of nuance and

NOTE Confidence: 0.87571305

00:18:18.290 --> 00:18:20.395 art in how a radiation oncologist

NOTE Confidence: 0.87571305

 $00{:}18{:}20{.}395 \dashrightarrow 00{:}18{:}23{.}043$ designs those fields and is in part

NOTE Confidence: 0.87571305

 $00:18:23.043 \rightarrow 00:18:25.290$ why it's nice to have a specialty

NOTE Confidence: 0.87571305

 $00{:}18{:}25{.}365 \dashrightarrow 00{:}18{:}28{.}209$ team involved in the care because

NOTE Confidence: 0.87571305

00:18:28.209 --> 00:18:30.105 there's such tremendous nuance

NOTE Confidence: 0.87571305

 $00{:}18{:}30{.}110$ --> $00{:}18{:}32{.}624$ in radiation therapy design and the

NOTE Confidence: 0.87571305

 $00{:}18{:}32.624 \dashrightarrow 00{:}18{:}35.050$ technical specifics of the treatment,

NOTE Confidence: 0.87571305

 $00:18:35.050 \rightarrow 00:18:37.250$ somewhat analogous to the expertise

- NOTE Confidence: 0.87571305
- $00{:}18{:}37{.}250 \dashrightarrow 00{:}18{:}39{.}985$ you may have from a surgical

 $00:18:39.985 \rightarrow 00:18:41.777$ team as they design

NOTE Confidence: 0.8719969

 $00:18:41.780 \longrightarrow 00:18:44.050$ a complex surgical operation.

NOTE Confidence: 0.8719969

00:18:44.050 - 00:18:47.170 And timing is the other issue too, right?

NOTE Confidence: 0.8719969

00:18:47.170 --> 00:18:48.520 So sometimes radiation

NOTE Confidence: 0.8719969

 $00:18:48.520 \rightarrow 00:18:50.320$ is given before surgery,

NOTE Confidence: 0.8719969

 $00:18:50.320 \rightarrow 00:18:53.008$ and sometimes it's given after surgery.

NOTE Confidence: 0.8719969

 $00:18:53.010 \rightarrow 00:18:55.698$ How do you decide which way that works?

NOTE Confidence: 0.8719969

 $00:18:55.700 \longrightarrow 00:18:58.646$ For most of the

NOTE Confidence: 0.8719969

 $00:18:58.646 \rightarrow 00:19:00.119$ gastrointestinal cancers we've

NOTE Confidence: 0.8719969

 $00{:}19{:}00{.}120 \dashrightarrow 00{:}19{:}02{.}320$ through much research learned

NOTE Confidence: 0.8719969

 $00:19:02.320 \longrightarrow 00:19:04.520$ that delivering radiation therapy

NOTE Confidence: 0.8719969

 $00{:}19{:}04.520 \dashrightarrow 00{:}19{:}07.529$ prior to a surgery is beneficial.

NOTE Confidence: 0.8719969

 $00{:}19{:}07{.}530 \dashrightarrow 00{:}19{:}09{.}610$ And often that also includes

NOTE Confidence: 0.8719969

 $00:19:09.610 \rightarrow 00:19:11.690$ delivery of the systemic treatment,

 $00:19:11.690 \rightarrow 00:19:13.770$ the chemotherapy before the operation,

NOTE Confidence: 0.8719969

 $00{:}19{:}13{.}770 \dashrightarrow 00{:}19{:}15{.}845$ and we've learned that we

NOTE Confidence: 0.8719969

 $00:19:15.845 \longrightarrow 00:19:17.505$ improve the cancer control.

NOTE Confidence: 0.8719969

00:19:17.510 --> 00:19:19.058 And in many instances,

NOTE Confidence: 0.8719969

 $00:19:19.058 \longrightarrow 00:19:20.993$ the survival of patients by

NOTE Confidence: 0.8719969

 $00{:}19{:}20{.}993 \dashrightarrow 00{:}19{:}23{.}221$ delivering both of those treatment

NOTE Confidence: 0.8719969

 $00:19:23.221 \longrightarrow 00:19:24.997$ techniques before the operation.

NOTE Confidence: 0.8719969

 $00:19:25.000 \rightarrow 00:19:27.080$ And that includes esophagus cancer,

NOTE Confidence: 0.8719969

00:19:27.080 --> 00:19:28.325 stomach cancers,

NOTE Confidence: 0.8719969

 $00:19:28.325 \rightarrow 00:19:29.985$ pancreas, and rectal cancers,

NOTE Confidence: 0.8719969

 $00{:}19{:}29{.}990 \dashrightarrow 00{:}19{:}32{.}060$ each of which we treat with

NOTE Confidence: 0.8719969

 $00{:}19{:}32.060 \dashrightarrow 00{:}19{:}34.092$ the rapy prior to the operation

NOTE Confidence: 0.8719969

00:19:34.092 --> 00:19:36.230 in many circumstances, and

NOTE Confidence: 0.87105453

 $00:19:36.230 \longrightarrow 00:19:38.828$ one can imagine that doing so

NOTE Confidence: 0.87105453

 $00:19:38.830 \longrightarrow 00:19:41.810$ might reduce the tumor burden.

NOTE Confidence: 0.87105453

 $00:19:41.810 \longrightarrow 00:19:44.162$ But how does that affect scaring

 $00:19:44.162 \longrightarrow 00:19:46.120$ for the surgeons?

NOTE Confidence: 0.8516787

00:19:46.120 --> 00:19:48.346 There's many beneficial effects of delivering the

NOTE Confidence: 0.8516787

00:19:48.346 --> 00:19:50.430 radiation therapy or chemotherapy beforehand,

NOTE Confidence: 0.8516787

 $00:19:50.430 \rightarrow 00:19:53.406$ one of which is that we can actually

NOTE Confidence: 0.8516787

 $00{:}19{:}53.406 \dashrightarrow 00{:}19{:}56.222$ see the tumor, rather than treating an

NOTE Confidence: 0.8516787

 $00{:}19{:}56.222 \dashrightarrow 00{:}19{:}59.060$ area where the tumor has been removed.

NOTE Confidence: 0.8516787

 $00:19:59.060 \rightarrow 00:20:02.586$ When we can see the tumor, we can focus

NOTE Confidence: 0.8516787

 $00:20:02.586 \rightarrow 00:20:04.546$ the radiation beams more specifically,

NOTE Confidence: 0.8516787

 $00{:}20{:}04.550 \dashrightarrow 00{:}20{:}07.070$ and often the area that we have to

NOTE Confidence: 0.8516787

 $00:20:07.070 \longrightarrow 00:20:09.347$ treat is considerably smaller when

NOTE Confidence: 0.8516787

 $00:20:09.347 \longrightarrow 00:20:12.479$ delivered in the pre surgical setting.

NOTE Confidence: 0.8516787

 $00{:}20{:}12{.}480 \dashrightarrow 00{:}20{:}14.650$ That allows us to reduce the side

NOTE Confidence: 0.8516787

 $00{:}20{:}14.650 \dashrightarrow 00{:}20{:}17.130$ effects that a patient may experience.

NOTE Confidence: 0.8516787

 $00:20:17.130 \longrightarrow 00:20:19.836$ Additionally, by shrinking down the tumor,

NOTE Confidence: 0.8516787

 $00:20:19.840 \longrightarrow 00:20:23.432$ it is often easier or more effective for

 $00{:}20{:}23{.}432 \dashrightarrow 00{:}20{:}27{.}225$ the surgeon to remove all of the tumor

NOTE Confidence: 0.8516787

 $00{:}20{:}27{.}225 \dashrightarrow 00{:}20{:}30{.}389$ with negative margins after the operation.

NOTE Confidence: 0.8516787

 $00{:}20{:}30{.}390 \dashrightarrow 00{:}20{:}33{.}670$ And after doing this for decades and having NOTE Confidence: 0.8516787

 $00:20:33.670 \rightarrow 00:20:36.297$ clinical trials look at this for decades,

NOTE Confidence: 0.8516787

 $00{:}20{:}36{.}300 \dashrightarrow 00{:}20{:}39{.}191$ there doesn't seem to be a dramatic

NOTE Confidence: 0.8516787

00:20:39.191 --> 00:20:41.237 difference in complications from the

NOTE Confidence: 0.8516787

 $00{:}20{:}41{.}237 \dashrightarrow 00{:}20{:}43.072$ operation when it's done effectively

NOTE Confidence: 0.8516787

 $00:20:43.072 \longrightarrow 00:20:44.173$ as part of

NOTE Confidence: 0.8926751

00:20:44.180 --> 00:20:45.756 a multi disciplinary team.

NOTE Confidence: 0.8926751

 $00:20:45.756 \longrightarrow 00:20:47.726$ And yet in some cancers,

NOTE Confidence: 0.8926751

 $00:20:47.730 \longrightarrow 00:20:48.906$ radiation is frequently

NOTE Confidence: 0.8926751

00:20:48.906 --> 00:20:50.474 given after the surgery.

NOTE Confidence: 0.8926751

 $00{:}20{:}50{.}480 \dashrightarrow 00{:}20{:}52{.}850$ So you had mentioned, for example,

NOTE Confidence: 0.8926751

 $00:20:52.850 \rightarrow 00:20:54.735$ in breast cancer we generally

NOTE Confidence: 0.8926751

 $00{:}20{:}54.735 \dashrightarrow 00{:}20{:}56.243$ give radiation the rapy after

NOTE Confidence: 0.8926751

 $00:20:56.243 \rightarrow 00:20:57.968$ the surgery is completed.

- NOTE Confidence: 0.8926751
- $00:20:57.970 \longrightarrow 00:21:00.460$ So why is that?
- NOTE Confidence: 0.8730454
- 00:21:00.460 00:21:02.230 There's a number of reasons for that,
- NOTE Confidence: 0.8730454
- $00{:}21{:}02{.}230 \dashrightarrow 00{:}21{:}04{.}582$ and I think in the breast cancer
- NOTE Confidence: 0.8730454
- 00:21:04.582 --> 00:21:05.982 community, now acknowledging I'm
- NOTE Confidence: 0.8730454
- 00:21:05.982 --> 00:21:07.617 not a breast cancer specialist,
- NOTE Confidence: 0.8730454
- $00:21:07.620 \longrightarrow 00:21:09.480$ but the typical paradigm has
- NOTE Confidence: 0.8730454
- 00:21:09.480 --> 00:21:11.340 been to do surgery first,
- NOTE Confidence: 0.8730454
- $00:21:11.340 \rightarrow 00:21:14.343$ in part for concern of wound complications
- NOTE Confidence: 0.8730454
- $00:21:14.343 \longrightarrow 00:21:16.800$ that may develop along the skin.
- NOTE Confidence: 0.8730454
- 00:21:16.800 --> 00:21:19.856 And in part because it's nice to have
- NOTE Confidence: 0.8730454
- $00{:}21{:}19.856 \dashrightarrow 00{:}21{:}22.532$ an opportunity to look at the cancer
- NOTE Confidence: 0.8730454
- $00{:}21{:}22{.}532 \dashrightarrow 00{:}21{:}24{.}807$ under the microscope and see the
- NOTE Confidence: 0.8730454
- $00{:}21{:}24.807 \dashrightarrow 00{:}21{:}27.687$ extent of spread so that we can better
- NOTE Confidence: 0.8730454
- $00{:}21{:}27.687 \dashrightarrow 00{:}21{:}29.550$ design our radiation therapy fields.
- NOTE Confidence: 0.8334995
- $00:21:30.300 \longrightarrow 00:21:32.670$ So it sounds like there's good
- NOTE Confidence: 0.8334995

- $00{:}21{:}32.670 \dashrightarrow 00{:}21{:}35.917$ reasons in GI cancer to do it before
- NOTE Confidence: 0.8334995
- 00:21:35.917 --> 00:21:37.897 good reasons in breast cancer
- NOTE Confidence: 0.8334995
- $00:21:37.900 \longrightarrow 00:21:39.408$ to do it afterwards.
- NOTE Confidence: 0.8334995
- $00:21:39.408 \rightarrow 00:21:43.099$ So it seems to be really dependent on the
- NOTE Confidence: 0.8334995
- $00{:}21{:}43.100 \dashrightarrow 00{:}21{:}45.100$ tumor itself.
- NOTE Confidence: 0.8334995
- $00{:}21{:}45{.}100 \dashrightarrow 00{:}21{:}47{.}500$ And individual patients and again
- NOTE Confidence: 0.8334995
- 00:21:47.500 00:21:48.776 this emphasizes why being
- NOTE Confidence: 0.8334995
- $00:21:48.776 \longrightarrow 00:21:50.690$ seen and cared for amongst a
- NOTE Confidence: 0.8334995
- 00:21:50.750 --> 00:21:52.700 multidisciplinary specialty team,
- NOTE Confidence: 0.8334995
- $00:21:52.700 \longrightarrow 00:21:56.237$ such as that we have at Yale is
- NOTE Confidence: 0.8334995
- $00:21:56.237 \longrightarrow 00:21:59.099$ really so critical in the care of
- NOTE Confidence: 0.8334995
- $00:21:59.100 \longrightarrow 00:22:01.100$ our patients.
- NOTE Confidence: 0.8334995
- $00:22:01.100 \rightarrow 00:22:02.597$ And you mentioned clinical trials
- NOTE Confidence: 0.8334995
- $00:22:02.597 \longrightarrow 00:22:05.092$ adding to the evidence
- NOTE Confidence: 0.8334995
- $00{:}22{:}05{.}092 \dashrightarrow 00{:}22{:}08{.}476$ that we have in terms of what we
- NOTE Confidence: 0.8334995
- $00{:}22{:}08.476 \dashrightarrow 00{:}22{:}10.539$ know works versus doesn't work

- NOTE Confidence: 0.8334995
- 00:22:10.539 00:22:12.779 in terms of radiation therapy.

 $00{:}22{:}12.780 \dashrightarrow 00{:}22{:}14.995$ Are there ongoing clinical trials

NOTE Confidence: 0.8334995

 $00:22:14.995 \rightarrow 00:22:17.210$ that you're particularly excited about?

NOTE Confidence: 0.8622672

 $00:22:17.210 \longrightarrow 00:22:19.420$ There's so many.

NOTE Confidence: 0.8622672

 $00{:}22{:}19{.}420 \dashrightarrow 00{:}22{:}21{.}922$ My interests are in using multiple

NOTE Confidence: 0.8622672

 $00{:}22{:}21{.}922 \dashrightarrow 00{:}22{:}24{.}593$ methods of patient and cancer response

NOTE Confidence: 0.8622672

 $00:22:24.593 \rightarrow 00:22:27.834$ assessment to guide the care of patients,

NOTE Confidence: 0.8622672

 $00:22:27.840 \longrightarrow 00:22:31.218$ and that can include advanced imaging.

NOTE Confidence: 0.8622672

 $00{:}22{:}31{.}220 \dashrightarrow 00{:}22{:}35{.}336$ It can involve tumor genetics or genomics.

NOTE Confidence: 0.8622672

 $00{:}22{:}35{.}340$ --> $00{:}22{:}39{.}020$ It can include specific targets on a cancer NOTE Confidence: 0.8622672

 $00:22:39.020 \rightarrow 00:22:42.730$ cell that may be targeted by medications.

NOTE Confidence: 0.8622672

 $00{:}22{:}42{.}730 \dashrightarrow 00{:}22{:}44{.}809$ Or it can be specific blood tests

NOTE Confidence: 0.8622672

 $00:22:44.809 \longrightarrow 00:22:47.004$ that guide the prognosis for patients.

NOTE Confidence: 0.8622672

 $00{:}22{:}47.004 \dashrightarrow 00{:}22{:}49.074$ Potential the rapies for patients

NOTE Confidence: 0.8622672

00:22:49.074 --> 00:22:51.329 can also involve immunotherapy,

 $00:22:51.330 \rightarrow 00:22:53.285$ and specifically in GI cancers

NOTE Confidence: 0.8622672

 $00{:}22{:}53{.}285 \dashrightarrow 00{:}22{:}54{.}458$ we've been utilizing

NOTE Confidence: 0.8622672

 $00:22:54.460 \longrightarrow 00:22:56.140$ each of those techniques to

NOTE Confidence: 0.8622672

 $00:22:56.140 \longrightarrow 00:22:57.820$ help risk stratify and guide

NOTE Confidence: 0.8622672

 $00{:}22{:}57.886 \dashrightarrow 00{:}22{:}59.930$ patients for subsequent the rapies.

NOTE Confidence: 0.8622672

 $00{:}22{:}59{.}930 \dashrightarrow 00{:}23{:}02{.}384$ And it's so exciting because many NOTE Confidence: 0.8622672

 $00{:}23{:}02{.}384 \dashrightarrow 00{:}23{:}04{.}458$ of these developments are relatively

NOTE Confidence: 0.8622672

 $00:23:04.458 \longrightarrow 00:23:07.354$ recent in the past five to 10 years,

NOTE Confidence: 0.8622672

 $00{:}23{:}07{.}360 \dashrightarrow 00{:}23{:}10{.}104$ and we're really seeing some of the

NOTE Confidence: 0.8622672

 $00{:}23{:}10.104 \dashrightarrow 00{:}23{:}12.900$ fruits of these clinical trials now.

NOTE Confidence: 0.8622672

00:23:12.900 --> 00:23:15.735 Our major cancer conference is ASCO

 $00{:}23{:}18{.}190 \dashrightarrow 00{:}23{:}20{.}623$ and it's exciting seeing some of the new

NOTE Confidence: 0.8622672

 $00{:}23{:}20.623 \dashrightarrow 00{:}23{:}22.363$ clinical trial developments that

NOTE Confidence: 0.8622672

 $00:23:22.363 \rightarrow 00:23:24.650$ really improve the survival,

NOTE Confidence: 0.8622672

 $00{:}23{:}24.650 \dashrightarrow 00{:}23{:}27.478$ but also the quality of life for

NOTE Confidence: 0.86764556

 $00:23:27.480 \rightarrow 00:23:30.315$ our patients as they go through the rapy.

 $00:23:30.320 \longrightarrow 00:23:33.148$ Do you think that these novel markers,

NOTE Confidence: 0.86764556

 $00{:}23{:}33{.}150 \dashrightarrow 00{:}23{:}34{.}236$ the genomic markers,

NOTE Confidence: 0.86764556

 $00{:}23{:}34{.}236 \dashrightarrow 00{:}23{:}36{.}770$ the biomarkers that we're using to tailor

NOTE Confidence: 0.86764556

 $00:23:36.833 \rightarrow 00:23:38.817$ chemotherapy and systemic therapy,

NOTE Confidence: 0.86764556

 $00:23:38.820 \longrightarrow 00:23:40.680$ for example, might actually play

NOTE Confidence: 0.86764556

 $00{:}23{:}40.680 \dashrightarrow 00{:}23{:}43.280$ a role in terms of deciding,

NOTE Confidence: 0.86764556

 $00:23:43.280 \rightarrow 00:23:46.110$ for example, whether radiation therapy

NOTE Confidence: 0.86764556

 $00:23:46.110 \longrightarrow 00:23:48.602$ should be used or not or what

NOTE Confidence: 0.86764556

 $00{:}23{:}48.602 \dashrightarrow 00{:}23{:}50.280$ kind of radiation the rapy

NOTE Confidence: 0.87248236

00:23:50.280 --> 00:23:52.170 I completely do.

NOTE Confidence: 0.87248236

 $00{:}23{:}52{.}170 \dashrightarrow 00{:}23{:}54{.}746$ I think we're learning so much more

NOTE Confidence: 0.87248236

 $00:23:54.746 \rightarrow 00:23:56.690$ about the prognosis of patients

NOTE Confidence: 0.87248236

 $00{:}23{:}56.690 \dashrightarrow 00{:}23{:}59.000$ and the pathways of cancer spread,

NOTE Confidence: 0.87248236

00:23:59.000 --> 00:24:01.112 which does seem to be influenced

NOTE Confidence: 0.87248236

 $00{:}24{:}01{.}112 \dashrightarrow 00{:}24{:}03{.}170$ by each of these factors,

NOTE Confidence: 0.87248236

 $00:24:03.170 \longrightarrow 00:24:05.222$ and we're learning how to select

- NOTE Confidence: 0.87248236
- $00:24:05.222 \longrightarrow 00:24:07.090$ patients who may derive more

00:24:07.090 - 00:24:08.846 benefit from radiation therapy.

NOTE Confidence: 0.87248236

 $00:24:08.850 \rightarrow 00:24:11.052$ And on the contrary, we're learning

NOTE Confidence: 0.87248236

 $00:24:11.052 \rightarrow 00:24:13.400$ patients who may derive less benefit,

NOTE Confidence: 0.87248236

 $00:24:13.400 \longrightarrow 00:24:16.214$ and that in itself is rewarding because

NOTE Confidence: 0.87248236

 $00{:}24{:}16{.}220 \dashrightarrow 00{:}24{:}18{.}452$ that provides an opportunity for a

NOTE Confidence: 0.87248236

 $00:24:18.452 \rightarrow 00:24:20.889$ radiation oncologist to help treat patients,

NOTE Confidence: 0.87248236

 $00:24:20.890 \rightarrow 00:24:24.780$ but know that if they do have a side effect,

NOTE Confidence: 0.87248236

 $00{:}24{:}24{.}780 \dashrightarrow 00{:}24{:}27{.}342$ it was a side effect that developed in a

NOTE Confidence: 0.87248236

 $00:24:27.342 \rightarrow 00:24:29.838$ patient that really needed the treatment.

NOTE Confidence: 0.87248236

 $00:24:29.840 \longrightarrow 00:24:31.755$ Those who derive less benefit

NOTE Confidence: 0.87248236

00:24:31.755 --> 00:24:34.500 can be spared many of those side

NOTE Confidence: 0.86517096

 $00{:}24{:}34{.}500 \dashrightarrow 00{:}24{:}35{.}532$ effects of the rapy.

NOTE Confidence: 0.86517096

 $00{:}24{:}35{.}532 \dashrightarrow 00{:}24{:}37{.}596$ And what about figuring out which

NOTE Confidence: 0.86517096

 $00{:}24{:}37{.}596 \dashrightarrow 00{:}24{:}39{.}319$ tumors are more radiosensitive

 $00:24:39.319 \rightarrow 00:24:41.509$ versus those that are radioresistant?

NOTE Confidence: 0.86517096

 $00{:}24{:}41{.}510 \dashrightarrow 00{:}24{:}43{.}410$ Are there techniques that we

NOTE Confidence: 0.86517096

 $00:24:43.410 \longrightarrow 00:24:46.280$ can use that will help us to

NOTE Confidence: 0.86517096

 $00:24:46.280 \longrightarrow 00:24:48.068$ deliver radiation therapy to

NOTE Confidence: 0.86517096

 $00:24:48.070 \rightarrow 00:24:50.886$ tumors that might not be as sensitive to it?

NOTE Confidence: 0.8655079

 $00:24:50.890 \longrightarrow 00:24:53.236$ Yeah, this is another very

NOTE Confidence: 0.8655079

 $00:24:53.236 \longrightarrow 00:24:54.800$ interesting area of research

NOTE Confidence: 0.8655079

 $00:24:54.869 \longrightarrow 00:24:56.699$ which I think we've really just

NOTE Confidence: 0.8655079

 $00{:}24{:}56{.}699 \dashrightarrow 00{:}24{:}58{.}978$ hit the tip of the ice berg on.

NOTE Confidence: 0.8655079

 $00{:}24{:}58{.}980 \dashrightarrow 00{:}25{:}00{.}740$ We're learning that genomics or

NOTE Confidence: 0.8655079

 $00{:}25{:}00{.}740 \dashrightarrow 00{:}25{:}02{.}500$ tumor genetics has an impact.

NOTE Confidence: 0.8655079

 $00{:}25{:}02{.}500 \dashrightarrow 00{:}25{:}04{.}195$ We're learning that the tissue

NOTE Confidence: 0.8655079

 $00{:}25{:}04{.}195 \dashrightarrow 00{:}25{:}06{.}370$ surrounding a tumor has an impact,

NOTE Confidence: 0.8655079

 $00{:}25{:}06{.}370 \dashrightarrow 00{:}25{:}08{.}365$ and I do think that with more

NOTE Confidence: 0.8655079

 $00{:}25{:}08{.}365 \dashrightarrow 00{:}25{:}10{.}481$ time we'll learn how to combine

NOTE Confidence: 0.8655079

 $00{:}25{:}10.481 \dashrightarrow 00{:}25{:}12.069$ new medications with radiation

- NOTE Confidence: 0.8655079
- $00:25:12.069 \rightarrow 00:25:14.047$ therapy to improve cancer control

00:25:14.047 --> 00:25:16.567 and will learn that there may be

NOTE Confidence: 0.8655079

 $00:25:16.567 \rightarrow 00:25:18.162$ differences in radiation therapy dose.

NOTE Confidence: 0.8655079

 $00:25:18.162 \longrightarrow 00:25:20.426$ Or areas that we need to treat

NOTE Confidence: 0.8655079

 $00:25:20.426 \longrightarrow 00:25:21.826$ to derive more benefit.

NOTE Confidence: 0.8655079

00:25:21.830 --> 00:25:22.998 But like I said,

NOTE Confidence: 0.8655079

 $00:25:22.998 \longrightarrow 00:25:24.750$ it's really the tip of the

NOTE Confidence: 0.8655079

 $00{:}25{:}24.825 \dashrightarrow 00{:}25{:}27.135$ ice berg in regards to that area of

NOTE Confidence: 0.87531376

 $00{:}25{:}27{.}140 \dashrightarrow 00{:}25{:}28{.}700$ research, which is really exciting.

NOTE Confidence: 0.87531376

 $00{:}25{:}28{.}700 \dashrightarrow 00{:}25{:}31{.}188$ And so as we think about radiation therapy,

NOTE Confidence: 0.87531376

 $00:25:31.190 \rightarrow 00:25:33.470$ I mean thus far we've really been talking

NOTE Confidence: 0.87531376

 $00{:}25{:}33.470 \dashrightarrow 00{:}25{:}35.760$ about using radiation as part of a

NOTE Confidence: 0.87531376

 $00{:}25{:}35{.}760 \dashrightarrow 00{:}25{:}37{.}425$ treatment paradigm for curative intent.

NOTE Confidence: 0.87531376

 $00{:}25{:}37{.}430 \dashrightarrow 00{:}25{:}39{.}726$ But you had mentioned early on at the

NOTE Confidence: 0.87531376

 $00{:}25{:}39{.}726 \dashrightarrow 00{:}25{:}41{.}624$ beginning of the show that radiation

 $00:25:41.624 \rightarrow 00:25:43.980$ can also be used for palliative intent.

NOTE Confidence: 0.87531376

00:25:43.980 --> 00:25:45.751 Can you tell us a little bit

NOTE Confidence: 0.87531376

00:25:45.751 - 00:25:47.350 more about how radiation therapy

NOTE Confidence: 0.87531376

 $00:25:47.350 \longrightarrow 00:25:49.285$ is used for symptom control?

NOTE Confidence: 0.8710075

 $00:25:50.040 \longrightarrow 00:25:51.688$ Radiation therapy is very

NOTE Confidence: 0.8710075

 $00{:}25{:}51.688 \dashrightarrow 00{:}25{:}53.336$ effective at symptom control,

NOTE Confidence: 0.8710075

 $00:25:53.340 \longrightarrow 00:25:56.292$ and I tend to quote that about 2/3 or

NOTE Confidence: 0.8710075

 $00:25:56.292 \rightarrow 00:25:59.086$ more of patients will derive a benefit.

NOTE Confidence: 0.8710075

 $00{:}25{:}59.086 \dashrightarrow 00{:}26{:}02.400$ In regards to the specific indications,

NOTE Confidence: 0.8710075

 $00{:}26{:}02{.}400 \dashrightarrow 00{:}26{:}05{.}480$ often it's for pain control when cancer NOTE Confidence: 0.8710075

 $00:26:05.480 \longrightarrow 00:26:07.758$ has spread elsewhere in the body,

NOTE Confidence: 0.8710075

 $00{:}26{:}07.760 \dashrightarrow 00{:}26{:}10.035$ or if it's causing pain in its

NOTE Confidence: 0.8710075

 $00{:}26{:}10.035 \dashrightarrow 00{:}26{:}11.894$ original site of development or

NOTE Confidence: 0.8710075

00:26:11.894 --> 00:26:14.330 radiation therapy can be used to

NOTE Confidence: 0.8710075

00:26:14.330 --> 00:26:16.788 help prevent organ dysfunction or

NOTE Confidence: 0.8710075

 $00:26:16.788 \rightarrow 00:26:18.880$ complications from cancer growth.

- NOTE Confidence: 0.8710075
- 00:26:18.880 --> 00:26:19.700 What do

00:26:19.700 --> 00:26:21.760 you mean by organ dysfunction?

NOTE Confidence: 0.8772873

 $00{:}26{:}21.930 \dashrightarrow 00{:}26{:}24.602$ So a common situation that we end up

NOTE Confidence: 0.8772873

 $00{:}26{:}24{.}602 \dashrightarrow 00{:}26{:}27{.}688$ seeing is if cancer has spread to a bone

NOTE Confidence: 0.8772873

 $00{:}26{:}27.688 \dashrightarrow 00{:}26{:}30.587$ like the spinal column or vertebral body,

NOTE Confidence: 0.8772873

 $00{:}26{:}30{.}590 \dashrightarrow 00{:}26{:}33{.}425$ that cancer can actually grow into the

NOTE Confidence: 0.8772873

 $00{:}26{:}33{.}425 \dashrightarrow 00{:}26{:}35{.}871$ spinal canal and start applying pressure

NOTE Confidence: 0.8772873

00:26:35.871 - 00:26:39.150 to the spinal cord or to the nerves.

NOTE Confidence: 0.8772873

 $00:26:39.150 \longrightarrow 00:26:39.926$ And unfortunately,

NOTE Confidence: 0.8772873

 $00{:}26{:}39{.}926 \dashrightarrow 00{:}26{:}43{.}030$ one of the consequences of that is that

NOTE Confidence: 0.8772873

 $00{:}26{:}43.102 \dashrightarrow 00{:}26{:}45.268$ patients can develop weakness in their

NOTE Confidence: 0.8772873

00:26:45.268 --> 00:26:47.604 legs or in some circumstances even

NOTE Confidence: 0.8772873

 $00{:}26{:}47.604 \dashrightarrow 00{:}26{:}50.467$ the inability to walk because of it.

NOTE Confidence: 0.8772873

 $00{:}26{:}50{.}470 \dashrightarrow 00{:}26{:}52{.}510$ Radiation therapy can slow down and NOTE Confidence: 0.8772873

 $00:26:52.510 \rightarrow 00:26:54.936$ shrink the cancer in those bones and NOTE Confidence: 0.8772873

 $00:26:54.936 \rightarrow 00:26:56.940$ really help relieve the pressure on

NOTE Confidence: 0.8772873

 $00{:}26{:}56{.}940 \dashrightarrow 00{:}26{:}59{.}098$ the spinal canal or those nerves.

NOTE Confidence: 0.8772873

 $00{:}26{:}59{.}100 \dashrightarrow 00{:}27{:}01{.}260$ And sometimes that's done in combination

NOTE Confidence: 0.8772873

 $00:27:01.260 \longrightarrow 00:27:03.240$ with surgery and sometimes it's not.

NOTE Confidence: 0.8772873

 $00{:}27{:}03{.}240 \dashrightarrow 00{:}27{:}04{.}960$ We use radiation therapy alone

NOTE Confidence: 0.8772873

 $00{:}27{:}04{.}960 \dashrightarrow 00{:}27{:}06{.}336$ and it's quite effective.

NOTE Confidence: 0.8772873

 $00{:}27{:}06{.}340 \dashrightarrow 00{:}27{:}08{.}070$ One of the

NOTE Confidence: 0.8688339

 $00:27:08.070 \longrightarrow 00:27:10.128$ things that's so interesting you had

NOTE Confidence: 0.8688339

00:27:10.128 --> 00:27:11.892 mentioned earlier that when you're

NOTE Confidence: 0.8688339

 $00:27:11.892 \rightarrow 00:27:13.587$ giving radiation in the pelvis,

NOTE Confidence: 0.8688339

 $00{:}27{:}13.590 \dashrightarrow 00{:}27{:}15.893$ one of the things you worry about

NOTE Confidence: 0.8688339

 $00:27:15.893 \longrightarrow 00:27:18.420$ is the side effects on the bone.

NOTE Confidence: 0.8688339

 $00{:}27{:}18.420 \dashrightarrow 00{:}27{:}20.958$ That radiation could weaken the bone.

NOTE Confidence: 0.8688339

 $00{:}27{:}20{.}960 \dashrightarrow 00{:}27{:}23{.}528$ And yet, at the same time,

NOTE Confidence: 0.8688339

 $00:27:23.530 \longrightarrow 00:27:26.110$ when we see patients who have,

NOTE Confidence: 0.8688339

 $00:27:26.110 \longrightarrow 00:27:28.070$ for example, bone metastases,

- NOTE Confidence: 0.8688339
- $00:27:28.070 \rightarrow 00:27:30.520$ we frequently will use radiation

 $00{:}27{:}30{.}520 \dashrightarrow 00{:}27{:}32{.}970$ the rapy not only to help with pain,

NOTE Confidence: 0.8688339

 $00:27:32.970 \longrightarrow 00:27:36.043$ but sometimes even to help with patients

NOTE Confidence: 0.8688339

 $00:27:36.043 \rightarrow 00:27:39.198$ who might have an impending fracture.

NOTE Confidence: 0.8688339

 $00:27:39.200 \longrightarrow 00:27:41.360$ Tell me about how that works.

NOTE Confidence: 0.8688339

 $00:27:41.360 \longrightarrow 00:27:43.160$ That seems to be a dichotomy.

NOTE Confidence: 0.85057867

 $00:27:43.160 \longrightarrow 00:27:45.320$ Yeah, that's a good question.

NOTE Confidence: 0.85057867

 $00:27:45.320 \rightarrow 00:27:47.840$ When I see patients with bone metastases,

NOTE Confidence: 0.85057867

 $00{:}27{:}47.840 \dashrightarrow 00{:}27{:}50.360$ the common questions I ask myself are,

NOTE Confidence: 0.85057867

 $00{:}27{:}50{.}360 \dashrightarrow 00{:}27{:}52{.}593$ is this metastasis in a bone that

NOTE Confidence: 0.85057867

00:27:52.593 - > 00:27:54.436 is involved in weight bearing

NOTE Confidence: 0.85057867

 $00:27:54.436 \longrightarrow 00:27:56.476$ like the femures for example?

NOTE Confidence: 0.85057867

 $00{:}27{:}56{.}480 \dashrightarrow 00{:}27{:}59{.}168$ Or how much of the bone seems to

NOTE Confidence: 0.85057867

 $00{:}27{:}59.168 \dashrightarrow 00{:}28{:}01.517$ be destroyed because of the cancer?

NOTE Confidence: 0.85057867

 $00{:}28{:}01{.}520 \dashrightarrow 00{:}28{:}04{.}032$ If I do think of patients at very

00:28:04.032 --> 00:28:06.558 high risk of developing a fracture,

NOTE Confidence: 0.85057867

00:28:06.560 --> 00:28:09.688 I do ask my colleagues in orthopedic surgery

NOTE Confidence: 0.85057867

 $00:28:09.690 \rightarrow 00:28:12.346$ or neurosurgery to see the patients as well.

NOTE Confidence: 0.85057867

00:28:12.350 --> 00:28:14.786 Because I do think that surgery

NOTE Confidence: 0.85057867

 $00:28:14.786 \longrightarrow 00:28:16.410$ can sometimes be warranted.

NOTE Confidence: 0.85057867

00:28:16.410 --> 00:28:18.986 In others where it's not a weight

NOTE Confidence: 0.85057867

 $00:28:18.986 \longrightarrow 00:28:21.269$ bearing joint or an area that's

NOTE Confidence: 0.85057867

 $00:28:21.270 \longrightarrow 00:28:23.568$ involved in a lot of mechanical

NOTE Confidence: 0.85057867

 $00{:}28{:}23.568 \dashrightarrow 00{:}28{:}25.550$ strain then radiation the rapy is

NOTE Confidence: 0.85057867

 $00{:}28{:}25{.}550 \dashrightarrow 00{:}28{:}27{.}465$ very effective at shrinking the

NOTE Confidence: 0.85057867

 $00{:}28{:}27{.}465 \dashrightarrow 00{:}28{:}29{.}190$ cancer and getting control of pain.

NOTE Confidence: 0.86678976

00:28:29.190 --> 00:28:31.578 Doctor Krishan Jethwa is an

NOTE Confidence: 0.86678976

 $00{:}28{:}31{.}578 \dashrightarrow 00{:}28{:}33{.}170$ assistant professor of the rapeutic

NOTE Confidence: 0.86678976

 $00:28:33.232 \rightarrow 00:28:35.598$ radiology at the Yale School of Medicine.

NOTE Confidence: 0.86678976

 $00:28:35.600 \longrightarrow 00:28:37.112$ If you have questions,

NOTE Confidence: 0.86678976

 $00:28:37.112 \longrightarrow 00:28:38.624$ the address is canceranswers@yale.edu

- NOTE Confidence: 0.86678976
- $00:28:38.624 \rightarrow 00:28:40.713$ and past editions of the program

00:28:40.713 --> 00:28:42.621 are available in audio and written

NOTE Confidence: 0.86678976

 $00{:}28{:}42.679 \dashrightarrow 00{:}28{:}44.269$ form at yale cancercenter.org.

NOTE Confidence: 0.86678976

 $00{:}28{:}44{.}270 \dashrightarrow 00{:}28{:}46{.}766$ We hope you'll join us next week to

NOTE Confidence: 0.86678976

 $00{:}28{:}46.766 \dashrightarrow 00{:}28{:}49.199$ learn more about the fight against

NOTE Confidence: 0.86678976

00:28:49.199 $\operatorname{-->}$ 00:28:51.803 cancer here on Connecticut Public Radio.

NOTE Confidence: 0.78609216

 $00{:}28{:}54.870 \dashrightarrow 00{:}28{:}57.754$ Support for Yale Cancer Answers comes from

NOTE Confidence: 0.78609216

 $00{:}28{:}57{.}754 \dashrightarrow 00{:}29{:}00{.}071$ Smilow Cancer Hospital and Astra Zeneca.