WEBVTT

00:00:00.000 --> 00:00:02.148 Funding for Yale Cancer Answers is

NOTE Confidence: 0.787833080909091

 $00{:}02.148 --> 00{:}00{:}04.180$ provided by Smilow Cancer Hospital.

NOTE Confidence: 0.81814339875

 $00:00:06.490 \longrightarrow 00:00:08.386$ Welcome to Yale Cancer Answers with

NOTE Confidence: 0.81814339875

00:00:08.386 --> 00:00:10.337 your host, Doctor Anees Chappar.

NOTE Confidence: 0.81814339875

 $00{:}00{:}10.337 \dashrightarrow 00{:}00{:}12.971$ Yale Cancer Answers features the latest

NOTE Confidence: 0.81814339875

 $00:00:12.971 \longrightarrow 00:00:15.337$ information on cancer care by welcoming

NOTE Confidence: 0.81814339875

 $00:00:15.337 \longrightarrow 00:00:17.890$ oncologists and specialists who are on the

NOTE Confidence: 0.81814339875

 $00{:}00{:}17.890 \to 00{:}00{:}20.060$ for efront of the battle to fight cancer.

NOTE Confidence: 0.81814339875

 $00:00:20.060 \longrightarrow 00:00:21.722$ This week, it's a conversation about

NOTE Confidence: 0.81814339875

 $00:00:21.722 \longrightarrow 00:00:23.924$ the care of head and neck cancer

NOTE Confidence: 0.81814339875

00:00:23.924 --> 00:00:25.654 patients with Doctor Benjamin Newton.

NOTE Confidence: 0.81814339875

 $00{:}00{:}25.660 \dashrightarrow 00{:}00{:}27.814$ Doctor Newton is an assistant professor

NOTE Confidence: 0.81814339875

 $00{:}00{:}27.814 \dashrightarrow 00{:}00{:}29.643$ of clinical medicine and medical

NOTE Confidence: 0.81814339875

 $00:00:29.643 \longrightarrow 00:00:31.995$ oncology at the Yale School of Medicine,

NOTE Confidence: 0.81814339875

 $00:00:32.000 \longrightarrow 00:00:33.815$ where Doctor Chagpar is a

 $00:00:33.815 \longrightarrow 00:00:35.267$ professor of surgical oncology.

NOTE Confidence: 0.925293852173913

00:00:37.360 --> 00:00:39.344 Ben, maybe we can start off by you

NOTE Confidence: 0.925293852173913

 $00:00:39.344 \longrightarrow 00:00:41.198$ telling us a little bit more about

NOTE Confidence: 0.925293852173913

 $00:00:41.198 \longrightarrow 00:00:43.220$ yourself and what it is that you do.

NOTE Confidence: 0.84265597555556

 $00{:}00{:}44.100 \dashrightarrow 00{:}00{:}46.140$ I'm trained as a hematologist and a

NOTE Confidence: 0.84265597555556

 $00:00:46.140 \longrightarrow 00:00:47.772$ medical oncologist.

NOTE Confidence: 0.84265597555556

 $00:00:47.780 \longrightarrow 00:00:49.550$ I take care of patients with

NOTE Confidence: 0.84265597555556

 $00:00:49.550 \longrightarrow 00:00:51.233$ a wide variety of oncology

NOTE Confidence: 0.84265597555556

 $00{:}00{:}51.233 \dashrightarrow 00{:}00{:}52.977$ problems in my community,

NOTE Confidence: 0.84265597555556

 $00:00:52.980 \longrightarrow 00:00:54.292$ and I'm particularly interested

NOTE Confidence: 0.84265597555556

 $00:00:54.292 \longrightarrow 00:00:55.932$ in the care of patients

NOTE Confidence: 0.84265597555556

 $00:00:55.932 \longrightarrow 00:00:57.528$ with head and neck cancers.

NOTE Confidence: 0.804683087333334

 $00:00:58.460 \longrightarrow 00:01:01.844$ So you know head and neck cancers is kind

NOTE Confidence: 0.804683087333334

00:01:01.844 --> 00:01:05.242 of like this really broad bucket, right?

NOTE Confidence: 0.804683087333334

 $00:01:05.242 \longrightarrow 00:01:07.414$ I mean when we think about

NOTE Confidence: 0.804683087333334

 $00:01:07.414 \longrightarrow 00:01:09.433$ head and neck. I mean, geez,

 $00:01:09.433 \longrightarrow 00:01:11.299$ there's a million things in there.

NOTE Confidence: 0.804683087333334

 $00{:}01{:}11.300 \dashrightarrow 00{:}01{:}13.260$ So can you break down for us what

NOTE Confidence: 0.804683087333334

00:01:13.260 --> 00:01:15.105 you're really talking about when you're

NOTE Confidence: 0.804683087333334

00:01:15.105 --> 00:01:17.049 talking about head and neck cancers?

NOTE Confidence: 0.880934193

 $00:01:17.600 \longrightarrow 00:01:20.200$ Of course, when we talk about head and

NOTE Confidence: 0.880934193

00:01:20.200 --> 00:01:22.047 neck cancer, we're really describing

NOTE Confidence: 0.880934193

 $00:01:22.047 \longrightarrow 00:01:24.840$ a number of cancers that can develop

NOTE Confidence: 0.880934193

 $00:01:24.915 \longrightarrow 00:01:27.176$ in or around the nose and sinuses,

NOTE Confidence: 0.880934193

 $00{:}01{:}27.180 \dashrightarrow 00{:}01{:}29.287$ the mouth, the throat, and the voice.

NOTE Confidence: 0.880934193

 $00:01:29.290 \longrightarrow 00:01:32.538$ Blocks, and while these are distinct cancers,

NOTE Confidence: 0.880934193

00:01:32.540 --> 00:01:35.400 often with distinct treatment approaches,

NOTE Confidence: 0.880934193

 $00:01:35.400 \longrightarrow 00:01:37.670$ they're they're kind of brought

NOTE Confidence: 0.880934193

00:01:37.670 --> 00:01:39.486 together together as a.

NOTE Confidence: 0.880934193

 $00:01:39.490 \longrightarrow 00:01:41.754$ As a group, because they form what we

NOTE Confidence: 0.880934193

 $00:01:41.754 \longrightarrow 00:01:43.989$ call the upper aerodigestive tract,

 $00:01:43.990 \longrightarrow 00:01:46.090$ which has a surface layer

NOTE Confidence: 0.880934193

00:01:46.090 --> 00:01:47.770 of flat squamous cells.

NOTE Confidence: 0.880934193

00:01:47.770 --> 00:01:50.395 And most of these cancers form when

NOTE Confidence: 0.880934193

 $00:01:50.395 \longrightarrow 00:01:51.900$ previously healthy squamous cells

NOTE Confidence: 0.880934193

 $00:01:51.900 \longrightarrow 00:01:53.790$ change and grow out of control.

NOTE Confidence: 0.815009602947368

 $00:01:55.020 \longrightarrow 00:01:57.736$ So you know, when we think about

NOTE Confidence: 0.815009602947368

00:01:57.736 --> 00:01:59.642 these squamous cells that grow

NOTE Confidence: 0.815009602947368

00:01:59.642 --> 00:02:01.973 and kind of get out of control,

NOTE Confidence: 0.815009602947368

 $00{:}02{:}01.980 \dashrightarrow 00{:}02{:}03.276$ are there other things that kind

NOTE Confidence: 0.815009602947368

 $00:02:03.276 \longrightarrow 00:02:04.880$ of link all of these together,

NOTE Confidence: 0.815009602947368

 $00:02:04.880 \longrightarrow 00:02:06.680$ certain risk factors,

NOTE Confidence: 0.815009602947368

 $00:02:06.680 \longrightarrow 00:02:08.850$ family history, other traits?

NOTE Confidence: 0.753832109230769

 $00:02:09.240 \longrightarrow 00:02:13.118$ I would say that the most important

NOTE Confidence: 0.753832109230769

00:02:13.118 --> 00:02:16.459 known risk factor is to bacco use.

NOTE Confidence: 0.753832109230769

00:02:16.460 --> 00:02:19.568 There are some evidence for a genetic

NOTE Confidence: 0.753832109230769

 $00:02:19.568 \longrightarrow 00:02:21.950$ predisposition to the cancer causing

 $00:02:21.950 \longrightarrow 00:02:25.345$ effects of tobacco and in addition tobacco.

NOTE Confidence: 0.753832109230769

 $00{:}02{:}25.350 \dashrightarrow 00{:}02{:}27.170$ And alcohol consumption together

NOTE Confidence: 0.753832109230769

 $00{:}02{:}27.170 \dashrightarrow 00{:}02{:}29.445$ can have a synergistic effect.

NOTE Confidence: 0.753832109230769

 $00:02:29.450 \longrightarrow 00:02:31.605$ That means that they conspire

NOTE Confidence: 0.753832109230769

00:02:31.605 --> 00:02:34.290 together to make things even worse,

NOTE Confidence: 0.753832109230769

 $00:02:34.290 \longrightarrow 00:02:36.684$ and that repeated exposure of the

NOTE Confidence: 0.753832109230769

 $00:02:36.684 \longrightarrow 00:02:38.841$ lining of the upper aerodigestive

NOTE Confidence: 0.753832109230769

 $00{:}02{:}38.841 \dashrightarrow 00{:}02{:}42.215$ tract to the cancer causing effects of

NOTE Confidence: 0.753832109230769

 $00:02:42.215 \longrightarrow 00:02:45.140$ tobacco and alcohol can cause cancer.

NOTE Confidence: 0.753832109230769

 $00:02:45.140 \longrightarrow 00:02:47.408$ And then we're also seeing that

NOTE Confidence: 0.753832109230769

00:02:47.408 --> 00:02:50.129 there is a significant rise in recent

NOTE Confidence: 0.753832109230769

 $00{:}02{:}50.129 \dashrightarrow 00{:}02{:}52.775$ decades of HPV related cancers as well.

NOTE Confidence: 0.829658566666667

 $00:02:53.460 \longrightarrow 00:02:56.046$ Now when we talk about HPV, most people

NOTE Confidence: 0.829658566666667

 $00:02:56.046 \longrightarrow 00:02:58.100$ think about cervical cancer, right?

NOTE Confidence: 0.805108207692308

 $00:02:58.600 \longrightarrow 00:03:00.616$ That's true, but there are several

 $00:03:00.616 \longrightarrow 00:03:02.860$ cancer types that are caused by HPV,

NOTE Confidence: 0.805108207692308

00:03:02.860 --> 00:03:04.702 including cervical, vaginal,

NOTE Confidence: 0.805108207692308

00:03:04.702 --> 00:03:07.158 vulvar cancers in women,

NOTE Confidence: 0.805108207692308

00:03:07.160 --> 00:03:09.960 anal cancers, HPV, associated head,

NOTE Confidence: 0.805108207692308

00:03:09.960 --> 00:03:11.148 neck, cancers, of course,

NOTE Confidence: 0.805108207692308

 $00:03:11.148 \longrightarrow 00:03:12.865$ and then also, it causes genital

NOTE Confidence: 0.805108207692308

00:03:12.865 --> 00:03:14.515 warts in both men and women.

NOTE Confidence: 0.711727436666667

00:03:15.410 --> 00:03:18.767 And so you know when we think about head,

NOTE Confidence: 0.711727436666667

 $00:03:18.770 \longrightarrow 00:03:21.150$ neck cancers and we think

NOTE Confidence: 0.711727436666667

 $00:03:21.150 \longrightarrow 00:03:23.064$ about these risk factors.

NOTE Confidence: 0.711727436666667

 $00{:}03{:}23.064 \dashrightarrow 00{:}03{:}26.410$ So certainly one thing that we can

NOTE Confidence: 0.711727436666667

 $00:03:26.504 \longrightarrow 00:03:29.264$ do in terms of primary prevention

NOTE Confidence: 0.711727436666667

00:03:29.264 --> 00:03:32.530 to reduce our risk is don't smoke,

NOTE Confidence: 0.711727436666667

00:03:32.530 --> 00:03:35.855 don't drink, don't do both of them

NOTE Confidence: 0.711727436666667

 $00:03:35.855 \longrightarrow 00:03:38.729$ together because they are synergistic.

NOTE Confidence: 0.711727436666667

 $00:03:38.730 \longrightarrow 00:03:41.406$ Is there? Is there a threshold,

 $00:03:41.410 \longrightarrow 00:03:46.250$ like a safe amount of tobacco or alcohol?

NOTE Confidence: 0.711727436666667

 $00:03:46.250 \longrightarrow 00:03:48.554$ Is this dose dependent or is

NOTE Confidence: 0.711727436666667

 $00{:}03{:}48.554 \dashrightarrow 00{:}03{:}50.090$ it really your recommendation

NOTE Confidence: 0.711727436666667

 $00:03:50.160 \longrightarrow 00:03:51.950$ that people abstain as much

NOTE Confidence: 0.880920319285714

 $00{:}03{:}51.960 \dashrightarrow 00{:}03{:}55.131$ as possible? So we think of to bacco

NOTE Confidence: 0.880920319285714

00:03:55.131 --> 00:03:58.339 sort of being the main risk here,

NOTE Confidence: 0.880920319285714

 $00:03:58.340 \longrightarrow 00:04:01.840$ and alcohol as something of a cofactor.

NOTE Confidence: 0.880920319285714

 $00:04:01.840 \longrightarrow 00:04:04.366$ I think it's agreed that that

NOTE Confidence: 0.880920319285714

00:04:04.366 --> 00:04:06.440 people shouldn't smoke at all,

NOTE Confidence: 0.880920319285714

 $00:04:06.440 \longrightarrow 00:04:08.276$ and I know it's it's generally

NOTE Confidence: 0.880920319285714

 $00{:}04{:}08.276 \dashrightarrow 00{:}04{:}10.080$ very hard to stop smoking,

NOTE Confidence: 0.880920319285714

 $00:04:10.080 \longrightarrow 00:04:12.103$ but more than three out of five

NOTE Confidence: 0.880920319285714

 $00{:}04{:}12.103 \dashrightarrow 00{:}04{:}13.749$ adults who have ever smoked

NOTE Confidence: 0.880920319285714

 $00{:}04{:}13.749 \dashrightarrow 00{:}04{:}15.891$ cigarettes in the United States have

NOTE Confidence: 0.880920319285714

00:04:15.891 --> 00:04:17.960 been able to successfully quit.

 $00:04:17.960 \longrightarrow 00:04:19.856$ I think it's harder to argue

NOTE Confidence: 0.880920319285714

 $00{:}04{:}19.856 \dashrightarrow 00{:}04{:}21.120$ that people should abstain

NOTE Confidence: 0.880920319285714

00:04:21.187 --> 00:04:22.799 completely from alcohol use,

NOTE Confidence: 0.880920319285714

 $00:04:22.800 \longrightarrow 00:04:24.708$ but less is definitely more when

NOTE Confidence: 0.880920319285714

 $00:04:24.708 \longrightarrow 00:04:27.090$ it comes to this particular risk.

NOTE Confidence: 0.759042856

 $00:04:28.300 \longrightarrow 00:04:32.620$ And so and then and then with regards

NOTE Confidence: 0.759042856

 $00:04:32.620 \longrightarrow 00:04:36.034$ to HPV, any words of wisdom in terms

NOTE Confidence: 0.759042856

 $00:04:36.034 \longrightarrow 00:04:38.470$ of preventing an HPV infection?

NOTE Confidence: 0.4268915204

 $00:04:38.800 \longrightarrow 00:04:45.050$ Absolutely so we are now using an

NOTE Confidence: 0.4268915204

00:04:45.050 --> 00:04:48.375 HPV vaccine with the thoughts.

NOTE Confidence: 0.4268915204

 $00:04:48.380 \longrightarrow 00:04:50.788$ Not that it, not that it only

NOTE Confidence: 0.4268915204

 $00{:}04{:}50.788 \dashrightarrow 00{:}04{:}53.320$ reduces the risk of cervical cancer,

NOTE Confidence: 0.4268915204

 $00:04:53.320 \longrightarrow 00:04:56.008$ but that it can reduce the

NOTE Confidence: 0.4268915204

00:04:56.008 --> 00:04:57.800 risk of HPV associated.

NOTE Confidence: 0.4268915204

 $00:04:57.800 \longrightarrow 00:05:00.128$ Had a neck cancers as well.

NOTE Confidence: 0.4268915204

 $00{:}05{:}00.130 \dashrightarrow 00{:}05{:}02.140$ This vaccine was developed to

 $00{:}05{:}02.140 \dashrightarrow 00{:}05{:}05.830$ prevent cervical cancers, of course.

NOTE Confidence: 0.4268915204

 $00{:}05{:}05.830 \dashrightarrow 00{:}05{:}10.186$ And so now we're recommending that.

NOTE Confidence: 0.4268915204

 $00:05:10.190 \longrightarrow 00:05:13.746$ That children 11 to 12 boys and

NOTE Confidence: 0.4268915204

00:05:13.746 --> 00:05:16.159 girls get vaccinated for HPV.

NOTE Confidence: 0.4268915204

 $00{:}05{:}16.160 \dashrightarrow 00{:}05{:}18.770$ And the Centers for Disease Control

NOTE Confidence: 0.4268915204

 $00:05:18.770 \longrightarrow 00:05:20.510$ also recommends HPV vaccination

NOTE Confidence: 0.4268915204

 $00:05:20.580 \longrightarrow 00:05:22.998$ for everyone through age 26 if

NOTE Confidence: 0.4268915204

 $00{:}05{:}22.998 \dashrightarrow 00{:}05{:}24.610$ they're not vaccinated already.

NOTE Confidence: 0.82386818775

 $00:05:25.080 \longrightarrow 00:05:28.587$ So. Now if you think about the

NOTE Confidence: 0.82386818775

00:05:28.587 --> 00:05:31.470 epidemiology of head neck cancers,

NOTE Confidence: 0.82386818775

 $00:05:31.470 \longrightarrow 00:05:33.857$ these tend to occur in people as

NOTE Confidence: 0.82386818775

 $00:05:33.857 \longrightarrow 00:05:35.648$ they get older, is that right?

NOTE Confidence: 0.7869462228

 $00{:}05{:}36.420 \dashrightarrow 00{:}05{:}37.701$ That's that's correct.

NOTE Confidence: 0.7869462228

 $00{:}05{:}37.701 \dashrightarrow 00{:}05{:}40.263$ I think when we're thinking about

NOTE Confidence: 0.7869462228

 $00:05:40.263 \longrightarrow 00:05:42.422$ HPV associated cancers where seeing

 $00:05:42.422 \longrightarrow 00:05:45.370$ this more in men and we're seeing

NOTE Confidence: 0.7869462228

00:05:45.370 --> 00:05:48.114 it more in in in some younger

NOTE Confidence: 0.7869462228

 $00:05:48.114 \longrightarrow 00:05:51.740$ patients sometimes aged 4050.

NOTE Confidence: 0.7869462228

 $00:05:51.740 \longrightarrow 00:05:54.722$ We think about. For that reason

NOTE Confidence: 0.7869462228

 $00:05:54.722 \longrightarrow 00:05:57.124$ we also sometimes will you know,

NOTE Confidence: 0.7869462228

 $00:05:57.124 \longrightarrow 00:05:58.159$ think about whether it might

NOTE Confidence: 0.7869462228

00:05:58.159 --> 00:05:59.490 make sense for some individuals,

NOTE Confidence: 0.7869462228

 $00:05:59.490 \longrightarrow 00:06:01.798$ perhaps older than 27,

NOTE Confidence: 0.7869462228

00:06:01.798 --> 00:06:04.683 to get the HPV vaccine.

NOTE Confidence: 0.7869462228

 $00:06:04.690 \longrightarrow 00:06:08.330$ And in fact, these days this the

NOTE Confidence: 0.7869462228

 $00:06:08.330 \longrightarrow 00:06:11.790$ vaccine is approved up through age 45,

NOTE Confidence: 0.7869462228

 $00{:}06{:}11.790 \dashrightarrow 00{:}06{:}14.616$ so patients can speak with their

NOTE Confidence: 0.7869462228

00:06:14.616 --> 00:06:17.623 physician if they're older than age

NOTE Confidence: 0.7869462228

 $00:06:17.623 \longrightarrow 00:06:20.218$ 27 about whether their individual

NOTE Confidence: 0.7869462228

 $00:06:20.218 \longrightarrow 00:06:22.260$ situation lends itself well.

NOTE Confidence: 0.7869462228

 $00:06:22.260 \longrightarrow 00:06:25.446$ To receiving the vaccination for HPV.

 $00:06:26.390 \longrightarrow 00:06:28.670$ Why is there an age cutoff at all?

NOTE Confidence: 0.906413955

 $00:06:28.670 \longrightarrow 00:06:30.614$ I mean, when we think about

NOTE Confidence: 0.906413955

00:06:30.614 --> 00:06:32.302 vaccines like COVID, for example,

NOTE Confidence: 0.906413955

 $00:06:32.302 \longrightarrow 00:06:34.438$ which many of us now have

NOTE Confidence: 0.906413955

00:06:34.438 --> 00:06:36.229 become very familiar with,

NOTE Confidence: 0.906413955

 $00:06:36.230 \longrightarrow 00:06:39.542$ we really started vaccinating people who

NOTE Confidence: 0.906413955

 $00:06:39.542 \longrightarrow 00:06:43.530$ are older who were immunocompromised.

NOTE Confidence: 0.906413955

00:06:43.530 --> 00:06:46.169 Why is it with HPV that it's

NOTE Confidence: 0.906413955

 $00:06:46.169 \longrightarrow 00:06:48.150$ kind of the reverse.

NOTE Confidence: 0.906413955

 $00{:}06{:}48.150 \dashrightarrow 00{:}06{:}51.082$ We're vaccinating children and

NOTE Confidence: 0.906413955

 $00:06:51.082 \longrightarrow 00:06:54.014$ really limiting vaccinations to

NOTE Confidence: 0.906413955

 $00:06:54.014 \longrightarrow 00:06:57.970$ people over the age of? Of 46.

NOTE Confidence: 0.858809718666667

 $00{:}06{:}58.400 \dashrightarrow 00{:}07{:}01.865$ The reason for that is because HPV

NOTE Confidence: 0.858809718666667

 $00:07:01.865 \longrightarrow 00:07:04.974$ vaccination is intended to prevent new

NOTE Confidence: 0.858809718666667

 $00:07:04.974 \longrightarrow 00:07:07.980$ HIV infections, but does not really

 $00:07:07.980 \longrightarrow 00:07:10.455$ treat existing infections or diseases.

NOTE Confidence: 0.858809718666667

 $00:07:10.460 \longrightarrow 00:07:13.380$ That's why the HPV vaccine works best when

NOTE Confidence: 0.858809718666667

 $00:07:13.380 \longrightarrow 00:07:16.040$ it's given before any exposure to HPV.

NOTE Confidence: 0.858809718666667

00:07:16.040 --> 00:07:18.596 And the thought is that as people get older,

NOTE Confidence: 0.858809718666667

 $00:07:18.600 \longrightarrow 00:07:20.580$ they're more likely to already

NOTE Confidence: 0.858809718666667

 $00:07:20.580 \longrightarrow 00:07:22.560$ have been exposed to HPV.

NOTE Confidence: 0.858809718666667

00:07:22.560 --> 00:07:24.680 But of course, even if a person has

NOTE Confidence: 0.858809718666667

00:07:24.680 --> 00:07:26.399 been infected with one type of HPV,

NOTE Confidence: 0.858809718666667

 $00:07:26.400 \longrightarrow 00:07:27.390$ it may not be too late.

NOTE Confidence: 0.858809718666667

 $00:07:27.390 \longrightarrow 00:07:29.574$ To help protect oneself from certain

NOTE Confidence: 0.858809718666667

 $00:07:29.574 \dashrightarrow 00:07:32.248$ cancers caused by other types of the virus.

NOTE Confidence: 0.898533396666667

 $00:07:32.700 \longrightarrow 00:07:35.731$ Cool so we've talked a little bit

NOTE Confidence: 0.898533396666667

00:07:35.731 --> 00:07:38.320 about primary prevention in terms of

NOTE Confidence: 0.898533396666667

 $00{:}07{:}38.320 \dashrightarrow 00{:}07{:}41.141$ minimizing the three main risk factors

NOTE Confidence: 0.898533396666667

 $00:07:41.223 \longrightarrow 00:07:43.834$ for getting a head and neck cancer.

NOTE Confidence: 0.898533396666667

 $00{:}07{:}43.840 \dashrightarrow 00{:}07{:}47.232$ You know, the next issue is really the

00:07:47.232 --> 00:07:49.532 secondary prevention, so you know,

NOTE Confidence: 0.898533396666667

 $00{:}07{:}49.532 \dashrightarrow 00{:}07{:}53.645$ we often think about screening in terms of

NOTE Confidence: 0.898533396666667

 $00{:}07{:}53.645 \dashrightarrow 00{:}07{:}57.395$ mammograms and pap smears and colonoscopies.

NOTE Confidence: 0.898533396666667

00:07:57.400 --> 00:08:01.135 And even low dose CT's for for lung cancer

NOTE Confidence: 0.898533396666667

 $00:08:01.135 \longrightarrow 00:08:04.106$ screening for people who are are smokers.

NOTE Confidence: 0.898533396666667

00:08:04.110 --> 00:08:06.582 What do we have in terms of screening

NOTE Confidence: 0.898533396666667

00:08:06.582 --> 00:08:08.920 for head neck cancers, anything?

NOTE Confidence: 0.867814667894737

 $00:08:09.530 \longrightarrow 00:08:11.630$ Currently there are no screening methods

NOTE Confidence: 0.867814667894737

 $00:08:11.630 \longrightarrow 00:08:13.759$ that have been proven to increase

NOTE Confidence: 0.867814667894737

 $00{:}08{:}13.759 \dashrightarrow 00{:}08{:}16.090$ survival rates for head and neck cancers.

NOTE Confidence: 0.867814667894737

00:08:16.090 --> 00:08:18.586 That being said, a screening physical

NOTE Confidence: 0.867814667894737

 $00:08:18.586 \longrightarrow 00:08:21.002$ examination of the neck, the oropharynx,

NOTE Confidence: 0.867814667894737

 $00:08:21.002 \longrightarrow 00:08:23.634$ which is that middle section of the

NOTE Confidence: 0.867814667894737

 $00:08:23.634 \longrightarrow 00:08:26.027$ throat that includes the soft palate,

NOTE Confidence: 0.867814667894737

 $00:08:26.030 \longrightarrow 00:08:28.454$ the base of the tongue and the tonsils.

 $00:08:28.460 \longrightarrow 00:08:30.616$ As well as the mouth has been

NOTE Confidence: 0.867814667894737

 $00{:}08{:}30.616 {\:\dashrightarrow\:} 00{:}08{:}32.638$ pretty widely adopted as part of

NOTE Confidence: 0.867814667894737

00:08:32.638 --> 00:08:34.018 a routine dental examination,

NOTE Confidence: 0.867814667894737

 $00:08:34.020 \longrightarrow 00:08:36.040$ so it's very important to

NOTE Confidence: 0.867814667894737

 $00:08:36.040 \longrightarrow 00:08:38.060$ keep current with the dentist.

NOTE Confidence: 0.867814667894737

 $00:08:38.060 \longrightarrow 00:08:39.908$ Also over the years within our

NOTE Confidence: 0.867814667894737

00:08:39.908 --> 00:08:41.933 community we have had head and

NOTE Confidence: 0.867814667894737

 $00{:}08{:}41.933 \dashrightarrow 00{:}08{:}43.768$ neck cancer screening health fairs

NOTE Confidence: 0.867814667894737

 $00:08:43.768 \longrightarrow 00:08:46.162$ which are intended to catch some of

NOTE Confidence: 0.867814667894737

 $00:08:46.162 \longrightarrow 00:08:48.010$ these cancers as early as possible,

NOTE Confidence: 0.739022758071429

 $00{:}08{:}48.360 \dashrightarrow 00{:}08{:}51.606$ and so let's suppose you haven't

NOTE Confidence: 0.739022758071429

 $00{:}08{:}51.606 \dashrightarrow 00{:}08{:}55.989$ quite made it to the dentist as yet.

NOTE Confidence: 0.739022758071429

 $00{:}08{:}55.990 \dashrightarrow 00{:}08{:}58.804$ Not saying anything but a lot

NOTE Confidence: 0.739022758071429

 $00{:}08{:}58.804 \dashrightarrow 00{:}09{:}00.680$ of people don't particularly

NOTE Confidence: 0.739022758071429

 $00:09:00.766 \longrightarrow 00:09:02.866$ love going to the dentist.

NOTE Confidence: 0.739022758071429

 $00:09:02.870 \longrightarrow 00:09:05.138$ What should people be looking for

 $00:09:05.138 \longrightarrow 00:09:07.505$ in terms of signs and symptoms

NOTE Confidence: 0.739022758071429

 $00:09:07.505 \longrightarrow 00:09:10.207$ that might clue them into the fact

NOTE Confidence: 0.739022758071429

 $00:09:10.207 \longrightarrow 00:09:12.750$ that it may be time to pay a visit

NOTE Confidence: 0.739022758071429

00:09:12.750 --> 00:09:14.698 it to get something checked out,

NOTE Confidence: 0.813598909111111

 $00:09:15.290 \longrightarrow 00:09:18.395$ so part of the reason that we don't have.

NOTE Confidence: 0.850647662

 $00:09:20.940 \longrightarrow 00:09:23.442$ Solid screening tools other screening tools

NOTE Confidence: 0.850647662

00:09:23.442 --> 00:09:26.795 for head and neck cancer is that these

NOTE Confidence: 0.850647662

 $00:09:26.795 \longrightarrow 00:09:29.213$ cancers often present in early stages,

NOTE Confidence: 0.850647662

 $00{:}09{:}29.220 \dashrightarrow 00{:}09{:}31.760$ with symptoms that themselves prompt

NOTE Confidence: 0.850647662

 $00{:}09{:}31.760 \dashrightarrow 00{:}09{:}34.300$ people to seek medical attention.

NOTE Confidence: 0.850647662

 $00:09:34.300 \longrightarrow 00:09:36.666$ Some of the main symptoms that lead

NOTE Confidence: 0.850647662

 $00:09:36.666 \longrightarrow 00:09:39.019$ to the diagnosis of a head and

NOTE Confidence: 0.850647662

 $00{:}09{:}39.019 \dashrightarrow 00{:}09{:}40.927$ neck cancer include swelling in the

NOTE Confidence: 0.850647662

00:09:40.999 --> 00:09:43.075 mouth or sore that doesn't heal,

NOTE Confidence: 0.850647662

 $00:09:43.080 \longrightarrow 00:09:45.798$ a red or a white patch in the mouth,

 $00:09:45.800 \longrightarrow 00:09:47.396$ a lump in the neck area,

NOTE Confidence: 0.850647662

 $00:09:47.400 \longrightarrow 00:09:49.412$ with or without pain.

NOTE Confidence: 0.850647662

00:09:49.412 --> 00:09:52.708 A persistent sore throat, a voice change,

NOTE Confidence: 0.850647662

 $00:09:52.708 \longrightarrow 00:09:54.838$ and sometimes even frequent nose

NOTE Confidence: 0.850647662

 $00:09:54.838 \longrightarrow 00:09:57.530$ bleeds or unusual nasal discharge.

NOTE Confidence: 0.850647662

00:09:57.530 --> 00:10:00.197 Now, it's tricky because we all get

NOTE Confidence: 0.850647662

00:10:00.197 --> 00:10:02.309 these symptoms from time to time,

NOTE Confidence: 0.850647662

 $00:10:02.310 \longrightarrow 00:10:04.858$ and it's not uncommon to see patients

NOTE Confidence: 0.850647662

 $00{:}10{:}04.858 \dashrightarrow 00{:}10{:}07.569$ seek medical help for these issues

NOTE Confidence: 0.850647662

 $00{:}10{:}07.569 \dashrightarrow 00{:}10{:}09.633$ and get prescribed antibiotics

NOTE Confidence: 0.850647662

 $00{:}10{:}09.633 \mathrel{--}{>} 00{:}10{:}11.181$ or decongestant decongestants.

NOTE Confidence: 0.850647662

 $00{:}10{:}11.190 \dashrightarrow 00{:}10{:}13.174$ But So what I really want to tell

NOTE Confidence: 0.850647662

00:10:13.174 --> 00:10:15.409 people is that if the symptoms persist,

NOTE Confidence: 0.850647662

 $00:10:15.410 \longrightarrow 00:10:17.690$ say for four weeks or longer,

NOTE Confidence: 0.850647662

00:10:17.690 --> 00:10:19.340 then they really should get checked

NOTE Confidence: 0.850647662

 $00:10:19.340 \longrightarrow 00:10:20.440$ out by a specialist.

00:10:20.440 --> 00:10:21.896 Such as an otolaryngologist,

NOTE Confidence: 0.850647662

 $00:10:21.896 \longrightarrow 00:10:23.716$ also known as an ear,

NOTE Confidence: 0.850647662

 $00:10:23.720 \longrightarrow 00:10:24.960$ nose and throat doctor

NOTE Confidence: 0.882414863

00:10:25.220 --> 00:10:27.551 and so you know one of the things that

NOTE Confidence: 0.882414863

 $00:10:27.551 \longrightarrow 00:10:30.035$ you just mentioned is that these tend

NOTE Confidence: 0.882414863

 $00:10:30.035 \longrightarrow 00:10:32.101$ to present with symptoms that cause

NOTE Confidence: 0.882414863

 $00:10:32.101 \longrightarrow 00:10:34.373$ people to go to the doctor and they

NOTE Confidence: 0.882414863

 $00{:}10{:}34.380 \dashrightarrow 00{:}10{:}36.476$ tend to be found at an early stage.

NOTE Confidence: 0.882414863

 $00:10:36.480 \longrightarrow 00:10:38.349$ So does that mean that most of

NOTE Confidence: 0.882414863

 $00:10:38.349 \longrightarrow 00:10:40.578$ these have a really good prognosis?

NOTE Confidence: 0.856539347142857

 $00{:}10{:}41.670 --> 00{:}10{:}43.524$ In general, yes.

NOTE Confidence: 0.856539347142857

 $00:10:43.524 \longrightarrow 00:10:48.660$ So when we see. Early stage.

NOTE Confidence: 0.856539347142857

 $00{:}10{:}48.660 \dashrightarrow 00{:}10{:}51.130$ The neck cancers that are

NOTE Confidence: 0.856539347142857

 $00:10:51.130 \longrightarrow 00:10:53.106$ associated with HPV positivity,

NOTE Confidence: 0.856539347142857

 $00:10:53.110 \longrightarrow 00:10:54.460$ their survival is really good,

 $00:10:54.460 \longrightarrow 00:10:59.030$ around 80 to 90% five years in cancers

NOTE Confidence: 0.856539347142857

00:10:59.030 --> 00:11:01.100 that are not associated with HPV,

NOTE Confidence: 0.856539347142857

00:11:01.100 --> 00:11:03.112 perhaps more tobacco related,

NOTE Confidence: 0.856539347142857

 $00:11:03.112 \longrightarrow 00:11:05.627$ these cancers are generally associated

NOTE Confidence: 0.856539347142857

00:11:05.627 --> 00:11:08.059 with a lower five year survival,

NOTE Confidence: 0.856539347142857

 $00:11:08.060 \longrightarrow 00:11:10.290$ but it's still around 5060%.

NOTE Confidence: 0.840039017777778

 $00:11:11.610 \longrightarrow 00:11:14.130$ Is there a difference based

NOTE Confidence: 0.840039017777778

 $00:11:14.130 \longrightarrow 00:11:16.146$ on the etiologic factor?

NOTE Confidence: 0.840039017777778

00:11:16.150 --> 00:11:17.990 Do they cause different mutations

NOTE Confidence: 0.840039017777778

 $00:11:17.990 \longrightarrow 00:11:20.340$ in these cancer cells such that

NOTE Confidence: 0.840039017777778

 $00:11:20.340 \longrightarrow 00:11:22.108$ the cancers behave differently?

NOTE Confidence: 0.778344985076923

 $00:11:23.540 \longrightarrow 00:11:26.844$ The in the mechanism of cellular injury

NOTE Confidence: 0.778344985076923

 $00{:}11{:}26.844 \dashrightarrow 00{:}11{:}29.618$ is different for HPV associated head

NOTE Confidence: 0.778344985076923

00:11:29.618 --> 00:11:33.177 and neck cancers and and not a HPV

NOTE Confidence: 0.778344985076923

 $00:11:33.177 \longrightarrow 00:11:35.777$ associated head and neck cancers.

NOTE Confidence: 0.778344985076923

 $00:11:35.780 \longrightarrow 00:11:39.917$ When in the absence of HPV association,

00:11:39.920 --> 00:11:42.705 it's generally tobacco exposure that

NOTE Confidence: 0.778344985076923

 $00{:}11{:}42.705 \dashrightarrow 00{:}11{:}46.231$ drives the process and these these

NOTE Confidence: 0.778344985076923

 $00:11:46.231 \longrightarrow 00:11:50.550$ carcinogens in to bacco tend to impact a

NOTE Confidence: 0.778344985076923

00:11:50.665 --> 00:11:53.615 gene called P53 which is a type of tumor.

NOTE Confidence: 0.778344985076923

00:11:53.620 --> 00:11:55.590 Suppressor gene and when this

NOTE Confidence: 0.778344985076923

00:11:55.590 --> 00:11:57.560 tumor suppressor gene gets mutated,

NOTE Confidence: 0.778344985076923

00:11:57.560 --> 00:12:00.304 the result is almost genetic anarchy and

NOTE Confidence: 0.778344985076923

 $00{:}12{:}00.304 \dashrightarrow 00{:}12{:}03.238$ tumors that have a lot of mutations that

NOTE Confidence: 0.778344985076923

 $00:12:03.238 \longrightarrow 00:12:05.960$ tend to be more resistant to treatments.

NOTE Confidence: 0.778344985076923

 $00:12:05.960 \longrightarrow 00:12:07.904$ And that most likely explains the

NOTE Confidence: 0.778344985076923

 $00:12:07.904 \longrightarrow 00:12:10.000$ the basis of the difference that

NOTE Confidence: 0.778344985076923

 $00:12:10.000 \longrightarrow 00:12:12.190$ we see in outcomes over time.

NOTE Confidence: 0.768874561

00:12:13.080 --> 00:12:15.275 And so let's suppose you

NOTE Confidence: 0.768874561

 $00:12:15.275 \longrightarrow 00:12:17.470$ find one of these areas.

NOTE Confidence: 0.768874561

 $00:12:17.470 \longrightarrow 00:12:19.326$ You find a bump in your neck that

00:12:19.326 --> 00:12:20.957 stayed there for more than a month,

NOTE Confidence: 0.768874561

 $00{:}12{:}20.960 \dashrightarrow 00{:}12{:}23.515$ or a white plaque in your mouth.

NOTE Confidence: 0.768874561

00:12:23.520 --> 00:12:26.478 Or maybe you've had persistent nosebleeds,

NOTE Confidence: 0.768874561

 $00:12:26.480 \longrightarrow 00:12:28.776$ and these aren't just the usual kind of.

NOTE Confidence: 0.768874561

 $00:12:28.780 \longrightarrow 00:12:30.976$ It's really dry in here. Kind of.

NOTE Confidence: 0.768874561

 $00:12:30.976 \longrightarrow 00:12:32.516$ This is my usual Nosebleed.

NOTE Confidence: 0.768874561

 $00:12:32.520 \longrightarrow 00:12:35.928$ But this is nosebleeds that are

NOTE Confidence: 0.768874561

00:12:35.928 --> 00:12:38.200 are constant and persistent.

NOTE Confidence: 0.768874561

 $00:12:38.200 \longrightarrow 00:12:40.776$ And you go and see the doctor.

NOTE Confidence: 0.768874561

 $00:12:40.780 \longrightarrow 00:12:42.868$ What should you expect?

NOTE Confidence: 0.71849925315

 $00:12:43.340 \longrightarrow 00:12:46.934$ Well, it's likely that the doctor

NOTE Confidence: 0.71849925315

00:12:46.934 --> 00:12:50.319 might represent a recommend a biopsy.

NOTE Confidence: 0.71849925315

 $00:12:50.320 \longrightarrow 00:12:51.890$ We typically think about something

NOTE Confidence: 0.71849925315

 $00:12:51.890 \longrightarrow 00:12:53.460$ called a fine needle biopsy,

NOTE Confidence: 0.71849925315

 $00:12:53.460 \longrightarrow 00:12:55.632$ where we take some cells and

NOTE Confidence: 0.71849925315

 $00:12:55.632 \longrightarrow 00:12:57.707$ examine them under the microscope

00:12:57.707 --> 00:13:00.014 to determine whether whether there

NOTE Confidence: 0.71849925315

 $00:13:00.014 \longrightarrow 00:13:01.649$ are any cancer cells present,

NOTE Confidence: 0.641880901923077

 $00:13:01.760 \longrightarrow 00:13:04.938$ and so if that should come back

NOTE Confidence: 0.641880901923077

 $00:13:04.938 \longrightarrow 00:13:08.469$ and render a diagnosis of cancer.

NOTE Confidence: 0.641880901923077

 $00:13:08.470 \longrightarrow 00:13:09.628$ What happens next?

NOTE Confidence: 0.641880901923077

 $00{:}13{:}09.628 \dashrightarrow 00{:}13{:}12.330$ Do people generally get scans to see

NOTE Confidence: 0.641880901923077

 $00:13:12.402 \longrightarrow 00:13:15.066$ whether this has spread anywhere else,

NOTE Confidence: 0.641880901923077

 $00{:}13{:}15.070 \dashrightarrow 00{:}13{:}16.701$ and and how common is it for

NOTE Confidence: 0.641880901923077

00:13:16.701 --> 00:13:18.290 head and neck cancers to spread

NOTE Confidence: 0.641880901923077

 $00:13:18.290 \longrightarrow 00:13:19.952$ to other parts of the body?

NOTE Confidence: 0.885705281

 $00:13:21.770 \longrightarrow 00:13:23.370$ Once we've made a diagnosis

NOTE Confidence: 0.885705281

 $00:13:23.370 \longrightarrow 00:13:24.970$ of head and neck cancer,

NOTE Confidence: 0.885705281

 $00{:}13{:}24.970 \dashrightarrow 00{:}13{:}27.088$ we generally do obtain scans and

NOTE Confidence: 0.885705281

 $00:13:27.088 \longrightarrow 00:13:29.368$ then we start to get everyone

NOTE Confidence: 0.885705281

 $00:13:29.368 \longrightarrow 00:13:31.744$ together to discuss what to do.

 $00:13:31.750 \longrightarrow 00:13:34.410$ The care of patients with head and

NOTE Confidence: 0.885705281

 $00:13:34.410 \longrightarrow 00:13:36.769$ neck cancers is highly complex,

NOTE Confidence: 0.885705281

 $00:13:36.770 \longrightarrow 00:13:39.806$ so it needs to be both

NOTE Confidence: 0.885705281

 $00:13:39.806 \longrightarrow 00:13:41.324$ collaborative and coordinated.

NOTE Confidence: 0.885705281

00:13:41.330 --> 00:13:43.206 It requires a multidisciplinary

NOTE Confidence: 0.885705281

 $00:13:43.206 \longrightarrow 00:13:45.551$ team approach that leverages the

NOTE Confidence: 0.885705281

 $00:13:45.551 \longrightarrow 00:13:47.425$ combined experience of various

NOTE Confidence: 0.885705281

 $00:13:47.425 \longrightarrow 00:13:49.201$ physicians and other specialists

NOTE Confidence: 0.885705281

 $00:13:49.201 \longrightarrow 00:13:51.499$ to achieve the best outcomes.

NOTE Confidence: 0.885705281

 $00:13:51.500 \longrightarrow 00:13:52.130$ We always talk

NOTE Confidence: 0.897249112173913

00:13:52.140 --> 00:13:53.184 about, you know what?

NOTE Confidence: 0.897249112173913

 $00:13:53.184 \longrightarrow 00:13:55.110$ I want you to hold that thought

NOTE Confidence: 0.897249112173913

 $00{:}13{:}55.110 \dashrightarrow 00{:}13{:}57.217$ because it does sound like it will

NOTE Confidence: 0.897249112173913

00:13:57.217 --> 00:13:59.159 be really complex and intricate,

NOTE Confidence: 0.897249112173913

 $00:13:59.160 \longrightarrow 00:14:01.302$ and I want to get into that

NOTE Confidence: 0.897249112173913

 $00{:}14{:}01.302 \dashrightarrow 00{:}14{:}03.128$ conversation right after we take a

 $00:14:03.128 \longrightarrow 00:14:04.814$ short break for a medical minute.

NOTE Confidence: 0.897249112173913

 $00:14:04.820 \longrightarrow 00:14:06.590$ Please stay tuned to learn

NOTE Confidence: 0.897249112173913

 $00:14:06.590 \longrightarrow 00:14:08.360$ more about innovations in head

NOTE Confidence: 0.897249112173913

00:14:08.424 --> 00:14:10.039 neck cancer with my guest,

NOTE Confidence: 0.897249112173913

00:14:10.040 --> 00:14:11.408 doctor Benjamin Newton.

NOTE Confidence: 0.778303253

00:14:11.900 --> 00:14:13.880 Funding for Yale Cancer Answers

NOTE Confidence: 0.778303253

00:14:13.880 --> 00:14:15.860 comes from Smilow Cancer Hospital,

NOTE Confidence: 0.778303253

 $00:14:15.860 \longrightarrow 00:14:18.807$ where you can view videos from their

NOTE Confidence: 0.778303253

 $00{:}14{:}18.807 \dashrightarrow 00{:}14{:}21.733$ survivorship team by searching for the

NOTE Confidence: 0.778303253

 $00:14:21.733 \longrightarrow 00:14:24.368$ Smilow survivorship playlist on YouTube.

NOTE Confidence: 0.778303253

 $00:14:24.370 \longrightarrow 00:14:27.238$ The American Cancer Society estimates that

NOTE Confidence: 0.778303253

 $00:14:27.238 \longrightarrow 00:14:29.754$ over 200,000 cases of Melanoma will be

NOTE Confidence: 0.778303253

 $00{:}14{:}29.754 \dashrightarrow 00{:}14{:}32.180$ diagnosed in the United States this year,

NOTE Confidence: 0.778303253

 $00:14:32.180 \longrightarrow 00:14:35.288$ with over 1000 patients in Connecticut alone.

NOTE Confidence: 0.778303253

00:14:35.290 --> 00:14:37.575 While Melanoma accounts for only

 $00:14:37.575 \longrightarrow 00:14:40.078$ about 1% of skin cancer cases,

NOTE Confidence: 0.778303253

 $00{:}14{:}40.078 \operatorname{{--}{>}} 00{:}14{:}43.080$ it causes the most skin cancer deaths,

NOTE Confidence: 0.778303253

 $00:14:43.080 \longrightarrow 00:14:44.500$ but when detected early,

NOTE Confidence: 0.778303253

 $00:14:44.500 \longrightarrow 00:14:47.210$ it is easily treated and highly curable.

NOTE Confidence: 0.778303253

 $00:14:47.210 \longrightarrow 00:14:49.102$ Clinical trials are currently

NOTE Confidence: 0.778303253

00:14:49.102 --> 00:14:50.994 underway at federally designated

NOTE Confidence: 0.778303253

 $00:14:50.994 \longrightarrow 00:14:52.941$ Comprehensive cancer centers such as

NOTE Confidence: 0.778303253

00:14:52.941 --> 00:14:55.132 Yale Cancer Center and Smilow Cancer

NOTE Confidence: 0.778303253

 $00{:}14{:}55.140 {\: --> \:} 00{:}14{:}57.092$ Hospital to test innovative

NOTE Confidence: 0.778303253

 $00{:}14{:}57.092 \dashrightarrow 00{:}14{:}59.044$ new treatments for Melanoma.

NOTE Confidence: 0.778303253

 $00{:}14{:}59.050 \dashrightarrow 00{:}15{:}01.258$ The goal of the specialized programs

NOTE Confidence: 0.778303253

00:15:01.258 --> 00:15:03.124 of research excellence in Skin

NOTE Confidence: 0.778303253

 $00:15:03.124 \longrightarrow 00:15:05.116$ Cancer Grant is to better understand

NOTE Confidence: 0.778303253

 $00{:}15{:}05.116 --> 00{:}15{:}06.889$ the biology of skin cancer,

NOTE Confidence: 0.778303253

 $00:15:06.890 \longrightarrow 00:15:08.595$ where the focus on discovering

NOTE Confidence: 0.778303253

 $00{:}15{:}08.595 \dashrightarrow 00{:}15{:}10.863$ targets that will lead to improved

 $00:15:10.863 \longrightarrow 00:15:12.369$ diagnosis and treatment.

NOTE Confidence: 0.778303253

 $00:15:12.370 \longrightarrow 00:15:14.810$ More information is available

NOTE Confidence: 0.778303253

 $00:15:14.810 \longrightarrow 00:15:15.882$ at yalecancercenter.org.

NOTE Confidence: 0.778303253

00:15:15.882 --> 00:15:18.654 You're listening to Connecticut public radio.

NOTE Confidence: 0.801336155

 $00:15:20.780 \longrightarrow 00:15:22.808$ Welcome back to Yale Cancer Answers.

NOTE Confidence: 0.801336155

 $00:15:22.810 \longrightarrow 00:15:24.010$ This is doctor Anees Chagpar and

NOTE Confidence: 0.801336155

 $00:15:24.010 \longrightarrow 00:15:26.196$ I'm joined tonight by

NOTE Confidence: 0.801336155

 $00{:}15{:}26.196 \dashrightarrow 00{:}15{:}27.816$ my guest doctor Benjamin Newton.

NOTE Confidence: 0.801336155

 $00{:}15{:}27.820 \to 00{:}15{:}29.325$ We're talking about the care

NOTE Confidence: 0.801336155

00:15:29.325 --> 00:15:31.206 of patients with head and neck

NOTE Confidence: 0.801336155

 $00{:}15{:}31.206 \dashrightarrow 00{:}15{:}33.114$ cancers and right before the break

NOTE Confidence: 0.801336155

 $00:15:33.120 \longrightarrow 00:15:35.214$ Ben you were mentioning the fact

NOTE Confidence: 0.801336155

 $00{:}15{:}35.214 \dashrightarrow 00{:}15{:}37.220$ that this is really complex.

NOTE Confidence: 0.801336155

 $00{:}15{:}37.220 \dashrightarrow 00{:}15{:}39.670$ So after some body it finds a a

NOTE Confidence: 0.801336155

 $00:15:39.670 \longrightarrow 00:15:42.168$ plaque in the mouth or a Nosebleed

 $00:15:42.168 \longrightarrow 00:15:44.220$ or a bump in the neck.

NOTE Confidence: 0.801336155

00:15:44.220 --> 00:15:46.572 Or has you know hoarseness or any

NOTE Confidence: 0.801336155

00:15:46.572 --> 00:15:49.424 one of a myriad of symptoms that

NOTE Confidence: 0.801336155

 $00:15:49.424 \longrightarrow 00:15:52.550$ could be attributable to a head neck?

NOTE Confidence: 0.801336155

 $00:15:52.550 \longrightarrow 00:15:55.290$ Answer once they seek medical

NOTE Confidence: 0.801336155

00:15:55.290 --> 00:15:58.814 attention and has a biopsy that

NOTE Confidence: 0.801336155

 $00:15:58.814 \longrightarrow 00:16:00.869$ confirms the diagnosis.

NOTE Confidence: 0.801336155

00:16:00.870 --> 00:16:03.446 Some scans are done and then you

NOTE Confidence: 0.801336155

 $00{:}16{:}03.446 \to 00{:}16{:}05.900$ mentioned that this is really a

NOTE Confidence: 0.801336155

 $00:16:05.900 \longrightarrow 00:16:07.600$ multidisciplinary approach where you

NOTE Confidence: 0.801336155

 $00{:}16{:}07.600 \dashrightarrow 00{:}16{:}10.731$ kind of get all of the specialists

NOTE Confidence: 0.801336155

 $00:16:10.731 \longrightarrow 00:16:12.961$ together to think about personalizing

NOTE Confidence: 0.801336155

 $00:16:12.961 \longrightarrow 00:16:15.238$ or tailoring the treatment plan

NOTE Confidence: 0.801336155

 $00:16:15.238 \longrightarrow 00:16:17.066$ to an individual patient.

NOTE Confidence: 0.801336155

00:16:17.070 --> 00:16:19.370 Can you tell us a little bit more about that?

NOTE Confidence: 0.801336155

00:16:19.370 --> 00:16:22.578 How does that work and what are those?

 $00:16:22.580 \longrightarrow 00:16:25.178$ Conversations look and sound like anyways.

NOTE Confidence: 0.769009628571428

00:16:26.170 --> 00:16:30.727 So once the data is already gathered,

NOTE Confidence: 0.769009628571428

 $00:16:30.730 \longrightarrow 00:16:32.626$ we always talk about treatment plans

NOTE Confidence: 0.769009628571428

 $00:16:32.626 \longrightarrow 00:16:35.857$ and what we call a tumor board and that

NOTE Confidence: 0.769009628571428

00:16:35.857 --> 00:16:37.762 contains medical oncologists like myself,

NOTE Confidence: 0.769009628571428

 $00:16:37.770 \longrightarrow 00:16:40.115$ radiation oncologists head and neck

NOTE Confidence: 0.769009628571428

 $00:16:40.115 \longrightarrow 00:16:42.460$ surgical oncologist as well as

NOTE Confidence: 0.769009628571428

 $00{:}16{:}42.539 \dashrightarrow 00{:}16{:}44.587$ pathologists and radiologists and

NOTE Confidence: 0.769009628571428

00:16:44.587 --> 00:16:47.147 will generally end up developing

NOTE Confidence: 0.769009628571428

 $00:16:47.147 \longrightarrow 00:16:49.771$ plans that include surgery, radiation,

NOTE Confidence: 0.769009628571428

00:16:49.771 --> 00:16:52.476 cancer, medication therapy or some

NOTE Confidence: 0.769009628571428

 $00:16:52.476 \longrightarrow 00:16:56.120$ sequence of these or some combination.

NOTE Confidence: 0.769009628571428

 $00{:}16{:}56.120 \dashrightarrow 00{:}16{:}58.020$ Always based on the, uh,

NOTE Confidence: 0.769009628571428

 $00:16:58.020 \longrightarrow 00:17:01.300$ based on the published evidence that we have,

NOTE Confidence: 0.769009628571428

 $00{:}17{:}01.300 \dashrightarrow 00{:}17{:}03.370$ I think it's really important to

 $00:17:03.370 \longrightarrow 00:17:05.608$ tailor therapies not only to the

NOTE Confidence: 0.769009628571428

 $00{:}17{:}05.608 \dashrightarrow 00{:}17{:}07.200$ individual patients condition and

NOTE Confidence: 0.769009628571428

 $00:17:07.200 \longrightarrow 00:17:08.792$ their other health issues,

NOTE Confidence: 0.769009628571428

 $00:17:08.800 \longrightarrow 00:17:11.726$ but also to their priorities and values.

NOTE Confidence: 0.769009628571428

 $00:17:11.730 \longrightarrow 00:17:13.780$ What do you mean by that?

NOTE Confidence: 0.769009628571428

 $00:17:13.780 \longrightarrow 00:17:16.244$ Well, we spend a lot of time

NOTE Confidence: 0.769009628571428

00:17:16.244 --> 00:17:18.697 thinking about the impact of cancer

NOTE Confidence: 0.769009628571428

 $00{:}17{:}18.697 \dashrightarrow 00{:}17{:}20.897$ and its treatment on function.

NOTE Confidence: 0.769009628571428

 $00{:}17{:}20.900 --> 00{:}17{:}21.658 \ {\rm For \ example},$

NOTE Confidence: 0.769009628571428

00:17:21.658 --> 00:17:23.932 a common scenario that occurs in

NOTE Confidence: 0.769009628571428

 $00{:}17{:}23.932 \dashrightarrow 00{:}17{:}26.138$ my office is weighing various.

NOTE Confidence: 0.769009628571428

 $00{:}17{:}26.140 {\:\dashrightarrow\:} 00{:}17{:}28.200$ Cancer medication the rapy options with

NOTE Confidence: 0.769009628571428

 $00:17:28.200 \longrightarrow 00:17:30.728$ an eye towards the different side

NOTE Confidence: 0.769009628571428

 $00:17:30.728 \longrightarrow 00:17:32.728$ effects that might be experienced.

NOTE Confidence: 0.769009628571428 00:17:32.730 --> 00:17:33.520 Of course, NOTE Confidence: 0.769009628571428

00:17:33.520 --> 00:17:35.890 we always want to minimize toxicity,

 $00:17:35.890 \longrightarrow 00:17:38.228$ but in some cases there's more at

NOTE Confidence: 0.769009628571428

 $00:17:38.228 \longrightarrow 00:17:41.228$ stake for one person compared to another.

NOTE Confidence: 0.769009628571428

00:17:41.230 --> 00:17:42.205 Perhaps, for example,

NOTE Confidence: 0.769009628571428

00:17:42.205 --> 00:17:44.952 my patient is a musician and I might

NOTE Confidence: 0.769009628571428

 $00:17:44.952 \longrightarrow 00:17:47.388$ normally be thinking of a medication

NOTE Confidence: 0.769009628571428

 $00:17:47.388 \longrightarrow 00:17:49.611$ that sometimes damages the part of

NOTE Confidence: 0.769009628571428

 $00:17:49.611 \longrightarrow 00:17:51.483$ the inner ear called the cochlea,

NOTE Confidence: 0.769009628571428

 $00{:}17{:}51.490 \dashrightarrow 00{:}17{:}54.276$ which can result in loss of hearing.

NOTE Confidence: 0.769009628571428

 $00:17:54.280 \longrightarrow 00:17:56.625$ This person has more to lose in

NOTE Confidence: 0.769009628571428

 $00:17:56.625 \longrightarrow 00:17:58.415$ terms of livelihood and general

NOTE Confidence: 0.769009628571428

00:17:58.415 --> 00:18:00.545 quality of life and might benefit

NOTE Confidence: 0.769009628571428

 $00:18:00.545 \longrightarrow 00:18:03.040$ from our choosing a different drug.

NOTE Confidence: 0.769009628571428

 $00{:}18{:}03.040 \dashrightarrow 00{:}18{:}05.154$ So I think that what's required as

NOTE Confidence: 0.769009628571428

 $00{:}18{:}05.154 \dashrightarrow 00{:}18{:}07.180$ we tailor treatments is that we truly

NOTE Confidence: 0.769009628571428

 $00{:}18{:}07.180 \dashrightarrow 00{:}18{:}09.113$ know our patients and engage on a

 $00:18:09.113 \longrightarrow 00:18:10.859$ personal level with them in order

NOTE Confidence: 0.769009628571428

 $00:18:10.859 \longrightarrow 00:18:12.188$ to make treatment recommendations

NOTE Confidence: 0.769009628571428

 $00{:}18{:}12.188 \dashrightarrow 00{:}18{:}14.428$ that ultimately serve them best.

NOTE Confidence: 0.880985325666667

00:18:15.710 --> 00:18:18.008 Now the other part of personalized

NOTE Confidence: 0.880985325666667

 $00{:}18{:}18.008 \dashrightarrow 00{:}18{:}20.561$ medicine that we often talk about on

NOTE Confidence: 0.880985325666667

 $00:18:20.561 \longrightarrow 00:18:23.172$ this show is is really looking at not

NOTE Confidence: 0.880985325666667

00:18:23.172 --> 00:18:25.475 only the the patient and and their

NOTE Confidence: 0.880985325666667

00:18:25.475 --> 00:18:27.940 their life and their values and and you

NOTE Confidence: 0.880985325666667

00:18:27.940 --> 00:18:30.289 know how they earn their livelihood,

NOTE Confidence: 0.880985325666667

 $00:18:30.290 \longrightarrow 00:18:31.577$ their social situation,

NOTE Confidence: 0.880985325666667

 $00:18:31.577 \longrightarrow 00:18:34.999$ which is all really important but also kind

NOTE Confidence: 0.880985325666667

 $00:18:34.999 \longrightarrow 00:18:37.767$ of the finer points of the tumor itself.

NOTE Confidence: 0.880985325666667

 $00:18:37.770 \longrightarrow 00:18:40.250$ That particular genetic mutations.

NOTE Confidence: 0.880985325666667

00:18:40.250 --> 00:18:43.350 Thinking about which drugs might

NOTE Confidence: 0.880985325666667

00:18:43.350 --> 00:18:46.988 attack a particular type of cancer, or.

NOTE Confidence: 0.880985325666667

 $00{:}18{:}46.988 \dashrightarrow 00{:}18{:}49.398$ A particular mutation than others

00:18:49.398 --> 00:18:52.918 does that play into, and if so, how?

NOTE Confidence: 0.8436037605

 $00{:}18{:}53.790 \dashrightarrow 00{:}18{:}56.172$ It does we're very interested in

NOTE Confidence: 0.8436037605

 $00{:}18{:}56.172 \dashrightarrow 00{:}18{:}58.453$ learning more about the tumor than

NOTE Confidence: 0.8436037605

 $00:18:58.453 \longrightarrow 00:19:00.941$ we have been able to in the past.

NOTE Confidence: 0.8436037605

 $00:19:00.950 \longrightarrow 00:19:04.700$ We like to learn about the

NOTE Confidence: 0.8436037605

00:19:04.700 --> 00:19:08.010 molecular attributes of the tumor,

NOTE Confidence: 0.8436037605

 $00:19:08.010 \longrightarrow 00:19:09.920$ and perhaps better understand what

NOTE Confidence: 0.8436037605

 $00:19:09.920 \longrightarrow 00:19:12.268$ mutations might be playing a role

NOTE Confidence: 0.8436037605

 $00{:}19{:}12.268 \operatorname{--}{>} 00{:}19{:}14.138$ in a particular person's cancer.

NOTE Confidence: 0.8436037605

 $00:19:14.140 \longrightarrow 00:19:17.241$ And there's a lot of interest in

NOTE Confidence: 0.8436037605

00:19:17.241 --> 00:19:19.096 developing tailored therapies that

NOTE Confidence: 0.8436037605

 $00:19:19.096 \longrightarrow 00:19:21.356$ are designed to address specific,

NOTE Confidence: 0.8436037605

00:19:21.360 --> 00:19:22.710 you know, vulnerabilities.

NOTE Confidence: 0.8436037605

 $00:19:22.710 \dashrightarrow 00:19:25.410$ We might say when a particular

NOTE Confidence: 0.8436037605

 $00:19:25.410 \longrightarrow 00:19:26.549$ mutation is found.

00:19:28.000 --> 00:19:30.400 You know, at the top of the show

NOTE Confidence: 0.891240363214286

 $00:19:30.400 \longrightarrow 00:19:32.889$ we were kind of talking about the

NOTE Confidence: 0.891240363214286

 $00:19:32.889 \longrightarrow 00:19:35.899$ fact that the head and neck is a

NOTE Confidence: 0.891240363214286

 $00:19:35.899 \longrightarrow 00:19:37.779$ really diverse kind of region.

NOTE Confidence: 0.891240363214286

 $00:19:37.780 \longrightarrow 00:19:39.859$ So talk a little bit more about

NOTE Confidence: 0.891240363214286

 $00:19:39.859 \longrightarrow 00:19:42.511$ kind of the landscape of a head and

NOTE Confidence: 0.891240363214286

00:19:42.511 --> 00:19:44.980 neck cancers and and kind of the

NOTE Confidence: 0.891240363214286

 $00:19:44.980 \longrightarrow 00:19:47.092$ generalities or rules of thumb that

NOTE Confidence: 0.891240363214286

 $00:19:47.092 \longrightarrow 00:19:49.870$ you kind of use or think about as

NOTE Confidence: 0.891240363214286

 $00:19:49.870 \longrightarrow 00:19:51.250$ you're planning treatment strategies

NOTE Confidence: 0.891240363214286

 $00:19:51.316 \longrightarrow 00:19:53.128$ in all of these different areas.

NOTE Confidence: 0.730595459625

00:19:53.720 --> 00:19:55.612 So it's, it's very

NOTE Confidence: 0.730595459625

00:19:55.612 --> 00:19:57.504 complicated and very nuanced,

NOTE Confidence: 0.730595459625

00:19:57.510 --> 00:19:59.409 but I think one of the things that we've.

NOTE Confidence: 0.730595459625

 $00:19:59.410 \longrightarrow 00:20:02.266$ Think about first is is there an

NOTE Confidence: 0.730595459625

00:20:02.266 --> 00:20:04.371 opportunity for surgery to eliminate

 $00:20:04.371 \longrightarrow 00:20:06.777$ the disease and result in cure?

NOTE Confidence: 0.730595459625

 $00:20:06.780 \longrightarrow 00:20:08.496$ Sometimes there is,

NOTE Confidence: 0.730595459625

 $00:20:08.496 \longrightarrow 00:20:11.928$ but sometimes the consequences from a

NOTE Confidence: 0.730595459625

00:20:11.928 --> 00:20:15.536 function standpoint might not be desirable,

NOTE Confidence: 0.730595459625

 $00{:}20{:}15.540 \dashrightarrow 00{:}20{:}18.516$ and so sometimes we'll think about

NOTE Confidence: 0.730595459625

 $00:20:18.516 \longrightarrow 00:20:21.139$ replacing surgery with radiation or

NOTE Confidence: 0.730595459625

 $00:20:21.139 \longrightarrow 00:20:23.919$ combination of radiation and chemotherapy.

NOTE Confidence: 0.730595459625

 $00{:}20{:}23.920 \dashrightarrow 00{:}20{:}25.528$ Sometimes we'll use chemotherapy

NOTE Confidence: 0.730595459625

 $00:20:25.528 \longrightarrow 00:20:27.940$ at the very beginning to make

NOTE Confidence: 0.730595459625

 $00{:}20{:}28.008 \dashrightarrow 00{:}20{:}30.020$ other treatments more feasible,

NOTE Confidence: 0.730595459625

 $00:20:30.020 \longrightarrow 00:20:32.150$ and sometimes we'll use chemotherapy

NOTE Confidence: 0.730595459625

 $00{:}20{:}32.150 \dashrightarrow 00{:}20{:}34.814$ after some of the more definitive

NOTE Confidence: 0.730595459625

 $00{:}20{:}34.814 \dashrightarrow 00{:}20{:}37.978$ treatments to improve the odds of cure.

NOTE Confidence: 0.730595459625

00:20:37.980 --> 00:20:38.810 Overtime. NOTE Confidence: 0.848734146666667

 $00:20:39.780 \longrightarrow 00:20:42.468$ And so, you know, as we kind of

 $00:20:42.468 \longrightarrow 00:20:44.602$ think about presumably this is

NOTE Confidence: 0.848734146666667

 $00{:}20{:}44.602 \dashrightarrow 00{:}20{:}46.907$ where this tumor board really

NOTE Confidence: 0.848734146666667

00:20:46.907 --> 00:20:49.413 comes into play, where, you know,

NOTE Confidence: 0.848734146666667

00:20:49.413 --> 00:20:51.639 each specialist is kind of putting

NOTE Confidence: 0.848734146666667

 $00:20:51.639 \longrightarrow 00:20:54.036$ their cards on the table as it were.

NOTE Confidence: 0.848734146666667

00:20:54.040 --> 00:20:57.330 This is how I can help, you know,

NOTE Confidence: 0.848734146666667

 $00:20:57.330 \longrightarrow 00:20:59.190$ in this Symphony of of instruments

NOTE Confidence: 0.848734146666667

 $00:20:59.190 \longrightarrow 00:21:01.804$ that we have in that room with the

NOTE Confidence: 0.848734146666667

 $00{:}21{:}01.804 \dashrightarrow 00{:}21{:}03.618$ medical on cologists and the radiation

NOTE Confidence: 0.848734146666667

00:21:03.618 --> 00:21:05.478 oncologists and the surgeons.

NOTE Confidence: 0.848734146666667

 $00{:}21{:}05.480 \dashrightarrow 00{:}21{:}07.556$ How can each instrument really help

NOTE Confidence: 0.848734146666667

00:21:07.556 --> 00:21:09.799 the whole Symphony to sound better?

NOTE Confidence: 0.848734146666667

00:21:09.800 --> 00:21:10.682 Is that right?

NOTE Confidence: 0.848734146666667

00:21:10.682 --> 00:21:12.740 Is that how those decisions are made?

NOTE Confidence: 0.864401806428571

00:21:12.870 --> 00:21:14.830 Pretty much, I think everyone wants to

NOTE Confidence: 0.864401806428571

 $00:21:14.830 \longrightarrow 00:21:16.890$ offer the very best for the patients.

00:21:16.890 --> 00:21:19.096 I think there is a, you know,

NOTE Confidence: 0.864401806428571

 $00:21:19.096 \longrightarrow 00:21:21.910$ an exchange of ideas that allows

NOTE Confidence: 0.864401806428571

 $00:21:21.910 \longrightarrow 00:21:24.970$ for the sort of collective consensus

NOTE Confidence: 0.864401806428571

 $00:21:24.970 \longrightarrow 00:21:28.363$ to emerge in a way that ultimately

NOTE Confidence: 0.864401806428571

 $00:21:28.363 \longrightarrow 00:21:30.648$ works best for the patient.

NOTE Confidence: 0.864401806428571

 $00:21:30.650 \longrightarrow 00:21:32.490$ And that's what really matters.

NOTE Confidence: 0.864401806428571

 $00:21:32.490 \longrightarrow 00:21:33.742$ With these, you know,

NOTE Confidence: 0.864401806428571

 $00:21:33.742 \longrightarrow 00:21:36.019$ with these discussions is that we ultimately

NOTE Confidence: 0.864401806428571

00:21:36.019 --> 00:21:38.406 find what's going to be most helpful.

NOTE Confidence: 0.864401806428571

 $00:21:38.410 \longrightarrow 00:21:40.183$ But yes, I think we all kind of start.

NOTE Confidence: 0.864401806428571

00:21:40.190 --> 00:21:41.270 With what's what's our angle

NOTE Confidence: 0.864401806428571

 $00:21:41.270 \longrightarrow 00:21:42.809$ and how can it help the most?

NOTE Confidence: 0.851605067230769

 $00:21:44.140 \longrightarrow 00:21:46.821$ So the the other thing that you

NOTE Confidence: 0.851605067230769

00:21:46.821 --> 00:21:49.322 mentioned was that each of these

NOTE Confidence: 0.851605067230769

 $00:21:49.322 \longrightarrow 00:21:51.854$ modalities while it has its its

 $00:21:51.854 \longrightarrow 00:21:54.276$ strengths to bring to the treatment

NOTE Confidence: 0.851605067230769

 $00{:}21{:}54.276 \dashrightarrow 00{:}21{:}57.102$ plan in terms of either making other

NOTE Confidence: 0.851605067230769

 $00:21:57.102 \longrightarrow 00:21:59.883$ therapies more feasible in the case of

NOTE Confidence: 0.851605067230769

 $00:21:59.883 \longrightarrow 00:22:02.031$ medical oncology or trying to remove

NOTE Confidence: 0.851605067230769

 $00:22:02.031 \longrightarrow 00:22:04.403$ as much disease as possible in in

NOTE Confidence: 0.851605067230769

 $00:22:04.403 \longrightarrow 00:22:08.120$ the in the area of surgery and so on.

NOTE Confidence: 0.851605067230769

 $00:22:08.120 \longrightarrow 00:22:11.756$ Each of them also has toxicities

NOTE Confidence: 0.851605067230769

 $00:22:11.760 \longrightarrow 00:22:14.140$ and I can imagine that.

NOTE Confidence: 0.851605067230769

00:22:14.140 --> 00:22:16.044 While you know to your point when

NOTE Confidence: 0.851605067230769

00:22:16.044 --> 00:22:17.930 you were speaking about the musician,

NOTE Confidence: 0.851605067230769

 $00{:}22{:}17.930 \dashrightarrow 00{:}22{:}20.090$ each of these toxicities may affect

NOTE Confidence: 0.851605067230769

 $00:22:20.090 \longrightarrow 00:22:22.110$ a given patient more or less.

NOTE Confidence: 0.851605067230769

 $00:22:22.110 \longrightarrow 00:22:25.406$ But all of these toxicities may really affect

NOTE Confidence: 0.851605067230769

 $00:22:25.406 \longrightarrow 00:22:28.628$ patients in terms of you know their hearing,

NOTE Confidence: 0.851605067230769

 $00:22:28.630 \longrightarrow 00:22:30.218$ their sense of smell.

NOTE Confidence: 0.851605067230769

00:22:30.218 --> 00:22:33.648 You know how much they can chew or

 $00:22:33.648 \longrightarrow 00:22:35.813$ swallow their speech, and so on.

NOTE Confidence: 0.851605067230769

00:22:35.813 --> 00:22:37.835 Can you talk a little bit about how

NOTE Confidence: 0.851605067230769

00:22:37.835 --> 00:22:39.760 you can help patients with all of

NOTE Confidence: 0.851605067230769

 $00:22:39.760 \longrightarrow 00:22:41.580$ those side effects of treatment?

NOTE Confidence: 0.931220061428572

 $00{:}22{:}42.990 \dashrightarrow 00{:}22{:}45.662$ So I think we have to acknowledge that

NOTE Confidence: 0.931220061428572

 $00:22:45.662 \longrightarrow 00:22:48.757$ we have a lot of people helping our

NOTE Confidence: 0.931220061428572

 $00:22:48.757 \longrightarrow 00:22:51.200$ patients get through their treatments.

NOTE Confidence: 0.931220061428572

 $00:22:51.200 \longrightarrow 00:22:53.124$ It's important for any.

NOTE Confidence: 0.931220061428572

00:22:53.124 --> 00:22:56.010 Any head and neck cancer group

NOTE Confidence: 0.931220061428572

 $00:22:56.100 \longrightarrow 00:22:59.404$ to have a wide range of support

NOTE Confidence: 0.931220061428572

00:22:59.404 --> 00:23:01.979 services available to help people.

NOTE Confidence: 0.931220061428572

 $00:23:01.980 \longrightarrow 00:23:03.940$ For example, speech and

NOTE Confidence: 0.931220061428572

 $00{:}23{:}03.940 \dashrightarrow 00{:}23{:}04.920$ language pathologists.

NOTE Confidence: 0.931220061428572

 $00{:}23{:}04.920 \dashrightarrow 00{:}23{:}07.152$ They help in so many ways they look

NOTE Confidence: 0.931220061428572

00:23:07.152 --> 00:23:08.586 primarily at communication and

00:23:08.586 --> 00:23:10.214 swallowing related issues relating

NOTE Confidence: 0.931220061428572

 $00:23:10.214 \longrightarrow 00:23:12.719$ to the cancer and its treatment,

NOTE Confidence: 0.931220061428572

00:23:12.720 --> 00:23:14.700 so it's always important to involve

NOTE Confidence: 0.931220061428572

 $00:23:14.700 \longrightarrow 00:23:16.373$ these specialists early so that

NOTE Confidence: 0.931220061428572

00:23:16.373 --> 00:23:18.131 guidance can be provided to help

NOTE Confidence: 0.931220061428572

 $00:23:18.131 \longrightarrow 00:23:19.599$ limit the impacts of cancer.

NOTE Confidence: 0.931220061428572

 $00:23:19.600 \longrightarrow 00:23:22.740$ Treatments on swallowing functions.

NOTE Confidence: 0.931220061428572

 $00:23:22.740 \longrightarrow 00:23:25.746$ Social work is also incredibly important.

NOTE Confidence: 0.931220061428572 00:23:25.750 --> 00:23:26.432 Of course,

NOTE Confidence: 0.931220061428572

00:23:26.432 --> 00:23:28.137 receiving a diagnosis of cancer

NOTE Confidence: 0.931220061428572

 $00{:}23{:}28.137 \dashrightarrow 00{:}23{:}29.640$ and getting cancer treatment

NOTE Confidence: 0.931220061428572

 $00:23:29.640 \longrightarrow 00:23:31.336$ can be incredibly stressful,

NOTE Confidence: 0.931220061428572

 $00:23:31.340 \longrightarrow 00:23:33.230$ and people arrive at this moment

NOTE Confidence: 0.931220061428572

 $00:23:33.230 \longrightarrow 00:23:35.229$ with different needs in their lives.

NOTE Confidence: 0.931220061428572

00:23:35.230 --> 00:23:36.778 And sometimes unmet needs

NOTE Confidence: 0.931220061428572

00:23:36.778 --> 00:23:38.348 can impact outcomes, too.

 $00:23:38.348 \longrightarrow 00:23:40.388$ Whether there's housing instability or

NOTE Confidence: 0.931220061428572

 $00{:}23{:}40.388 \dashrightarrow 00{:}23{:}43.878$ a person doesn't have a car but needs to

NOTE Confidence: 0.931220061428572

 $00{:}23{:}43.878 \dashrightarrow 00{:}23{:}45.668$ come for their treatments nonetheless.

NOTE Confidence: 0.931220061428572

00:23:45.670 --> 00:23:47.431 Sometimes extra services

NOTE Confidence: 0.931220061428572

 $00:23:47.431 \longrightarrow 00:23:49.779$ and coordination are needed,

NOTE Confidence: 0.931220061428572

 $00:23:49.780 \longrightarrow 00:23:52.060$ and dietitians are also a very

NOTE Confidence: 0.931220061428572

 $00:23:52.060 \longrightarrow 00:23:54.020$ important part of the team.

NOTE Confidence: 0.931220061428572

 $00:23:54.020 \longrightarrow 00:23:56.127$ They make sure that patients have adequate.

NOTE Confidence: 0.931220061428572

00:23:56.130 --> 00:23:58.122 Nourishment during their treatment,

NOTE Confidence: 0.931220061428572

 $00:23:58.122 \longrightarrow 00:24:01.631$ they help to assess patient needs and

NOTE Confidence: 0.931220061428572

00:24:01.631 --> 00:24:04.313 adapt the treatment plan to ensure

NOTE Confidence: 0.931220061428572

 $00:24:04.313 \longrightarrow 00:24:06.708$ that adequate nutrition is available

NOTE Confidence: 0.931220061428572

 $00{:}24{:}06.708 {\:\dashrightarrow\:} 00{:}24{:}09.328$ through and following their treatments.

NOTE Confidence: 0.918367039444445

 $00:24:10.760 \longrightarrow 00:24:12.476$ Important to think about all of

NOTE Confidence: 0.918367039444445

 $00:24:12.476 \longrightarrow 00:24:14.264$ these other players that are also

 $00:24:14.264 \longrightarrow 00:24:16.028$ really important members of the team.

NOTE Confidence: 0.918367039444445

00:24:16.030 --> 00:24:18.622 Not just the physicians who who

NOTE Confidence: 0.918367039444445

 $00:24:18.622 \longrightarrow 00:24:21.370$ are trying to treat the cancer,

NOTE Confidence: 0.918367039444445

 $00:24:21.370 \longrightarrow 00:24:24.345$ but but all of these other people

NOTE Confidence: 0.918367039444445

 $00:24:24.345 \longrightarrow 00:24:27.908$ who make that treatment palatable or

NOTE Confidence: 0.918367039444445

 $00:24:27.908 \longrightarrow 00:24:31.254$ at least a little bit more feasible.

NOTE Confidence: 0.918367039444445

00:24:31.260 --> 00:24:35.805 Talk a little bit about what's new in head,

NOTE Confidence: 0.918367039444445

 $00:24:35.810 \longrightarrow 00:24:37.710$ neck cancers and and clinical

NOTE Confidence: 0.918367039444445

 $00:24:37.710 \longrightarrow 00:24:40.343$ trials that might be going on that

NOTE Confidence: 0.918367039444445

 $00:24:40.343 \longrightarrow 00:24:42.329$ help to move the field forward.

NOTE Confidence: 0.918367039444445

 $00:24:42.330 \longrightarrow 00:24:43.618$ What's on the horizon?

NOTE Confidence: 0.918367039444445

 $00:24:43.618 \longrightarrow 00:24:44.906$ What can we expect?

NOTE Confidence: 0.85586339555555

 $00:24:45.510 \longrightarrow 00:24:49.506$ Well, I think one of the things that is.

NOTE Confidence: 0.855863395555555

00:24:49.510 --> 00:24:52.485 Very exciting and head and neck cancer

NOTE Confidence: 0.85586339555555

 $00:24:52.485 \longrightarrow 00:24:55.831$ is an evolving understanding of the sort

NOTE Confidence: 0.855863395555555

 $00:24:55.831 \longrightarrow 00:24:59.403$ of the differential outcomes that we see

 $00:24:59.403 \longrightarrow 00:25:02.427$ in patients with HPV associated cancers.

NOTE Confidence: 0.85586339555555

 $00:25:02.430 \longrightarrow 00:25:07.470$ It it gives us the opportunity to think

NOTE Confidence: 0.85586339555555

 $00:25:07.470 \longrightarrow 00:25:10.970$ about how now and in the future we might

NOTE Confidence: 0.85586339555555

00:25:10.970 --> 00:25:13.676 fine-tuned therapies just to give the

NOTE Confidence: 0.85586339555555

 $00:25:13.676 \longrightarrow 00:25:17.096$ people just the right amount of treatment

NOTE Confidence: 0.85586339555555

 $00:25:17.096 \longrightarrow 00:25:19.249$ and perhaps avoiding unnecessary.

NOTE Confidence: 0.85586339555555 00:25:19.249 --> 00:25:20.487 Side effects.

NOTE Confidence: 0.85586339555555

00:25:20.487 --> 00:25:23.582 So that's incredibly exciting and

NOTE Confidence: 0.855863395555555

00:25:23.582 --> 00:25:26.366 another area that's very exciting

NOTE Confidence: 0.85586339555555

 $00:25:26.366 \longrightarrow 00:25:29.754$ is the the role of immunotherapy

NOTE Confidence: 0.85586339555555

 $00:25:29.839 \longrightarrow 00:25:32.539$ in the treatment of advanced head

NOTE Confidence: 0.85586339555555

 $00:25:32.539 \longrightarrow 00:25:36.710$ and neck cancers we are.

NOTE Confidence: 0.85586339555555

 $00{:}25{:}36.710 \dashrightarrow 00{:}25{:}40.166$ Now able to look at a tumor and

NOTE Confidence: 0.85586339555555

 $00{:}25{:}40.166 \dashrightarrow 00{:}25{:}42.875$ assess something called a biomarker

NOTE Confidence: 0.85586339555555

 $00:25:42.875 \longrightarrow 00:25:46.385$ that helps us determine what the

 $00:25:46.385 \longrightarrow 00:25:48.830$ vulnerability of immunotherapy to

NOTE Confidence: 0.85586339555555

 $00:25:48.830 \longrightarrow 00:25:52.370$ immunotherapy that a cancer might have.

NOTE Confidence: 0.85586339555555

 $00:25:52.370 \longrightarrow 00:25:55.950$ These drugs basically work by.

NOTE Confidence: 0.85586339555555

 $00:25:55.950 \longrightarrow 00:25:58.645$ Invigorating the immune system and

NOTE Confidence: 0.85586339555555

00:25:58.645 --> 00:26:01.858 having the immune system doing the

NOTE Confidence: 0.85586339555555

 $00:26:01.858 \longrightarrow 00:26:04.420$ work of killing the cancer cell.

NOTE Confidence: 0.8124405925

 $00:26:05.770 \longrightarrow 00:26:08.014$ Well, so always exciting

NOTE Confidence: 0.8124405925

 $00:26:08.014 \longrightarrow 00:26:10.258$ things on the horizon.

NOTE Confidence: 0.8124405925

 $00:26:10.260 \longrightarrow 00:26:12.048$ When we think about that team

NOTE Confidence: 0.8124405925

00:26:12.048 --> 00:26:13.240 that you were mentioning,

NOTE Confidence: 0.8124405925

 $00:26:13.240 \longrightarrow 00:26:15.286$ I would imagine that people involved

NOTE Confidence: 0.8124405925

 $00:26:15.286 \longrightarrow 00:26:17.646$ in research are part of that team

NOTE Confidence: 0.8124405925

 $00:26:17.646 \longrightarrow 00:26:19.512$ and that there may be opportunities

NOTE Confidence: 0.8124405925

 $00:26:19.512 \longrightarrow 00:26:21.712$ for patients to get involved in

NOTE Confidence: 0.8124405925

 $00:26:21.712 \longrightarrow 00:26:23.537$ clinical research and helping

NOTE Confidence: 0.8124405925

 $00:26:23.540 \longrightarrow 00:26:26.256$ to kind of move the field forward.

 $00:26:26.260 \longrightarrow 00:26:28.445$ Have you noticed that patients

NOTE Confidence: 0.8124405925

 $00:26:28.445 \longrightarrow 00:26:30.193$ are really enthusiastic about

NOTE Confidence: 0.8124405925

 $00:26:30.193 \longrightarrow 00:26:32.821$ that or are they a little bit

NOTE Confidence: 0.8124405925

 $00:26:32.821 \longrightarrow 00:26:33.889$ more apprehensive thinking,

NOTE Confidence: 0.8124405925

00:26:33.889 --> 00:26:36.043 you know, I'll stick to what's

NOTE Confidence: 0.8124405925

 $00:26:36.043 \longrightarrow 00:26:38.110$ known rather than what's unknown,

NOTE Confidence: 0.79928821

 $00:26:39.080 \longrightarrow 00:26:40.676$ of course, clinical trials?

NOTE Confidence: 0.79928821

 $00:26:40.676 \longrightarrow 00:26:43.070$ Are an incredibly important way of

NOTE Confidence: 0.79928821

 $00{:}26{:}43.134 \dashrightarrow 00{:}26{:}45.579$ improving cancer treatments over time.

NOTE Confidence: 0.79928821

 $00:26:45.580 \longrightarrow 00:26:47.530$ You know, it's important to remember

NOTE Confidence: 0.79928821

 $00{:}26{:}47.530 \dashrightarrow 00{:}26{:}49.536$ that patient that today's treatments were

NOTE Confidence: 0.79928821

 $00{:}26{:}49.536 \dashrightarrow 00{:}26{:}51.818$ once tested in a clinical trial setting.

NOTE Confidence: 0.79928821

 $00{:}26{:}51.820 \dashrightarrow 00{:}26{:}54.548$ So what we're really trying to do when

NOTE Confidence: 0.79928821

 $00{:}26{:}54.548 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{00}}}{:}26{:}56.990$ patients enroll in clinical trials is

NOTE Confidence: 0.79928821

 $00:26:56.990 \longrightarrow 00:26:59.100$ to define tomorrow's treatments today.

 $00:26:59.100 \longrightarrow 00:27:01.940$ And and you're right, I think it can

NOTE Confidence: 0.79928821

 $00{:}27{:}01.940 \dashrightarrow 00{:}27{:}04.018$ sometimes sound scary to a patient,

NOTE Confidence: 0.79928821

00:27:04.020 --> 00:27:06.498 the prospect of participating in a trial,

NOTE Confidence: 0.79928821

 $00:27:06.500 \longrightarrow 00:27:08.464$ especially when there are,

NOTE Confidence: 0.79928821

 $00:27:08.464 \longrightarrow 00:27:12.270$ as it were tried and true options.

NOTE Confidence: 0.79928821

00:27:12.270 --> 00:27:15.072 But that bravery and that generosity

NOTE Confidence: 0.79928821

00:27:15.072 --> 00:27:18.528 of spirit really is a key to progress.

NOTE Confidence: 0.79928821

 $00{:}27{:}18.530 \dashrightarrow 00{:}27{:}21.242$ And I think it's also important to have

NOTE Confidence: 0.79928821

 $00:27:21.242 \longrightarrow 00:27:23.162$ clinical trials available to patients

NOTE Confidence: 0.79928821

00:27:23.162 --> 00:27:25.508 who get care in community settings.

NOTE Confidence: 0.79928821

 $00:27:25.510 \longrightarrow 00:27:28.149$ We want these trial results to determine

NOTE Confidence: 0.79928821

 $00{:}27{:}28.149 \dashrightarrow 00{:}27{:}30.128$ our management to be meaningful

NOTE Confidence: 0.79928821

 $00:27:30.128 \longrightarrow 00:27:32.468$ for the patients in our Community.

NOTE Confidence: 0.79928821

 $00{:}27{:}32.470 \dashrightarrow 00{:}27{:}36.250$ And plus patients tend to do well on trials.

NOTE Confidence: 0.79928821

 $00:27:36.250 \longrightarrow 00:27:39.050$ Care on a clinical trial is excellent care.

NOTE Confidence: 0.79928821

 $00:27:39.050 \longrightarrow 00:27:41.360$ And of course we want to extend

 $00:27:41.360 \longrightarrow 00:27:42.350$ these opportunities equitably.

NOTE Confidence: 0.79928821

 $00:27:42.350 \longrightarrow 00:27:43.210$ All patients.

NOTE Confidence: 0.923189210625

00:27:44.060 --> 00:27:46.284 Yeah, that's one thing that a lot of

NOTE Confidence: 0.923189210625

00:27:46.284 --> 00:27:48.740 people may not realize is that in general,

NOTE Confidence: 0.923189210625

 $00:27:48.740 \longrightarrow 00:27:50.360$ if you look at people who

NOTE Confidence: 0.923189210625

 $00:27:50.360 \longrightarrow 00:27:51.440$ participate in clinical trials,

NOTE Confidence: 0.923189210625

00:27:51.440 --> 00:27:54.797 they tend to do better than people who don't,

NOTE Confidence: 0.923189210625

00:27:54.800 --> 00:27:56.825 in part because, as you say, Ben,

NOTE Confidence: 0.923189210625

 $00:27:56.825 \longrightarrow 00:27:59.255$ you know we're we're trying to

NOTE Confidence: 0.923189210625

00:27:59.255 --> 00:28:00.920 develop tomorrow's therapies today,

NOTE Confidence: 0.923189210625

 $00{:}28{:}00.920 \dashrightarrow 00{:}28{:}04.112$ and so sometimes the only way to get

NOTE Confidence: 0.923189210625

 $00{:}28{:}04.112 \dashrightarrow 00{:}28{:}06.758$ those the rapies is on a clinical trial.

NOTE Confidence: 0.923189210625

00:28:06.760 --> 00:28:08.815 Now. One other question that

NOTE Confidence: 0.923189210625

00:28:08.815 --> 00:28:11.714 many people might have is if my

NOTE Confidence: 0.923189210625

 $00:28:11.714 \longrightarrow 00:28:14.000$ doctor offers me a clinical trial.

00:28:14.000 --> 00:28:15.664 Does that mean that there is no option?

NOTE Confidence: 0.923189210625

 $00:28:15.670 \longrightarrow 00:28:17.826$ Does it mean like there is no

NOTE Confidence: 0.923189210625

00:28:17.826 --> 00:28:19.646 other choice that I'm kind of

NOTE Confidence: 0.923189210625

 $00:28:19.646 \longrightarrow 00:28:21.302$ at the end and there's no,

NOTE Confidence: 0.923189210625

 $00:28:21.310 \longrightarrow 00:28:23.417$ there's no other tools in the toolbox?

NOTE Confidence: 0.840927233

00:28:23.830 --> 00:28:25.945 Not necessarily. Frontline clinical trials

NOTE Confidence: 0.840927233

00:28:25.945 --> 00:28:29.102 are very important so that we can lead

NOTE Confidence: 0.840927233

 $00:28:29.102 \longrightarrow 00:28:31.377$ out with better treatments in the future.

NOTE Confidence: 0.888642474736842

 $00{:}28{:}31.690 \dashrightarrow 00{:}28{:}33.645$ Doctor Benjamin Newton is an

NOTE Confidence: 0.888642474736842

 $00:28:33.645 \longrightarrow 00:28:35.209$ assistant professor of clinical

NOTE Confidence: 0.888642474736842

 $00:28:35.209 \longrightarrow 00:28:36.641$ medicine and medical oncology

NOTE Confidence: 0.888642474736842

 $00:28:36.641 \longrightarrow 00:28:38.603$ at the Yale School of Medicine.

NOTE Confidence: 0.888642474736842

00:28:38.610 --> 00:28:40.666 If you have questions,

NOTE Confidence: 0.888642474736842

 $00:28:40.666 \longrightarrow 00:28:42.594$ the address is canceranswers@yale.edu

NOTE Confidence: 0.888642474736842

 $00:28:42.594 \longrightarrow 00:28:44.898$ and past editions of the program.

NOTE Confidence: 0.888642474736842

 $00{:}28{:}44.900 \dashrightarrow 00{:}28{:}47.666$ Are available in audio and written

00:28:47.666 --> 00:28:48.892 form at yalecancercenter.org.

NOTE Confidence: 0.888642474736842

 $00{:}28{:}48.892 \longrightarrow 00{:}28{:}51.308$ We hope you'll join us next week to

NOTE Confidence: 0.888642474736842

 $00{:}28{:}51.308 {\:\dashrightarrow\:} 00{:}28{:}53.145$ learn more about the fight against

NOTE Confidence: 0.888642474736842

 $00{:}28{:}53.145 \dashrightarrow 00{:}28{:}54.970$ cancer here on Connecticut Public Radio.

NOTE Confidence: 0.888642474736842

 $00{:}28{:}54.970 \dashrightarrow 00{:}28{:}57.556$ Funding for Yale Cancer Answers is

NOTE Confidence: 0.888642474736842

 $00{:}28{:}57.556 \dashrightarrow 00{:}29{:}00.000$ provided by Smilow Cancer Hospital.