WEBVTT

00:00:00.000 --> 00:00:03.114 Funding for Yale Cancer Answers is NOTE Confidence: 0.903767260909091 $00{:}00{:}03{.}114 \dashrightarrow 00{:}00{:}06{.}080$ provided by Smilow Cancer Hospital. NOTE Confidence: 0.903767260909091 00:00:06.080 --> 00:00:08.280 Welcome to Yale Cancer Answers NOTE Confidence: 0.903767260909091 $00:00:08.280 \rightarrow 00:00:10.040$ with Doctor Anees Chappar. NOTE Confidence: 0.903767260909091 $00:00:10.040 \rightarrow 00:00:11.925$ Yale Cancer Answers features the NOTE Confidence: 0.903767260909091 $00{:}00{:}11.925 \dashrightarrow 00{:}00{:}13.810$ latest information on cancer care NOTE Confidence: 0.903767260909091 00:00:13.871 -> 00:00:15.355 by welcoming oncologists and NOTE Confidence: 0.903767260909091 $00{:}00{:}15.355 \dashrightarrow 00{:}00{:}17.581$ specialists who are on the forefront NOTE Confidence: 0.903767260909091 $00{:}00{:}17.645 \dashrightarrow 00{:}00{:}19.355$ of the battle to fight cancer. NOTE Confidence: 0.903767260909091 $00:00:19.360 \rightarrow 00:00:21.586$ This week it's a conversation about head NOTE Confidence: 0.903767260909091 00:00:21.586 --> 00:00:23.998 and neck cancers with Doctor Ansley Roche. NOTE Confidence: 0.903767260909091 $00{:}00{:}24.000 \dashrightarrow 00{:}00{:}26.370$ Doctor Roche is an assistant professor NOTE Confidence: 0.903767260909091 $00:00:26.370 \rightarrow 00:00:28.316$ of surgery and otolaryngology at NOTE Confidence: 0.903767260909091 $00:00:28.316 \longrightarrow 00:00:29.816$ the Yale School of Medicine NOTE Confidence: 0.903767260909091 $00:00:29.820 \longrightarrow 00:00:30.522$ where Dr. Chagpar is NOTE Confidence: 0.903767260909091

00:00:30.522 --> 00:00:32.979 a professor of surgical oncology.

NOTE Confidence: 0.937051502727273

 $00{:}00{:}34{.}420 \dashrightarrow 00{:}00{:}36{.}412$ Ansley, maybe we can start off by you

NOTE Confidence: 0.937051502727273

 $00{:}00{:}36{.}412 \dashrightarrow 00{:}00{:}38{.}184$ telling us a little bit more about

NOTE Confidence: 0.937051502727273

 $00{:}00{:}38.184 \dashrightarrow 00{:}00{:}40.260$ yourself and what it is you do.

NOTE Confidence: 0.9419307166666667

00:00:40.460 --> 00:00:43.376 I'm a head and neck cancer surgeon.

NOTE Confidence: 0.9419307166666667

 $00:00:43.380 \rightarrow 00:00:45.900$ I did my training and after medical school,

NOTE Confidence: 0.9419307166666667

00:00:45.900 --> 00:00:47.820 I did my residency

NOTE Confidence: 0.9419307166666667

00:00:47.820 --> 00:00:49.260 training in otolaryngology,

NOTE Confidence: 0.9419307166666667

 $00:00:49.260 \longrightarrow 00:00:50.700$ which is ear, nose and throat.

NOTE Confidence: 0.9419307166666667

 $00:00:50.700 \rightarrow 00:00:53.094$ And then within the field of otolaryngology,

NOTE Confidence: 0.9419307166666667

 $00{:}00{:}53.100 \dashrightarrow 00{:}00{:}55.036$ there are numerous subspecialties.

NOTE Confidence: 0.9419307166666667

 $00:00:55.036 \dashrightarrow 00:00:58.520$ I subspecialize in head and neck cancer.

NOTE Confidence: 0.9419307166666667

 $00:00:58.520 \rightarrow 00:01:01.360$ So I went on to obtain additional training,

NOTE Confidence: 0.9419307166666667

00:01:01.360 --> 00:01:03.880 a fellowship in head and neck cancer,

NOTE Confidence: 0.9419307166666667

 $00:01:03.880 \longrightarrow 00:01:06.040$ both in the management of

NOTE Confidence: 0.9419307166666667

 $00:01:06.040 \longrightarrow 00:01:07.420$ resecting these cancers

 $00:01:07.420 \longrightarrow 00:01:08.800$ as well as reconstructing them.

 $00:01:11.152 \dashrightarrow 00:01:13.000$ Now that we are celebrating head

NOTE Confidence: 0.942937118

00:01:13.066 --> 00:01:15.036 and neck cancer awareness Month,

NOTE Confidence: 0.942937118

 $00:01:15.040 \longrightarrow 00:01:16.584$ maybe you can tell us a little bit

NOTE Confidence: 0.942937118

 $00:01:16.584 \dashrightarrow 00:01:17.959$ more about head and neck cancers.

NOTE Confidence: 0.942937118

 $00{:}01{:}17{.}960 \dashrightarrow 00{:}01{:}20{.}982$ I mean it sounds like it's a rather NOTE Confidence: 0.942937118

00:01:20.982 --> 00:01:24.408 large bucket, kind of like saying

NOTE Confidence: 0.942937118

 $00{:}01{:}24{.}410 \dashrightarrow 00{:}01{:}26{.}486$ cancers of the abdomen or cancers

NOTE Confidence: 0.942937118

00:01:26.486 --> 00:01:28.506 of the chest, it sounds like every

NOTE Confidence: 0.942937118

 $00{:}01{:}28.506 \dashrightarrow 00{:}01{:}30.450$ time we say head and neck cancers

NOTE Confidence: 0.942937118

 $00{:}01{:}30{.}450 \dashrightarrow 00{:}01{:}32{.}538$ I think that's a pretty large

NOTE Confidence: 0.942937118

 $00{:}01{:}32{.}538 \dashrightarrow 00{:}01{:}35{.}247$ area with a lot of things in it.

NOTE Confidence: 0.942937118

 $00{:}01{:}35{.}250 \dashrightarrow 00{:}01{:}37{.}450$ Tell us a bit more about what goes

NOTE Confidence: 0.942937118

 $00:01:37.450 \longrightarrow 00:01:39.108$ into head and neck cancer and

NOTE Confidence: 0.942937118

 $00:01:39.108 \longrightarrow 00:01:41.440$ why it is that those are all kind

NOTE Confidence: 0.942937118

 $00:01:41.440 \longrightarrow 00:01:42.990$ of clumped together as opposed

- NOTE Confidence: 0.942937118
- $00:01:43.049 \longrightarrow 00:01:44.735$ to specific organs like we have
- NOTE Confidence: 0.942937118
- $00:01:44.735 \longrightarrow 00:01:46.609$ in other parts of the anatomy.
- NOTE Confidence: 0.952553198888889
- $00:01:47.500 \longrightarrow 00:01:48.796$ Yeah, that's an excellent
- NOTE Confidence: 0.952553198888889
- $00:01:48.796 \rightarrow 00:01:50.416$ point and you're exactly right.
- NOTE Confidence: 0.952553198888889
- $00:01:50.420 \longrightarrow 00:01:53.976$ It is a heterogeneous group of cancers
- NOTE Confidence: 0.952553198888889
- $00{:}01{:}53.976$ --> $00{:}01{:}56.900$ that are clumped together essentially
- NOTE Confidence: 0.952553198888889
- $00:01:56.900 \rightarrow 00:01:59.700$ because of their anatomic location.
- $00:02:01.740 \longrightarrow 00:02:04.442$ Within this region, there are many different
- NOTE Confidence: 0.952553198888889
- $00{:}02{:}04{.}442 \dashrightarrow 00{:}02{:}07{.}257$ types of cancers that can arise,
- NOTE Confidence: 0.952553198888889
- $00:02:07.260 \longrightarrow 00:02:08.770$ mostly because there are many
- NOTE Confidence: 0.952553198888889
- 00:02:08.770 --> 00:02:10.630 different types of cell types
- NOTE Confidence: 0.952553198888889
- $00:02:10.630 \longrightarrow 00:02:12.255$ within the head and neck,
- NOTE Confidence: 0.952553198888889
- $00:02:12.260 \longrightarrow 00:02:14.868$ there's the digestive tract, which
- NOTE Confidence: 0.952553198888889
- $00:02:14.868 \longrightarrow 00:02:17.570$ you can think of it sort of as skin
- NOTE Confidence: 0.952553198888889
- $00:02:17.570 \longrightarrow 00:02:19.034$ but on the inside, it's the
- NOTE Confidence: 0.952553198888889
- $00:02:19.034 \rightarrow 00:02:20.850$ lining of the mouth, the nose,

- NOTE Confidence: 0.952553198888889
- $00:02:20.850 \longrightarrow 00:02:22.530$ the sinuses, the throat.
- NOTE Confidence: 0.952553198888889
- $00:02:22.530 \longrightarrow 00:02:23.890$ There's also skin
- NOTE Confidence: 0.952553198888889
- $00{:}02{:}23.890 \dashrightarrow 00{:}02{:}24.650$ of the head and neck.
- NOTE Confidence: 0.952553198888889
- $00:02:24.650 \rightarrow 00:02:28.050$ So there are cutaneous cancers,
- NOTE Confidence: 0.952553198888889
- 00:02:28.050 --> 00:02:29.646 squamous cell carcinoma as we know,
- NOTE Confidence: 0.952553198888889
- 00:02:29.650 --> 00:02:30.574 basal cell Melanoma,
- NOTE Confidence: 0.952553198888889
- $00:02:30.574 \rightarrow 00:02:33.250$ just to go back to the oral cavity,
- NOTE Confidence: 0.952553198888889
- $00{:}02{:}33{.}250 \dashrightarrow 00{:}02{:}36{.}113$ the digestive tract that also most
- NOTE Confidence: 0.952553198888889
- $00:02:36.113 \dashrightarrow 00:02:38.450$ commonly is squamous cell carcinoma,
- NOTE Confidence: 0.952553198888889
- $00:02:38.450 \longrightarrow 00:02:40.487$ but there are others that arise there.
- NOTE Confidence: 0.952553198888889
- $00:02:40.490 \longrightarrow 00:02:42.675$ And then there's also things
- NOTE Confidence: 0.952553198888889
- $00{:}02{:}42.675 \dashrightarrow 00{:}02{:}44.423$ like salivary gland tumors.
- NOTE Confidence: 0.952553198888889
- $00{:}02{:}44{.}430 \dashrightarrow 00{:}02{:}45{.}930$ So growths that arise
- NOTE Confidence: 0.952553198888889
- $00:02:45.930 \longrightarrow 00:02:47.430$ within the saliva glands,
- NOTE Confidence: 0.952553198888889
- $00:02:47.430 \longrightarrow 00:02:49.470$ we have some within our cheeks,
- NOTE Confidence: 0.952553198888889

 $00{:}02{:}49{.}470 \dashrightarrow 00{:}02{:}51{.}792$ some under our chin and under our jaw and

NOTE Confidence: 0.952553198888889

 $00{:}02{:}51.792 \dashrightarrow 00{:}02{:}54.187$ then thousands and thousands in our mouth.

NOTE Confidence: 0.952553198888889

 $00:02:54.190 \rightarrow 00:02:56.350$ And so cancers can arise in any of those.

NOTE Confidence: 0.952553198888889

 $00:02:56.350 \longrightarrow 00:02:57.166$ Those are rare.

NOTE Confidence: 0.952553198888889

 $00{:}02{:}57.166 \dashrightarrow 00{:}02{:}59.070$ I would say the most common head

NOTE Confidence: 0.952553198888889

 $00{:}02{:}59{.}129 \dashrightarrow 00{:}03{:}00{.}914$ and neck cancer that we deal with

NOTE Confidence: 0.952553198888889

 $00{:}03{:}00{.}914 \dashrightarrow 00{:}03{:}02{.}894$ and that we treat and talk about

NOTE Confidence: 0.952553198888889

 $00{:}03{:}02{.}894 \dashrightarrow 00{:}03{:}04{.}628$ and where most of the research

NOTE Confidence: 0.952553198888889

 $00{:}03{:}04{.}630 \dashrightarrow 00{:}03{:}06{.}785$ efforts go is within addressing

NOTE Confidence: 0.952553198888889

 $00{:}03{:}06.785 \dashrightarrow 00{:}03{:}08.940$ squamous cell carcinoma of the

NOTE Confidence: 0.952553198888889

 $00:03:09.019 \longrightarrow 00:03:10.827$ upper digestive tract.

NOTE Confidence: 0.9335446066666667

 $00:03:11.900 \longrightarrow 00:03:14.138$ And so how common the

NOTE Confidence: 0.591889528

 $00:03:15.100 \rightarrow 00:03:16.780$ head and neck cancers are,

NOTE Confidence: 0.591889528

 $00:03:16.780 \longrightarrow 00:03:18.496$ depending on the year,

NOTE Confidence: 0.591889528

00:03:18.496 - 00:03:22.150 anywhere from the 6th to the 8th most

NOTE Confidence: 0.591889528

 $00:03:22.150 \rightarrow 00:03:24.615$ common type of cancer worldwide.

- NOTE Confidence: 0.591889528
- $00:03:24.620 \longrightarrow 00:03:26.462$ So not the most common, but we
- NOTE Confidence: 0.591889528
- $00:03:26.462 \rightarrow 00:03:28.820$ see quite a bit of it.
- NOTE Confidence: 0.935679265454546
- $00:03:29.980 \longrightarrow 00:03:31.814$ And can you tell us a bit
- NOTE Confidence: 0.935679265454546
- $00:03:31.814 \rightarrow 00:03:33.180$ more about risk factors?
- NOTE Confidence: 0.935679265454546
- $00:03:33.180 \longrightarrow 00:03:35.780$ I mean who gets these cancers and why?
- NOTE Confidence: 0.9536714666666667
- $00{:}03{:}36{.}710 \dashrightarrow 00{:}03{:}37{.}934$ Yes, excellent question.
- NOTE Confidence: 0.9536714666666667
- $00:03:37.934 \rightarrow 00:03:39.464$ How do we prevent these?
- NOTE Confidence: 0.9536714666666667
- 00:03:39.470 --> 00:03:40.748 How can we minimize our risk?
- NOTE Confidence: 0.9536714666666667
- $00:03:40.750 \dashrightarrow 00:03:42.815$ So understanding the risk factors
- NOTE Confidence: 0.9536714666666667
- $00:03:42.815 \longrightarrow 00:03:44.467$ is incredibly important here.
- NOTE Confidence: 0.9536714666666667
- $00:03:44.470 \longrightarrow 00:03:47.481$ For a long time, we attributed the
- NOTE Confidence: 0.9536714666666667
- 00:03:47.481 --> 00:03:48.987 majority of head and neck cancers,
- NOTE Confidence: 0.9536714666666667
- $00:03:48.990 \rightarrow 00:03:50.590$ again specifically squamous cell
- NOTE Confidence: 0.9536714666666667
- $00:03:50.590 \dashrightarrow 00:03:52.990$ carcinoma of the air digestive tract,
- NOTE Confidence: 0.9536714666666667
- $00:03:52.990 \rightarrow 00:03:55.426$ to things like smoking and drinking,
- NOTE Confidence: 0.9536714666666667

 $00:03:55.430 \longrightarrow 00:03:57.428$ things that we know are risk

NOTE Confidence: 0.9536714666666667

 $00{:}03{:}57{.}428 \dashrightarrow 00{:}03{:}59{.}469$ factors for other types of cancers

NOTE Confidence: 0.9536714666666667

 $00{:}03{:}59{.}470 \dashrightarrow 00{:}04{:}01{.}486$ and those remain risk factors for

NOTE Confidence: 0.9536714666666667

 $00:04:01.486 \rightarrow 00:04:03.196$ squamous cell carcinoma of certain

NOTE Confidence: 0.9536714666666667

 $00:04:03.196 \rightarrow 00:04:05.303$ sites within the head and neck,

NOTE Confidence: 0.9536714666666667

 $00:04:05.310 \longrightarrow 00:04:06.974$ within the oral cavity,

NOTE Confidence: 0.9536714666666667

 $00:04:06.974 \longrightarrow 00:04:08.764$ larynx, the voice box.

NOTE Confidence: 0.9536714666666667

 $00:04:08.764 \dashrightarrow 00:04:12.599$ What we're also seeing now though is a rise

NOTE Confidence: 0.9536714666666667

 $00{:}04{:}12.599 \dashrightarrow 00{:}04{:}15.606$ in HPV associated head and neck cancer.

NOTE Confidence: 0.9536714666666667

 $00:04:15.610 \dashrightarrow 00:04:17.414$ Specifically of the orophary nx

NOTE Confidence: 0.9536714666666667

 $00:04:17.414 \longrightarrow 00:04:18.767$ and the oropharynx,

NOTE Confidence: 0.9536714666666667

 $00{:}04{:}18.770 \dashrightarrow 00{:}04{:}20.510$ that's the tonsils and

NOTE Confidence: 0.9536714666666667

 $00{:}04{:}20.510 \dashrightarrow 00{:}04{:}22.250$ the back of the tongue.

NOTE Confidence: 0.9536714666666667

00:04:22.250 --> 00:04:24.210 So the area kind of at the back of the mouth,

NOTE Confidence: 0.9536714666666667

 $00:04:24.210 \longrightarrow 00:04:25.390$ back of the throat,

NOTE Confidence: 0.9536714666666667

 $00:04:25.390 \longrightarrow 00:04:26.570$ back of the tongue,

 $00{:}04{:}26{.}570$ --> $00{:}04{:}28{.}670$ that's the oropharynx and that's where

NOTE Confidence: 0.9536714666666667

00:04:28.670 --> 00:04:31.158 we're seeing HPV associated squamous

NOTE Confidence: 0.9536714666666667

 $00{:}04{:}31{.}158 \dashrightarrow 00{:}04{:}35{.}330$ cell carcinoma that is on the rise

NOTE Confidence: 0.9536714666666667

 $00:04:35.330 \rightarrow 00:04:37.745$ and accounts for at this point about

NOTE Confidence: 0.9536714666666667

 $00:04:37.745 \longrightarrow 00:04:41.230$ 70% of oropharynx cancers and it's

NOTE Confidence: 0.9536714666666667

 $00:04:41.230 \longrightarrow 00:04:44.370$ anticipated that by about 2030

NOTE Confidence: 0.9536714666666667

 $00{:}04{:}44{.}370 \dashrightarrow 00{:}04{:}47{.}242$ that the head and neck cancers

NOTE Confidence: 0.9536714666666667

 $00{:}04{:}47.242 \dashrightarrow 00{:}04{:}49.540$ associated with a with HPV will be

NOTE Confidence: 0.9536714666666667

 $00{:}04{:}49{.}540 \dashrightarrow 00{:}04{:}51{.}190$ higher than those not associated

NOTE Confidence: 0.9536714666666667

 $00:04:51.190 \longrightarrow 00:04:53.434$ with HPV which will be

NOTE Confidence: 0.9536714666666667

 $00:04:53.434 \rightarrow 00:04:55.450$ a reverse of what it is currently.

NOTE Confidence: 0.9536714666666667

 $00:04:55.450 \longrightarrow 00:04:58.050$ So as people kind of smoke less,

NOTE Confidence: 0.9536714666666667

 $00{:}04{:}58.050 \dashrightarrow 00{:}05{:}00.648$ those sorts of non HPV related cancers,

NOTE Confidence: 0.9536714666666667

 $00:05:00.650 \dashrightarrow 00:05:02.534$ the incidence of those are going

NOTE Confidence: 0.9536714666666667

 $00:05:02.534 \rightarrow 00:05:04.500$ down but HPV associated

 $00:05:04.500 \rightarrow 00:05:05.490$ ones are increasing.

NOTE Confidence: 0.949598185714286

 $00{:}05{:}06{.}810 \dashrightarrow 00{:}05{:}08{.}386$ It's interesting that you

NOTE Confidence: 0.949598185714286

 $00:05:08.386 \rightarrow 00:05:10.750$ say that the HPV cancers will

NOTE Confidence: 0.949598185714286

 $00:05:10.822 \rightarrow 00:05:12.898$ overtake smoking and alcohol.

NOTE Confidence: 0.949598185714286

 $00:05:12.900 \longrightarrow 00:05:15.310$ While it's understood that people

NOTE Confidence: 0.949598185714286

 $00{:}05{:}15{.}310 \dashrightarrow 00{:}05{:}17{.}720$ are smoking less and perhaps

NOTE Confidence: 0.949598185714286

 $00:05:17.806 \longrightarrow 00:05:20.218$ drinking a little bit less too,

NOTE Confidence: 0.949598185714286

 $00:05:20.220 \longrightarrow 00:05:22.019$ you know, when we think about HPV,

NOTE Confidence: 0.949598185714286

 $00{:}05{:}22.020 \dashrightarrow 00{:}05{:}26.508$ we have vaccines for HPV to

NOTE Confidence: 0.949598185714286

 $00:05:26.508 \rightarrow 00:05:28.406$ prevent HPV associated cancers.

NOTE Confidence: 0.949598185714286

 $00:05:28.406 \longrightarrow 00:05:31.519$ So why is it that we still think

NOTE Confidence: 0.949598185714286

 $00:05:31.519 \longrightarrow 00:05:33.329$ that HPV cancers are going

NOTE Confidence: 0.949598185714286

 $00:05:33.329 \longrightarrow 00:05:35.540$ to be rising to the extent

NOTE Confidence: 0.9229395

 $00:05:35.540 \longrightarrow 00:05:37.448$ that they are?

NOTE Confidence: 0.9229395

 $00{:}05{:}37{.}448 \dashrightarrow 00{:}05{:}42{.}360$ There's a bit of a lag in the age of

NOTE Confidence: 0.9229395

 $00:05:42.360 \longrightarrow 00:05:44.760$ patients that have been vaccinated and

- NOTE Confidence: 0.9229395
- $00:05:44.760 \rightarrow 00:05:48.240$ when patients are getting this diagnosis.
- NOTE Confidence: 0.9229395
- $00:05:48.240 \dashrightarrow 00:05:53.166$ So the vaccine Gardasil was FDA
- NOTE Confidence: 0.9229395
- $00:05:53.166 \longrightarrow 00:05:55.396$ approved in early 2000,
- NOTE Confidence: 0.9229395
- $00:05:55.400 \rightarrow 00:05:57.736$ maybe around 2010, 2012.
- NOTE Confidence: 0.9229395
- $00:05:57.736 \rightarrow 00:06:00.476$ Actually it was a little bit before that,
- NOTE Confidence: 0.9229395
- $00{:}06{:}00{.}480 \dashrightarrow 00{:}06{:}02{.}505$ but there are generations of
- NOTE Confidence: 0.9229395
- 00:06:02.505 -> 00:06:04.125 people that have already
- NOTE Confidence: 0.9229395
- $00{:}06{:}04{.}130 \dashrightarrow 00{:}06{:}07{.}010$ acquired the HPV virus
- NOTE Confidence: 0.9229395
- $00{:}06{:}07{.}010 \dashrightarrow 00{:}06{:}09{.}558$ and sort of have fallen out of
- NOTE Confidence: 0.9229395
- $00:06:09.558 \longrightarrow 00:06:11.730$ the window of vaccination.
- NOTE Confidence: 0.9229395
- $00:06:11.730 \longrightarrow 00:06:13.908$ So the hope is that over time as more
- NOTE Confidence: 0.9229395
- $00{:}06{:}13.908 \dashrightarrow 00{:}06{:}16.043$ and more people get vaccinated that
- NOTE Confidence: 0.9229395
- $00:06:16.043 \rightarrow 00:06:18.529$ the rates will eventually go back down.
- NOTE Confidence: 0.9229395
- 00:06:18.530 --> 00:06:19.850 But again we're
- NOTE Confidence: 0.9229395
- $00:06:19.850 \longrightarrow 00:06:21.170$ accounting for this
- NOTE Confidence: 0.9229395

 $00:06:21.170 \longrightarrow 00:06:23.042$ window where people are not

NOTE Confidence: 0.9229395

 $00{:}06{:}23.042 \dashrightarrow 00{:}06{:}24.879$ vaccinated but they're at an age

NOTE Confidence: 0.9229395

 $00:06:24.879 \longrightarrow 00:06:26.463$ where they may be diagnosed

NOTE Confidence: 0.9229395

 $00:06:26.463 \rightarrow 00:06:28.347$ with this which is typically

NOTE Confidence: 0.9229395

 $00:06:28.347 \longrightarrow 00:06:31.305$ anywhere from 40s to 60s that

NOTE Confidence: 0.9229395

 $00:06:31.305 \rightarrow 00:06:32.970$ they're getting diagnosed with this.

NOTE Confidence: 0.933849618181818

 $00:06:33.970 \longrightarrow 00:06:37.880$ So tell us more about why it is that people

NOTE Confidence: 0.933849618181818

00:06:37.977 --> 00:06:40.150 get HPV associated oropharyngeal cancers.

NOTE Confidence: 0.933849618181818

00:06:40.150 --> 00:06:42.525 When we think about HPV,

NOTE Confidence: 0.933849618181818

 $00:06:42.530 \longrightarrow 00:06:44.882$ many of our listeners may be

NOTE Confidence: 0.933849618181818

00:06:44.882 --> 00:06:47.714 thinking about it as, you know,

NOTE Confidence: 0.933849618181818

 $00{:}06{:}47.714 \dashrightarrow 00{:}06{:}50.408$ a sexually transmitted virus

NOTE Confidence: 0.933849618181818

 $00{:}06{:}50{.}408 \dashrightarrow 00{:}06{:}53{.}600$ that causes cervical cancers.

NOTE Confidence: 0.933849618181818

 $00:06:53.600 \rightarrow 00:06:56.351$ So is it systemic spread of that

NOTE Confidence: 0.933849618181818

 $00:06:56.351 \rightarrow 00:06:59.304$ virus or is that more, you know,

NOTE Confidence: 0.933849618181818

 $00{:}06{:}59{.}304 \dashrightarrow 00{:}07{:}01{.}656$ a direct inoculation of the virus

- NOTE Confidence: 0.933849618181818
- $00:07:01.656 \rightarrow 00:07:04.799$ in the mouth due to sexual activity?
- NOTE Confidence: 0.933849618181818
- $00:07:04.800 \longrightarrow 00:07:06.678$ I mean how does that work?
- NOTE Confidence: 0.95031693
- $00{:}07{:}08.080 \dashrightarrow 00{:}07{:}09.376$ Great question.
- NOTE Confidence: 0.95031693
- $00{:}07{:}09{.}376 \dashrightarrow 00{:}07{:}12.826$ We do know that the risk
- NOTE Confidence: 0.95031693
- $00:07:12.826 \dashrightarrow 00:07:15.056$ factor for getting HPV associated
- NOTE Confidence: 0.95031693
- 00:07:15.056 --> 00:07:17.396 head neck cancer is having
- NOTE Confidence: 0.95031693
- $00:07:17.396 \longrightarrow 00:07:19.974$ numerous oral sex partners, so
- NOTE Confidence: 0.95031693
- $00:07:19.974 \rightarrow 00:07:23.340$ that does speak to your question which is it
- NOTE Confidence: 0.95031693
- $00{:}07{:}23.340 \dashrightarrow 00{:}07{:}26.052$ a direct inoculation perhaps
- NOTE Confidence: 0.95031693
- $00:07:26.052 \longrightarrow 00:07:28.751$ it could also be you know just
- NOTE Confidence: 0.95031693
- $00:07:28.751 \longrightarrow 00:07:29.939$ dormant within the body.
- NOTE Confidence: 0.95031693
- $00:07:29.940 \longrightarrow 00:07:31.983$ So the jury is still out on
- NOTE Confidence: 0.95031693
- $00:07:31.983 \rightarrow 00:07:33.898$ exactly how it's transmitted there.
- NOTE Confidence: 0.95031693
- 00:07:33.900 --> 00:07:36.630 But we do know that the
- NOTE Confidence: 0.95031693
- $00:07:36.630 \longrightarrow 00:07:38.485$ risk goes up the more oral
- NOTE Confidence: 0.95031693

 $00:07:38.485 \longrightarrow 00:07:40.380$ sex partners that you've had

NOTE Confidence: 0.93723458

 $00{:}07{:}41.260 \dashrightarrow 00{:}07{:}44.652$ and so getting back to the the vaccine

NOTE Confidence: 0.93723458

 $00{:}07{:}44.652 \dashrightarrow 00{:}07{:}47.468$ and the fact that some

NOTE Confidence: 0.93723458

 $00:07:47.468 \rightarrow 00:07:50.838$ people have kind of already been exposed

NOTE Confidence: 0.93723458

 $00{:}07{:}50.838 \dashrightarrow 00{:}07{:}54.940$ to the virus, my understanding is

NOTE Confidence: 0.93723458

 $00{:}07{:}54{.}940 \dashrightarrow 00{:}07{:}59{.}140$ that now the age criterion for people

NOTE Confidence: 0.93723458

 $00:07:59.140 \longrightarrow 00:08:01.540$ to get the vaccine has increased.

NOTE Confidence: 0.93723458

 $00:08:01.540 \longrightarrow 00:08:04.740$ So it used to be that you had to be,

NOTE Confidence: 0.93723458

00:08:04.740 $\operatorname{-->}$ 00:08:07.460 you know, in your preteen years

NOTE Confidence: 0.93723458

 $00:08:07.460 \longrightarrow 00:08:09.260$ in order to get vaccinated.

NOTE Confidence: 0.93723458

 $00:08:09.260 \longrightarrow 00:08:11.340$ But my understanding is

NOTE Confidence: 0.93723458

 $00{:}08{:}11.340 \dashrightarrow 00{:}08{:}13.500$ that has now increased.

NOTE Confidence: 0.93723458

 $00:08:13.500 \longrightarrow 00:08:14.892$ So two questions.

NOTE Confidence: 0.93723458

 $00:08:14.892 \longrightarrow 00:08:18.140$ First question is A is that true?

NOTE Confidence: 0.93723458

00:08:18.140 --> 00:08:21.736 And B, if it is true,

NOTE Confidence: 0.93723458

 $00:08:21.736 \rightarrow 00:08:24.920$ if you've already been exposed to the virus,

- NOTE Confidence: 0.93723458
- $00:08:24.920 \longrightarrow 00:08:26.600$ does the vaccine still work?

 $00:08:27.840 \longrightarrow 00:08:30.000$ Yes, it is true that they

NOTE Confidence: 0.937234531

 $00:08:30.000 \longrightarrow 00:08:31.440$ have expanded the age.

NOTE Confidence: 0.937234531

 $00:08:31.440 \rightarrow 00:08:33.960$ I believe it's up to 45 now.

NOTE Confidence: 0.937234531

 $00{:}08{:}33{.}960 \dashrightarrow 00{:}08{:}35{.}980$ There are many different strains

NOTE Confidence: 0.937234531

 $00:08:35.980 \longrightarrow 00:08:39.232$ of the virus and so the thought

NOTE Confidence: 0.937234531

 $00:08:39.232 \rightarrow 00:08:40.957$ with getting vaccination,

NOTE Confidence: 0.937234531

 $00:08:40.960 \rightarrow 00:08:43.736$ even if you've already been exposed is that

NOTE Confidence: 0.937234531

 $00:08:43.740 \longrightarrow 00:08:45.280$ the vaccination covers many

NOTE Confidence: 0.937234531

 $00:08:45.280 \rightarrow 00:08:46.820$ different strains and so perhaps

NOTE Confidence: 0.937234531

 $00:08:46.871 \dashrightarrow 00:08:48.586$ it's going to protect you against a

NOTE Confidence: 0.937234531

 $00{:}08{:}48.586 \dashrightarrow 00{:}08{:}50.340$ strain that you have yet to acquire.

NOTE Confidence: 0.94276945

 $00:08:51.820 \rightarrow 00:08:56.620$ So are those really the only risk factors?

NOTE Confidence: 0.94276945

 $00{:}08{:}56{.}620 \dashrightarrow 00{:}09{:}00{.}388$ So smoking, drinking, and HPV

NOTE Confidence: 0.94276945

 $00:09:00.390 \rightarrow 00:09:05.268$ it sounds like it's the trifecta of sin,

 $00:09:05.270 \longrightarrow 00:09:07.424$ but do some people get oropharyngeal

NOTE Confidence: 0.94276945

00:09:07.424 --> 00:09:10.024 cancers just due to bum, bad luck,

NOTE Confidence: 0.94276945

 $00:09:10.024 \longrightarrow 00:09:12.109$ or due to genetic factors?

NOTE Confidence: 0.94276945

 $00:09:12.110 \dashrightarrow 00:09:15.014$ Are there other things that could

NOTE Confidence: 0.94276945

00:09:15.014 --> 00:09:17.870 predispose people to oropharyngeal cancers?

NOTE Confidence: 0.9251585

 $00:09:19.880 \longrightarrow 00:09:21.133$ As far as the oropharynx,

NOTE Confidence: 0.9251585

00:09:21.133 -> 00:09:22.759 those are the main risk factors,

NOTE Confidence: 0.94427896

 $00:09:22.760 \longrightarrow 00:09:24.880$ but there are other risk factors

NOTE Confidence: 0.94427896

 $00:09:24.880 \longrightarrow 00:09:27.120$ for oral cavity cancer.

NOTE Confidence: 0.94427896

00:09:27.120 --> 00:09:29.440 I mean tobacco is sort of a catchall,

NOTE Confidence: 0.94427896

 $00:09:29.440 \longrightarrow 00:09:31.180$ you know for many different types

NOTE Confidence: 0.94427896

 $00{:}09{:}31{.}180 \dashrightarrow 00{:}09{:}33{.}038$ of products, so chewing to bacco

NOTE Confidence: 0.94427896

 $00{:}09{:}33{.}038$ --> $00{:}09{:}35{.}594$ but also one called beetle nut

NOTE Confidence: 0.94427896

00:09:35.594 --> 00:09:38.040 which is used in parts of Asia,

NOTE Confidence: 0.94427896

00:09:38.040 --> 00:09:41.692 Southeast Asia that it can also

NOTE Confidence: 0.94427896

 $00:09:41.692 \longrightarrow 00:09:44.280$ be associated or a risk factor

 $00:09:44.280 \longrightarrow 00:09:46.830$ for acquiring oral cavity cancer.

NOTE Confidence: 0.94427896

 $00{:}09{:}46.830 \dashrightarrow 00{:}09{:}49.557$ And then we think of others that are

NOTE Confidence: 0.94427896

00:09:49.557 --> 00:09:52.694 not quite as common that affect the

NOTE Confidence: 0.94427896

 $00:09:52.694 \dashrightarrow 00:09:55.400$ nasal area and can be associated

 $00:09:57.637 \rightarrow 00:10:01.950$ with things like woodworking,

NOTE Confidence: 0.94427896

 $00{:}10{:}01{.}950 \dashrightarrow 00{:}10{:}04.635$ you know sort of environmental

NOTE Confidence: 0.94427896

 $00:10:04.635 \rightarrow 00:10:06.783$ exposures secondary to occupation.

NOTE Confidence: 0.94427896

 $00:10:06.790 \rightarrow 00:10:09.590$ Some metalworking can be associated

NOTE Confidence: 0.94427896

 $00{:}10{:}09{.}590 \dashrightarrow 00{:}10{:}11{.}686$ with some head and neck cancers

NOTE Confidence: 0.94427896

 $00:10:11.686 \rightarrow 00:10:13.150$ those are pretty rare.

NOTE Confidence: 0.94427896

 $00{:}10{:}13.150 \dashrightarrow 00{:}10{:}16.655$ So when it comes to risk factors that

NOTE Confidence: 0.94427896

00:10:16.655 --> 00:10:19.360 affect a good amount of people,

NOTE Confidence: 0.94427896

 $00:10:19.360 \longrightarrow 00:10:20.948$ those are pretty much the main

NOTE Confidence: 0.94427896

 $00:10:20.948 \longrightarrow 00:10:22.318$ ones that we've talked about,

NOTE Confidence: 0.94427896

00:10:22.320 --> 00:10:27.220 smoking, drinking and increased

NOTE Confidence: 0.94427896

 $00:10:27.220 \rightarrow 00:10:28.720$ number of oral sex partners.

- NOTE Confidence: 0.9419309516666667
- 00:10:29.480 --> 00:10:31.640 So when we think about smoking,
- NOTE Confidence: 0.9419309516666667
- $00:10:31.640 \longrightarrow 00:10:34.440$ one of the other questions that often
- NOTE Confidence: 0.9419309516666667
- $00:10:34.440 \longrightarrow 00:10:39.220$ comes up is whether it is the actual
- NOTE Confidence: 0.941930951666667
- $00:10:39.220 \rightarrow 00:10:43.540$ vapors or whether it is the nicotine content.
- NOTE Confidence: 0.9419309516666667
- $00:10:43.540 \rightarrow 00:10:46.450$ So to get to the whole point of are
- NOTE Confidence: 0.941930951666667
- 00:10:46.530 --> 00:10:49.700 e-cigarettes safe, is vaping safe?
- NOTE Confidence: 0.9419309516666667
- 00:10:49.700 --> 00:10:52.820 Does this reduce your risk of
- NOTE Confidence: 0.941930951666667
- $00:10:52.820 \longrightarrow 00:10:54.785$ cancer versus
- NOTE Confidence: 0.9419309516666667
- $00{:}10{:}54.785 \dashrightarrow 00{:}10{:}57.153$ traditional smoking or is there a
- NOTE Confidence: 0.941930951666667
- $00:10:57.153 \rightarrow 00:11:01.120$ risk associated with these as well?
- NOTE Confidence: 0.939851064
- $00{:}11{:}01{.}120 \dashrightarrow 00{:}11{:}03{.}436$ You know those products I don't
- NOTE Confidence: 0.939851064
- $00:11:03.436 \rightarrow 00:11:05.683$ think have been around long enough
- NOTE Confidence: 0.939851064
- $00:11:05.683 \longrightarrow 00:11:08.195$ for us to really know if they
- NOTE Confidence: 0.939851064
- $00{:}11{:}08{.}274 \dashrightarrow 00{:}11{:}10{.}944$ have the same impact on cancer
- NOTE Confidence: 0.939851064
- $00{:}11{:}10.944 \dashrightarrow 00{:}11{:}15.342$ predisposition as the smoked to bacco.
- NOTE Confidence: 0.939851064

- $00:11:15.342 \rightarrow 00:11:17.758$ So we're just not at that point yet.
- NOTE Confidence: 0.939851064
- 00:11:17.760 --> 00:11:21.022 The kind of general
- NOTE Confidence: 0.939851064
- $00:11:21.022 \rightarrow 00:11:23.822$ recommendation though is that it
- NOTE Confidence: 0.939851064
- $00{:}11{:}23.822 \dashrightarrow 00{:}11{:}26.279$ very well could be associated with it,
- NOTE Confidence: 0.939851064
- $00{:}11{:}26{.}280 \dashrightarrow 00{:}11{:}28{.}884$ one of the concerns about smokeless to bacco
- NOTE Confidence: 0.939851064
- $00:11:28.890 \rightarrow 00:11:32.005$ is that it's getting people exposed early
- NOTE Confidence: 0.939851064
- 00:11:32.005 --> 00:11:34.766 and there's a concern that
- NOTE Confidence: 0.939851064
- $00:11:34.766 \rightarrow 00:11:38.049$ also it's so much easier to do,
- NOTE Confidence: 0.939851064
- 00:11:38.050 --> 00:11:39.290 you could do it indoors,
- NOTE Confidence: 0.939851064
- $00:11:39.290 \longrightarrow 00:11:40.284$ you could do a little bit here,
- NOTE Confidence: 0.939851064
- $00:11:40.290 \rightarrow 00:11:42.530$ a little bit there throughout the day.
- NOTE Confidence: 0.939851064
- $00:11:42.530 \longrightarrow 00:11:44.666$ There's a concern that the exposure
- NOTE Confidence: 0.939851064
- $00:11:44.666 \rightarrow 00:11:47.063$ over time is higher because it's so
- NOTE Confidence: 0.939851064
- $00:11:47.063 \rightarrow 00:11:49.698$ easy and relatively discreet.
- NOTE Confidence: 0.939851064
- 00:11:49.698 --> 00:11:54.964 So in terms of head and neck cancer,
- NOTE Confidence: 0.939851064
- 00:11:54.970 --> 00:11:58.705 I don't think enough time has passed

- $00:12:00.966 \longrightarrow 00:12:04.054$ to be able to say
- NOTE Confidence: 0.939851064
- $00{:}12{:}04.054 \dashrightarrow 00{:}12{:}08.984$ it is as associated or as
- NOTE Confidence: 0.939851064
- 00:12:08.984 --> 00:12:10.643 dangerous in terms of a risk factor
- NOTE Confidence: 0.939851064
- $00{:}12{:}10.643 \dashrightarrow 00{:}12{:}11.669$ as smoked to bacco.
- NOTE Confidence: 0.939851064
- $00:12:11.670 \longrightarrow 00:12:12.906$ So the jury is still out,
- NOTE Confidence: 0.939851064
- $00{:}12{:}12{.}910 \dashrightarrow 00{:}12{:}14{.}400$ but we anticipate it's probably
- NOTE Confidence: 0.939851064
- $00:12:14.400 \longrightarrow 00:12:16.230$ going to be about the same.
- NOTE Confidence: 0.946004114285714
- 00:12:17.110 --> 00:12:18.909 What about for people who already
- NOTE Confidence: 0.946004114285714
- 00:12:18.910 --> 00:12:21.350 have had a history of smoking,
- NOTE Confidence: 0.946004114285714
- 00:12:21.350 --> 00:12:23.348 have had a history of alcohol,
- NOTE Confidence: 0.946004114285714
- 00:12:23.350 --> 00:12:28.970 may have had exposure to HPV over time?
- NOTE Confidence: 0.946004114285714
- 00:12:28.970 --> 00:12:31.370 You quit smoking, you quit drinking,
- NOTE Confidence: 0.946004114285714
- $00:12:31.370 \longrightarrow 00:12:37.846$ don't have oral sex,
- NOTE Confidence: 0.946004114285714
- $00{:}12{:}37{.}850 \dashrightarrow 00{:}12{:}40{.}613$ does that reduce your risk or is it
- NOTE Confidence: 0.946004114285714
- $00:12:40.613 \rightarrow 00:12:43.647$ more that if you've had a single exposure,
- NOTE Confidence: 0.946004114285714
- $00:12:43.650 \rightarrow 00:12:45.045$ that single exposure is kind

- NOTE Confidence: 0.946004114285714
- $00:12:45.045 \longrightarrow 00:12:47.230$ of like a mark on your record
- NOTE Confidence: 0.946004114285714
- $00:12:47.230 \longrightarrow 00:12:49.050$ that still increases your risk?
- $00:12:51.198 \longrightarrow 00:12:55.240$ We talked about it mostly with smoking.
- NOTE Confidence: 0.88864030444445
- $00:12:55.240 \longrightarrow 00:12:58.163$ And it has to do with sort of
- NOTE Confidence: 0.88864030444445
- $00{:}12{:}58{.}163 \dashrightarrow 00{:}12{:}59{.}840$ cumulative exposure over time
- NOTE Confidence: 0.88864030444445
- $00{:}12{:}59{.}840 \dashrightarrow 00{:}13{:}03{.}600$ and typically we use the
- NOTE Confidence: 0.888640304444445
- 00:13:03.600 --> 00:13:07.719 10 pack year as a bit of a benchmark.
- NOTE Confidence: 0.88864030444445
- $00{:}13{:}07{.}720 \dashrightarrow 00{:}13{:}12{.}998$ So below which your risk is lower
- NOTE Confidence: 0.88864030444445
- 00:13:13.000 --> 00:13:15.346 than it is if you've smoked
- NOTE Confidence: 0.88864030444445
- $00:13:15.346 \rightarrow 00:13:17.450$ more than 10 packs per year.
- NOTE Confidence: 0.88864030444445
- $00:13:17.450 \longrightarrow 00:13:19.310$ Pack year just refers to
- NOTE Confidence: 0.88864030444445
- $00:13:19.310 \longrightarrow 00:13:21.485$ on average how many packs of
- NOTE Confidence: 0.88864030444445
- $00{:}13{:}21{.}485 \dashrightarrow 00{:}13{:}23{.}680$ cigarettes do you smoke per year.
- NOTE Confidence: 0.915617683333333
- $00:13:24.900 \longrightarrow 00:13:27.612$ So there's hope for
- NOTE Confidence: 0.915617683333333
- $00:13:27.612 \rightarrow 00:13:30.619$ people who want to quit smoking
- NOTE Confidence: 0.915617683333333
- 00:13:30.620 --> 00:13:34.400 and reduce their risk of

- NOTE Confidence: 0.915617683333333
- $00:13:34.400 \rightarrow 00:13:36.020$ getting oropharyngeal cancer.
- NOTE Confidence: 0.915617683333333
- 00:13:36.020 --> 00:13:38.400 When we come back after taking a
- NOTE Confidence: 0.915617683333333
- $00{:}13{:}38{.}400 \dashrightarrow 00{:}13{:}40{.}698$ short break for a medical minute,
- NOTE Confidence: 0.915617683333333
- $00:13:40.700 \longrightarrow 00:13:43.185$ we'll dive into a little bit more
- NOTE Confidence: 0.915617683333333
- $00{:}13{:}43.185 \dashrightarrow 00{:}13{:}44.593$ about orophary ngeal cancers and
- NOTE Confidence: 0.915617683333333
- $00:13:44.593 \rightarrow 00:13:46.574$ other cancers of the head and neck,
- NOTE Confidence: 0.915617683333333
- $00:13:46.580 \rightarrow 00:13:47.771$ how they present,
- NOTE Confidence: 0.915617683333333
- 00:13:47.771 00:13:49.756 how they're treated and what's
- NOTE Confidence: 0.915617683333333
- $00:13:49.756 \longrightarrow 00:13:51.490$ new on the horizon.
- NOTE Confidence: 0.915617683333333
- $00{:}13{:}51{.}490 \dashrightarrow 00{:}13{:}53{.}098$ Please stay tuned to learn more
- NOTE Confidence: 0.915617683333333
- $00:13:53.098 \rightarrow 00:13:54.796$ about the care of patients with
- NOTE Confidence: 0.915617683333333
- $00{:}13{:}54{.}796 \dashrightarrow 00{:}13{:}56{.}784$ head and neck cancers in honor of
- NOTE Confidence: 0.915617683333333
- $00{:}13{:}56{.}784 \dashrightarrow 00{:}13{:}58{.}387$ Head and Neck Cancer Awareness
- NOTE Confidence: 0.915617683333333
- 00:13:58.387 --> 00:14:00.110 Month with my guest, Dr.
- NOTE Confidence: 0.915617683333333
- $00:14:00.110 \longrightarrow 00:14:01.370$ Ansley Roche.
- NOTE Confidence: 0.915617683333333

- 00:14:01.370 --> 00:14:02.170 Funding
- NOTE Confidence: 0.892981762222222
- $00{:}14{:}02{.}170 \dashrightarrow 00{:}14{:}04{.}210$ for Yale Cancer Answers comes
- NOTE Confidence: 0.892981762222222
- 00:14:04.210 --> 00:14:05.842 from Smilow Cancer Hospital,
- NOTE Confidence: 0.892981762222222
- $00:14:05.850 \rightarrow 00:14:08.802$ where their Prostate and Urologic Cancers
- NOTE Confidence: 0.892981762222222
- $00{:}14{:}08{.}802 \dashrightarrow 00{:}14{:}11{.}277$ program comprises a multispecialty team
- NOTE Confidence: 0.892981762222222
- $00{:}14{:}11.277 \dashrightarrow 00{:}14{:}13.487$ dedicated to managing the diagnosis,
- NOTE Confidence: 0.892981762222222
- $00:14:13.490 \rightarrow 00:14:16.328$ evaluation, and treatment of urologic cancer.
- NOTE Confidence: 0.9301902
- 00:14:18.490 --> 00:14:18.810 Smilowcancerhospital.org
- NOTE Confidence: 0.942083309090909
- $00{:}14{:}20.850 \dashrightarrow 00{:}14{:}22.638$ Breast cancer is one of the
- NOTE Confidence: 0.942083309090909
- 00:14:22.638 --> 00:14:24.250 most common cancers in women.
- NOTE Confidence: 0.942083309090909
- 00:14:24.250 --> 00:14:25.570 In Connecticut alone,
- NOTE Confidence: 0.942083309090909
- 00:14:25.570 --> 00:14:27.770 approximately 3500 women will be
- NOTE Confidence: 0.942083309090909
- $00{:}14{:}27{.}770 \dashrightarrow 00{:}14{:}30{.}250$ diagnosed with breast cancer this year.
- NOTE Confidence: 0.942083309090909
- $00:14:30.250 \longrightarrow 00:14:31.800$ But there is hope thanks
- NOTE Confidence: 0.942083309090909
- $00:14:31.800 \rightarrow 00:14:32.730$ to earlier detection,
- NOTE Confidence: 0.942083309090909
- $00:14:32.730 \longrightarrow 00:14:33.912$ non invasive treatments,

- NOTE Confidence: 0.942083309090909
- $00:14:33.912 \longrightarrow 00:14:35.882$ and the development of novel
- NOTE Confidence: 0.942083309090909
- $00:14:35.882 \rightarrow 00:14:37.929$ therapies to fight breast cancer,
- NOTE Confidence: 0.942083309090909
- $00{:}14{:}37{.}930 \dashrightarrow 00{:}14{:}39{.}765$ women should schedule a baseline
- NOTE Confidence: 0.942083309090909
- 00:14:39.765 --> 00:14:41.992 mammogram beginning at age 40 or
- NOTE Confidence: 0.942083309090909
- 00:14:41.992 --> 00:14:43.978 earlier if they have risk factors
- NOTE Confidence: 0.942083309090909
- $00{:}14{:}43.978 \dashrightarrow 00{:}14{:}45.510$ associated with the disease.
- NOTE Confidence: 0.942083309090909
- $00:14:45.510 \rightarrow 00:14:46.340$ With screening,
- NOTE Confidence: 0.942083309090909
- $00:14:46.340 \rightarrow 00:14:48.830$ early detection, and a healthy lifestyle,
- NOTE Confidence: 0.942083309090909
- $00{:}14{:}48{.}830 \dashrightarrow 00{:}14{:}50{.}990$ breast cancer can be defeated.
- NOTE Confidence: 0.942083309090909
- 00:14:50.990 --> 00:14:52.950 Clinical trials are currently
- NOTE Confidence: 0.942083309090909
- 00:14:52.950 --> 00:14:54.910 underway at federally designated
- NOTE Confidence: 0.942083309090909
- $00{:}14{:}54{.}910 \dashrightarrow 00{:}14{:}56{.}606$ comprehensive cancer centers such
- NOTE Confidence: 0.942083309090909
- $00{:}14{:}56{.}606 \dashrightarrow 00{:}14{:}58{.}881$ as Yale Cancer Center and Smilow
- NOTE Confidence: 0.942083309090909
- $00{:}14{:}58{.}881 \dashrightarrow 00{:}15{:}00{.}975$ Cancer Hospital to make innovative
- NOTE Confidence: 0.942083309090909
- $00:15:00.975 \rightarrow 00:15:03.110$ new treatments available to patients.
- NOTE Confidence: 0.942083309090909

 $00:15:03.110 \rightarrow 00:15:05.620$ Digital breast tomosynthesis or 3D

NOTE Confidence: 0.942083309090909

 $00{:}15{:}05{.}620 \dashrightarrow 00{:}15{:}08{.}130$ mammography is also transforming breast

NOTE Confidence: 0.942083309090909

 $00:15:08.198 \rightarrow 00:15:10.422$ cancer screening by significantly

NOTE Confidence: 0.942083309090909

 $00:15:10.422 \rightarrow 00:15:12.090$ reducing unnecessary procedures

NOTE Confidence: 0.942083309090909

 $00{:}15{:}12.090 \dashrightarrow 00{:}15{:}14.710$ while picking up more cancers.

NOTE Confidence: 0.942083309090909

00:15:14.710 --> 00:15:16.950 More information is available

NOTE Confidence: 0.942083309090909

00:15:16.950 --> 00:15:17.944 at yalecancercenter.org.

NOTE Confidence: 0.942083309090909

00:15:17.944 --> 00:15:20.548 You're listening to Connecticut Public Radio.

NOTE Confidence: 0.950317

 $00{:}15{:}21.350 \dashrightarrow 00{:}15{:}23.426$ Welcome back to Yale Cancer Answers.

NOTE Confidence: 0.950317

 $00:15:23.430 \longrightarrow 00:15:25.070$ This is Dr. Anees Chagpar

NOTE Confidence: 0.950317

00:15:25.070 --> 00:15:27.149 and I'm joined tonight by my guest,

NOTE Confidence: 0.950317

 $00{:}15{:}27{.}150 \dashrightarrow 00{:}15{:}28{.}170$ Dr. Ansley Roche.

NOTE Confidence: 0.950317

 $00{:}15{:}28{.}170 \dashrightarrow 00{:}15{:}30{.}210$ We're discussing the care of patients

NOTE Confidence: 0.950317

 $00{:}15{:}30{.}210 \dashrightarrow 00{:}15{:}32{.}469$ with head and neck cancers in honor of

NOTE Confidence: 0.950317

 $00{:}15{:}32.469 \dashrightarrow 00{:}15{:}34.629$ Head and Neck Cancer Awareness Month.

NOTE Confidence: 0.950317

 $00:15:34.630 \longrightarrow 00:15:36.582$ Now, before the break,

- NOTE Confidence: 0.950317
- $00{:}15{:}36{.}582 \dashrightarrow 00{:}15{:}39{.}510$ we were talking about risk factors

 $00{:}15{:}39{.}510 \dashrightarrow 00{:}15{:}41{.}814$ and things that people can do to reduce

NOTE Confidence: 0.950317

 $00{:}15{:}41.814 \dashrightarrow 00{:}15{:}44.345$ their risk of getting head and neck cancers,

NOTE Confidence: 0.950317

 $00:15:44.350 \longrightarrow 00:15:46.854$ and particularly those of

NOTE Confidence: 0.950317

 $00:15:46.854 \longrightarrow 00:15:48.639$ the orophary ngeal tract.

NOTE Confidence: 0.950317

 $00{:}15{:}48.639 \dashrightarrow 00{:}15{:}51.813$ So Ansley, let's suppose that some body

NOTE Confidence: 0.950317

 $00:15:51.813 \rightarrow 00:15:55.449$ does get an oropharyngeal cancer,

NOTE Confidence: 0.950317

00:15:55.450 --> 00:15:57.214 tell us a little bit more

NOTE Confidence: 0.950317

 $00{:}15{:}57{.}214 \dashrightarrow 00{:}15{:}58{.}850$ about how those are found.

NOTE Confidence: 0.950317

 $00{:}15{:}58{.}850 \dashrightarrow 00{:}16{:}01{.}112$ Are these routinely things that are

NOTE Confidence: 0.950317

 $00{:}16{:}01{.}112 \dashrightarrow 00{:}16{:}03{.}078$ screened for that are asymptomatic

NOTE Confidence: 0.950317

 $00{:}16{:}03.078 \dashrightarrow 00{:}16{:}05.028$ or do patients present with

NOTE Confidence: 0.950317

 $00:16:05.028 \rightarrow 00:16:07.648$ symptoms and if so what are those?

NOTE Confidence: 0.9553487

 $00{:}16{:}07{.}810 \dashrightarrow 00{:}16{:}10{.}740$ It's highly variable how these

NOTE Confidence: 0.9553487

 $00:16:10.740 \longrightarrow 00:16:12.546$ present, we often see patients

 $00:16:12.546 \rightarrow 00:16:14.370$ and this depends on the location,

NOTE Confidence: 0.9553487

 $00{:}16{:}14.370 \dashrightarrow 00{:}16{:}16.827$ we often are referred patients that

NOTE Confidence: 0.9553487

 $00{:}16{:}16{.}827 \dashrightarrow 00{:}16{:}18{.}970$ have been evaluated by their dentist

NOTE Confidence: 0.9553487

 $00{:}16{:}18{.}970 \dashrightarrow 00{:}16{:}21{.}126$ who notices a lesion within the mouth,

NOTE Confidence: 0.9553487

00:16:21.130 --> 00:16:22.250 a spot, something that

NOTE Confidence: 0.9553487

 $00:16:22.250 \longrightarrow 00:16:23.370$ doesn't look quite right.

NOTE Confidence: 0.9553487

 $00{:}16{:}23.370 \dashrightarrow 00{:}16{:}26.290$ So they get a biopsy and they would

NOTE Confidence: 0.9553487

 $00:16:26.290 \longrightarrow 00:16:29.567$ get the diagnosis of cancer.

NOTE Confidence: 0.9553487

 $00{:}16{:}29{.}570 \dashrightarrow 00{:}16{:}31{.}270$ Again typically this would

NOTE Confidence: 0.9553487

00:16:31.270 - 00:16:32.970 be squamous cell carcinoma.

NOTE Confidence: 0.9553487

 $00:16:32.970 \longrightarrow 00:16:35.630$ So that can occur just by getting

NOTE Confidence: 0.9553487

 $00:16:35.630 \longrightarrow 00:16:36.770$ seen by a dentist regularly.

NOTE Confidence: 0.9553487

 $00{:}16{:}36{.}770 \dashrightarrow 00{:}16{:}39{.}512$ So we do strongly encourage regular

NOTE Confidence: 0.9553487

 $00:16:39.512 \longrightarrow 00:16:42.272$ dental visits every six months.

NOTE Confidence: 0.9553487

 $00{:}16{:}42.272 \dashrightarrow 00{:}16{:}44.564$ That's one way these are diagnosed.

NOTE Confidence: 0.9553487

 $00:16:44.570 \longrightarrow 00:16:46.035$ You can imagine that

- NOTE Confidence: 0.9553487
- $00{:}16{:}46.035 \dashrightarrow 00{:}16{:}47.207$ cancer within the
- NOTE Confidence: 0.9553487
- 00:16:47.210 --> 00:16:49.890 upper digestive tract
- NOTE Confidence: 0.9553487
- $00:16:49.890 \longrightarrow 00:16:52.074$ you know can be associated with
- NOTE Confidence: 0.9553487
- $00:16:52.074 \rightarrow 00:16:53.530$ things like difficulty eating,
- NOTE Confidence: 0.9553487
- 00:16:53.530 --> 00:16:56.434 painful eating, painful chewing,
- NOTE Confidence: 0.9553487
- 00:16:56.434 --> 00:16:58.908 painful swallowing, difficulty swallowing.
- NOTE Confidence: 0.9553487
- $00:16:58.908 \rightarrow 00:17:03.490$ So those are some also things like ear pain.
- NOTE Confidence: 0.9553487
- $00:17:03.490 \longrightarrow 00:17:06.248$ Even if it's not an ear cancer,
- NOTE Confidence: 0.9553487
- $00{:}17{:}06.250 \dashrightarrow 00{:}17{:}07.762$ there are some nerves in the back
- NOTE Confidence: 0.9553487
- $00:17:07.762 \longrightarrow 00:17:10.306$ of the mouth, back of the throat,
- NOTE Confidence: 0.9553487
- $00:17:10.306 \longrightarrow 00:17:12.882$ that if those nerves are
- NOTE Confidence: 0.9553487
- $00:17:12.882 \rightarrow 00:17:14.390$ irritated, they can actually cause what is
- NOTE Confidence: 0.9553487
- $00:17:14.390 \longrightarrow 00:17:15.610$ called referred pain,
- NOTE Confidence: 0.9553487
- $00{:}17{:}15.610 \dashrightarrow 00{:}17{:}17.008$ where you get pain somewhere else.
- NOTE Confidence: 0.9553487
- $00{:}17{:}17{.}010 \dashrightarrow 00{:}17{:}18{.}970$ So if some patients have ear pain
- NOTE Confidence: 0.9553487

 $00:17:18.970 \longrightarrow 00:17:20.694$ even though they have a

NOTE Confidence: 0.9553487

 $00:17:20.694 \longrightarrow 00:17:22.204$ cancer within their throat

NOTE Confidence: 0.9553487

 $00:17:22.204 \rightarrow 00:17:24.327$ or their voice box,

NOTE Confidence: 0.9553487

 $00:17:24.330 \longrightarrow 00:17:26.410$ their larynx,

NOTE Confidence: 0.9553487

 $00{:}17{:}26{.}410 \dashrightarrow 00{:}17{:}28{.}702$ another symptom would be a neck

NOTE Confidence: 0.9553487

 $00{:}17{:}28.702 \dashrightarrow 00{:}17{:}31.011$ mass and that implies that the

NOTE Confidence: 0.9553487

 $00{:}17{:}31.011 \dashrightarrow 00{:}17{:}33.482$ cancer has spread to a lymph node

NOTE Confidence: 0.9553487

 $00:17:33.482 \longrightarrow 00:17:35.208$ within the head and neck.

NOTE Confidence: 0.9553487

 $00{:}17{:}35{.}210 \dashrightarrow 00{:}17{:}37{.}040$ So cancers that arise within the

NOTE Confidence: 0.9553487

 $00:17:37.040 \rightarrow 00:17:38.850$ oral cavity or even the skin,

NOTE Confidence: 0.9553487

 $00{:}17{:}38.850 \dashrightarrow 00{:}17{:}39.770$ the back of the mouth,

NOTE Confidence: 0.9553487

 $00:17:39.770 \rightarrow 00:17:42.010$ the oral pharynx or the voice box,

NOTE Confidence: 0.9553487

 $00:17:42.010 \longrightarrow 00:17:43.026$ once they arise there,

NOTE Confidence: 0.9553487

 $00:17:43.026 \longrightarrow 00:17:44.550$ they have a tendency or the

NOTE Confidence: 0.9553487

 $00:17:44.605 \rightarrow 00:17:46.205$ potential to spread to surrounding

NOTE Confidence: 0.9553487

 $00:17:46.205 \longrightarrow 00:17:47.805$ lymph nodes within the neck.

- NOTE Confidence: 0.9553487
- $00:17:47.810 \longrightarrow 00:17:49.826$ So at times people don't really
- NOTE Confidence: 0.9553487
- $00{:}17{:}49.826 \dashrightarrow 00{:}17{:}51.461$ notice that anything's going on
- NOTE Confidence: 0.9553487
- $00{:}17{:}51{.}461 \dashrightarrow 00{:}17{:}53{.}106$ except they might feel a mass or
- NOTE Confidence: 0.9553487
- $00:17:53.106 \rightarrow 00:17:55.086$ a lump on the side of their neck.
- NOTE Confidence: 0.9553487
- $00{:}17{:}55{.}090 \dashrightarrow 00{:}17{:}56{.}794$ So if those are
- $00:17:58.280 \longrightarrow 00:17:59.704$ symptoms that you have,
- NOTE Confidence: 0.9553487
- $00:17:59.704 \longrightarrow 00:18:02.480$ then you should definitely seek
- NOTE Confidence: 0.9553487
- $00:18:02.480 \rightarrow 00:18:04.080$ an appointment with your doctor.
- NOTE Confidence: 0.9553487
- 00:18:04.080 --> 00:18:08.452 A neck mass in an adult,
- NOTE Confidence: 0.9553487
- $00:18:08.452 \rightarrow 00:18:10.416$ without being an alarmist, is
- NOTE Confidence: 0.9553487
- $00{:}18{:}10{.}416$ --> $00{:}18{:}12{.}400$ concerning until proven otherwise.
- NOTE Confidence: 0.9553487
- 00:18:12.400 --> 00:18:16.408 Neck masses in children typically are
- NOTE Confidence: 0.9553487
- $00{:}18{:}16{.}408 \dashrightarrow 00{:}18{:}18{.}406$ infectious and so it's not uncommon for
- NOTE Confidence: 0.9553487
- $00:18:18.406 \rightarrow 00:18:20.211$ them to get a course of antibiotics
- NOTE Confidence: 0.9553487
- $00:18:20.211 \dashrightarrow 00:18:22.234$ and then the neck mass goes away.
- NOTE Confidence: 0.9553487
- $00:18:22.240 \longrightarrow 00:18:25.750$ Adults that have a neck mass,

- NOTE Confidence: 0.9553487
- 00:18:25.750 --> 00:18:26.097 again,
- NOTE Confidence: 0.9553487
- 00:18:26.097 --> 00:18:28.526 it's more concerning than it is in
- NOTE Confidence: 0.9553487
- $00:18:28.526 \longrightarrow 00:18:30.915$ the pediatric population and it
- NOTE Confidence: 0.9553487
- $00:18:30.915 \rightarrow 00:18:32.950$ really should be evaluated seriously.
- NOTE Confidence: 0.9007556525
- $00{:}18{:}34{.}270 \dashrightarrow 00{:}18{:}37{.}438$ And so let's say you find a neck
- NOTE Confidence: 0.9007556525
- $00:18:37.438 \longrightarrow 00:18:40.228$ mass or you have some ear pain,
- NOTE Confidence: 0.9007556525
- $00:18:40.230 \longrightarrow 00:18:44.070$ or a dentist finds a spot in your
- NOTE Confidence: 0.9007556525
- $00:18:44.070 \longrightarrow 00:18:46.905$ mouth and refers you to your
- NOTE Confidence: 0.9007556525
- $00:18:46.905 \longrightarrow 00:18:50.150$ family doctor or a specialist,
- NOTE Confidence: 0.9007556525
- $00:18:50.150 \longrightarrow 00:18:51.389$ what happens then?
- NOTE Confidence: 0.9452853
- $00{:}18{:}51{.}810 \dashrightarrow 00{:}18{:}54{.}122$ So if you've gotten the biopsy and you've
- NOTE Confidence: 0.9452853
- $00{:}18{:}54{.}122 \dashrightarrow 00{:}18{:}56{.}088$ gotten the diagnosis then the next
- NOTE Confidence: 0.9452853
- $00:18:56.090 \longrightarrow 00:18:58.298$ place to go is a specialist
- NOTE Confidence: 0.9452853
- $00{:}18{:}58{.}298 \dashrightarrow 00{:}19{:}00{.}353$ that is trained
- NOTE Confidence: 0.9452853
- $00{:}19{:}00{.}353 \dashrightarrow 00{:}19{:}02{.}425$ to take care of these sorts of
- NOTE Confidence: 0.9452853

 $00:19:02.425 \longrightarrow 00:19:04.123$ problems day in and day out.

NOTE Confidence: 0.9452853

 $00{:}19{:}04{.}130 \dashrightarrow 00{:}19{:}06{.}192$ And there are some general ENT's

NOTE Confidence: 0.9452853

 $00:19:06.192 \longrightarrow 00:19:09.204$ that are comfortable and very

NOTE Confidence: 0.9452853

 $00:19:09.204 \longrightarrow 00:19:11.522$ facile and proficient with taking care

NOTE Confidence: 0.9452853

 $00{:}19{:}11{.}522 \dashrightarrow 00{:}19{:}13{.}490$ of head and neck cancer patients.

NOTE Confidence: 0.9452853

00:19:13.490 --> 00:19:16.255 But typically head and neck cancer patients

NOTE Confidence: 0.9452853

 $00:19:16.255 \rightarrow 00:19:19.080$ are managed by a cancer specialist,

NOTE Confidence: 0.9452853

 $00:19:19.080 \rightarrow 00:19:21.838$ surgical oncologist of the head and neck,

NOTE Confidence: 0.9452853

 $00:19:21.840 \longrightarrow 00:19:24.036$ just like if you have colon cancer,

NOTE Confidence: 0.9452853

 $00:19:24.040 \longrightarrow 00:19:25.980$ you would want a surgical

NOTE Confidence: 0.9452853

 $00{:}19{:}25{.}980 \dashrightarrow 00{:}19{:}27{.}920$ on cologist to be managing that.

NOTE Confidence: 0.9452853

 $00{:}19{:}27{.}920 \dashrightarrow 00{:}19{:}30{.}800$ That also helps with facilitating

NOTE Confidence: 0.9452853

 $00{:}19{:}30{.}800 \dashrightarrow 00{:}19{:}32{.}124$ other sorts of treatment.

NOTE Confidence: 0.9452853

 $00:19:32.124 \longrightarrow 00:19:33.779$ Let's say surgery is not

NOTE Confidence: 0.9452853

 $00{:}19{:}33{.}779 \dashrightarrow 00{:}19{:}35{.}397$ the best option for you.

NOTE Confidence: 0.9452853

 $00:19:35.400 \rightarrow 00:19:37.974$ Chemotherapy or radiation may be better

- NOTE Confidence: 0.9452853
- $00:19:37.974 \rightarrow 00:19:40.500$ options and being involved with the
- NOTE Confidence: 0.9452853
- $00{:}19{:}40{.}500 \dashrightarrow 00{:}19{:}42{.}766$ head and neck cancer specialist you
- NOTE Confidence: 0.9452853
- 00:19:42.766 --> 00:19:44.796 automatically are involved with all
- NOTE Confidence: 0.9452853
- $00:19:44.796 \rightarrow 00:19:46.860$ of these other specialists.
- 00:19:48.340 --> 00:19:50.398 We deliver all of our care within
- NOTE Confidence: 0.9452853
- $00:19:50.398 \rightarrow 00:19:52.329$ the context of a multidisciplinary
- NOTE Confidence: 0.9452853
- $00{:}19{:}52{.}329 \dashrightarrow 00{:}19{:}54{.}638$ team and we make decisions about the
- NOTE Confidence: 0.9452853
- $00:19:54.638 \dashrightarrow 00:19:57.097$ best way to treat patients as a team.
- NOTE Confidence: 0.9452853
- 00:19:57.100 --> 00:19:59.207 We have weekly meetings and I
- NOTE Confidence: 0.9452853
- $00{:}19{:}59{.}207 \dashrightarrow 00{:}20{:}01{.}349$ think this is pretty universal within
- NOTE Confidence: 0.9452853
- $00:20:01.349 \longrightarrow 00:20:03.695$ the head and neck cancer field,
- NOTE Confidence: 0.9452853
- $00:20:03.700 \longrightarrow 00:20:04.674$ weekly meetings,
- NOTE Confidence: 0.9452853
- $00:20:04.674 \rightarrow 00:20:07.109$ tumor boards or tumor discussions
- NOTE Confidence: 0.9452853
- $00:20:07.109 \longrightarrow 00:20:09.946$ where we talk about new patients
- NOTE Confidence: 0.9452853
- $00:20:09.946 \longrightarrow 00:20:12.532$ or any patient really,
- NOTE Confidence: 0.9452853
- $00:20:12.540 \rightarrow 00:20:14.360$ where we're trying to figure out the

- NOTE Confidence: 0.9452853
- $00:20:14.360 \rightarrow 00:20:16.407$ best way to manage where we meet

 $00{:}20{:}16{.}407 \dashrightarrow 00{:}20{:}18{.}225$ and discuss the best treatment plan

NOTE Confidence: 0.9452853

 $00:20:18.284 \rightarrow 00:20:20.069$ taking into account that individual

NOTE Confidence: 0.9452853

 $00:20:20.069 \longrightarrow 00:20:21.854$ person looking at their scans,

NOTE Confidence: 0.9452853

00:20:21.860 --> 00:20:23.172 looking at their pathology,

NOTE Confidence: 0.9452853

 $00:20:23.172 \longrightarrow 00:20:25.140$ talking about their symptoms and then

NOTE Confidence: 0.9452853

 $00{:}20{:}25{.}195 \dashrightarrow 00{:}20{:}26{.}809$ coming up with the best treatment

NOTE Confidence: 0.9452853

 $00:20:26.809 \longrightarrow 00:20:27.616$ plan for them.

NOTE Confidence: 0.9452853

00:20:27.620 --> 00:20:29.140 So it's very patient specific,

NOTE Confidence: 0.9452853

00:20:29.140 --> 00:20:30.076 patient centered,

NOTE Confidence: 0.9452853

00:20:30.076 --> 00:20:32.416 tailored towards each patient

NOTE Confidence: 0.9452853

 $00:20:32.416 \longrightarrow 00:20:34.565$ taking into account a variety

NOTE Confidence: 0.9452853

 $00:20:34.565 \longrightarrow 00:20:36.260$ of things about that person.

NOTE Confidence: 0.950317106

 $00:20:37.200 \longrightarrow 00:20:39.040$ Even before the biopsy though,

NOTE Confidence: 0.950317106

 $00:20:39.040 \longrightarrow 00:20:41.238$ when you just go to

 $00:20:41.238 \longrightarrow 00:20:43.361$ your doctor and you have some ear

NOTE Confidence: 0.950317106

 $00{:}20{:}43.361 \dashrightarrow 00{:}20{:}47.280$ pain or a neck mass or something,

NOTE Confidence: 0.950317106

 $00{:}20{:}47.280 \dashrightarrow 00{:}20{:}48.570$ should patients anticipate

NOTE Confidence: 0.950317106

 $00:20:48.570 \longrightarrow 00:20:50.720$ that there are scans done?

NOTE Confidence: 0.950317106

 $00:20:50.720 \longrightarrow 00:20:53.240$ I mean, because especially in the cases

NOTE Confidence: 0.950317106

 $00:20:53.240 \rightarrow 00:20:55.959$ like you were mentioning of ear pain,

NOTE Confidence: 0.950317106

 $00:20:55.960 \longrightarrow 00:20:57.600$ it may be that you have an earache,

NOTE Confidence: 0.950317106

 $00:20:57.600 \longrightarrow 00:20:59.172$ but it may be referred pain

NOTE Confidence: 0.950317106

 $00{:}20{:}59{.}172 \dashrightarrow 00{:}20{:}59{.}958$ from somewhere else.

NOTE Confidence: 0.950317106

 $00:20:59.960 \rightarrow 00:21:03.600$ So how do people know what to biopsy and how?

NOTE Confidence: 0.941863744

 $00{:}21{:}04{.}280 \dashrightarrow 00{:}21{:}05{.}078$ Yes, great question.

NOTE Confidence: 0.941863744

00:21:05.078 --> 00:21:07.291 I mean the vast majority of the time

NOTE Confidence: 0.941863744

 $00:21:07.291 \longrightarrow 00:21:09.335$ ear pain would will probably be related

NOTE Confidence: 0.941863744

 $00:21:09.335 \longrightarrow 00:21:10.999$ to something going on in the ear.

NOTE Confidence: 0.941863744

00:21:11.000 --> 00:21:12.480 Ear infections are much more

NOTE Confidence: 0.941863744

 $00:21:12.480 \longrightarrow 00:21:14.400$ common than head and neck cancer.

- NOTE Confidence: 0.941863744
- $00:21:14.400 \longrightarrow 00:21:16.576$ So the odds are if you have ear
- NOTE Confidence: 0.941863744
- 00:21:16.576 --> 00:21:18.278 pain you probably don't have cancer,
- NOTE Confidence: 0.941863744
- 00:21:18.280 --> 00:21:20.488 but it's probably a good idea to see
- NOTE Confidence: 0.941863744
- $00:21:20.488 \rightarrow 00:21:21.769$ somebody especially if it doesn't
- NOTE Confidence: 0.941863744
- $00:21:21.769 \longrightarrow 00:21:23.351$ go away after a couple of weeks,
- NOTE Confidence: 0.941863744
- $00{:}21{:}23{.}360 \dashrightarrow 00{:}21{:}25{.}200$ a month or two.
- NOTE Confidence: 0.941863744
- $00:21:25.200 \longrightarrow 00:21:27.558$ In terms of what to biopsy,
- $00:21:29.387 \longrightarrow 00:21:31.317$ maybe a better question is,
- NOTE Confidence: 0.941863744
- $00:21:31.320 \longrightarrow 00:21:33.450$ when do you start scanning?
- NOTE Confidence: 0.941863744
- 00:21:33.450 --> 00:21:35.214 I would say if there's
- NOTE Confidence: 0.941863744
- $00:21:35.214 \longrightarrow 00:21:37.130$ a bump that you can feel,
- NOTE Confidence: 0.941863744
- $00:21:37.130 \rightarrow 00:21:39.806$ if you're having swallowing problems,
- NOTE Confidence: 0.941863744
- $00:21:39.810 \longrightarrow 00:21:40.965$ it's sort of all of a sudden.
- NOTE Confidence: 0.941863744
- 00:21:40.970 --> 00:21:42.490 If your voice has changed,
- NOTE Confidence: 0.941863744
- $00:21:42.490 \longrightarrow 00:21:43.648$ sort of all of a sudden,
- NOTE Confidence: 0.941863744
- $00:21:43.650 \rightarrow 00:21:45.970$ and it's persistent over weeks,

- NOTE Confidence: 0.941863744
- $00:21:45.970 \rightarrow 00:21:47.636$ that's something to bring to the attention
- NOTE Confidence: 0.941863744
- $00:21:47.636 \longrightarrow 00:21:49.527$ of your primary care doctor.
- NOTE Confidence: 0.941863744
- $00:21:49.530 \longrightarrow 00:21:50.360$ And honestly,
- NOTE Confidence: 0.941863744
- 00:21:50.360 --> 00:21:52.850 if your primary care doctor
- $00:21:53.590 \rightarrow 00:21:55.810$ reassures you that everything looks great,
- 00:21:56.244 --> 00:21:57.112 if you're still concerned
- NOTE Confidence: 0.941863744
- $00:21:57.112 \longrightarrow 00:21:57.763$ about your symptoms,
- NOTE Confidence: 0.941863744
- 00:21:57.770 --> 00:21:58.838 you could certainly make
- NOTE Confidence: 0.941863744
- 00:21:58.838 --> 00:21:59.906 another appointment or honestly
- NOTE Confidence: 0.941863744
- $00{:}21{:}59{.}906 \dashrightarrow 00{:}22{:}01{.}130$ get a second opinion.
- NOTE Confidence: 0.924312516111111
- $00:22:01.720 \longrightarrow 00:22:04.904$ And when you talk about
- NOTE Confidence: 0.924312516111111
- $00:22:04.904 \rightarrow 00:22:06.505$ multidisciplinary team in the
- NOTE Confidence: 0.924312516111111
- 00:22:06.505 --> 00:22:08.713 management of head and neck cancers,
- NOTE Confidence: 0.924312516111111
- $00{:}22{:}08{.}720 \dashrightarrow 00{:}22{:}11{.}849$ in that context is there kind of
- NOTE Confidence: 0.924312516111111
- $00{:}22{:}11.849 \dashrightarrow 00{:}22{:}14.817$ an algorithm for which
- NOTE Confidence: 0.924312516111111
- 00:22:14.817 --> 00:22:16.376 patients need chemotherapy,
- NOTE Confidence: 0.924312516111111

00:22:16.376 --> 00:22:18.520 which patients need radiation,

NOTE Confidence: 0.924312516111111

00:22:18.520 - 00:22:20.350 which patients need surgery, which

NOTE Confidence: 0.924312516111111

 $00:22:20.350 \rightarrow 00:22:22.799$ patients need a combination of the above?

NOTE Confidence: 0.911515941818182

 $00:22:23.040 \longrightarrow 00:22:26.640$ Yes, it has mostly to do with the

NOTE Confidence: 0.911515941818182

 $00:22:26.640 \rightarrow 00:22:30.216$ anatomic location and also the type of tumor.

NOTE Confidence: 0.911515941818182

 $00{:}22{:}30{.}220 \dashrightarrow 00{:}22{:}32{.}180$ So within the oral cavity,

NOTE Confidence: 0.911515941818182

 $00:22:32.180 \longrightarrow 00:22:34.058$ that's the mouth, the gums,

NOTE Confidence: 0.911515941818182

 $00:22:34.060 \rightarrow 00:22:35.900$ the lips, the tongue,

NOTE Confidence: 0.911515941818182

 $00:22:35.900 \rightarrow 00:22:40.180$ those are managed with surgery up front,

NOTE Confidence: 0.911515941818182

00:22:40.180 --> 00:22:42.380 unless in very

NOTE Confidence: 0.911515941818182

00:22:42.380 --> 00:22:43.260 extenuating circumstances,

NOTE Confidence: 0.911515941818182

 $00{:}22{:}43.260 \dashrightarrow 00{:}22{:}46.068$ if it's a very advanced tumor

NOTE Confidence: 0.911515941818182

 $00:22:46.068 \longrightarrow 00:22:47.940$ that's involving multiple sites,

NOTE Confidence: 0.911515941818182

 $00:22:47.940 \longrightarrow 00:22:50.180$ if it's involving the jaw,

NOTE Confidence: 0.911515941818182

 $00:22:50.180 \longrightarrow 00:22:51.224$ the tongue, the skin,

NOTE Confidence: 0.911515941818182

00:22:51.224 --> 00:22:53.769 if it's a very advanced tumor,

NOTE Confidence: 0.911515941818182

 $00:22:53.770 \longrightarrow 00:22:56.170$ we may try other things

NOTE Confidence: 0.911515941818182

00:22:56.170 - 00:22:57.610 first like chemotherapy,

NOTE Confidence: 0.911515941818182

 $00:22:57.610 \longrightarrow 00:22:59.842$ but in general oral cavity is

NOTE Confidence: 0.911515941818182

 $00:22:59.842 \rightarrow 00:23:01.330$ managed with surgery upfront

NOTE Confidence: 0.911515941818182

 $00{:}23{:}01{.}398 \dashrightarrow 00{:}23{:}02{.}958$ and then based on what things

NOTE Confidence: 0.911515941818182

 $00{:}23{:}02{.}958 \dashrightarrow 00{:}23{:}04{.}128$ look like under the microscope.

NOTE Confidence: 0.911515941818182

 $00:23:04.130 \longrightarrow 00:23:06.560$ So the final pathology that will

NOTE Confidence: 0.911515941818182

 $00:23:06.560 \longrightarrow 00:23:08.180$ determine whether somebody also

NOTE Confidence: 0.911515941818182

 $00:23:08.244 \rightarrow 00:23:10.268$ needs radiation or chemotherapy.

NOTE Confidence: 0.911515941818182

 $00:23:10.270 \longrightarrow 00:23:11.058$ And then you know,

NOTE Confidence: 0.911515941818182

00:23:11.058 --> 00:23:12.240 if you talk about areas like

NOTE Confidence: 0.911515941818182

 $00:23:12.282 \longrightarrow 00:23:13.686$ the oropharynx that we were

NOTE Confidence: 0.911515941818182

 $00:23:13.686 \longrightarrow 00:23:14.622$ talking about before many,

NOTE Confidence: 0.911515941818182

 $00{:}23{:}14.630 \dashrightarrow 00{:}23{:}15.794$ many years ago,

NOTE Confidence: 0.911515941818182

 $00:23:15.794 \rightarrow 00:23:19.789$ it was treated with a very invasive,

00:23:19.790 --> 00:23:21.908 somewhat highly morbid surgery to

NOTE Confidence: 0.911515941818182

00:23:21.910 --> 00:23:22.618 if you can imagine,

NOTE Confidence: 0.911515941818182

 $00:23:22.618 \rightarrow 00:23:24.268$ to try to access the back of the throat,

NOTE Confidence: 0.911515941818182

 $00:23:24.270 \rightarrow 00:23:25.190$ the back of the tongue.

NOTE Confidence: 0.911515941818182

 $00{:}23{:}25{.}190 \dashrightarrow 00{:}23{:}26{.}846$ It's kind of operating around the

NOTE Confidence: 0.911515941818182

 $00:23:26.846 \longrightarrow 00:23:28.830$ corner and you'd have to do some

 $00{:}23{:}29{.}542 \dashrightarrow 00{:}23{:}31{.}322$ pretty invasive surgery to get

NOTE Confidence: 0.911515941818182

 $00:23:31.322 \rightarrow 00:23:32.390$ access back there.

NOTE Confidence: 0.911515941818182

 $00:23:32.390 \longrightarrow 00:23:34.256$ So the trend was to actually

NOTE Confidence: 0.911515941818182

 $00:23:34.256 \rightarrow 00:23:35.914$ begin treating these patients with

NOTE Confidence: 0.911515941818182

 $00:23:35.914 \rightarrow 00:23:37.350$ chemotherapy and radiation and

NOTE Confidence: 0.911515941818182

00:23:37.350 - 00:23:39.145 they've responded very well and

NOTE Confidence: 0.911515941818182

 $00:23:39.202 \rightarrow 00:23:41.036$ cure rates have been very high with

NOTE Confidence: 0.911515941818182

 $00:23:41.036 \longrightarrow 00:23:43.850$ that over the past 20 or so years

NOTE Confidence: 0.911515941818182

 $00{:}23{:}43{.}850 \dashrightarrow 00{:}23{:}46{.}346$ with the advent of literally a robot

NOTE Confidence: 0.911515941818182

 $00:23:46.346 \rightarrow 00:23:49.030$ which helps us access the back of the mouth,

 $00:23:49.030 \longrightarrow 00:23:50.190$ the back of the throat,

NOTE Confidence: 0.911515941818182

 $00:23:50.190 \longrightarrow 00:23:53.536$ it's actually used quite a bit in

NOTE Confidence: 0.911515941818182

00:23:53.536 --> 00:23:54.322 gynecologic surgeries,

NOTE Confidence: 0.911515941818182

 $00:23:54.322 \rightarrow 00:23:55.794$ urologic surgeries, abdominal surgeries.

NOTE Confidence: 0.911515941818182

 $00{:}23{:}55{.}794 \dashrightarrow 00{:}23{:}57{.}846$ We've actually been able to fashion

NOTE Confidence: 0.911515941818182

 $00:23:57.846 \rightarrow 00:24:00.230$ it and get FDA approval, not we,

NOTE Confidence: 0.911515941818182

 $00:24:00.230 \longrightarrow 00:24:02.390$ but some very smart people have

NOTE Confidence: 0.911515941818182

 $00:24:02.390 \longrightarrow 00:24:04.420$ been able to get FDA approval for

NOTE Confidence: 0.911515941818182

 $00{:}24{:}04{.}420 \dashrightarrow 00{:}24{:}06{.}348$ this to operate in the oropharynx.

NOTE Confidence: 0.911515941818182

 $00{:}24{:}06{.}350 \dashrightarrow 00{:}24{:}08{.}387$ So surgery has become another way

NOTE Confidence: 0.911515941818182

NOTE Confidence: 0.911515941818182

 $00{:}24{:}10{.}420 \dashrightarrow 00{:}24{:}12{.}622$ again with also excellent cure rates.

NOTE Confidence: 0.911515941818182

00:24:12.630 --> 00:24:14.317 And so now we're just trying to

NOTE Confidence: 0.911515941818182

 $00:24:14.317 \rightarrow 00:24:15.943$ figure out well is surgery better

NOTE Confidence: 0.911515941818182

 $00{:}24{:}15{.}943 \dashrightarrow 00{:}24{:}17{.}635$ than chemo and radiation and we

NOTE Confidence: 0.911515941818182

00:24:17.635 --> 00:24:18.939 often do surgery plus radiation

NOTE Confidence: 0.911515941818182

 $00:24:18.939 \rightarrow 00:24:20.736$ can we get rid of the chemotherapy.

NOTE Confidence: 0.911515941818182

 $00:24:20.736 \longrightarrow 00:24:23.158$ So all along the way

NOTE Confidence: 0.911515941818182

00:24:23.158 --> 00:24:24.929 it's a constant

NOTE Confidence: 0.911515941818182

 $00:24:24.930 \longrightarrow 00:24:28.530$ struggle or a constant ambition

NOTE Confidence: 0.911515941818182

 $00:24:28.530 \rightarrow 00:24:31.410$ to treat without overtreating,

NOTE Confidence: 0.911515941818182

 $00{:}24{:}31{.}410 \dashrightarrow 00{:}24{:}33{.}566$ but treat such that we cure the

NOTE Confidence: 0.911515941818182

 $00{:}24{:}33.566 \dashrightarrow 00{:}24{:}35.522$ cancer but without

NOTE Confidence: 0.911515941818182

 $00:24:35.522 \longrightarrow 00:24:36.965$ causing significant

NOTE Confidence: 0.911515941818182

 $00:24:36.965 \rightarrow 00:24:38.889$ functional deficits or significant

NOTE Confidence: 0.911515941818182

 $00{:}24{:}38{.}889 \dashrightarrow 00{:}24{:}41{.}168$ side effects from that treatment.

NOTE Confidence: 0.911515941818182

00:24:41.170 --> 00:24:42.770 Things like salivary gland tumors,

NOTE Confidence: 0.911515941818182

 $00:24:42.770 \rightarrow 00:24:45.330$ those are primarily treated surgically,

NOTE Confidence: 0.911515941818182

 $00:24:45.330 \longrightarrow 00:24:47.294$ followed again by radiation

NOTE Confidence: 0.911515941818182

 $00{:}24{:}47{.}294 \dashrightarrow 00{:}24{:}48{.}767$ or possibly chemotherapy,

NOTE Confidence: 0.911515941818182

 $00{:}24{:}48.770 \dashrightarrow 00{:}24{:}50.522$ and then cancers of

 $00:24:50.522 \longrightarrow 00:24:52.480$ the voice box or the larynx, it

NOTE Confidence: 0.911515941818182

 $00{:}24{:}52{.}480 \dashrightarrow 00{:}24{:}54{.}640$ depends on how advanced the disease is.

NOTE Confidence: 0.911515941818182

00:24:54.640 --> 00:24:57.040 If it's a small tumor,

 $00:24:57.488 \longrightarrow 00:24:59.056$ we would love to be able to

NOTE Confidence: 0.911515941818182

 $00:24:59.056 \rightarrow 00:25:00.358$ preserve somebody's voice box.

NOTE Confidence: 0.911515941818182

 $00{:}25{:}00{.}360 \dashrightarrow 00{:}25{:}03{.}180$ And so if there are nonsurgical

NOTE Confidence: 0.911515941818182

 $00:25:03.180 \longrightarrow 00:25:05.272$ options for larynx cancer,

NOTE Confidence: 0.911515941818182

 $00:25:05.272 \rightarrow 00:25:08.240$ then that's what we typically try to do.

NOTE Confidence: 0.911515941818182

 $00:25:08.240 \longrightarrow 00:25:09.550$ If the cancer has already

NOTE Confidence: 0.911515941818182

 $00{:}25{:}09{.}550 \dashrightarrow 00{:}25{:}11{.}185$ rendered that patient to the point

NOTE Confidence: 0.911515941818182

 $00:25:11.185 \longrightarrow 00:25:12.560$ where they can't really eat,

NOTE Confidence: 0.911515941818182

 $00:25:12.560 \longrightarrow 00:25:14.762$ they cannot breathe without a

NOTE Confidence: 0.911515941818182

 $00{:}25{:}14.762 \dashrightarrow 00{:}25{:}16.647$ tracheostomy tube and they can't

NOTE Confidence: 0.911515941818182

00:25:16.647 --> 00:25:18.387 eat without a feeding tube,

NOTE Confidence: 0.911515941818182

 $00{:}25{:}18{.}390 \dashrightarrow 00{:}25{:}20{.}035$ then we have to ask

NOTE Confidence: 0.911515941818182

 $00:25:20.035 \longrightarrow 00:25:20.740$ well is this organ, and

00:25:20.805 - 00:25:22.389 the larynx is an organ,

NOTE Confidence: 0.933849735454545

 $00{:}25{:}22{.}390 \dashrightarrow 00{:}25{:}24{.}964$ is this organ worth preserving if

NOTE Confidence: 0.933849735454545

 $00:25:24.964 \rightarrow 00:25:27.680$ it's not working that well and if

NOTE Confidence: 0.933849735454545

00:25:27.680 --> 00:25:29.510 if it's already not working well,

NOTE Confidence: 0.933849735454545

 $00{:}25{:}29{.}510 \dashrightarrow 00{:}25{:}31{.}616$ then the highest chance for

NOTE Confidence: 0.933849735454545

 $00:25:31.616 \rightarrow 00:25:33.830$ cure in those cases is surgery.

NOTE Confidence: 0.933849735454545

 $00{:}25{:}33{.}830 \dashrightarrow 00{:}25{:}35{.}517$ So again it depends really on

NOTE Confidence: 0.933849735454545

 $00{:}25{:}35{.}517 \dashrightarrow 00{:}25{:}37{.}274$ the location of the cancer as well

NOTE Confidence: 0.933849735454545

 $00:25:37.274 \longrightarrow 00:25:38.750$ as how advanced the cancer is.

NOTE Confidence: 0.923764575925926

 $00:25:39.510 \longrightarrow 00:25:41.442$ On this

NOTE Confidence: 0.923764575925926

 $00:25:41.442 \longrightarrow 00:25:44.039$ show we talk about a variety of

NOTE Confidence: 0.923764575925926

 $00{:}25{:}44.039 \dashrightarrow 00{:}25{:}46.170$ cancers and our list eners are

NOTE Confidence: 0.923764575925926

 $00:25:46.170 \rightarrow 00:25:48.318$ very familiar with this concept of

NOTE Confidence: 0.923764575925926

 $00{:}25{:}48{.}320 \dashrightarrow 00{:}25{:}51{.}300$ treating patients with chemotherapy

NOTE Confidence: 0.923764575925926

 $00:25:51.300 \rightarrow 00:25:54.706$ upfront sometimes and some cancers having

NOTE Confidence: 0.923764575925926

 $00:25:54.706 \rightarrow 00:25:57.262$ extraordinarily high rates of what we

NOTE Confidence: 0.923764575925926

 $00:25:57.262 \rightarrow 00:25:59.671$ call a pathologic complete response

NOTE Confidence: 0.923764575925926

 $00{:}25{:}59{.}671 \dashrightarrow 00{:}26{:}02{.}475$ where essentially there's no

NOTE Confidence: 0.923764575925926

 $00{:}26{:}02.475 \dashrightarrow 00{:}26{:}05.359$ cancer left when the surgeon goes in

NOTE Confidence: 0.923764575925926

 $00{:}26{:}05{.}360 \dashrightarrow 00{:}26{:}08{.}664$ and in some cases there are clinical

NOTE Confidence: 0.923764575925926

 $00{:}26{:}08.664 \dashrightarrow 00{:}26{:}11.442$ trials and various other tumor types

NOTE Confidence: 0.923764575925926

 $00:26:11.442 \longrightarrow 00:26:14.389$ not necessarily in the head and neck,

NOTE Confidence: 0.923764575925926

 $00:26:14.390 \rightarrow 00:26:17.270$ but looking at non operative approaches,

NOTE Confidence: 0.923764575925926

 $00:26:17.270 \longrightarrow 00:26:18.910$ when we think about the head and neck,

NOTE Confidence: 0.923764575925926

 $00:26:18.910 \longrightarrow 00:26:21.746$ I can only imagine that as you

NOTE Confidence: 0.923764575925926

 $00:26:21.746 \longrightarrow 00:26:23.774$ kind of mentioned operating in the

NOTE Confidence: 0.923764575925926

00:26:23.774 --> 00:26:26.838 head and neck can be very morbid.

NOTE Confidence: 0.923764575925926

 $00{:}26{:}26{.}838 \dashrightarrow 00{:}26{:}29{.}910$ There are important structures in there

NOTE Confidence: 0.923764575925926

 $00{:}26{:}30.002 \dashrightarrow 00{:}26{:}32.744$ that are important for function and so on.

NOTE Confidence: 0.923764575925926

 $00{:}26{:}32.750 \dashrightarrow 00{:}26{:}37.070$ Has that neo adjuvant approach been

NOTE Confidence: 0.923764575925926

 $00:26:37.070 \longrightarrow 00:26:39.939$ tried in the head and neck?

00:26:39.939 --> 00:26:41.820 For example, in oral cancers you mentioned

NOTE Confidence: 0.923764575925926

 $00{:}26{:}41.820 \dashrightarrow 00{:}26{:}44.445$ that the mainstay is treating

NOTE Confidence: 0.923764575925926

 $00:26:44.445 \longrightarrow 00:26:46.020$ with surgery upfront.

NOTE Confidence: 0.923764575925926

 $00:26:46.020 \rightarrow 00:26:49.520$ Have people tried using chemotherapy as the

NOTE Confidence: 0.923764575925926

 $00:26:49.520 \rightarrow 00:26:52.658$ primary modality and has that not worked?

NOTE Confidence: 0.85458055

 $00{:}26{:}53{.}620 \dashrightarrow 00{:}26{:}57{.}256$ We have.

 $00{:}26{:}59{.}516 \dashrightarrow 00{:}27{:}01{.}500$ We have done it for a handful of patients here.

NOTE Confidence: 0.85458055

 $00:27:01.500 \rightarrow 00:27:06.351$ We know that in general oral cavity

NOTE Confidence: 0.85458055

 $00:27:06.351 \longrightarrow 00:27:09.156$ cancers will, not all of them,

NOTE Confidence: 0.85458055

 $00:27:09.156 \longrightarrow 00:27:11.280$ but some of them, will respond

NOTE Confidence: 0.85458055

 $00:27:11.280 \longrightarrow 00:27:13.770$ to chemotherapy or induction chemotherapy

NOTE Confidence: 0.85458055

 $00:27:13.770 \longrightarrow 00:27:16.720$ or neoadjuvant as you said.

NOTE Confidence: 0.85458055

00:27:16.720 --> 00:27:20.234 But in general it's not a durable,

NOTE Confidence: 0.85458055

 $00:27:20.234 \rightarrow 00:27:25.718$ curable way of treating this cancer.

NOTE Confidence: 0.85458055

 $00{:}27{:}25.720 \dashrightarrow 00{:}27{:}28.222$ It's just something about the

NOTE Confidence: 0.85458055

 $00:27:28.222 \longrightarrow 00:27:31.176$ oral cavity that it's just not as

 $00:27:31.176 \rightarrow 00:27:33.937$ chemosensitive in that regards for it

NOTE Confidence: 0.85458055

 $00:27:33.937 \longrightarrow 00:27:36.237$ to completely eliminate the tumor.

NOTE Confidence: 0.85458055

 $00:27:36.240 \longrightarrow 00:27:39.020$ That's why surgery is,

NOTE Confidence: 0.85458055

 $00:27:39.020 \rightarrow 00:27:40.496$ for the vast majority of cases,

NOTE Confidence: 0.85458055

 $00{:}27{:}40.500 \dashrightarrow 00{:}27{:}42.444$ the initial treatment modality.

NOTE Confidence: 0.85458055

 $00{:}27{:}42{.}444 \dashrightarrow 00{:}27{:}46{.}033$ We have been using the new adjuvant

NOTE Confidence: 0.85458055

00:27:46.033 --> 00:27:48.912 model for very advanced tumors

NOTE Confidence: 0.85458055

 $00:27:48.912 \rightarrow 00:27:51.777$ where surgery would be highly,

NOTE Confidence: 0.85458055

 $00{:}27{:}51.780 \dashrightarrow 00{:}27{:}56.190$ highly morbid and we've seen quite a

NOTE Confidence: 0.85458055

 $00{:}27{:}56{.}190 \dashrightarrow 00{:}27{:}58{.}766$ response is the surgery the same and a

NOTE Confidence: 0.85458055

 $00{:}27{:}58.766 \dashrightarrow 00{:}28{:}01.899$ lot of the cases it ends up being the same,

NOTE Confidence: 0.85458055

 $00:28:01.900 \longrightarrow 00:28:05.040$ but honestly the control

NOTE Confidence: 0.85458055

 $00:28:05.040 \longrightarrow 00:28:06.060$ of the cancer is,

NOTE Confidence: 0.85458055

 $00:28:06.060 \longrightarrow 00:28:08.184$ it seems, to be better if they've

NOTE Confidence: 0.85458055

 $00:28:08.184 \rightarrow 00:28:10.280$ received the neoadjuvant treatment.

NOTE Confidence: 0.85458055

 $00:28:10.280 \longrightarrow 00:28:11.565$ It's actually an active area

- NOTE Confidence: 0.85458055
- $00:28:11.565 \rightarrow 00:28:12.593$ of research for us,
- NOTE Confidence: 0.85458055
- $00{:}28{:}12.600 \dashrightarrow 00{:}28{:}15.685$ this neoadjuvant concept and there
- NOTE Confidence: 0.85458055
- $00{:}28{:}15.685 \dashrightarrow 00{:}28{:}19.060$ are some trials within the head
- NOTE Confidence: 0.85458055
- $00{:}28{:}19{.}060 \dashrightarrow 00{:}28{:}21{.}968$ and neck section here at Yale
- NOTE Confidence: 0.85458055
- $00{:}28{:}21.968 \dashrightarrow 00{:}28{:}23.976$ looking at neoadjuvant treatments
- NOTE Confidence: 0.85458055
- $00:28:23.976 \longrightarrow 00:28:26.599$ for oropharynx cancers.
- NOTE Confidence: 0.85458055
- 00:28:26.600 --> 00:28:27.659 So it's very,
- NOTE Confidence: 0.85458055
- $00{:}28{:}27.659 \dashrightarrow 00{:}28{:}29.424$ very exciting area of research
- NOTE Confidence: 0.85458055
- $00{:}28{:}29{.}424 \dashrightarrow 00{:}28{:}31{.}800$ and does have a lot of potential.
- NOTE Confidence: 0.938597261764706
- 00:28:32.610 --> 00:28:34.692 Doctor Ansley Roche is an assistant
- NOTE Confidence: 0.938597261764706
- $00:28:34.692 \rightarrow 00:28:36.525$ professor of surgery and otolaryngology
- NOTE Confidence: 0.938597261764706
- $00{:}28{:}36{.}525 \dashrightarrow 00{:}28{:}38{.}805$ at the Yale School of Medicine.
- NOTE Confidence: 0.938597261764706
- $00:28:38.810 \rightarrow 00:28:40.928$ If you have questions, the address
- NOTE Confidence: 0.938597261764706
- 00:28:40.928 --> 00:28:43.250 is Cancer Answers at Yale dot Edu,
- NOTE Confidence: 0.938597261764706
- $00{:}28{:}43{.}250 \dashrightarrow 00{:}28{:}45{.}554$ and past editions of the program
- NOTE Confidence: 0.938597261764706

 $00{:}28{:}45{.}554 \dashrightarrow 00{:}28{:}47{.}825$ are available in audio and written

NOTE Confidence: 0.938597261764706

00:28:47.825 --> 00:28:48.800 form at yalecancercenter.org.

NOTE Confidence: 0.938597261764706

00:28:48.800 --> 00:28:51.280 We hope you'll join us next week to

NOTE Confidence: 0.938597261764706

 $00:28:51.280 \rightarrow 00:28:53.172$ learn more about the fight against

NOTE Confidence: 0.938597261764706

00:28:53.172 --> 00:28:55.050 cancer here on Connecticut Public Radio.

NOTE Confidence: 0.938597261764706

 $00{:}28{:}55{.}050 \dashrightarrow 00{:}28{:}57{.}588$ Funding for Yale Cancer Answers is

NOTE Confidence: 0.938597261764706

00:28:57.588 --> 00:29:00.000 provided by Smilow Cancer Hospital.