WEBVTT

 $00:00:00.000 \longrightarrow 00:00:03.144$ Funding for Yale Cancer Answers is

NOTE Confidence: 0.90333042

 $00:00:03.144 \longrightarrow 00:00:06.120$ provided by Smilow Cancer Hospital.

NOTE Confidence: 0.90333042

00:00:06.120 --> 00:00:08.295 Welcome to Yale Cancer Answers

NOTE Confidence: 0.90333042

 $00:00:08.295 \longrightarrow 00:00:10.035$ with Doctor Anees Chappar.

NOTE Confidence: 0.90333042

 $00{:}00{:}10.040 \dashrightarrow 00{:}00{:}11.890$ Yale Cancer Answers features the

NOTE Confidence: 0.90333042

 $00:00:11.890 \longrightarrow 00:00:13.370$ latest information on cancer

NOTE Confidence: 0.90333042

 $00:00:13.370 \longrightarrow 00:00:15.265$ care by welcoming oncologists and

NOTE Confidence: 0.90333042

 $00{:}00{:}15.265 \to 00{:}00{:}17.455$ specialists who are on the forefront

NOTE Confidence: 0.90333042

 $00:00:17.514 \longrightarrow 00:00:19.200$ of the battle to fight cancer.

NOTE Confidence: 0.90333042

 $00{:}00{:}19.200 \dashrightarrow 00{:}00{:}21.138$ This week it's a conversation about

NOTE Confidence: 0.90333042

 $00:00:21.138 \longrightarrow 00:00:23.321$ the use of robotics and minimally

NOTE Confidence: 0.90333042

 $00{:}00{:}23.321 \dashrightarrow 00{:}00{:}24.969$ invasive surgery for urologic

NOTE Confidence: 0.90333042

 $00{:}00{:}24.969 \dashrightarrow 00{:}00{:}27.090$ cancers with Doctor Joseph Brito.

NOTE Confidence: 0.90333042

 $00:00:27.090 \longrightarrow 00:00:29.046$ Dr. Brito is an assistant professor

NOTE Confidence: 0.90333042

 $00:00:29.046 \longrightarrow 00:00:30.965$ of medicine and urology at the

00:00:30.965 --> 00:00:33.112 Yale School of Medicine, where Dr.

NOTE Confidence: 0.90333042

 $00:00:33.112 \longrightarrow 00:00:36.689$ Chappar is a professor of surgical oncology.

 $00:00:37.090 \longrightarrow 00:00:39.362$ Let's start off by you telling us

NOTE Confidence: 0.935608953846154

00:00:39.362 --> 00:00:41.301 a little bit more about yourself

NOTE Confidence: 0.935608953846154

 $00:00:41.301 \longrightarrow 00:00:43.810$ and what it is you do.

NOTE Confidence: 0.802047366666667

 $00{:}00{:}44.730 \dashrightarrow 00{:}00{:}47.448$ I'm a urologist and urologic oncologist

NOTE Confidence: 0.802047366666667

 $00:00:47.450 \longrightarrow 00:00:48.968$ focusing on the treatment

NOTE Confidence: 0.802047366666667

 $00:00:48.968 \longrightarrow 00:00:50.370$ of cancers of the kidney,

NOTE Confidence: 0.802047366666667

 $00:00:50.370 \longrightarrow 00:00:51.834$ bladder, and prostate.

NOTE Confidence: 0.802047366666667

 $00:00:51.834 \longrightarrow 00:00:54.762$ We also take care of testicular

NOTE Confidence: 0.802047366666667

 $00:00:54.762 \longrightarrow 00:00:57.050$ cancer and this is

NOTE Confidence: 0.802047366666667

00:00:57.050 --> 00:00:58.490 kidney cancer awareness month,

NOTE Confidence: 0.802047366666667

 $00:00:58.490 \dashrightarrow 00:01:01.001$ so I am happy to be here and discuss

NOTE Confidence: 0.802047366666667

 $00{:}01{:}01.001 \dashrightarrow 00{:}01{:}02.889$ kidney cancer specifically today.

NOTE Confidence: 0.934383274

 $00:01:03.510 \longrightarrow 00:01:06.086$ So you know, when we think about

NOTE Confidence: 0.934383274

00:01:06.086 --> 00:01:07.190 minimally invasive surgery,

 $00:01:07.190 \longrightarrow 00:01:10.370$ I think a lot of people by now have gotten

NOTE Confidence: 0.934383274

 $00{:}01{:}10.452 \dashrightarrow 00{:}01{:}13.784$ used to the concept of laparoscopic surgery,

NOTE Confidence: 0.934383274

 $00:01:13.790 \longrightarrow 00:01:17.738$ the concept of taking out gallbladders

NOTE Confidence: 0.934383274

00:01:17.738 --> 00:01:21.446 and appendixes through little tiny incisions.

NOTE Confidence: 0.934383274

00:01:21.446 --> 00:01:24.666 The concept of robotic surgery

NOTE Confidence: 0.934383274

 $00:01:24.666 \longrightarrow 00:01:27.597$ has now taken off as well,

NOTE Confidence: 0.934383274

 $00:01:27.600 \longrightarrow 00:01:31.440$ in large part in urology.

NOTE Confidence: 0.934383274

00:01:31.440 --> 00:01:34.192 But can you tell our audience a little

NOTE Confidence: 0.934383274

 $00{:}01{:}34.192 \to 00{:}01{:}37.304$ bit more about what robotic surgery is,

NOTE Confidence: 0.934383274

 $00{:}01{:}37.304 \dashrightarrow 00{:}01{:}40.280$ how it's the same or different

NOTE Confidence: 0.934383274

 $00{:}01{:}40.370 \dashrightarrow 00{:}01{:}42.462$ from laparoscopic surgery and

NOTE Confidence: 0.934383274

00:01:42.462 --> 00:01:45.600 what exactly you use it for,

NOTE Confidence: 0.934383274

00:01:45.600 --> 00:01:47.358 particularly in urology?

NOTE Confidence: 0.925906086

 $00{:}01{:}47.880 \dashrightarrow 00{:}01{:}49.645$ Sure. I'm actually really glad

NOTE Confidence: 0.925906086

 $00:01:49.645 \longrightarrow 00:01:51.410$ you asked this question because

NOTE Confidence: 0.925906086

 $00{:}01{:}51.410 \dashrightarrow 00{:}01{:}53.210$ I feel like I spend a decent amount

00:01:53.210 --> 00:01:54.996 of my day explaining to patients

NOTE Confidence: 0.925906086

 $00:01:54.996 \longrightarrow 00:01:57.130$ what the robot does and doesn't do.

NOTE Confidence: 0.925906086

00:01:57.130 --> 00:01:59.490 So laparoscopy, as you said,

NOTE Confidence: 0.925906086

00:01:59.490 --> 00:02:00.974 is essentially making small

NOTE Confidence: 0.925906086

 $00:02:00.974 \longrightarrow 00:02:03.200$ incisions in the abdomen and then

NOTE Confidence: 0.925906086

 $00:02:03.270 \longrightarrow 00:02:04.950$ through those incisions filling

NOTE Confidence: 0.925906086

 $00:02:04.950 \longrightarrow 00:02:07.050$ the abdominal cavity with air.

NOTE Confidence: 0.925906086

 $00:02:07.050 \longrightarrow 00:02:09.450$ So essentially you're creating a Dome,

NOTE Confidence: 0.925906086

 $00:02:09.450 \longrightarrow 00:02:11.564$ and that allows us to do surgery

NOTE Confidence: 0.925906086

 $00:02:11.564 \longrightarrow 00:02:12.888$ inside the abdominal cavity

NOTE Confidence: 0.925906086

 $00{:}02{:}12.888 \rightarrow 00{:}02{:}14.648$ without making a big incision,

NOTE Confidence: 0.925906086

 $00:02:14.650 \longrightarrow 00:02:16.938$ which is how things used to be done.

NOTE Confidence: 0.925906086

 $00{:}02{:}16.940 \dashrightarrow 00{:}02{:}19.820$ The robot is laparoscopic surgery.

NOTE Confidence: 0.925906086

 $00{:}02{:}19.820 --> 00{:}02{:}21.444 \text{ It's just a tool},$

NOTE Confidence: 0.925906086

 $00:02:21.444 \longrightarrow 00:02:24.220$ so it holds the instruments for us.

00:02:24.220 --> 00:02:26.495 It allows us to make fine movements,

NOTE Confidence: 0.925906086

 $00{:}02{:}26.500 \dashrightarrow 00{:}02{:}28.988$ it allows us to work in spaces that

NOTE Confidence: 0.925906086

 $00:02:28.988 \longrightarrow 00:02:30.899$ would otherwise be difficult for human

NOTE Confidence: 0.925906086

 $00:02:30.899 \longrightarrow 00:02:33.199$ hands or in some cases even laparoscopic

NOTE Confidence: 0.925906086

 $00:02:33.199 \longrightarrow 00:02:35.605$ instruments to gain access to.

NOTE Confidence: 0.925906086

00:02:35.610 --> 00:02:37.824 I think sometimes there's a common

NOTE Confidence: 0.925906086

 $00:02:37.824 \longrightarrow 00:02:39.903$ misconception that the robot does the

NOTE Confidence: 0.925906086

 $00:02:39.903 \longrightarrow 00:02:41.878$ surgery and we just kind of

NOTE Confidence: 0.925906086

 $00:02:41.878 \longrightarrow 00:02:43.730$ turn it on and go have coffee or something.

 $00:02:44.060 \longrightarrow 00:02:45.050$ That's not the way it works.

00:02:46.595 --> 00:02:49.170 It's a two-part operation basically.

NOTE Confidence: 0.925906086

00:02:49.170 --> 00:02:50.962 So you have a patient of course

NOTE Confidence: 0.925906086

 $00:02:50.962 \longrightarrow 00:02:52.369$ on the operating room table,

NOTE Confidence: 0.925906086

 $00:02:52.370 \longrightarrow 00:02:53.820$ there's the robot which is

NOTE Confidence: 0.925906086

 $00{:}02{:}53.820 \dashrightarrow 00{:}02{:}54.690$ holding the instruments.

NOTE Confidence: 0.925906086

 $00{:}02{:}54.690 \dashrightarrow 00{:}02{:}57.162$ There's an assistant at the bed side

NOTE Confidence: 0.925906086

 $00:02:57.162 \longrightarrow 00:02:59.580$ who's putting the instruments in and out

 $00{:}02{:}59.580 \dashrightarrow 00{:}03{:}02.250$ and maybe running a suction device

NOTE Confidence: 0.925906086

 $00:03:02.250 \longrightarrow 00:03:03.642$ or helping

NOTE Confidence: 0.925906086

 $00:03:03.642 \longrightarrow 00:03:05.399$ with various aspects of the case at

NOTE Confidence: 0.925906086

 $00:03:05.399 \longrightarrow 00:03:07.428$ the bedside and then the surgeon is

NOTE Confidence: 0.925906086

 $00:03:07.428 \longrightarrow 00:03:09.138$ in the same room generally,

NOTE Confidence: 0.925906086

 $00:03:09.590 \longrightarrow 00:03:11.700$ maybe four or five feet off to the side,

NOTE Confidence: 0.925906086

 $00:03:11.700 \longrightarrow 00:03:13.630$ there's a second console that

NOTE Confidence: 0.925906086

 $00:03:13.630 \longrightarrow 00:03:15.886$ the surgeon sits at and we're

NOTE Confidence: 0.925906086

 $00{:}03{:}15.886 \dashrightarrow 00{:}03{:}17.298$ operating those robotic arms.

NOTE Confidence: 0.925906086

 $00:03:17.300 \longrightarrow 00:03:19.574$ So that's sort of the nuts

NOTE Confidence: 0.925906086

 $00:03:19.574 \longrightarrow 00:03:21.820$ and bolts of robotic surgery.

NOTE Confidence: 0.925906086

 $00:03:21.820 \longrightarrow 00:03:23.180$ In terms of the benefits,

NOTE Confidence: 0.925906086

 $00{:}03{:}23.180 \dashrightarrow 00{:}03{:}24.510$ I mean many of the benefits we

NOTE Confidence: 0.925906086

 $00:03:24.510 \longrightarrow 00:03:25.564$ saw with laparoscopy are what

NOTE Confidence: 0.925906086

00:03:25.564 --> 00:03:27.026 we're seeing with robotics.

 $00:03:27.026 \longrightarrow 00:03:29.856$ Generally you're talking about less

NOTE Confidence: 0.925906086

 $00{:}03{:}29.856 \dashrightarrow 00{:}03{:}31.806$ operative pain, faster recovery,

NOTE Confidence: 0.925906086

 $00:03:31.806 \longrightarrow 00:03:35.550$ less blood loss, shorter hospital stays.

NOTE Confidence: 0.925906086

 $00:03:35.550 \longrightarrow 00:03:37.422$ And in cancer specifically,

NOTE Confidence: 0.925906086

 $00:03:37.422 \longrightarrow 00:03:38.826$ generally we're preserving

NOTE Confidence: 0.925906086

 $00:03:38.826 \longrightarrow 00:03:40.230$ the oncologic benefits,

NOTE Confidence: 0.925906086

 $00:03:40.230 \longrightarrow 00:03:41.970$ the cancer benefits of the

NOTE Confidence: 0.925906086

 $00:03:41.970 \longrightarrow 00:03:43.362$ operation with those additional

NOTE Confidence: 0.925906086

 $00{:}03{:}43.362 \dashrightarrow 00{:}03{:}45.068$ benefits of laparoscopic approach.

NOTE Confidence: 0.948639766666667

 $00:03:46.030 \longrightarrow 00:03:49.374$ And so when we think about

NOTE Confidence: 0.948639766666667

 $00{:}03{:}49.374 \dashrightarrow 00{:}03{:}51.989$ robotics versus laparoscopic surgery,

NOTE Confidence: 0.948639766666667

 $00{:}03{:}51.990 \dashrightarrow 00{:}03{:}53.985$ some of the advantages that you mentioned,

NOTE Confidence: 0.948639766666667

 $00:03:53.990 \longrightarrow 00:03:57.275$ I mean you get a little bit more dexterity

NOTE Confidence: 0.948639766666667

 $00:03:57.280 \longrightarrow 00:03:59.968$ with using the robot arms instead

NOTE Confidence: 0.948639766666667

00:03:59.968 --> 00:04:02.880 of the standard laparoscopic

NOTE Confidence: 0.948639766666667

 $00:04:02.880 \longrightarrow 00:04:06.832$ instruments.

 $00:04:06.832 \longrightarrow 00:04:08.899$ Have there been studies that have really

NOTE Confidence: 0.948639766666667

 $00:04:08.899 \longrightarrow 00:04:11.161$ looked at tangible differences in terms

NOTE Confidence: 0.948639766666667

 $00:04:11.161 \longrightarrow 00:04:13.800$ of all of the things you mentioned,

NOTE Confidence: 0.948639766666667

00:04:13.800 --> 00:04:16.476 blood loss, hospital length of stay,

NOTE Confidence: 0.948639766666667

00:04:16.480 --> 00:04:19.420 operative, time cost comparing

NOTE Confidence: 0.948639766666667

00:04:19.420 --> 00:04:22.360 laparoscopic versus robotic surgery?

NOTE Confidence: 0.869995066666667

 $00:04:23.310 \longrightarrow 00:04:24.426$ Yeah. So it's a great question.

NOTE Confidence: 0.869995066666667

 $00{:}04{:}24.430 \dashrightarrow 00{:}04{:}27.526$ I mean, most of the studies that are done

NOTE Confidence: 0.869995066666667

 $00:04:27.526 \longrightarrow 00:04:30.707$ are comparing robotic to open.

NOTE Confidence: 0.869995066666667

 $00:04:30.710 \longrightarrow 00:04:33.118$ So what I was just mentioning in terms

NOTE Confidence: 0.8699950666666667

00:04:33.118 --> 00:04:35.166 of blood loss, hospital stay, pain,

NOTE Confidence: 0.869995066666667

 $00{:}04{:}35.166 \dashrightarrow 00{:}04{:}37.278$ I mean there's no question that

NOTE Confidence: 0.869995066666667

 $00{:}04{:}37.278 \dashrightarrow 00{:}04{:}39.699$ those are generally much better for

NOTE Confidence: 0.869995066666667

 $00:04:39.699 \longrightarrow 00:04:41.704$ a laparoscopic or robotic approach.

NOTE Confidence: 0.869995066666667

 $00:04:41.710 \longrightarrow 00:04:43.935$ When you're comparing laparoscopic and

00:04:43.935 --> 00:04:46.430 robotic directly, for the most part,

NOTE Confidence: 0.869995066666667

 $00:04:46.430 \longrightarrow 00:04:48.430$ it depends on the operation,

NOTE Confidence: 0.869995066666667

 $00:04:48.430 \longrightarrow 00:04:51.240$ so for instance in prostatectomy.

NOTE Confidence: 0.869995066666667

00:04:51.240 --> 00:04:53.202 I think most people would agree

NOTE Confidence: 0.869995066666667

 $00:04:53.202 \longrightarrow 00:04:54.898$ that a robotic prostatectomy is

NOTE Confidence: 0.869995066666667

00:04:54.898 --> 00:04:56.860 really the gold standard and that's

NOTE Confidence: 0.869995066666667

00:04:56.860 --> 00:04:58.120 even over laparoscopy now.

NOTE Confidence: 0.869995066666667

 $00:04:58.120 \longrightarrow 00:04:59.920$ There's probably several reasons for that.

NOTE Confidence: 0.869995066666667

00:04:59.920 --> 00:05:01.080 Some of its training,

NOTE Confidence: 0.869995066666667

00:05:01.080 --> 00:05:02.984 some of it's just learning curve,

NOTE Confidence: 0.869995066666667

 $00:05:02.984 \longrightarrow 00:05:05.216$ which tends to be a little

NOTE Confidence: 0.869995066666667

 $00:05:05.216 \longrightarrow 00:05:06.719$ better with the robot.

NOTE Confidence: 0.869995066666667

 $00:05:06.720 \longrightarrow 00:05:08.880$ Cost is generally higher when you're

NOTE Confidence: 0.869995066666667

00:05:08.880 --> 00:05:10.320 comparing laparoscopy to robotics,

NOTE Confidence: 0.869995066666667

 $00:05:10.320 \longrightarrow 00:05:12.308$ although you know it depends on if

NOTE Confidence: 0.869995066666667

00:05:12.308 --> 00:05:14.478 you're looking at direct operative costs,

00:05:14.480 --> 00:05:16.559 if you're looking at longer term costs,

NOTE Confidence: 0.869995066666667

 $00:05:16.560 \longrightarrow 00:05:19.936$ like how the impact is on things like

NOTE Confidence: 0.869995066666667

00:05:19.940 --> 00:05:22.060 urinary function, return to continent,

NOTE Confidence: 0.869995066666667

00:05:22.060 --> 00:05:24.660 sexual function specific to prostate,

NOTE Confidence: 0.869995066666667

 $00:05:24.660 \longrightarrow 00:05:27.642$ some of that cost might wash

NOTE Confidence: 0.869995066666667

 $00:05:27.642 \longrightarrow 00:05:29.656$ out in the kidney specifically.

NOTE Confidence: 0.869995066666667

 $00:05:29.656 \longrightarrow 00:05:31.551$ Generally we're using the robot

NOTE Confidence: 0.869995066666667

 $00:05:31.551 \longrightarrow 00:05:33.620$ for either radical nephrectomy,

NOTE Confidence: 0.869995066666667

 $00:05:33.620 \longrightarrow 00:05:35.228$ which is removal of the whole

NOTE Confidence: 0.869995066666667

00:05:35.228 --> 00:05:36.300 kidney or partial nephrectomy,

NOTE Confidence: 0.8699950666666667

 $00{:}05{:}36.300 \dashrightarrow 00{:}05{:}39.258$ which is removal of a portion,

NOTE Confidence: 0.869995066666667

 $00:05:39.258 \longrightarrow 00:05:41.230$ specifically the tumor usually.

NOTE Confidence: 0.869995066666667

 $00{:}05{:}41.230 \to 00{:}05{:}43.350$ The real benefit there, robotically,

NOTE Confidence: 0.8699950666666667

 $00:05:43.350 \longrightarrow 00:05:44.510$ at least in my opinion,

NOTE Confidence: 0.869995066666667

 $00:05:44.510 \longrightarrow 00:05:45.994$ is again that dexterity.

 $00:05:45.994 \longrightarrow 00:05:47.107$ So for instance,

NOTE Confidence: 0.869995066666667

 $00{:}05{:}47.110 \dashrightarrow 00{:}05{:}48.916$ when you're doing a partial nephrectomy

NOTE Confidence: 0.869995066666667

 $00:05:48.916 \longrightarrow 00:05:51.227$ and we're removing a tumor off the kidney,

NOTE Confidence: 0.869995066666667

 $00:05:51.230 \longrightarrow 00:05:53.270$ we then have to close that defect up,

NOTE Confidence: 0.869995066666667

 $00:05:53.270 \longrightarrow 00:05:55.735$ and that's generally done with

NOTE Confidence: 0.869995066666667

 $00:05:55.735 \longrightarrow 00:05:57.510$ stitches and stitching with the robot

NOTE Confidence: 0.869995066666667

00:05:57.510 --> 00:06:00.990 I think most would agree is easier,

NOTE Confidence: 0.869995066666667

 $00:06:00.990 \longrightarrow 00:06:02.910$ perhaps finer,

NOTE Confidence: 0.869995066666667

 $00:06:02.910 \longrightarrow 00:06:04.842$ and I would say probably a shorter

NOTE Confidence: 0.869995066666667

00:06:04.842 --> 00:06:06.448 learning curve in terms of mastery

NOTE Confidence: 0.869995066666667

 $00:06:06.448 \longrightarrow 00:06:08.121$ than it would be with a

NOTE Confidence: 0.869995066666667

00:06:08.180 --> 00:06:09.668 laparoscopic approach alone.

NOTE Confidence: 0.930190133333333

 $00:06:11.210 \longrightarrow 00:06:13.866$ And so you know, I think many

NOTE Confidence: 0.930190133333333

 $00:06:13.866 \longrightarrow 00:06:16.310$ people have heard about the

NOTE Confidence: 0.930190133333333

00:06:16.310 --> 00:06:18.610 robotic approach for prostate,

NOTE Confidence: 0.930190133333333

 $00:06:18.610 \longrightarrow 00:06:20.494$ less so for kidney.

00:06:24.410 --> 00:06:27.197 I mean is it something that people

NOTE Confidence: 0.930190133333333

 $00{:}06{:}27.197 \dashrightarrow 00{:}06{:}29.132$ are being offered as standard

NOTE Confidence: 0.930190133333333

 $00:06:29.132 \longrightarrow 00:06:31.743$ practice in terms of having a

NOTE Confidence: 0.930190133333333

 $00:06:31.743 \longrightarrow 00:06:35.770$ robotic nephrectomy?

NOTE Confidence: 0.948639698333333

 $00:06:35.770 \longrightarrow 00:06:37.846$ Absolutely, when it comes to radical nephrectomy,

NOTE Confidence: 0.948639698333333

00:06:37.850 --> 00:06:40.042 robotic and laparoscopic approaches,

NOTE Confidence: 0.948639698333333

 $00:06:40.042 \longrightarrow 00:06:42.454$ are basically equivalent in

NOTE Confidence: 0.948639698333333

 $00{:}06{:}42.454 \dashrightarrow 00{:}06{:}45.520$ terms of cancer control and the actual

NOTE Confidence: 0.948639698333333

00:06:45.593 --> 00:06:48.419 outcome you're getting from the surgery.

NOTE Confidence: 0.948639698333333

 $00:06:48.420 \longrightarrow 00:06:50.052$ There are plenty of surgeons out

NOTE Confidence: 0.948639698333333

 $00{:}06{:}50.052 \dashrightarrow 00{:}06{:}51.615$ there that are doing laparoscopic

NOTE Confidence: 0.948639698333333

00:06:51.615 --> 00:06:53.299 partial nephrectomy as well.

NOTE Confidence: 0.948639698333333

 $00:06:53.300 \longrightarrow 00:06:55.286$ But again, the robot makes that

NOTE Confidence: 0.948639698333333

00:06:55.286 --> 00:06:57.938 approach I think a lot more palatable.

NOTE Confidence: 0.948639698333333

 $00:06:57.940 \longrightarrow 00:06:59.998$ There are benefits at the

NOTE Confidence: 0.948639698333333

00:06:59.998 --> 00:07:01.898 surgeon level to robotics as well,

 $00:07:01.900 \longrightarrow 00:07:02.964$ things like

NOTE Confidence: 0.948639698333333

 $00:07:02.964 \longrightarrow 00:07:04.560$ when you're standing there at the

NOTE Confidence: 0.948639698333333

 $00:07:04.614 \longrightarrow 00:07:06.278$ bedside doing laparoscopic surgery

NOTE Confidence: 0.948639698333333

 $00:07:06.280 \longrightarrow 00:07:07.318$ it can be straining on the neck,

NOTE Confidence: 0.948639698333333

 $00:07:07.320 \longrightarrow 00:07:08.598$ and it can be straining on the back.

NOTE Confidence: 0.948639698333333

 $00:07:08.600 \longrightarrow 00:07:09.804$ The robot takes a lot of that

NOTE Confidence: 0.948639698333333

 $00:07:09.804 \longrightarrow 00:07:11.079$ out of it for the surgeon.

NOTE Confidence: 0.94427896

 $00{:}07{:}13.200 \dashrightarrow 00{:}07{:}15.560$ When it comes to availability,

NOTE Confidence: 0.94427896

 $00:07:15.560 \longrightarrow 00:07:17.732$ I think robotics in general has

NOTE Confidence: 0.94427896

00:07:17.732 --> 00:07:19.880 really permeated into the community,

NOTE Confidence: 0.94427896

 $00:07:19.880 \longrightarrow 00:07:21.595$ so I spend the majority of my

NOTE Confidence: 0.94427896

 $00{:}07{:}21.595 \dashrightarrow 00{:}07{:}23.368$ clinical time out in New London

NOTE Confidence: 0.94427896

 $00{:}07{:}23.368 \dashrightarrow 00{:}07{:}24.680$ at Lawrence Memorial Hospital.

NOTE Confidence: 0.94427896

 $00:07:24.680 \longrightarrow 00:07:26.080$ We've had a robot here

NOTE Confidence: 0.94427896

00:07:26.080 --> 00:07:27.480 ever since I've been here,

 $00:07:27.480 \longrightarrow 00:07:29.480$ and I think many community sites are similar.

NOTE Confidence: 0.94427896

 $00:07:29.480 \longrightarrow 00:07:32.658$ So patients are certainly being offered

NOTE Confidence: 0.94427896

 $00:07:32.658 \longrightarrow 00:07:35.120$ robotic approaches for kidney surgery.

NOTE Confidence: 0.94427896

 $00:07:35.120 \longrightarrow 00:07:37.244$ Probably in many instances more than

NOTE Confidence: 0.94427896

 $00:07:37.244 \longrightarrow 00:07:39.142$ they're being operated or offered

NOTE Confidence: 0.94427896

00:07:39.142 --> 00:07:41.237 a laparoscopic only approach.

NOTE Confidence: 0.940711027272727

 $00:07:42.800 \longrightarrow 00:07:45.230$ And so that brings me to the

NOTE Confidence: 0.940711027272727

 $00:07:45.230 \longrightarrow 00:07:47.786$ next question which is you did mention

NOTE Confidence: 0.940711027272727

 $00:07:47.786 \longrightarrow 00:07:49.839$ that there's a difference in cost.

NOTE Confidence: 0.940711027272727

 $00:07:49.840 \longrightarrow 00:07:53.400$ Is that difference passed on to the patients,

NOTE Confidence: 0.940711027272727

 $00{:}07{:}53.400 \dashrightarrow 00{:}07{:}55.758$ I mean when they get their

NOTE Confidence: 0.940711027272727

 $00:07:55.760 \longrightarrow 00:07:59.845$ bill for their copay or

NOTE Confidence: 0.940711027272727

 $00:07:59.845 \longrightarrow 00:08:02.328$ whatever it is, is it higher?

NOTE Confidence: 0.940711027272727

 $00:08:02.328 \longrightarrow 00:08:04.140$ Are they paying

NOTE Confidence: 0.940711027272727

 $00:08:04.204 \longrightarrow 00:08:06.619$ for the robotic approach and is that

NOTE Confidence: 0.940711027272727

00:08:06.619 --> 00:08:08.533 something that many patients are

 $00:08:08.533 \longrightarrow 00:08:10.568$ taking into consideration when choosing

NOTE Confidence: 0.940711027272727

 $00{:}08{:}10.568 \dashrightarrow 00{:}08{:}13.014$ whether to go laparoscopic or robotic

NOTE Confidence: 0.940711027272727

00:08:13.014 --> 00:08:15.870 or are patients even given the choice?

NOTE Confidence: 0.950317

 $00:08:16.310 \longrightarrow 00:08:18.710$ That's a really good question.

NOTE Confidence: 0.950317

 $00:08:18.710 \longrightarrow 00:08:19.766$ You know, I don't know the

NOTE Confidence: 0.950317

 $00:08:19.766 \longrightarrow 00:08:20.909$ answer to tell you the truth.

NOTE Confidence: 0.950317

 $00:08:20.910 \longrightarrow 00:08:23.646$ I think that it depends on a lot

NOTE Confidence: 0.950317

 $00:08:23.646 \longrightarrow 00:08:26.112$ of factors which I don't have

NOTE Confidence: 0.950317

00:08:26.112 --> 00:08:28.232 granular data on. Things like

NOTE Confidence: 0.950317

 $00:08:28.240 \longrightarrow 00:08:29.888$ the various insurance company,

NOTE Confidence: 0.950317

 $00:08:29.888 \longrightarrow 00:08:32.771$ how the hospital manages various

NOTE Confidence: 0.950317

 $00:08:32.771 \longrightarrow 00:08:35.515$ costs and passes that on to the patient.

NOTE Confidence: 0.950317

 $00{:}08{:}35.520 \dashrightarrow 00{:}08{:}37.960$ There is probably no question

NOTE Confidence: 0.950317

 $00:08:37.960 \longrightarrow 00:08:40.400$ that a laparoscopic only radical

NOTE Confidence: 0.950317

 $00:08:40.485 \longrightarrow 00:08:42.885$ nephrectomy for instance may be

 $00:08:42.885 \longrightarrow 00:08:45.285$ cheaper at the surgical level

NOTE Confidence: 0.950317

00:08:45.372 --> 00:08:48.080 than it is for a robotic approach.

00:08:49.136 --> 00:08:51.152 But again, I can't tell you specifically how

NOTE Confidence: 0.950317

00:08:51.152 --> 00:08:53.517 that gets passed on to the patient.

NOTE Confidence: 0.950317

 $00:08:53.520 \longrightarrow 00:08:55.160$ Like many things in medicine,

NOTE Confidence: 0.950317

 $00{:}08{:}55.160 \dashrightarrow 00{:}08{:}57.098$ it probably depends on your surgeon's

NOTE Confidence: 0.950317

 $00:08:57.098 \longrightarrow 00:08:59.178$ level of comfort with the various

NOTE Confidence: 0.950317

00:08:59.178 --> 00:09:00.638 approach or various surgery,

NOTE Confidence: 0.950317

 $00:09:00.640 \longrightarrow 00:09:03.040$ what technology they have available.

NOTE Confidence: 0.950317

00:09:03.040 --> 00:09:04.888 You know some of this is patient

NOTE Confidence: 0.950317

 $00:09:04.888 \longrightarrow 00:09:05.680$ driven as well.

NOTE Confidence: 0.950317

 $00{:}09{:}05.680 \dashrightarrow 00{:}09{:}07.328$ I think a lot of patients come to

NOTE Confidence: 0.950317

 $00{:}09{:}07.328 \dashrightarrow 00{:}09{:}09.672$ see me and I think a lot of surgeons

NOTE Confidence: 0.950317

 $00{:}09{:}09.672 \dashrightarrow 00{:}09{:}11.088$ because they're facile with the

NOTE Confidence: 0.950317

00:09:11.088 --> 00:09:12.756 robot and they've heard about the

NOTE Confidence: 0.950317

 $00:09:12.756 \longrightarrow 00:09:14.564$ benefits of robotics and so they're

 $00:09:14.564 \longrightarrow 00:09:16.119$ really looking for that approach.

NOTE Confidence: 0.953671466666667

00:09:17.850 --> 00:09:21.270 You mentioned when we were talking

NOTE Confidence: 0.953671466666667

 $00:09:21.270 \longrightarrow 00:09:24.084$ earlier about prostate cancer that

NOTE Confidence: 0.953671466666667

 $00:09:24.084 \longrightarrow 00:09:27.086$ while there may be an increased cost

NOTE Confidence: 0.953671466666667

 $00:09:27.090 \longrightarrow 00:09:29.757$ to the operation itself that there

NOTE Confidence: 0.953671466666667

 $00{:}09{:}29.757 \dashrightarrow 00{:}09{:}32.967$ may be a reduced cost long term in

NOTE Confidence: 0.953671466666667

 $00:09:32.967 \longrightarrow 00:09:36.090$ terms of a reduction in side effects.

NOTE Confidence: 0.953671466666667

 $00:09:36.090 \longrightarrow 00:09:39.723$ So you know issues with urinary incontinence

NOTE Confidence: 0.953671466666667

 $00:09:39.723 \longrightarrow 00:09:43.650$ or stream or sexual function etcetera.

NOTE Confidence: 0.953671466666667

 $00{:}09{:}43.650 \longrightarrow 00{:}09{:}47.970$ Are there data to to support the idea that

NOTE Confidence: 0.953671466666667

 $00{:}09{:}47.970 \dashrightarrow 00{:}09{:}51.012$ outcomes are better with robotic surgery

NOTE Confidence: 0.953671466666667

 $00:09:51.012 \longrightarrow 00:09:53.690$ versus laparoscopic surgery in terms of

NOTE Confidence: 0.953671466666667

00:09:53.690 --> 00:09:55.930 preserving nerve function, for example?

NOTE Confidence: 0.9603804

 $00{:}09{:}56.610 \dashrightarrow 00{:}09{:}59.830$ So for prostate certainly comparing

NOTE Confidence: 0.9603804

 $00:09:59.830 \longrightarrow 00:10:02.406$ open and robotic absolutely,

NOTE Confidence: 0.9603804

 $00:10:02.410 \longrightarrow 00:10:07.274$ I mean very clear benefits in terms of

 $00:10:07.274 \longrightarrow 00:10:10.690$ sexual function probably as well.

NOTE Confidence: 0.9603804

 $00:10:10.690 \longrightarrow 00:10:12.556$ You know it's a little

NOTE Confidence: 0.9603804

 $00:10:12.556 \longrightarrow 00:10:13.489$ difficult to interpret

NOTE Confidence: 0.9603804

00:10:13.490 --> 00:10:16.444 the laparoscopic versus robotic data for prostate,

NOTE Confidence: 0.9603804

 $00:10:16.450 \longrightarrow 00:10:18.526$ because not a lot of people

NOTE Confidence: 0.9603804

00:10:18.526 --> 00:10:19.564 are doing laparoscopic,

NOTE Confidence: 0.9603804

00:10:19.570 --> 00:10:22.729 pure laparoscopic prostatectomy.

NOTE Confidence: 0.9603804

00:10:22.730 --> 00:10:24.750 It's just something that's very

NOTE Confidence: 0.9603804

 $00:10:24.750 \longrightarrow 00:10:25.962$ technically challenging and

NOTE Confidence: 0.9603804

 $00:10:25.962 \longrightarrow 00:10:28.445$ the robot takes a lot of those

NOTE Confidence: 0.9603804

 $00{:}10{:}28.445 \dashrightarrow 00{:}10{:}30.450$ technical challenges out of the way.

NOTE Confidence: 0.9603804

 $00:10:30.450 \longrightarrow 00:10:32.386$ But absolutely comparing urinary

NOTE Confidence: 0.9603804

 $00:10:32.386 \longrightarrow 00:10:34.322$ function and probably sexual

NOTE Confidence: 0.9603804

00:10:34.322 --> 00:10:36.945 function in terms of our ability

NOTE Confidence: 0.9603804

 $00:10:36.945 \longrightarrow 00:10:38.533$ to accurately spare nerves

 $00:10:38.540 \longrightarrow 00:10:40.070$ and really do the finer

NOTE Confidence: 0.9603804

 $00:10:40.070 \longrightarrow 00:10:41.294$ aspects of that operation,

NOTE Confidence: 0.9603804

00:10:41.300 --> 00:10:43.616 which really is a delicate surgery,

NOTE Confidence: 0.9603804

 $00:10:43.620 \longrightarrow 00:10:45.348$ especially when it comes to the

NOTE Confidence: 0.9603804

00:10:45.348 --> 00:10:46.500 reconstruction portion of it.

00:10:47.174 --> 00:10:49.533 That really is where the robot shines

NOTE Confidence: 0.9603804

 $00{:}10{:}49.540 \dashrightarrow 00{:}10{:}52.140$ in such a sort of narrow anatomic space.

NOTE Confidence: 0.946962533333333

 $00:10:53.420 \longrightarrow 00:10:55.658$ And what about for kidney cancers?

NOTE Confidence: 0.9469625333333333

00:10:55.660 --> 00:10:57.820 Do we see the same kinds of things there?

NOTE Confidence: 0.953192257142857

00:10:58.700 --> 00:10:59.932 Yeah. So I mean,

NOTE Confidence: 0.953192257142857

 $00:10:59.932 \longrightarrow 00:11:01.180$ certainly different concerns, right?

NOTE Confidence: 0.953192257142857

00:11:01.180 --> 00:11:03.100 When you're talking about kidney surgery,

NOTE Confidence: 0.953192257142857

 $00:11:03.100 \longrightarrow 00:11:05.620$ we're not talking about urinary

NOTE Confidence: 0.953192257142857

 $00{:}11{:}05.620 \dashrightarrow 00{:}11{:}07.636$ continence or sexual function.

NOTE Confidence: 0.953192257142857

00:11:07.640 --> 00:11:09.744 But I can say certainly in my hands

NOTE Confidence: 0.953192257142857

 $00:11:09.744 \longrightarrow 00:11:12.400$ and I think in a lot of surgeons hands

00:11:12.400 --> 00:11:15.400 specifically for a partial nephrectomy,

NOTE Confidence: 0.953192257142857

 $00:11:15.400 \longrightarrow 00:11:17.704$ doing that reconstruction especially

NOTE Confidence: 0.953192257142857

00:11:17.704 --> 00:11:21.240 if it's in a difficult part of the kidney,

NOTE Confidence: 0.953192257142857

 $00{:}11{:}21.240 \dashrightarrow 00{:}11{:}23.543$ it's very challenging to do some of

NOTE Confidence: 0.953192257142857

00:11:23.543 --> 00:11:25.719 the finer aspects of that operation,

NOTE Confidence: 0.953192257142857

00:11:25.720 --> 00:11:26.484 pure laparoscopic.

NOTE Confidence: 0.953192257142857

00:11:26.484 --> 00:11:29.158 It can certainly be done open and

NOTE Confidence: 0.953192257142857

00:11:29.158 --> 00:11:31.360 probably with the same efficacy open,

NOTE Confidence: 0.953192257142857

00:11:31.360 --> 00:11:33.150 but then you're talking about

NOTE Confidence: 0.953192257142857

 $00:11:33.150 \longrightarrow 00:11:34.294$ a fairly large incision,

NOTE Confidence: 0.953192257142857

 $00{:}11{:}34.294 \dashrightarrow 00{:}11{:}36.314$ which for the kidney is either a

NOTE Confidence: 0.953192257142857

00:11:36.314 --> 00:11:37.826 big incision under the rib cage,

NOTE Confidence: 0.953192257142857

 $00:11:37.830 \longrightarrow 00:11:39.560$ which can be fairly painful

NOTE Confidence: 0.953192257142857

 $00{:}11{:}39.560 \dashrightarrow 00{:}11{:}40.944$ during the recovery process,

NOTE Confidence: 0.953192257142857

 $00:11:40.950 \longrightarrow 00:11:42.987$ or a big incision in the midline.

NOTE Confidence: 0.953192257142857

 $00{:}11{:}42.990 \dashrightarrow 00{:}11{:}45.710$ So again, in those cases you're looking at,

00:11:45.710 --> 00:11:47.150 especially if you're doing that surgery,

NOTE Confidence: 0.953192257142857

00:11:47.150 --> 00:11:49.410 open, a longer hospital

NOTE Confidence: 0.953192257142857

00:11:49.410 --> 00:11:51.105 stay, more postoperative

NOTE Confidence: 0.953192257142857

00:11:51.110 --> 00:11:52.550 pain medication requirements,

NOTE Confidence: 0.953192257142857

00:11:52.550 --> 00:11:53.510 narcotic use,

NOTE Confidence: 0.953192257142857

00:11:53.510 --> 00:11:55.771 and then you're dealing with things like

NOTE Confidence: 0.953192257142857

 $00:11:55.771 \longrightarrow 00:11:57.669$ constipation and wound infection issues.

 $00:11:57.923 \longrightarrow 00:11:59.694$ Socwhen it comes to some

NOTE Confidence: 0.953192257142857

 $00:11:59.694 \longrightarrow 00:12:01.390$ of those more complex cases,

NOTE Confidence: 0.953192257142857

 $00:12:01.390 \longrightarrow 00:12:02.986$ the robot is a major help.

NOTE Confidence: 0.9452853

 $00:12:04.470 \longrightarrow 00:12:06.510$ Talk a little bit about training.

NOTE Confidence: 0.9452853

00:12:06.510 --> 00:12:09.330 I mean when you were describing

NOTE Confidence: 0.9452853

 $00{:}12{:}09.330 \dashrightarrow 00{:}12{:}12.900$ how a robotic case occurs earlier

NOTE Confidence: 0.9452853

00:12:12.900 --> 00:12:17.109 you mentioned that the patient

NOTE Confidence: 0.9452853

 $00:12:17.109 \longrightarrow 00:12:19.347$ is on the operating room table.

NOTE Confidence: 0.9452853

 $00{:}12{:}19.350 \dashrightarrow 00{:}12{:}21.215$ There might be an assistant

 $00:12:21.215 \longrightarrow 00:12:23.258$ at the bedside who's kind of

NOTE Confidence: 0.9452853

 $00{:}12{:}23.258 \dashrightarrow 00{:}12{:}24.628$ changing instruments in and out,

NOTE Confidence: 0.9452853

 $00:12:24.630 \longrightarrow 00:12:27.357$ but the surgeon really sits at a console and

NOTE Confidence: 0.9452853

 $00{:}12{:}27.360 \longrightarrow 00{:}12{:}30.076$ manages the arms of the robot.

NOTE Confidence: 0.9452853

 $00:12:30.080 \longrightarrow 00:12:32.920$ So if you're a trainee,

NOTE Confidence: 0.9452853

 $00:12:32.920 \longrightarrow 00:12:35.040$ an up and coming surgeon,

NOTE Confidence: 0.9452853

00:12:35.040 --> 00:12:38.154 how do you learn how to work the robot?

 $00:12:38.560 \longrightarrow 00:12:40.600$ It's a great question and

NOTE Confidence: 0.90447603125

 $00:12:40.600 \longrightarrow 00:12:43.104$ actually it's somewhat hotly debated

NOTE Confidence: 0.90447603125

 $00:12:43.104 \longrightarrow 00:12:45.805$ and there's a lot of interest

NOTE Confidence: 0.90447603125

 $00:12:45.805 \longrightarrow 00:12:47.788$ in how residents and

NOTE Confidence: 0.90447603125

 $00{:}12{:}47.788 \dashrightarrow 00{:}12{:}49.758$ future surgeons should be trained.

NOTE Confidence: 0.90447603125

 $00:12:49.760 \longrightarrow 00:12:51.800$ Different institutions do it different ways.

NOTE Confidence: 0.90447603125

 $00{:}12{:}51.800 \longrightarrow 00{:}12{:}54.660$ I can tell you when I was a resident we

NOTE Confidence: 0.90447603125

00:12:54.737 --> 00:12:57.073 had a protocol where as the resident,

NOTE Confidence: 0.90447603125

 $00:12:57.073 \longrightarrow 00:12:58.838$ your job for

00:12:58.840 --> 00:13:02.164 X number of cases was to be at the bedside,

NOTE Confidence: 0.90447603125

 $00{:}13{:}02.164 \dashrightarrow 00{:}13{:}03.556$ being that bedside assistant.

NOTE Confidence: 0.90447603125

 $00:13:03.560 \longrightarrow 00:13:05.240$ So you knew the steps of the case,

NOTE Confidence: 0.90447603125

 $00:13:05.240 \longrightarrow 00:13:06.995$ you knew what instruments to put in and out,

NOTE Confidence: 0.90447603125

 $00:13:07.000 \longrightarrow 00:13:09.490$ at which times and you really learned

NOTE Confidence: 0.90447603125

 $00:13:09.490 \longrightarrow 00:13:10.320$ the operation.

NOTE Confidence: 0.90447603125

00:13:10.320 --> 00:13:11.460 And of course you were watching

NOTE Confidence: 0.90447603125

 $00:13:11.460 \longrightarrow 00:13:12.440$ the whole surgery as well.

NOTE Confidence: 0.939923047058824

 $00:13:14.450 \longrightarrow 00:13:16.050$ There's no real standardized way

NOTE Confidence: 0.939923047058824

 $00{:}13{:}16.050 \dashrightarrow 00{:}13{:}18.024$ that residencies are doing it

NOTE Confidence: 0.939923047058824

 $00:13:18.024 \longrightarrow 00:13:19.926$ across the United States for instance.

NOTE Confidence: 0.939923047058824

 $00:13:19.930 \longrightarrow 00:13:22.602$ But again, there is a lot of

NOTE Confidence: 0.939923047058824

 $00{:}13{:}22.602 \dashrightarrow 00{:}13{:}25.134$ exposure to that I think broadly

NOTE Confidence: 0.939923047058824

 $00{:}13{:}25.134 \dashrightarrow 00{:}13{:}27.369$ in urology residency these days.

NOTE Confidence: 0.939923047058824

 $00:13:27.370 \longrightarrow 00:13:30.280$ And as the robot permeates more

 $00:13:30.280 \longrightarrow 00:13:32.490$ out into these community

NOTE Confidence: 0.939923047058824

 $00:13:32.490 \longrightarrow 00:13:34.350$ hospitals and you have more robots

NOTE Confidence: 0.939923047058824

00:13:34.405 --> 00:13:35.930 at the major medical centers,

NOTE Confidence: 0.939923047058824

 $00:13:35.930 \longrightarrow 00:13:37.690$ there's just a lot more exposure to it.

NOTE Confidence: 0.939923047058824

 $00:13:37.690 \longrightarrow 00:13:40.516$ So when residents are graduating now,

NOTE Confidence: 0.939923047058824

 $00:13:40.520 \longrightarrow 00:13:42.200$ for the most part, they've seen

NOTE Confidence: 0.939923047058824

 $00:13:42.200 \longrightarrow 00:13:43.935$ hundreds probably of

NOTE Confidence: 0.939923047058824

 $00{:}13{:}43.935 \dashrightarrow 00{:}13{:}45.670$ robotic procedures and many will

NOTE Confidence: 0.939923047058824

 $00:13:45.725 \longrightarrow 00:13:47.606$ then go on to do if they want to

NOTE Confidence: 0.939923047058824

00:13:47.606 --> 00:13:49.358 focus in oncology or in robotics,

NOTE Confidence: 0.939923047058824

 $00{:}13{:}49.360 \dashrightarrow 00{:}13{:}52.192$ they'll go on to do a specific fellowship

NOTE Confidence: 0.939923047058824

00:13:52.192 --> 00:13:54.080 in minimally invasive surgery,

NOTE Confidence: 0.939923047058824

 $00:13:54.080 \longrightarrow 00:13:54.746$ robotic surgery.

 $00{:}13{:}56.400 {\:\dashrightarrow\:} 00{:}13{:}58.746$ We'll pick up the

NOTE Confidence: 0.9346750875

 $00:13:58.746 \longrightarrow 00:14:01.035$ conversation with that right after we

NOTE Confidence: 0.9346750875

 $00:14:01.035 \longrightarrow 00:14:03.635$ take a short break for a medical minute.

 $00:14:03.640 \longrightarrow 00:14:05.565$ Please stay tuned to learn more about

NOTE Confidence: 0.9346750875

 $00:14:05.565 \longrightarrow 00:14:07.769$ the use of robotics and minimally

NOTE Confidence: 0.9346750875

00:14:07.769 --> 00:14:09.959 invasive surgery for urologic cancers

NOTE Confidence: 0.9346750875

 $00:14:09.960 \longrightarrow 00:14:12.120$ with my guest, Dr. Joseph Brito.

NOTE Confidence: 0.920439987

 $00:14:12.720 \longrightarrow 00:14:14.760$ Funding for Yale Cancer Answers

NOTE Confidence: 0.920439987

 $00{:}14{:}14.760 \dashrightarrow 00{:}14{:}16.800$ comes from Smilow Cancer Hospital,

NOTE Confidence: 0.920439987

 $00{:}14{:}16.800 \dashrightarrow 00{:}14{:}18.656$ where their Melanoma program

NOTE Confidence: 0.920439987

 $00:14:18.656 \longrightarrow 00:14:20.512$ brings together an extensive

NOTE Confidence: 0.920439987

 $00{:}14{:}20.512 \dashrightarrow 00{:}14{:}22.199$ multidisciplinary team to diagnose,

NOTE Confidence: 0.920439987

00:14:22.200 --> 00:14:24.372 treat, and care for patients with

NOTE Confidence: 0.920439987

 $00{:}14{:}24.372 \dashrightarrow 00{:}14{:}26.400$ Melanoma and other skin cancers.

NOTE Confidence: 0.920439987

00:14:26.400 --> 00:14:30.798 Smilowcancerhospital.org.

NOTE Confidence: 0.920439987

 $00:14:30.798 \longrightarrow 00:14:32.706$ Genetic testing can be useful for people

NOTE Confidence: 0.920439987

 $00:14:32.706 \longrightarrow 00:14:34.521$ with certain types of cancer that

NOTE Confidence: 0.920439987

 $00:14:34.521 \longrightarrow 00:14:36.135$ seem to run in their families.

NOTE Confidence: 0.920439987

 $00:14:36.140 \longrightarrow 00:14:38.010$ Genetic counseling is a process

00:14:38.010 --> 00:14:39.880 that includes collecting a detailed

NOTE Confidence: 0.920439987

 $00{:}14{:}39.937 \dashrightarrow 00{:}14{:}41.497$ personal and family history,

NOTE Confidence: 0.920439987

00:14:41.500 --> 00:14:42.844 a risk assessment,

NOTE Confidence: 0.920439987

 $00:14:42.844 \longrightarrow 00:14:45.980$ and a discussion of genetic testing options.

NOTE Confidence: 0.920439987

 $00:14:45.980 \longrightarrow 00:14:48.606$ Only about 5 to 10% of all cancers

NOTE Confidence: 0.920439987

 $00:14:48.606 \longrightarrow 00:14:50.316$ are inherited and genetic testing

NOTE Confidence: 0.920439987

 $00:14:50.316 \longrightarrow 00:14:52.618$ is not recommended for everyone.

NOTE Confidence: 0.920439987

00:14:52.620 --> 00:14:54.966 Individuals who have a personal and

NOTE Confidence: 0.920439987

 $00:14:54.966 \longrightarrow 00:14:57.050$ or family history that includes

NOTE Confidence: 0.920439987

 $00:14:57.050 \longrightarrow 00:14:59.295$ cancer at unusually early ages,

NOTE Confidence: 0.920439987

 $00{:}14{:}59.300 \dashrightarrow 00{:}15{:}01.364$ multiple relatives on the same side

NOTE Confidence: 0.920439987

 $00:15:01.364 \longrightarrow 00:15:03.829$ of the family with the same cancer,

NOTE Confidence: 0.920439987

 $00{:}15{:}03.830 \dashrightarrow 00{:}15{:}05.670$ more than one diagnosis of

NOTE Confidence: 0.920439987

 $00:15:05.670 \longrightarrow 00:15:07.510$ cancer in the same individual,

NOTE Confidence: 0.920439987

 $00:15:07.510 \longrightarrow 00:15:08.312$ rare cancers,

00:15:08.312 --> 00:15:11.119 or family history of a known altered

NOTE Confidence: 0.920439987

00:15:11.119 --> 00:15:13.630 cancer predisposing gene could be

NOTE Confidence: 0.920439987

 $00:15:13.630 \longrightarrow 00:15:15.670$ candidates for genetic testing.

NOTE Confidence: 0.920439987

 $00:15:15.670 \longrightarrow 00:15:17.735$ Resources for genetic counseling and

NOTE Confidence: 0.920439987

00:15:17.735 --> 00:15:19.800 testing are available at federally

NOTE Confidence: 0.920439987

 $00{:}15{:}19.862 \dashrightarrow 00{:}15{:}21.083$ designated comprehensive cancer

NOTE Confidence: 0.920439987

 $00{:}15{:}21.083 \dashrightarrow 00{:}15{:}23.525$ centers such as Yale Cancer Center

NOTE Confidence: 0.920439987

 $00:15:23.525 \longrightarrow 00:15:25.508$ and Smilow Cancer Hospital.

NOTE Confidence: 0.920439987

00:15:25.510 --> 00:15:27.910 More information is available

NOTE Confidence: 0.920439987

 $00:15:27.910 \longrightarrow 00:15:28.938$ at yalecancercenter.org.

NOTE Confidence: 0.920439987

 $00:15:28.938 \longrightarrow 00:15:31.506$ You're listening to Connecticut Public Radio.

NOTE Confidence: 0.950317

00:15:32.290 --> 00:15:34.246 Welcome back to Yale Cancer Answers.

NOTE Confidence: 0.950317

00:15:34.250 --> 00:15:35.850 This is Doctor Anees Chappar,

NOTE Confidence: 0.950317

00:15:35.850 --> 00:15:37.929 and I'm joined tonight by my guest,

NOTE Confidence: 0.950317

 $00:15:37.930 \longrightarrow 00:15:39.040$ Doctor Joseph Brito.

NOTE Confidence: 0.950317

 $00{:}15{:}39.040 \dashrightarrow 00{:}15{:}41.260$ We're talking about the use of

 $00:15:41.260 \longrightarrow 00:15:43.044$ robotics and minimally invasive

NOTE Confidence: 0.950317

 $00{:}15{:}43.044 \dashrightarrow 00{:}15{:}44.844$ surgery for urologic cancers.

NOTE Confidence: 0.950317

00:15:44.850 --> 00:15:47.754 And Joseph, right before the break

NOTE Confidence: 0.950317

00:15:47.754 --> 00:15:51.490 you were talking about training

NOTE Confidence: 0.950317

00:15:51.490 --> 00:15:54.010 of residents and fellows and

NOTE Confidence: 0.950317

 $00:15:54.010 \longrightarrow 00:15:56.546$ you had mentioned that

NOTE Confidence: 0.950317

 $00:15:56.546 \longrightarrow 00:15:58.686$ while there is no standardization

NOTE Confidence: 0.950317

NOTE Confidence: 0.950317

 $00:16:00.349 \longrightarrow 00:16:03.381$ the resident will be at the

NOTE Confidence: 0.950317

 $00:16:03.381 \longrightarrow 00:16:05.899$ bedside putting instruments in and out.

NOTE Confidence: 0.950317

00:16:05.900 --> 00:16:08.540 They'll get to watch the the robotic surgery,

NOTE Confidence: 0.950317

 $00{:}16{:}08.540 \dashrightarrow 00{:}16{:}11.012$ but there's a big difference between

NOTE Confidence: 0.950317

 $00{:}16{:}11.012 \dashrightarrow 00{:}16{:}13.143$ watching the surgery and actually

NOTE Confidence: 0.950317

00:16:13.143 --> 00:16:15.579 doing the surgery at the console.

NOTE Confidence: 0.950317

 $00:16:15.580 \longrightarrow 00:16:19.153$ So can you talk a little bit about how

00:16:19.153 --> 00:16:21.503 trainees actually gain that facility

NOTE Confidence: 0.950317

 $00:16:21.503 \longrightarrow 00:16:25.060$ with using the robot at the console?

NOTE Confidence: 0.950317

 $00:16:25.060 \longrightarrow 00:16:28.525$ Because it would seem that that's really

NOTE Confidence: 0.950317

 $00:16:28.530 \longrightarrow 00:16:30.605$ a major advantage of robotic

NOTE Confidence: 0.950317

00:16:30.605 --> 00:16:33.156 surgery is the facility that the

NOTE Confidence: 0.950317

 $00{:}16{:}33.156 \dashrightarrow 00{:}16{:}35.520$ surgeon has with using the robot

NOTE Confidence: 0.950317

 $00:16:35.520 \longrightarrow 00:16:37.650$ and the dexterity of its arms.

NOTE Confidence: 0.86953986

 $00:16:37.890 \longrightarrow 00:16:38.490$ Yeah, of course.

NOTE Confidence: 0.86953986

00:16:38.490 --> 00:16:41.102 I mean, with any surgical approach,

NOTE Confidence: 0.86953986

00:16:41.102 --> 00:16:42.996 surgical instrument, the surgeon

NOTE Confidence: 0.86953986

 $00{:}16{:}42.996 \to 00{:}16{:}44.568$ needs to have familiarity with it,

NOTE Confidence: 0.86953986

 $00:16:44.570 \longrightarrow 00:16:47.020$ be able to use it safely and

NOTE Confidence: 0.86953986

 $00:16:47.020 \longrightarrow 00:16:49.195$ with the robot at most

NOTE Confidence: 0.86953986

 $00{:}16{:}49.195 \dashrightarrow 00{:}16{:}50.946$ teaching institutions, there is

NOTE Confidence: 0.86953986

 $00:16:50.946 \longrightarrow 00:16:52.978$ basically a trainer console.

NOTE Confidence: 0.86953986

 $00{:}16{:}52.980 \dashrightarrow 00{:}16{:}55.468$ So it's almost in some ways like a

00:16:55.468 --> 00:16:58.120 driver's Ed setup where you have the

NOTE Confidence: 0.86953986

 $00{:}16{:}58.120 \dashrightarrow 00{:}17{:}00.468$ surgeon that has ultimate control over

NOTE Confidence: 0.86953986

 $00{:}17{:}00.468 \dashrightarrow 00{:}17{:}02.714$ the robot and then you have a trainee

NOTE Confidence: 0.86953986

00:17:02.714 --> 00:17:04.260 who's sitting at another console,

NOTE Confidence: 0.86953986

 $00:17:04.260 \longrightarrow 00:17:05.970$ usually next to or directly

NOTE Confidence: 0.86953986

 $00:17:05.970 \longrightarrow 00:17:07.338$ across from the surgeon.

NOTE Confidence: 0.86953986

 $00:17:07.340 \longrightarrow 00:17:09.434$ So you know the surgeon can

NOTE Confidence: 0.86953986

 $00{:}17{:}09.434 \dashrightarrow 00{:}17{:}11.230$ essentially control the robot

NOTE Confidence: 0.86953986

 $00:17:11.230 \longrightarrow 00:17:13.258$ over to the resident or trainee.

NOTE Confidence: 0.86953986

 $00{:}17{:}13.260 \dashrightarrow 00{:}17{:}16.133$ They can operate for a minute

NOTE Confidence: 0.86953986

 $00:17:16.133 \longrightarrow 00:17:17.297$ or a few minutes,

NOTE Confidence: 0.86953986

 $00:17:17.300 \longrightarrow 00:17:18.800$ the surgeon can sort of watch

NOTE Confidence: 0.86953986

 $00:17:18.800 \longrightarrow 00:17:20.433$ what they're doing and then if

NOTE Confidence: 0.86953986

00:17:20.433 --> 00:17:21.589 something is happening that

NOTE Confidence: 0.86953986

 $00:17:21.590 \longrightarrow 00:17:22.922$ they don't like or the surgeons

 $00:17:22.922 \longrightarrow 00:17:24.070$ ready to take control back,

NOTE Confidence: 0.86953986

 $00{:}17{:}24.070 \longrightarrow 00{:}17{:}25.590$ they can just go ahead and do that.

NOTE Confidence: 0.86953986

 $00:17:25.590 \longrightarrow 00:17:28.068$ So it gives the resident

NOTE Confidence: 0.86953986

00:17:28.070 --> 00:17:30.428 an opportunity to gain some skill,

NOTE Confidence: 0.86953986

 $00:17:30.430 \longrightarrow 00:17:35.330$ learn the robot while under a pretty

NOTE Confidence: 0.86953986

 $00{:}17{:}35.330 \dashrightarrow 00{:}17{:}37.430$ closely supervised environment.

NOTE Confidence: 0.86953986

 $00:17:37.430 \longrightarrow 00:17:39.103$ The other thing I think is important

NOTE Confidence: 0.86953986

00:17:39.103 --> 00:17:41.212 to note is just that whenever you're

NOTE Confidence: 0.86953986

 $00{:}17{:}41.212 \dashrightarrow 00{:}17{:}43.222$ doing a laparoscopic or robotic surgery,

NOTE Confidence: 0.86953986

 $00:17:43.230 \longrightarrow 00:17:45.725$ everything that's happening is being

NOTE Confidence: 0.86953986

 $00{:}17{:}45.725 \dashrightarrow 00{:}17{:}48.220$ broadcast onto essentially a big TV

NOTE Confidence: 0.86953986

 $00:17:48.292 \longrightarrow 00:17:50.924$ screen in the operating room and so

 $00:17:51.294 \longrightarrow 00:17:52.386$ not just the surgeon and the

NOTE Confidence: 0.86953986

 $00{:}17{:}52.386 \dashrightarrow 00{:}17{:}53.530$ assistant can see what's happening,

NOTE Confidence: 0.86953986

 $00:17:53.530 \longrightarrow 00:17:54.905$ but really everyone in the

NOTE Confidence: 0.86953986

00:17:54.905 --> 00:17:56.690 operating room can see, scrub nurses,

 $00:17:56.690 \longrightarrow 00:17:59.090$ the scrub tech, the anesthesia team.

NOTE Confidence: 0.86953986

 $00:17:59.090 \longrightarrow 00:18:01.170$ So in a lot of ways the resident

NOTE Confidence: 0.86953986

 $00{:}18{:}01.170 \dashrightarrow 00{:}18{:}03.735$ and the surgeon really are more

NOTE Confidence: 0.86953986

 $00:18:03.735 \longrightarrow 00:18:05.715$ closely watched and observed than

NOTE Confidence: 0.86953986

 $00:18:05.785 \longrightarrow 00:18:07.927$ they would be in an open surgery.

NOTE Confidence: 0.9402536

 $00:18:08.130 \longrightarrow 00:18:10.322$ Let's take a step back for a moment

NOTE Confidence: 0.9402536

 $00:18:10.322 \longrightarrow 00:18:12.379$ as you had mentioned earlier,

NOTE Confidence: 0.9402536

 $00:18:12.380 \longrightarrow 00:18:15.397$ this is kidney cancer

NOTE Confidence: 0.9402536

 $00{:}18{:}15.397 \dashrightarrow 00{:}18{:}17.824$ awareness month, so let's talk a

NOTE Confidence: 0.9402536

00:18:17.824 --> 00:18:19.779 little bit about kidney cancer.

NOTE Confidence: 0.9402536

 $00{:}18{:}19.780 \dashrightarrow 00{:}18{:}23.420$ We had talked a little bit about

NOTE Confidence: 0.9402536

 $00:18:23.420 \longrightarrow 00:18:25.660$ surgery and you had mentioned

NOTE Confidence: 0.9402536

 $00:18:25.660 \longrightarrow 00:18:27.900$ that for some patients they

NOTE Confidence: 0.9402536

00:18:27.979 --> 00:18:30.179 require a total nephrectomy,

NOTE Confidence: 0.9402536

 $00:18:30.180 \longrightarrow 00:18:33.020$ others a partial nephrectomy.

NOTE Confidence: 0.9402536

 $00:18:33.020 \longrightarrow 00:18:35.463$ Talk a little bit about how those

 $00{:}18{:}35.463 \dashrightarrow 00{:}18{:}39.018$ decisions are made and kind of situate

NOTE Confidence: 0.9402536

 $00{:}18{:}39.020 \dashrightarrow 00{:}18{:}42.242$ the treatment of kidney cancer in

NOTE Confidence: 0.9402536

 $00:18:42.242 \longrightarrow 00:18:43.853$ a multidisciplinary context,

NOTE Confidence: 0.95786455

00:18:44.260 --> 00:18:47.560 Probably first it is important to

NOTE Confidence: 0.95786455

 $00{:}18{:}47.560 \dashrightarrow 00{:}18{:}49.812$ differentiate between cancers of the

NOTE Confidence: 0.95786455

00:18:49.812 --> 00:18:52.500 cortex or outer portion of the kidney,

NOTE Confidence: 0.95786455

 $00:18:52.500 \longrightarrow 00:18:54.523$ the sort of meaty part of the

NOTE Confidence: 0.95786455

00:18:54.523 --> 00:18:56.333 kidney and cancers of the lining

NOTE Confidence: 0.95786455

 $00:18:56.333 \longrightarrow 00:18:58.097$ or central part of the kidney.

 $00:19:01.580 \longrightarrow 00:19:03.626$ So this is really the urinary

NOTE Confidence: 0.95786455

 $00{:}19{:}03.626 \dashrightarrow 00{:}19{:}05.540$ drainage part of the kidney.

NOTE Confidence: 0.95786455

 $00:19:05.540 \longrightarrow 00:19:07.095$ There are tumors that are

NOTE Confidence: 0.95786455

 $00:19:07.095 \longrightarrow 00:19:08.339$ both types of cancer,

NOTE Confidence: 0.95786455

 $00:19:08.340 \longrightarrow 00:19:09.860$ but different types and really

NOTE Confidence: 0.95786455

 $00:19:09.860 \longrightarrow 00:19:11.380$ managed in very different ways.

NOTE Confidence: 0.95786455

 $00{:}19{:}11.380 \dashrightarrow 00{:}19{:}13.035$ So when we're talking about

 $00:19:13.035 \longrightarrow 00:19:14.690$ removing just the kidney or

NOTE Confidence: 0.95786455

 $00{:}19{:}14.752 \dashrightarrow 00{:}19{:}16.859$ removing just a part of the kidney,

NOTE Confidence: 0.95786455

 $00:19:16.860 \longrightarrow 00:19:18.486$ usually we're talking

NOTE Confidence: 0.95786455

 $00:19:18.486 \longrightarrow 00:19:20.654$ about those cortical renal,

NOTE Confidence: 0.95786455

 $00{:}19{:}20.660 \dashrightarrow 00{:}19{:}22.785$ usually renal cell carcinoma being

NOTE Confidence: 0.95786455

 $00:19:22.785 \longrightarrow 00:19:25.470$ the most common type renal tumors.

NOTE Confidence: 0.95786455

 $00:19:25.470 \longrightarrow 00:19:26.510$ When we're talking about the

NOTE Confidence: 0.95786455

 $00:19:26.510 \longrightarrow 00:19:27.342$ lining of the kidney,

 $00:19:28.610 \longrightarrow 00:19:30.290$ that's a different type of

NOTE Confidence: 0.95786455

 $00:19:30.290 \longrightarrow 00:19:31.550$ kidney cancer altogether,

NOTE Confidence: 0.95786455

 $00{:}19{:}31.550 \dashrightarrow 00{:}19{:}33.010$ what we call urothelial carcinoma

NOTE Confidence: 0.95786455

 $00:19:33.010 \longrightarrow 00:19:35.242$ or it used to be referred to as

NOTE Confidence: 0.95786455

 $00{:}19{:}35.242 \dashrightarrow 00{:}19{:}36.307$ transitional cell carcinoma.

NOTE Confidence: 0.95786455

00:19:36.310 --> 00:19:38.018 It's much more akin to bladder cancer

NOTE Confidence: 0.95786455

 $00:19:38.018 \longrightarrow 00:19:39.778$ really than it is to kidney cancer

NOTE Confidence: 0.95786455

00:19:39.778 --> 00:19:41.518 because the cell type that lines the

00:19:41.518 --> 00:19:43.093 renal pelvis and the ureter is the

NOTE Confidence: 0.95786455

 $00:19:43.093 \longrightarrow 00:19:46.268$ same type of cell that lines the bladder.

NOTE Confidence: 0.95786455

 $00:19:46.270 \longrightarrow 00:19:48.670$ And so our approach to those

NOTE Confidence: 0.95786455

 $00:19:48.670 \longrightarrow 00:19:50.270$ cancers is generally different.

NOTE Confidence: 0.95786455

 $00{:}19{:}50.270 \dashrightarrow 00{:}19{:}52.754$ Now sometimes we're still removing the

NOTE Confidence: 0.95786455

 $00:19:52.754 \longrightarrow 00:19:55.429$ kidney for those renal pelvis tumors.

NOTE Confidence: 0.95786455

00:19:55.430 --> 00:19:56.750 But usually if we're doing that,

NOTE Confidence: 0.95786455

 $00:19:56.750 \longrightarrow 00:19:58.046$ we're also removing the

NOTE Confidence: 0.95786455

 $00:19:58.046 \longrightarrow 00:19:59.666$ entire ureter on that side.

NOTE Confidence: 0.95786455

 $00{:}19{:}59.670 \dashrightarrow 00{:}20{:}01.847$ So taking that kidney tube that drains

NOTE Confidence: 0.95786455

 $00:20:01.847 \longrightarrow 00:20:04.567$ all the way down into the bladder and

NOTE Confidence: 0.95786455

 $00:20:04.567 \longrightarrow 00:20:06.670$ removing the entire thing and usually

NOTE Confidence: 0.95786455

 $00:20:06.670 \dashrightarrow 00:20:09.586$ with a small portion of the bladder as well.

NOTE Confidence: 0.95786455

 $00:20:09.590 \longrightarrow 00:20:10.928$ So you know,

NOTE Confidence: 0.95786455

00:20:10.928 --> 00:20:13.378 again very different types of

 $00:20:13.378 \longrightarrow 00:20:16.148$ cancer managed in different ways.

NOTE Confidence: 0.95786455

 $00:20:16.150 \longrightarrow 00:20:18.885$ One thing I think probably

NOTE Confidence: 0.95786455

 $00:20:18.885 \longrightarrow 00:20:21.073$ bears bringing up is

NOTE Confidence: 0.95786455

 $00:20:21.080 \longrightarrow 00:20:22.830$ there are significant efforts afoot

NOTE Confidence: 0.95786455

 $00:20:22.830 \longrightarrow 00:20:25.324$ to try to spare removing the entire

NOTE Confidence: 0.95786455

 $00{:}20{:}25.324 \rightarrow 00{:}20{:}27.358$ kidney and spare removing the entire

NOTE Confidence: 0.95786455

 $00{:}20{:}27.358 \dashrightarrow 00{:}20{:}29.295$ kidney and ure ter for some of

NOTE Confidence: 0.95786455

 $00:20:29.295 \longrightarrow 00:20:31.256$ these upper tract types of cancer.

 $00:20:31.960 \longrightarrow 00:20:33.675$ We didn't really have a lot of

NOTE Confidence: 0.95786455

 $00:20:33.675 \longrightarrow 00:20:34.880$ options until somewhat recently.

NOTE Confidence: 0.95786455

 $00:20:34.880 \longrightarrow 00:20:37.638$ Really in the past couple of years

NOTE Confidence: 0.95786455

 $00{:}20{:}37.640 \dashrightarrow 00{:}20{:}39.758$ we were basically either doing that

NOTE Confidence: 0.95786455

 $00:20:39.758 \longrightarrow 00:20:42.422$ radical surgery or we were trying to

NOTE Confidence: 0.95786455

00:20:42.422 --> 00:20:44.397 manage what we could endoscopically,

NOTE Confidence: 0.95786455

 $00{:}20{:}44.400 \to 00{:}20{:}47.224$ you know putting a camera up from below.

NOTE Confidence: 0.95786455

00:20:47.230 --> 00:20:48.112 Maybe doing biopsies,

00:20:48.112 --> 00:20:50.643 maybe using a laser to try to ablate

NOTE Confidence: 0.95786455

 $00{:}20{:}50.643 \dashrightarrow 00{:}20{:}52.708$ some of those tumors endoscopically,

NOTE Confidence: 0.95786455

 $00:20:52.710 \longrightarrow 00:20:54.138$ but really only so much we could

NOTE Confidence: 0.95786455

00:20:54.138 --> 00:20:54.750 do and again,

NOTE Confidence: 0.95786455

 $00:20:54.750 \longrightarrow 00:20:57.390$ only treating what we could see.

NOTE Confidence: 0.95786455

00:20:57.390 --> 00:21:00.046 We've just recently started

NOTE Confidence: 0.95786455

 $00{:}21{:}00.046 \dashrightarrow 00{:}21{:}02.398$ using a type of chemother apeutic

NOTE Confidence: 0.95786455

00:21:02.398 --> 00:21:03.664 agent called mitomycin,

NOTE Confidence: 0.95786455

 $00:21:03.670 \longrightarrow 00:21:05.278$ which has been used in the

NOTE Confidence: 0.95786455

 $00:21:05.278 \longrightarrow 00:21:06.350$ bladder for many years,

NOTE Confidence: 0.95786455

 $00:21:06.350 \longrightarrow 00:21:08.494$ but it's been reformulated

NOTE Confidence: 0.95786455

 $00:21:08.494 \longrightarrow 00:21:11.470$ into a gel type of format.

NOTE Confidence: 0.95786455

 $00:21:11.470 \longrightarrow 00:21:13.285$ So the same medication but

NOTE Confidence: 0.95786455

 $00:21:13.285 \longrightarrow 00:21:15.470$ sort of suspended in a gel.

NOTE Confidence: 0.95786455

00:21:15.470 --> 00:21:17.520 And this has been approved since 2021,

NOTE Confidence: 0.95786455

 $00:21:17.520 \longrightarrow 00:21:19.830$ but this is can now be instilled

 $00:21:19.830 \longrightarrow 00:21:21.909$ directly into the kidney and for

NOTE Confidence: 0.95786455

 $00{:}21{:}21.909 \dashrightarrow 00{:}21{:}23.982$ some patients offer them basically a

NOTE Confidence: 0.95786455

 $00:21:23.982 \longrightarrow 00:21:26.070$ nonsurgical option to try to treat

NOTE Confidence: 0.95786455

00:21:26.133 --> 00:21:28.436 and really ablate some of these lower

NOTE Confidence: 0.95786455

 $00:21:28.436 \longrightarrow 00:21:30.468$ grade tumors and save the kidney.

NOTE Confidence: 0.936228174

 $00:21:30.870 \longrightarrow 00:21:34.790$ Wow. I mean that sounds really remarkable.

NOTE Confidence: 0.936228174

00:21:34.790 --> 00:21:37.905 So because as you described,

NOTE Confidence: 0.936228174

 $00:21:37.910 \longrightarrow 00:21:39.170$ the surgery itself,

NOTE Confidence: 0.936228174

00:21:39.170 --> 00:21:41.270 nobody first of all would

NOTE Confidence: 0.936228174

00:21:41.270 --> 00:21:43.867 necessarily want to undergo a surgery period,

NOTE Confidence: 0.936228174

00:21:43.870 --> 00:21:46.696 even if it can be done with small little

NOTE Confidence: 0.936228174

 $00:21:46.696 \longrightarrow 00:21:49.029$ incisions using a laparoscope or a robot.

NOTE Confidence: 0.936228174

 $00:21:49.030 \longrightarrow 00:21:51.190$ But when you think about removing the kidney,

NOTE Confidence: 0.936228174

 $00:21:51.190 \longrightarrow 00:21:52.735$ removing the ureter,

NOTE Confidence: 0.936228174

00:21:52.735 --> 00:21:55.310 removing part of the bladder,

 $00:21:55.310 \longrightarrow 00:21:57.704$ you know that sounds rather extensive.

NOTE Confidence: 0.936228174

 $00:21:57.710 \longrightarrow 00:22:00.146$ If this can be treated with installation

NOTE Confidence: 0.936228174

 $00:22:00.146 \longrightarrow 00:22:03.360$ of a gel in the kidney that

NOTE Confidence: 0.936228174

 $00:22:03.360 \longrightarrow 00:22:05.346$ seems much more palatable.

NOTE Confidence: 0.936228174

00:22:05.346 --> 00:22:08.279 Talk a little bit about which patients

NOTE Confidence: 0.936228174

 $00:22:08.279 \longrightarrow 00:22:11.086$ are eligible for this and how exactly

NOTE Confidence: 0.936228174

 $00:22:11.086 \longrightarrow 00:22:14.129$ do we get the gel into the kidney?

NOTE Confidence: 0.9402536

 $00:22:15.410 \longrightarrow 00:22:17.570$ It is important to note,

NOTE Confidence: 0.9402536

 $00{:}22{:}17.570 \dashrightarrow 00{:}22{:}20.970$ not every patient would be a candidate for

NOTE Confidence: 0.9402536

 $00:22:20.970 \longrightarrow 00:22:24.288$ this mitomycin gel installation.

NOTE Confidence: 0.9402536

 $00:22:24.290 \longrightarrow 00:22:26.735$ Really we're talking about patients

NOTE Confidence: 0.9402536

00:22:26.735 --> 00:22:30.127 with low grade tumors of the renal

NOTE Confidence: 0.9402536

 $00{:}22{:}30.127 \dashrightarrow 00{:}22{:}32.695$ pelvis and in some cases ure ter.

NOTE Confidence: 0.9402536

 $00{:}22{:}32.700 \dashrightarrow 00{:}22{:}34.398$ Generally speaking those are patients that

NOTE Confidence: 0.9402536

00:22:34.398 --> 00:22:36.540 have already had an endoscopic procedure,

NOTE Confidence: 0.9402536

 $00:22:36.540 \longrightarrow 00:22:37.952$ they've had a biopsy,

00:22:37.952 --> 00:22:39.717 they've had pathology

NOTE Confidence: 0.9402536

00:22:39.717 --> 00:22:41.020 proving that diagnosis.

NOTE Confidence: 0.9402536

 $00:22:41.020 \longrightarrow 00:22:44.620$ So what's done is usually it's

NOTE Confidence: 0.9402536

 $00:22:44.620 \longrightarrow 00:22:47.626$ either instilled by looking into a

NOTE Confidence: 0.9402536

 $00:22:47.626 \longrightarrow 00:22:49.636$ patient's bladder with the camera

NOTE Confidence: 0.9402536

 $00:22:49.636 \longrightarrow 00:22:51.780$ cystoscope and then putting a small

NOTE Confidence: 0.9402536

 $00:22:51.780 \longrightarrow 00:22:53.620$ open-ended catheter or tube up

NOTE Confidence: 0.9402536

 $00:22:53.620 \longrightarrow 00:22:56.435$ into the ureter up into the renal

NOTE Confidence: 0.9402536

 $00:22:56.435 \longrightarrow 00:22:58.680$ pelvis and then basically injecting

NOTE Confidence: 0.9402536

 $00:22:58.680 \longrightarrow 00:23:00.755$ this gel material up directly

NOTE Confidence: 0.9402536

 $00:23:00.755 \longrightarrow 00:23:02.975$ through that catheter can also be

NOTE Confidence: 0.9402536

00:23:02.975 --> 00:23:04.600 placed through a nephrostomy tube,

NOTE Confidence: 0.9402536

 $00{:}23{:}04.600 \dashrightarrow 00{:}23{:}07.029$ which is a drain that goes directly

NOTE Confidence: 0.9402536

 $00:23:07.029 \longrightarrow 00:23:09.446$ into the kidney through a patient's

NOTE Confidence: 0.9402536

00:23:09.446 --> 00:23:11.760 back usually and sort of instilled

00:23:11.760 --> 00:23:13.920 in an antigrade fashion that way.

NOTE Confidence: 0.9402536

 $00{:}23{:}13.920 \dashrightarrow 00{:}23{:}16.360$ It's given as a series of 6 treatments

NOTE Confidence: 0.9402536

 $00:23:16.360 \longrightarrow 00:23:19.231$ once a week as sort of an induction phase

NOTE Confidence: 0.9402536

00:23:19.231 --> 00:23:22.276 and then if patients have a good response,

NOTE Confidence: 0.9402536

 $00:23:22.280 \longrightarrow 00:23:24.728$ which is generally judged by another

NOTE Confidence: 0.9402536

00:23:24.728 --> 00:23:27.179 endoscopic look up into the kidney,

NOTE Confidence: 0.9402536

 $00{:}23{:}27.180 --> 00{:}23{:}29.030$ they might be a candidate

NOTE Confidence: 0.9402536

00:23:29.030 --> 00:23:30.140 for maintenance treatments,

NOTE Confidence: 0.9402536

 $00{:}23{:}30.140 \dashrightarrow 00{:}23{:}32.340$ which would be once monthly for up to a year.

NOTE Confidence: 0.91863912

 $00:23:32.740 \longrightarrow 00:23:35.380$ That doesn't sound too bad.

NOTE Confidence: 0.91863912

 $00:23:35.380 \longrightarrow 00:23:36.760$ It doesn't sound perfect.

NOTE Confidence: 0.91863912

 $00:23:36.760 \longrightarrow 00:23:39.532$ It's not like it's a pill that

NOTE Confidence: 0.91863912

 $00:23:39.532 \longrightarrow 00:23:42.140$ you can take and be done with it.

NOTE Confidence: 0.91863912

00:23:42.140 --> 00:23:43.500 It's still somewhat invasive,

NOTE Confidence: 0.91863912

 $00:23:43.500 \longrightarrow 00:23:44.900$ but certainly not a surgery.

NOTE Confidence: 0.91863912

 $00:23:44.900 \longrightarrow 00:23:48.980$ It sounds like both the cystoscopic

 $00:23:48.980 \longrightarrow 00:23:51.718$ procedure or the installation through

NOTE Confidence: 0.91863912

 $00{:}23{:}51.718 {\:\dashrightarrow\:} 00{:}23{:}54.161$ a nephrostomy tube would be done as

NOTE Confidence: 0.91863912

00:23:54.161 --> 00:23:56.738 an outpatient basis, like a quick

NOTE Confidence: 0.91863912

 $00:23:56.738 \longrightarrow 00:23:59.910$ pop in and get your installation and leave.

NOTE Confidence: 0.91863912

00:23:59.910 --> 00:24:01.310 Is that kind of how that works?

NOTE Confidence: 0.91863912

 $00:24:01.510 \longrightarrow 00:24:03.790$ Yep, absolutely.

NOTE Confidence: 0.839614232857143

 $00:24:03.790 \longrightarrow 00:24:05.148$ You know, it has to be done,

NOTE Confidence: 0.839614232857143

 $00:24:05.150 \longrightarrow 00:24:07.268$ at least initially, in an environment

NOTE Confidence: 0.839614232857143

 $00{:}24{:}07.268 \to 00{:}24{:}09.510$ where you can take some X-rays.

NOTE Confidence: 0.839614232857143

 $00{:}24{:}09.510 \dashrightarrow 00{:}24{:}11.827$ We do fluoroscopic images to measure the

NOTE Confidence: 0.839614232857143

00:24:11.827 --> 00:24:14.918 size of the renal pelvis so we can calculate

NOTE Confidence: 0.839614232857143

 $00:24:14.918 \longrightarrow 00:24:17.289$ how much medicine we have to put in.

NOTE Confidence: 0.839614232857143

 $00{:}24{:}17.290 \dashrightarrow 00{:}24{:}19.210$ And once you have that calculation,

NOTE Confidence: 0.839614232857143

 $00{:}24{:}19.210 --> 00{:}24{:}20.729$ you can do it in the clinic.

NOTE Confidence: 0.839614232857143

00:24:20.730 --> 00:24:23.290 If you have fluoroscopic capabilities,

 $00:24:23.290 \longrightarrow 00:24:26.370$ you could do it in a radiology suite.

NOTE Confidence: 0.839614232857143

 $00{:}24{:}26.370 \longrightarrow 00{:}24{:}28.806$ In a patient with a nephrostomy tube,

NOTE Confidence: 0.839614232857143

00:24:28.810 --> 00:24:32.086 once you have the volume of the renal pelvis,

NOTE Confidence: 0.839614232857143

 $00:24:32.090 \longrightarrow 00:24:34.512$ you could do it in the clinic

NOTE Confidence: 0.839614232857143

 $00:24:34.512 \longrightarrow 00:24:35.550$ even without fluoroscopy.

NOTE Confidence: 0.839614232857143

00:24:35.550 --> 00:24:38.110 So yeah, I think to your point,

NOTE Confidence: 0.839614232857143

 $00:24:38.110 \longrightarrow 00:24:39.510$ it is definitely not perfect,

NOTE Confidence: 0.839614232857143

 $00:24:39.510 \longrightarrow 00:24:40.788$ but it is a better option.

NOTE Confidence: 0.839614232857143

00:24:40.790 --> 00:24:42.309 I'll give you a great example actually.

NOTE Confidence: 0.839614232857143

 $00:24:42.310 \longrightarrow 00:24:43.630$ So I have a patient,

NOTE Confidence: 0.839614232857143

00:24:43.630 --> 00:24:44.605 the solitary kidney,

NOTE Confidence: 0.839614232857143

 $00:24:44.605 \longrightarrow 00:24:47.390$ so he doesn't have an option.

NOTE Confidence: 0.839614232857143

00:24:47.390 --> 00:24:49.588 He's actually already had his other kidney

NOTE Confidence: 0.839614232857143

 $00:24:49.588 \longrightarrow 00:24:51.667$ removed for the same disease.

NOTE Confidence: 0.839614232857143

 $00:24:51.670 \longrightarrow 00:24:52.909$ So we can't take his kidney out.

NOTE Confidence: 0.839614232857143

 $00:24:52.910 \longrightarrow 00:24:54.582$ I mean we could,

 $00:24:54.582 \longrightarrow 00:24:57.949$ but he'd be on dialysis probably for life.

NOTE Confidence: 0.839614232857143

 $00:24:57.950 \longrightarrow 00:25:00.435$ So kind of a perfect patient to

NOTE Confidence: 0.839614232857143

 $00:25:00.435 \longrightarrow 00:25:02.714$ to offer something like this who

NOTE Confidence: 0.839614232857143

 $00:25:02.714 \longrightarrow 00:25:04.988$ really has no other options.

NOTE Confidence: 0.9352218

00:25:05.780 --> 00:25:07.616 And so how effective is it?

NOTE Confidence: 0.9352218

 $00:25:07.620 \longrightarrow 00:25:09.146$ I mean you mentioned that it was

NOTE Confidence: 0.9352218

 $00:25:09.146 \longrightarrow 00:25:10.780$ approved just in the last year or two.

NOTE Confidence: 0.9352218

 $00:25:10.780 \longrightarrow 00:25:13.196$ Do we have data that after

NOTE Confidence: 0.9352218

 $00:25:13.196 \longrightarrow 00:25:15.516$ a year of this maintenance therapy

NOTE Confidence: 0.9352218

 $00:25:15.516 \longrightarrow 00:25:18.220$ if you've had a good response and

NOTE Confidence: 0.9352218

00:25:18.220 --> 00:25:19.420 maybe that's the first question,

NOTE Confidence: 0.9352218

 $00:25:19.420 \longrightarrow 00:25:20.556$ what proportion of people

NOTE Confidence: 0.9352218

 $00:25:20.556 \longrightarrow 00:25:21.976$ actually have a good response?

NOTE Confidence: 0.9352218

 $00:25:21.980 \longrightarrow 00:25:24.220$ And then second after you've

NOTE Confidence: 0.9352218

00:25:24.220 --> 00:25:26.460 had this year of maintenance,

 $00:25:26.460 \longrightarrow 00:25:28.686$ are we expecting this to be

NOTE Confidence: 0.9352218

 $00{:}25{:}28.686 --> 00{:}25{:}30.953$ durable long term so that you

NOTE Confidence: 0.9352218

 $00:25:30.953 \longrightarrow 00:25:33.417$ know that's kind of one and done?

NOTE Confidence: 0.943913018181818

 $00{:}25{:}33.970 \dashrightarrow 00{:}25{:}36.340$ Yeah. So like any other medication

NOTE Confidence: 0.943913018181818

 $00:25:36.340 \longrightarrow 00:25:38.694$ that gets approved by the FDA,

NOTE Confidence: 0.943913018181818

00:25:38.694 --> 00:25:41.114 this had to essentially prove

NOTE Confidence: 0.943913018181818

 $00:25:41.114 \longrightarrow 00:25:43.050$ its efficacy before that.

NOTE Confidence: 0.943913018181818

 $00:25:43.050 \longrightarrow 00:25:45.190$ So there are trials,

NOTE Confidence: 0.943913018181818

 $00:25:45.190 \longrightarrow 00:25:47.330$ basically two major trials

NOTE Confidence: 0.943913018181818

 $00:25:47.330 \longrightarrow 00:25:48.670$ we actually are

NOTE Confidence: 0.943913018181818

00:25:48.670 --> 00:25:50.010 seeing complete response in a

NOTE Confidence: 0.943913018181818

 $00:25:50.065 \longrightarrow 00:25:51.530$ fair number of these patients,

NOTE Confidence: 0.943913018181818

 $00:25:51.530 \longrightarrow 00:25:53.090$ I mean upwards of 50-60,

NOTE Confidence: 0.943913018181818

 $00:25:53.090 \longrightarrow 00:25:57.548$ even 70% which is remarkable actually.

NOTE Confidence: 0.943913018181818

00:25:57.550 --> 00:26:00.133 Again, I think we don't really have

NOTE Confidence: 0.943913018181818

 $00:26:00.133 \longrightarrow 00:26:02.332$ 101-5 year data because it's only

 $00:26:02.332 \longrightarrow 00:26:05.135$ been out for a few years and it's

NOTE Confidence: 0.943913018181818

 $00{:}26{:}05.135 \dashrightarrow 00{:}26{:}07.585$ not a common disease so to speak.

NOTE Confidence: 0.943913018181818

 $00{:}26{:}07.590 \dashrightarrow 00{:}26{:}10.579$ I mean statistically there are

NOTE Confidence: 0.943913018181818

00:26:10.579 --> 00:26:13.708 about 80,000 new kidney cancers per year,

NOTE Confidence: 0.943913018181818

 $00{:}26{:}13.710 \dashrightarrow 00{:}26{:}16.573$ about 5% of those are these particular

NOTE Confidence: 0.943913018181818

 $00:26:16.573 \longrightarrow 00:26:18.750$ upper tract urothelial types, so

NOTE Confidence: 0.943913018181818

00:26:18.750 --> 00:26:21.630 not a huge number of patients,

NOTE Confidence: 0.943913018181818

 $00:26:21.630 \longrightarrow 00:26:22.902$ but you know, again,

NOTE Confidence: 0.943913018181818

00:26:22.902 --> 00:26:25.187 when you're talking about the option of

NOTE Confidence: 0.943913018181818

 $00:26:25.187 \longrightarrow 00:26:27.385$ complete removal of the kidney and ureter,

NOTE Confidence: 0.943913018181818

 $00{:}26{:}27.390 \dashrightarrow 00{:}26{:}29.560$ which is not just surgery

NOTE Confidence: 0.943913018181818

 $00:26:29.560 \longrightarrow 00:26:31.030$ and recovery from surgery,

NOTE Confidence: 0.943913018181818

 $00{:}26{:}31.030 \dashrightarrow 00{:}26{:}33.142$ but is also the impact on

NOTE Confidence: 0.943913018181818

00:26:33.142 --> 00:26:34.550 kidney function long term,

NOTE Confidence: 0.943913018181818

00:26:34.550 --> 00:26:35.850 you know, renal insufficiency,

00:26:35.850 --> 00:26:36.825 chronic kidney disease,

NOTE Confidence: 0.943913018181818

 $00:26:36.830 \longrightarrow 00:26:39.668$ possibly even dialysis,

NOTE Confidence: 0.943913018181818

 $00:26:39.670 \longrightarrow 00:26:41.270$ I think this is a good option

 $00:26:41.670 \longrightarrow 00:26:42.470$ for the right patient.

NOTE Confidence: 0.94629164

 $00:26:42.870 \longrightarrow 00:26:45.310$ Yeah, and regardless of whether

NOTE Confidence: 0.94629164

 $00:26:45.310 \longrightarrow 00:26:47.750$ you go the surgical route

NOTE Confidence: 0.94629164

 $00:26:47.750 \longrightarrow 00:26:51.705$ or the installation route,

NOTE Confidence: 0.94629164

00:26:51.710 --> 00:26:53.420 I mean certainly some people aren't

NOTE Confidence: 0.94629164

 $00:26:53.420 \longrightarrow 00:26:55.655$ going to have the option of the latter

NOTE Confidence: 0.94629164

 $00:26:55.655 \longrightarrow 00:26:57.590$ if they have a higher grade tumor.

NOTE Confidence: 0.948879371428571

 $00{:}26{:}59.670 \dashrightarrow 00{:}27{:}01.718$ Can you talk a little bit about other

NOTE Confidence: 0.948879371428571

00:27:01.718 --> 00:27:03.709 therapies that these patients might require?

NOTE Confidence: 0.948879371428571

 $00{:}27{:}03.710 \dashrightarrow 00{:}27{:}06.614$ I mean how often do these patients also

NOTE Confidence: 0.948879371428571

 $00{:}27{:}06.614 \dashrightarrow 00{:}27{:}08.988$ need systemic therapies or radiation?

NOTE Confidence: 0.937395028571429

 $00:27:09.430 \longrightarrow 00:27:12.713$ Yeah, so radiation is not commonly used

NOTE Confidence: 0.937395028571429

00:27:12.713 --> 00:27:16.020 really for either type of kidney cancer.

 $00:27:16.020 \longrightarrow 00:27:18.066$ For those cortical tumors or for

NOTE Confidence: 0.937395028571429

 $00{:}27{:}18.066 \dashrightarrow 00{:}27{:}19.900$ the upper tract urothelial tumors,

NOTE Confidence: 0.937395028571429

00:27:19.900 --> 00:27:22.100 chemotherapy, it's interesting really

NOTE Confidence: 0.937395028571429

 $00:27:22.100 \longrightarrow 00:27:27.080$ has gained well I should say in the two

NOTE Confidence: 0.937395028571429

 $00:27:27.080 \longrightarrow 00:27:29.735$ different disease settings some footing.

NOTE Confidence: 0.937395028571429

00:27:29.740 --> 00:27:32.460 So for the cortical tumors of the kidney,

NOTE Confidence: 0.937395028571429

00:27:32.460 --> 00:27:34.345 like those solid renal tumors

NOTE Confidence: 0.937395028571429

 $00:27:34.345 \longrightarrow 00:27:35.853$ we discussed earlier on,

NOTE Confidence: 0.937395028571429

 $00:27:35.860 \longrightarrow 00:27:38.872$ there's been a lot of interest

NOTE Confidence: 0.937395028571429

 $00:27:38.872 \longrightarrow 00:27:40.378$ in using immunotherapy.

NOTE Confidence: 0.937395028571429

 $00:27:40.380 \longrightarrow 00:27:42.630$ So people might be familiar with

NOTE Confidence: 0.937395028571429

 $00:27:42.630 \longrightarrow 00:27:45.059$ that for things like lung cancer.

NOTE Confidence: 0.937395028571429

 $00:27:45.060 \longrightarrow 00:27:47.064$ And that's being used for metastatic

NOTE Confidence: 0.937395028571429

 $00:27:47.064 \longrightarrow 00:27:49.630$ disease for some time and now is gaining

NOTE Confidence: 0.937395028571429

 $00:27:49.630 \longrightarrow 00:27:51.828$ some use in patients with higher risk

NOTE Confidence: 0.937395028571429

 $00:27:51.828 \longrightarrow 00:27:54.037$ tumors that are completely removed for

00:27:54.037 --> 00:27:56.059 patients with that upper tract urothelial,

NOTE Confidence: 0.937395028571429

00:27:56.060 --> 00:27:57.676 the more bladder cancer

NOTE Confidence: 0.937395028571429

 $00:27:57.676 \longrightarrow 00:28:00.100$ type of tumor if you will.

NOTE Confidence: 0.937395028571429

 $00:28:00.100 \longrightarrow 00:28:01.858$ Those patients are sometimes treated with

NOTE Confidence: 0.937395028571429

 $00:28:01.858 \longrightarrow 00:28:03.660$ what we call neoadjuvant chemotherapy.

NOTE Confidence: 0.937395028571429

 $00:28:03.660 \longrightarrow 00:28:07.300$ So they may get chemo before their treatment.

NOTE Confidence: 0.937395028571429

00:28:07.300 --> 00:28:09.820 There's a lot of debate about that,

NOTE Confidence: 0.937395028571429

 $00{:}28{:}09.820 \dashrightarrow 00{:}28{:}11.140$ some of that's extrapolated

NOTE Confidence: 0.937395028571429

00:28:11.140 --> 00:28:13.860 from bladder cancer data, but

NOTE Confidence: 0.937395028571429

 $00:28:13.860 \longrightarrow 00:28:14.676$ the challenge, of course,

NOTE Confidence: 0.937395028571429

 $00{:}28{:}14.676 \dashrightarrow 00{:}28{:}15.900$ is once the kidney is removed,

NOTE Confidence: 0.937395028571429

 $00:28:15.900 \longrightarrow 00:28:17.748$ those patients may not be able

NOTE Confidence: 0.937395028571429

 $00{:}28{:}17.748 \dashrightarrow 00{:}28{:}18.980$ to tolerate systemic chemotherapy

NOTE Confidence: 0.937395028571429

 $00:28:19.030 \longrightarrow 00:28:20.860$ because of the kidney function issues.

NOTE Confidence: 0.937395028571429

 $00:28:20.860 \longrightarrow 00:28:24.316$ So often they will be seen by a

 $00:28:24.316 \longrightarrow 00:28:26.220$ medical oncologist in concurrence

NOTE Confidence: 0.937395028571429

 $00:28:26.220 \longrightarrow 00:28:27.780$ with radiation perhaps,

 $00:28:29.004 \longrightarrow 00:28:31.044$ but usually it's urology and possibly

NOTE Confidence: 0.937395028571429

 $00:28:31.044 \longrightarrow 00:28:31.860$ medical oncology.

NOTE Confidence: 0.941478970588235

00:28:32.660 --> 00:28:34.814 Doctor Joseph Brito is an assistant

NOTE Confidence: 0.941478970588235

00:28:34.814 --> 00:28:36.639 professor of medicine and urology

NOTE Confidence: 0.941478970588235

 $00:28:36.639 \longrightarrow 00:28:38.577$ at the Yale School of Medicine.

NOTE Confidence: 0.941478970588235

00:28:38.580 --> 00:28:40.818 If you have questions, the address

NOTE Confidence: 0.941478970588235

 $00{:}28{:}40.818 \dashrightarrow 00{:}28{:}43.260$ is cancer Answers at Yale dot Edu.

NOTE Confidence: 0.941478970588235

 $00{:}28{:}43.260 \dashrightarrow 00{:}28{:}45.492$ And past editions of the program

NOTE Confidence: 0.941478970588235

 $00{:}28{:}45.492 \dashrightarrow 00{:}28{:}47.695$ are available in audio and written

NOTE Confidence: 0.941478970588235

 $00{:}28{:}47.695 \dashrightarrow 00{:}28{:}48.643$ form at yale cancercenter.org.

NOTE Confidence: 0.941478970588235

00:28:48.643 --> 00:28:51.067 We hope you'll join us next week to

NOTE Confidence: 0.941478970588235

 $00{:}28{:}51.067 \dashrightarrow 00{:}28{:}52.910$ learn more about the fight against

NOTE Confidence: 0.941478970588235

 $00:28:52.910 \longrightarrow 00:28:54.740$ cancer here on Connecticut Public Radio.

NOTE Confidence: 0.941478970588235

 $00:28:54.740 \longrightarrow 00:28:57.434$ Funding for Yale Cancer Answers is

 $00{:}28{:}57.434 \dashrightarrow 00{:}29{:}00.000$ provided by Smilow Cancer Hospital.